

BUYERS GUIDE TO
 TELEHANDLERS 2019

Model	Max lift height	Max lift capacity	Lift to full height	Boom cushion	Hydraulics - litres/min F - gear pump; V - piston pump	Engine - output; make	Transmission - speeds and drive	List price - £ ex-VAT
Hydraulics: F - Fixed output gear pump; V - Variable output piston pump. Transmissions: H - hydrostatic; PS - power shift; MS - manual shift; CVT - hydraulic continuously variable. Prices: tbc - new model price to be confirmed; poa - manufacturer has not provided a price. Imported machine prices subject to prevailing exchange rate.								
AVANT								
Central cab, articulated chassis steering								
423	2.75m	0.69t	0.55t	no	F 34	22hp Kubota	1 H	£16,900
523	2.79m	1.35t	0.80t	no	F 34	22hp Kubota	1 H	£19,900
528	2.79m	1.50t	0.95t	no	F 36	26hp Kubota	1 H	£21,900
530	2.79m	1.50t	0.95t	no	F 36	26hp Kubota	2 H	£22,900
R28	2.79m	1.10t	0.90t	no	F 36	26hp Kubota	1 H	£21,900
e5	2.79m	1.35t	0.90t	no	F 30	240Ah AGM battery	3 H	£29,500
e6	2.79m	1.35t	0.90t	no	F 30	288Ah Li battery	3 H	£39,500
R35 Tier IV	2.82m	1.25t	1.05t	no	F 66	37.5hp Kubota	1 H	£27,400
R35 Tier V	2.82m	1.25t	1.05t	no	F 50	26hp Kubota	1 H	£27,400
630	2.83m	1.80t	1.00t	no	F 44	26hp Kubota	1 H	£23,900
635 Tier IV	2.83m	1.80t	1.00t	no	F 66	37.5hp Kubota	1 H	£27,400
635 Tier V	2.83m	1.80t	1.00t	no	F 50	26hp Kubota	1 H	£27,400
640 Tier IV	2.83m	1.80t	1.00t	no	F 66	37.5hp Kubota	2 H	£28,900
640 Tier V	2.83m	1.80t	1.00t	no	F 50	26hp Kubota	2 H	£28,900
745	3.08m	2.10t	1.40t	no	F 70	49hp Kubota	1 H	£31,900
750	3.08m	2.10t	1.40t	std	F 70	49hp Kubota	2 H	£34,500
755i	3.10m	2.10t	1.40t	std	F 80	57hp Kohler	1 H	£34,900
760i	3.10m	2.10t	1.40t	std	F 80	57hp Kohler	2 H	£37,500
860i	3.50m	2.70t	1.90t	std	F 80	57hp Kohler	2 H	tbc *
Note: Optional cab available on 400 to 700 Series and R Series loaders; 640 (Tier IV) 11-22kph, 640 (Tier V) 10-20kph, 750 12-26kph, 760i and 860i 12-30kph; 500 to 700 Series have attachment self-levelling as standard. All lift capacities are rated with full counterweight fitted. * 860i available from autumn 2019.								

BLANEY

Central cab, articulated chassis steering								
TL1 10-33	3.30m	1.0t	1.0t	poa	F 50	40hp Yanmar	2 H	poa
Offset cab, permanent four-wheel steering								
TH1 15-48	4.80m	1.5t	1.5t	poa	F 50	40hp Yanmar	2 H	poa

BOBCAT



The Bobcat range has been extended with the new TL43.80 HF model, available to the extra equipment Agri specification, with greater lift capacity and lift height and reach than any previous model.

Offset cab, selectable two/four-wheel steering								
TL26.60-75	5.89m	2.6t	2.0t	std	F 100	75hp Bobcat	2 H	£46,420
TL26.60-100 Agri	5.89m	2.6t	2.0t	std	F 100	100hp Bobcat	2 H	£57,579
TL30.60-75	5.89m	3.0t	2.5t	std	F 100	75hp Bobcat	2 H	£46,420
TL30.60-100 Agri	5.89m	3.0t	2.5t	std	F 100	100hp Bobcat	2 H	£58,351
TL34.65HF-130 Agri	6.41m	3.4t	3.4t	std	V 190	130hp Bobcat	4 H	£67,850
TL30.70-75	6.75m	3.0t	2.0t	std	F 100	75hp Bobcat	2 H	£48,794
TL30.70-100 Agri	6.75m	3.0t	2.0t	std	F 100	100hp Bobcat	2 H	£59,953
TL35.70-100 Agri	6.97m	3.5t	3.5t	std	F 100	100hp Bobcat	4 H	£66,038
TL38.70HF-130 Agri	6.97m	3.8t	3.5t	std	V 190	130hp Bobcat	4 H	£71,210
TL43.80HF-130 Agri	7.50m	4.3t	1.8t	std	V 190	130hp Bobcat	4 H	£76,804
Note: All models have selectable independent ground/engine speed control; four-speed transmissions have two mechanical gears and two hydrostatic ranges. HF versions have hydraulic pump booster and flow-sharing. TL26.60, TL30.60 and TL30.70 have choice of cab mounting positions for minimum height or maximum visibility; Bobcat engines built by parent company Doosan.								

CASE IH

Offset cab, selectable two/four-wheel steering								
Farmlift 525	5.78m	2.5t	2.5t	£1,168	F 80	74hp Kubota	1 H	£69,347
Farmlift 633	6.10m	3.3t	3.3t	£1,654	F 120	133hp FPT	4 PS	£90,233
Farmlift 633	6.10m	3.3t	3.3t	£1,654	F 120	133hp FPT	6 PS	£91,310
Farmlift 636	6.10m	3.6t	3.6t	£1,654	V 140	146hp FPT	6 PS	£100,148
Farmlift 737	7.00m	3.7t	2.5t	£1,654	F 120	133hp FPT	4 PS	£94,163
Farmlift 737	7.00m	3.7t	2.5t	£1,654	F 120	133hp FPT	6 PS	£95,240
Farmlift 742	7.00m	4.2t	2.5t	£1,654	V 140	146hp FPT	6 PS	£104,045

Model	Max lift height	Max lift capacity	Lift to full height	Boom cushion	Hydraulics - litres/min F - gear pump; V - piston pump	Engine - output; make	Transmission - speeds and drive	List price - £ ex-VAT
Farmlift 935	9.10m	3.5t	1.5t	£1,654	F 120	133hp FPT	4 PS	£97,864
Farmlift 935	9.10m	3.5t	1.5t	£1,654	F 120	133hp FPT	6 PS	£98,941
Note: Farmlift 525 options: air conditioning £2,241, deluxe air suspension seat £394. Farmlift 633, 737 and 935 – air conditioning £2,477, variable flow piston hydraulics £916, air suspension seat £933, hydraulic reversible engine cooling fan £674, headstock 142-degree rotation £702, rear axle limited slip differential £396, auto steering alignment £270, telematics £1,346. Farmlift 636 and 742 options – air conditioning £2,477, power shuttle lever £275, auto lubrication £4,711, heated air suspension seat £722, telematics £1,346.								

CATERPILLAR



The Caterpillar range distributed through Finning agricultural dealers offers a choice of power, performance and equipment levels to suit different users, with the latest cab design offering more space and updated controls.

Offset cab, selectable two/four-wheel steering								
TH357D	7.00m	3.5t	2.25t	std	V 150	124hp Cat	6 PS	£81,095
TH408D	7.60m	4.0t	2.02t	std	V 150	142hp Cat	6 PS	£85,350
TH3510D AG Exclusive	10.0m	3.5t	0.8t	std	V 150	142hp Cat	6 PS	£87,600

CLAAS



The new-generation Claas telescopic handler range has been expanded with the introduction of basic-spec Trend models featuring lower output, single-function gear pump hydraulics, a simpler joystick, mechanical hand throttle and a 30kph hydrostatic transmission.

Offset cab, selectable two/four-wheel steering								
Scorpion 635 Trend	6.13m	3.5t	3.0t	no	F 106	136hp Deutz	3 H	£94,385
Scorpion 635 Varipower	6.13m	3.5t	3.0t	std	V 160	136hp Deutz	3 H	£104,160
Scorpion 732 Trend	6.93m	3.2t	2.8t	no	F 106	136hp Deutz	3 H	£93,440
Scorpion 732 Varipower	6.93m	3.2t	2.8t	std	V 160	136hp Deutz	3 H	£107,310
Scorpion 736 Trend	6.93m	3.6t	2.5t	no	F 106	136hp Deutz	3 H	£95,740
Scorpion 736 Varipower	6.93m	3.6t	2.5t	std	V 160	136hp Deutz	3 H	£108,560
Scorpion 741 Trend	6.93m	4.1t	2.5t	no	F 106	136hp Deutz	3 H	£101,880
Scorpion 741 Varipower	6.93m	4.1t	2.5t	std	V 160	136hp Deutz	3 H	£111,740
Scorpion 746 Varipower	7.03m	4.6t	3.0t	std	V 200	136hp Deutz	3 H	£118,940
Scorpion 756 Varipower Plus	7.03m	5.6t	3.5t	std	V 200	156hp Deutz	3 H	£128,990
Scorpion 1033 Trend	9.75m	3.3t	1.5t	no	F 106	136hp Deutz	3 H	£103,410
Scorpion 1033 Varipower	9.75m	3.3t	1.5t	std	V 160	136hp Deutz	3 H	£113,130

Note: Varipower models have a 40kph transmission, auto return-to-dig, pick-up hitch, multi-function joystick able to control multiple functions at once, electronic steering selection and an electronic throttle in addition to boom suspension and piston pump hydraulics. Scorpion 756 Varipower Plus has a fixed displacement motor in addition to the variable displacement transmission pump.

DIECI

Central cab, articulated chassis steering								
Agri Pivot T40	4.30m	2.0t	1.25t	no	F 72	50hp Kubota	2 H	£56,680
Agri Pivot T50	4.70m	2.2t	1.35t	£1,308	F 86	68hp Yanmar	2 H	£59,280
Agri Pivot T60	5.00m	2.3t	1.4t	£1,308	F 98	75hp Yanmar	4 H	£62,920
Agri Pivot T70	5.00m	3.0t	1.95t	£1,308	F 114	115hp Kubota	4 H	£75,400
Agri Pivot T80	5.20m	3.5t	2.25t	£1,308	F 114	140hp FPT	4 H	£86,840
Agri Pivot T90 Plus	6.00m	5.7t	2.5t	£1,308	F 150	152hp FPT	2 H	tbc
Offset cab, selectable two/four-wheel steering								
Apollo 25.6R	5.78m	2.5t	1.7t	no	F 88	49hp Kubota	4 H	£49,440
Mini Agri 26.6	5.78m	2.6t	1.7t	£1,308	F 88	75hp Kubota	4 H	£56,750
Agri Star 35.6 GD	6.40m	3.5t	2.0t	£1,390	F 205	143hp FTP	CVT	£72,156
Agri Farmer 30.7 GD	6.35m	3.0t	2.0t	£1,390	F 110	107hp Kubota	4 H	£63,868
Agri Plus 42.7 Evo 2 GD	7.00m	4.2t	2.4t	£1,390	F 230	153hp FPT	CVT	£79,315
Agri Star 40.7 Evo 2 GD	7.20m	4.0t	2.5t	£1,390	F 205	143hp FPT	CVT	£74,302
Agri Max 50.8 Evo 2 GD	7.70m	5.0t	3.0t	£1,390	F 247	153hp FPT	CVT	£82,000
Agri Max 65.8 Evo 2 GD	7.70m	6.5t	4.2t	£1,390	F 247	153hp FPT	CVT	£89,250
Agri Farmer 30.9 GD	8.14m	3.0t	0.9t	£1,390	F 110	107hp Kubota	4 H	£65,864
Agri Plus 40.9 Evo 2 GD	9.00m	4.0t	1.5t	£1,390	F 230	153hp FPT	CVT	£80,950
Agri Star 38.10 Evo 2 GD	9.60m	3.8t	.9t	£1,390	F 205	143hp FPT	CVT	£76,457
Note: Agri Max VS models have four-mode hydro CVT drive; Agri Tech equipped with 4,000kg lift three-point linkage, pto and up to three remote valves; multi-mode hydro CVT drive.								

JCB



All-new cab on Loadall 538-60, 532-70, 542-70 and 535-95 Series III telehandlers provides more interior space and storage, new controls, significantly lower interior noise levels, and improved visibility forwards and upwards through the one-piece curved windscreen.

Central cab, skid steering								
Teleskid 3TS-8W	4.05m	0.6t	0.60t	std	F 90	74hp JCB	1 H	£55,555

ULTIMATE GUIDE TELEHANDLERS

Model	Max lift height	Max lift capacity	Lift to full height	Boom cushion	Hydraulics - litres/min F - gear pump; V - piston pump	Engine - output; make	Transmission - speeds and drive	List price - £ ex-VAT
Teleskid 3TS-8T	4.03m	0.7t	0.73t	std	F 90-125	74hp JCB	1 H	£67,732
Central cab, articulated chassis steering								
TeleMaster TM180	4.50m	1.8t	1.8t	no	F 64	64hp JCB Kohler	2 H	£61,919
TeleMaster TM220	4.60m	2.2t	2.2t	no	F 89	74hp JCB Kohler	2/3 H	£70,433
TeleMaster TM320	5.20m	3.2t	3.2t	opt	V 140	125hp JCB	6 PS	£85,150
TeleMaster TM320S	5.20m	3.2t	3.2t	std	V 160	145hp JCB	6 PS	£88,938
TeleMaster TM420	5.45m	4.1t	4.1t	std	V 160	145hp JCB	6 PS	£105,455
Central cab, permanent four-wheel steering								
Loadall 516-40 Agri	4.04m	1.6t	1.6t	no	F 56	47hp Kohler	2/3 H	£44,835
Offset cab, selectable two/four-wheel steering								
Loadall 520-40 Agri	4.03m	2.0t	2.0t	no	F 60	49hp Perkins	2 H	£44,724
Loadall 526-56 Agri Plus	5.60m	2.6t	2.6t	opt	F 80	109hp JCB	4 PS	£66,838
Loadall 527-58 Agri Plus	5.80m	2.7t	2.7t	opt	F 126	109hp JCB	2 H	£66,720
Loadall 525-60 Agri	6.00m	2.5t	1.75t	opt	F 80	74hp JCB Kohler	2 H	£56,619
Loadall 525-60 Agri Plus	6.00m	2.5t	1.75t	opt	F 90	74hp JCB Kohler	2 H	£57,621
Loadall 538-60 Agri	6.20m	3.6t	3.6t	opt	V 140	109hp JCB	4 PS	£77,305
Loadall 538-60 Agri Plus	6.20m	3.6t	3.6t	opt	V 140	125hp JCB	4 PS	£80,703
Loadall 538-60 Agri Plus	6.20m	3.6t	3.6t	opt	V 140	145hp JCB	4 PS	poa
Loadall 538-60 Agri Super	6.20m	3.6t	3.6t	std	V 140	125hp JCB	6 PS	£85,585
Loadall 538-60 Agri Super	6.20m	3.6t	3.6t	std	V 140	145hp JCB	6 PS	poa
Loadall 538-60 Agri Pro DualTech VT	6.20m	3.6t	3.6t	std	V 140	145hp JCB	1 H + 3 PS	£92,482
Loadall 532-70 Agri	7.00m	3.1t	2.4t	opt	V 140	109hp JCB	4 PS	£80,787
Loadall 532-70 Agri Plus	7.00m	3.1t	2.4t	opt	V 140	125hp JCB	4 PS	£81,849
Loadall 532-70 Agri Plus	7.00m	3.1t	2.4t	opt	V 140	145hp JCB	4 PS	poa
Loadall 532-70 Agri Super	7.00m	3.1t	2.4t	std	V 140	125hp JCB	6 PS	£87,395
Loadall 532-70 Agri Super	7.00m	3.1t	2.4t	std	V 140	145hp JCB	6 PS	poa
Loadall 532-70 Agri Pro DualTech VT	7.00m	3.1t	2.4t	std	V 140	145hp JCB	1 H + 3 PS	£92,943
Loadall 542-70 Agri	7.00m	4.1t	2.25t	opt	V 140	109hp JCB	4 PS	£84,690
Loadall 542-70 Agri Plus	7.00m	4.1t	2.25t	opt	V 140	125hp JCB	4 PS	£88,088
Loadall 542-70 Agri Plus	7.00m	4.1t	2.25t	opt	V 140	145hp JCB	4 PS	poa
Loadall 542-70 Agri Super	7.00m	4.1t	2.25t	std	V 140	125hp JCB	6 PS	£93,400
Loadall 542-70 Agri Super	7.00m	4.1t	2.25t	std	V 140	145hp JCB	6 PS	poa
Loadall 542-70 Agri Pro DualTech VT	7.00m	4.1t	2.25t	std	V 140	145hp JCB	1 H + 3 PS	£100,006
Loadall 560-80 Agri Plus	8.10m	6.0t	3.0t	std	V 140	145hp JCB	4 PS	£102,647
Loadall 560-80 Agri Super	8.10m	6.0t	3.0t	std	V 140	145hp JCB	4 PS	£106,936
Loadall 560-80 Agri Pro DualTech VT	8.10m	6.0t	3.0t	std	V 140	145hp JCB	1 H + 3 PS	£115,306
Loadall 536-95 Agri	9.50m	3.5t	1.6t	opt	V 140	109hp JCB	4 PS	£83,789
Loadall 536-95 Agri Plus	9.50m	3.5t	1.6t	opt	V 140	125hp JCB	4 PS	£87,187
Loadall 536-95 Agri Plus	9.50m	3.5t	1.6t	opt	V 140	145hp JCB	4 PS	poa
Loadall 536-95 Agri Super	9.50m	3.5t	1.6t	std	V 140	125hp JCB	6 PS	£91,803
Loadall 536-95 Agri Super	9.50m	3.5t	1.6t	std	V 140	145hp JCB	6 PS	poa
Loadall 536-95 Agri Pro DualTech VT	9.50m	3.5t	1.6t	std	V 140	145hp JCB	1 H + 3 PS	£98,222
Note: Optional separate engine speed and ground speed control available on 516-40 and 525-60; Agri Pro models have separate engine and ground speed control as standard; Plus - optional seat-mounted servo joystick; Super - standard seat-mounted servo joystick.								

KNIKMOPS								
Central cab, articulated chassis steering								
KM100 Tele	2.96m	0.65t	0.23t	opt	F 33	25hp Kubota	1 H	£23,880
KM130 Tele	3.20m	0.85t	0.38t	opt	F 42	36hp Kubota	1 H	£27,860
KM170 Tele	3.31m	1.30t	0.61t	opt	F 42	36hp Kubota	1 H	£28,995
KM180 Tele	3.31m	1.30t	0.61t	opt	F 50	44hp Kubota	1 H	£30,450
KM250 Tele	3.55m	1.70t	0.71t	opt	F 62	49hp Kubota	1 H	£34,800
Note: All models have hydrostatic wheel motor drive.								

KRAMER								
Permanent four-wheel steering								
KL25.5T	4.00m	1.65t	1.65t	£1,083	F 70	47hp Yanmar	2 H	£59,042
KL30.5T	4.48m	2.0t	2.0t	£1,083	F 70	75hp Kohler	2 H	£71,198
KL30.8T	4.48m	2.0t	2.0t	£1,083	F 84	75hp Deutz	2 H	£77,576
KL35.8T	4.50m	2.3t	2.3t	£1,083	F 84	100hp Deutz	2 H	£95,318
Offset cab, selectable two/four-wheel steering								
KT276 Hydrostat	5.73m	2.7t	2.5t	std	F 90	75hp Kohler	2 H	£79,998
KT306 Hydrostat	6.15m	3.0t	2.5t	£1,201	F 100	136hp Deutz	3 H	£97,943
KT356 Ecospeed	6.15m	3.5t	3.0t	std	V 140	136hp Deutz	3 H	£103,303
KT307 Hydrostat	7.00m	3.0t	2.0t	£1,201	F 100	136hp Deutz	3 H	£101,265
KT357 Ecospeed	7.00m	3.5t	2.2t	std	V 140	136hp Deutz	3 H	£106,634

ULTIMATE GUIDE TELEHANDLERS

Model	Max lift height	Max lift capacity	Lift to full height	Boom cushion	Hydraulics - litres/min F - gear pump; V - piston pump	Engine - output; make	Transmission - speeds and drive	List price - £ ex-VAT
KT407 Ecospeed	7.00m	4.0t	2.4t	std	V 140	136hp Deutz	3 H	£108,554
KT447 Ecospeed	7.01m	4.3t	3.3t	std	V 140	122hp Deutz	3 H	£119,001
KT507 Ecospeed Pro	7.01m	4.8t	3.5t	std	V 140	136hp Deutz	3 H	£120,602
KT557 Ecospeed Pro	7.01m	5.5t	4.0t	std	V 187	156hp Deutz	3 H	£133,270
KT429 Ecospeed	8.75m	4.2t	1.2t	std	V 140	136hp Deutz	3 H	£125,271
KT559 Ecospeed Pro	8.75m	5.5t	5.5t	std	V 187	156hp Deutz	3 H	£138,502

Note: Ecospeed Pro models have transmission with fixed displacement motor in addition to a variable displacement pump.

MANITOU

Central cab, articulated chassis steering								
MLA-T 516-75H	4.90m	1.6t	1.2t	opt	F 70	75hp Deutz	2 H or 3 H	tbc
MLA-T 533-145 V+ Classic	5.20m	3.3t	3.3t	£1,703	V 158	143hp Deutz	Hydro CVT	£88,657
MLA-T 533-145 V+ Premium	5.20m	3.3t	3.3t	£1,703	V 158	143hp Deutz	Hydro CVT	£92,915
MLA-T 533-145 V+ Elite	5.20m	3.3t	3.3t	std	V 158	143hp Deutz	Hydro CVT	£95,421
Offset cab, selectable two/four-wheel steering								
MLT 625 75 H Classic	5.90m	2.5t	2.0t	£1,831	F 90	75hp Kubota	2 H	£61,423
MLT 625-75 H Premium	5.90m	2.5t	2.0t	£1,831	F 90	75hp Kubota	2 H	£64,713
MLT 625-75 H Elite	5.90m	2.5t	2.0t	std	F 90	75hp Kubota	2 H	£66,600
MLT 630-105 VCP Classic	6.00m	3.0t	2.7t	£1,715	F 104	101hp Deutz	2 H	£70,678
MLT 630-105 VCP Premium	6.00m	3.0t	2.7t	£1,715	F 104	101hp Deutz	2 H	£73,841
MLT 630-105 VCP Elite	6.00m	3.0t	2.7t	std	F 104	101hp Deutz	2 H	£76,420
MLT 635-130 PS+ Classic	6.08m	3.5t	3.5t	£1,715	V 150	129hp Deutz	6 PS	£81,080
MLT 635-130 PS+ Premium	6.08m	3.5t	3.5t	£1,715	V 150	129hp Deutz	6 PS	£84,585
MLT 635-130 PS+ Elite	6.08m	3.5t	3.5t	std	V 150	129hp Deutz	6 PS	£88,305
MLT 635-140 V+ Classic	6.08m	3.5t	3.5t	£1,715	V 170	136hp Deutz	Hydro CVT	£85,304
MLT 635-140 V+ Premium	6.08m	3.5t	3.5t	£1,715	V 170	136hp Deutz	Hydro CVT	£88,808
MLT 635-140 V+ Elite	6.08m	3.5t	3.5t	std	V 170	136hp Deutz	Hydro CVT	£92,529
MLT 630-105 V Classic	6.10m	3.0t	2.7t	£1,715	F 104	101hp Deutz	2 H	£71,636
MLT 630-105 V Premium	6.10m	3.0t	2.7t	£1,715	F 104	101hp Deutz	2 H	£74,802
MLT 630-105 V Elite	6.10m	3.0t	2.7t	std	F 104	101hp Deutz	2 H	£77,378
MLT 630-105 Classic	6.10m	3.0t	2.7t	£1,715	F 104	101hp Deutz	4 MS	£71,636
MLT 630-105 Premium	6.10m	3.0t	2.7t	£1,715	F 104	101hp Deutz	4 MS	£74,802
MLT 630-105 Elite	6.10m	3.0t	2.7t	std	F 104	101hp Deutz	4 MS	£77,378
MLT 730-115 VCP Classic	6.85m	3.0t	2.0t	£1,715	F 104	116hp Deutz	2 H	£73,535
MLT 730-115 VCP Premium	6.85m	3.0t	2.0t	£1,715	F 104	116hp Deutz	2 H	£76,698
MLT 730-115 VCP Elite	6.85m	3.0t	2.0t	std	F 104	116hp Deutz	2 H	£79,277
MLT 733-115 Classic	6.90m	3.3t	3.3t	£1,715	F 104	116hp Deutz	4 MS	£74,156
MLT 733-115 Premium	6.90m	3.3t	3.3t	£1,715	F 104	116hp Deutz	4 MS	£76,649
MLT 733-115 LSU Classic	6.90m	3.3t	3.3t	£1,715	V 150	116hp Deutz	4 MS	£77,249
MLT 733-115 LSU Premium	6.90m	3.3t	3.3t	£1,715	V 150	116hp Deutz	4 MS	£79,743
MLT 737-130 PS+ Classic	6.90m	3.7t	2.7t	£1,715	V 150	129hp Deutz	6 PS	£83,271
MLT 737-130 PS+ Premium	6.90m	3.7t	2.7t	£1,715	V 150	129hp Deutz	6 PS	£86,806
MLT 737-130 PS+ Elite	6.90m	3.7t	2.7t	std	V 150	129hp Deutz	6 PS	£90,494
MLT 741-140 V+ Classic	6.90m	4.1t	2.7t	£1,715	V 170	136hp Deutz	Hydro CVT	£88,446
MLT 741-140 V+ Premium	6.90m	4.1t	2.7t	£1,715	V 170	136hp Deutz	Hydro CVT	£91,981
MLT 741-140 V+ Elite	6.90m	4.1t	2.7t	std	V 170	136hp Deutz	Hydro CVT	£95,670
MLT 730-115 V Classic	6.95m	3.0t	2.0t	£1,715	F 104	116hp Deutz	2 H	£74,492
MLT 730-115 V Premium	6.95m	3.0t	2.0t	£1,715	F 104	116hp Deutz	2 H	£77,658
MLT 730-115 V Elite	6.95m	3.0t	2.0t	std	F 104	116hp Deutz	2 H	£80,234
MLT 840-145 PS Classic	7.55m	4.0t	2.0t	£1,715	V 200	141hp Deere	5 PS	£93,213
MLT 840-145 PS Premium	7.55m	4.0t	2.0t	£1,715	V 200	141hp Deere	5 PS	£97,045
MLT 840-145 PS Elite	7.55m	4.0t	2.0t	std	V 200	141hp Deere	5 PS	£100,765
MLT 845-120 Classic	7.55m	4.5t	2.0t	£1,673	V 150	122hp Deutz	4 MS	£87,806
MLT 845-120 Premium	7.55m	4.5t	2.0t	£1,673	V 150	122hp Deutz	4 MS	£92,154
MLT 845-120 Elite	7.55m	4.5t	2.0t	std	V 150	122hp Deutz	4 MS	£95,166
MLT 940-140 V+ Classic	9.00m	4.0t	1.5t	£1,715	V 170	136hp Deutz	Hydro CVT	£91,490
MLT 940-140 V+ Premium	9.00m	4.0t	1.5t	£1,715	V 170	136hp Deutz	Hydro CVT	£95,025
MLT 940-140 V+ Elite	9.00m	4.0t	1.5t	std	V 170	136hp Deutz	Hydro CVT	£98,713
MLT 961-145 V+L Classic *	9.00m	6.0t	4.0t	£2,317	V 200	141hp Deere	Hydro CVT	£106,370
MLT 961-145 V+L Premium *	9.00m	6.0t	4.0t	£2,317	V 200	141hp Deere	Hydro CVT	£110,698
MLT 961-145 V+L Elite *	9.00m	6.0t	4.0t	std	V 200	141hp Deere	Hydro CVT	£116,684
MLT 1040-145 PS L Classic *	9.60m	4.0t	2.5t	£1,715	V 200	141hp Deere	5 PS	£103,293
MLT 1040-145 PS L Premium *	9.60m	4.0t	2.5t	£1,715	V 200	141hp Deere	5 PS	£106,635
MLT 1040-145 PS L Elite *	9.60m	4.0t	2.5t	std	V 200	141hp Deere	5 PS	£109,145

Note: Air conditioning and easy connect system standard on Elite and Premium versions. * equipped with self-levelling system.

Model	Max lift height	Max lift capacity	Lift to full height	Boom cushion	Hydraulics - litres/min F - gear pump; V - piston pump	Engine - output; make	Transmission - speeds and drive	List price - £ ex-VAT
-------	-----------------	-------------------	---------------------	--------------	--	-----------------------	---------------------------------	-----------------------

MASSEY FERGUSON



Independent ground speed/engine speed control is a feature of all Massey Ferguson TH handlers, enabling the machines to operate feeders, bedding machinery and sweeper brushes efficiently. An Eco mode manages oil flow and engine revs for greater fuel economy.

MASSEY FERGUSON

Offset cab, selectable two/four-wheel steering								
TH.6030	5.89m	3.0t	2.5t	std	F 100	100hp Doosan	2 H	£65,620
TH.6534	6.41m	3.4t	3.4t	std	V 190	130hp Doosan	4 H	£77,800
TH.7030	6.70m	3.0t	2.0t	std	F 100	100hp Doosan	2 H	£69,210
TH.7035	6.97m	3.5t	3.5t	std	F 100	100hp Doosan	4 H	£75,430
TH.7038	6.97m	3.8t	3.5t	std	V 190	130hp Doosan	4 H	£81,590
TH.8043	7.50m	4.3t	2.6t	std	V 190	130hp Doosan	4 H	£88,760

Note: All models have selectable independent ground/engine speed control; four-speed transmissions have two mechanical gears and two hydrostatic ranges.

MERLO



The Merlo telescopic handler range is available in three model sizes (compact, medium and heavy) and with three power levels of 115hp, 136hp and 170hp, combined with a choice of two-speed hydrostatic and CVTronic transmissions. The widest cab in the market can be had with unique suspension (CS) to give unrivalled operator ride comfort.

Offset cab, selectable two/four-wheel steering								
P27.6 Plus	6.00m	2.7t	1.75t	£1,652	F 94	75hp Kubota	1 H	£53,012
P27.6 TOP	6.00m	2.7t	1.75t	£1,652	F 94	75hp Kubota	1 H	£54,453
TF33.7-115	6.70m	3.3t	2.6t	£1,652	V 125	115hp Deutz	2 H	£70,620
TF33.7-115L	6.70m	3.3t	2.6t	£1,652	V 125	115hp Deutz	2 H	£70,620
TF35.7-115	6.70m	3.5t	3.5t	£1,652	V 125	115hp Deutz	2 H	£74,870
TF35.7CS-115	6.70m	3.5t	3.5t	£1,652	V 125	115hp Deutz	2 H	£78,334
MF40.7CS	6.80m	4.0t	4.0t	£1,652	V 150	170hp FPT	CVT	£115,084



COMPACT DESIGN
BIG IN PERFORMANCE

CALL US ON
01622 845149
TO FIND YOUR
NEAREST DEALER

in f t y o

TEL. 01622 845149
WEB. TOBROCO-GIANT.UK
E. INFO@TOBROCO-GIANT.UK



150+ ATTACHMENT OPTIONS:



ULTIMATE GUIDE TELEHANDLERS

Model	Max lift height	Max lift capacity	Lift to full height	Boom cushion	Hydraulics - litres/min F - gear pump; V - piston pump	Engine - output; make	Transmission - speeds and drive	List price - £ ex-VAT
MF34.7	6.85m	3.4t	1.5t	£1,652	V 145	140hp Deutz	2 H	£96,797
MF34.7CS	6.85m	3.4t	3.4t	£1,652	V 145	140hp Deutz	2 H	£99,697
MF34.7CS-CVT	6.85m	3.4t	3.4t	£1,652	V 145	140hp Deutz	CVT	£106,289
TF42.7-140	710m	4.2t	3.5t	£1,652	V 150	140hp Deutz	2 H	£85,203
TF42.7CS-140	710m	4.2t	3.5t	£1,652	V 150	140hp Deutz	2 H	£89,269
TF42.7CS-140 CVTronic	710m	4.2t	3.5t	£1,652	V 150	140hp Deutz	CVT	£98,944
TF50.8 T CS-170 CVTronic	7.80m	5.0t	5.0t	£1,652	V 150	170hp FPT	CVT	£105,751
TF30.9-115	8.60m	3.3t	3.0t	£1,652	V 125	115hp Deutz	2 H	£75,605
TF30.9-115L	8.60m	3.0t	1.2t	£1,652	V 125	115hp Deutz	2 H	£75,939
TF33.7-115G	8.60m	3.3t	2.6t	£1,652	F 98	115hp Deutz	2 H	£64,223
TF30.9-115G	8.60m	3.0t	1.2t	£1,652	F 98	115hp Deutz	2 H	£70,778
TF35.7-115G	8.60m	3.5t	3.5t	£1,652	F 98	115hp Deutz	2 H	£66,145
TF33.9-115G	8.60m	3.3t	1.75t	£1,652	F 98	115hp Deutz	2 H	£73,165
TF33.9-115	8.60m	3.3t	1.75t	£1,652	V 125	115hp Deutz	2 H	£79,890
TF33.9CS-115	8.60m	3.3t	1.75t	£1,652	V 125	115hp Deutz	2 H	£83,941
MF40.9CS	8.80m	4.0t	4.0t	£1,652	V 150	170hp FPT	CVT	£119,215
MF34.9	8.85m	3.4t	3.0t	£1,652	V 145	140hp Deutz	2 H	£100,576
MF34.9CS	8.85m	3.4t	3.0t	£1,652	V 145	140hp Deutz	2 H	£103,476
MF34.9CS-CVT	8.85m	3.4t	3.0t	£1,652	V 145	140hp Deutz	CVT	£108,551
TF38.10-140	9.60m	3.8t	1.5t	£1,652	V 150	140hp Deutz	2 H	£89,525
TF38.10CS-140	9.60m	3.8t	1.5t	£1,652	V 150	140hp Deutz	2 H	£92,061
TF38.10CS-140 CVTronic	9.60m	3.8t	1.5t	£1,652	V 150	140hp Deutz	CVT	£99,984
TF38.10 TT CS-140 CVTronic	9.60m	3.8t	1.5t	£1,652	V 150	140hp Deutz	CVT	£105,010
TF45.11 T CS-170 CVTronic	10.6m	4.5t	3.5t	£1,652	V 150	170hp FPT	CVT	£110,720
TF45.11T-170	10.6m	4.5t	3.5t	£1,652	V 150	170hp FPT	2 H	£102,561
Note: L - low-mounted cab; CS - cab suspension standard; TT - levelling and sideshift front axle; CVT - twin hydraulic motor stepless transmission. MF (Multifarmer) models are equipped with integral 7,000kg rear linkage, two-speed mechanical rear pto and trailer braking system.								

MULTIONE								
Central cab, articulated chassis steering								
4.2	2.75m	1.0t	0.70t	no	F 31	20hp Kubota	1 H	£18,650
5.3	2.75m	1.14t	0.64t	no	F 42	28hp Yanmar	1 H	£21,420
7.2	2.90m	1.55t	1.24t	no	F 68	28hp Yanmar	1 H	£23,980
7.3	2.90m	1.55t	1.24t	no	F 68	35hp Yanmar	1 H	£26,550
6.3	2.92m	1.2t	0.96t	no	F 46	28hp Yanmar	1 H	£22,800
8.4+	2.98m	1.6t	1.28t	no	F 72	40hp Yanmar	1 H	£28,890
9.5	3.21m	2.6t	2.08t	no	F 85	50hp Yanmar	2 H	£34,490
10.8	3.21m	2.7t	2.16t	no	F 95	72hp Yanmar	2 H	£38,990
Note: Models 6.3, 7.3 and 8.4 have 13kph transmission standard with 11kph and two-speed 15kph transmissions optional.								

NC ENGINEERING								
Central cab, articulated chassis steering								
FH225	4.69m	2.4t	2.4t	£625	V 103	75hp Deutz	6 PS	£64,500

NEW HOLLAND								
 With a distinctive yellow and black colour scheme and a larger number of performance and equipment combinations, the latest-generation of New Holland telehandlers also feature new 4x3 and 6x3 powershift transmissions, increased in-cab comfort and visibility, and extended routine service intervals.								
LM6.28	6.35m	2.8t	2.8t	£1,117	F 110	99hp Kubota	2 H	£71,434
TH6.32 S	6.05m	3.2t	3.2t	std	F 120	133hp FPT	4 PS	£80,434
TH6.32 Classic	6.05m	3.2t	3.2t	std	V 140	133hp FPT	4 PS	£83,256
TH6.36 Plus	6.05m	3.6t	3.6t	std	V 140	133hp FPT	6 PS	£89,468
TH6.36 Elite	6.05m	3.6t	3.6t	std	V 140	146hp FPT	6 PS	£95,808
TH7.32 S	7.0m	3.2t	2.5t	std	F 120	133hp FPT	4 PS	£81,750
TH7.32 Classic	7.0m	3.2t	2.5t	std	V 140	133hp FPT	4 PS	£84,582
TH7.32 Plus	7.0m	3.2t	2.5t	std	V 140	133hp FPT	6 PS	£89,497
TH7.37 Classic	7.0m	3.7t	2.5t	std	V 140	133hp FPT	4 PS	£86,792
TH7.37 Plus	7.0m	3.7t	2.5t	std	V 140	133hp FPT	6 PS	£91,707
TH7.37 Elite	7.0m	3.7t	2.5t	std	V 140	146hp FPT	6 PS	£98,754
TH7.42 Plus	7.0m	4.2t	2.5t	std	V 140	133hp FPT	6 PS	£94,625
TH7.42 Elite	7.0m	4.2t	2.5t	std	V 140	146hp FPT	6 PS	£100,964
TH9.35 Classic	9.15m	3.5t	1.5t	std	V 140	133hp FPT	4 PS	£91,186
TH9.35 Plus	9.15m	3.5t	1.5t	std	V 140	133hp FPT	6 PS	£96,101

Model	Max lift height	Max lift capacity	Lift to full height	Boom cushion	Hydraulics - litres/min F - gear pump; V - piston pump	Engine - output; make	Transmission - speeds and drive	List price - £ ex-VAT
Note: S - limited slip front axle, 34kph; Classic - limited slip front and rear axle differentials, reversible cooling fan, increased dump angle; Plus - air suspension seat, air conditioning as standard, hydraulic attachment quick coupler; Elite - armrest-mounted joystick, extra lighting, heated seat, auto steering alignment, rear electric sockets, external front-end hydraulic pressure release.								

SCHÄFFER								
Central cab, articulated chassis steering								
2345 T	3.75m	1.90t	1.65t	poa	F 42	45hp Kubota	2 H	poa
2345 T SLT	3.75m	1.90t	1.65t	poa	F 42	45hp Kubota	2 H	poa
4670 T	4.30m	2.40t	2.11t	poa	F 60	66hp Kubota	2 H	poa
5670 T	4.74m	2.40t	2.66t	poa	F 64	68hp Deutz	2 H	poa
6680 T	4.90m	3.10t	2.7t	poa	F 64	75hp Deutz	2 H	poa
8620T	5.20m	4.20t	4.10t	std	F 105 or V 145	122hp Deutz	2 H*	poa
8620T	5.20m	4.20t	4.10t	std	F 105 or V 145	136hp Deutz	2 H*	poa
9640 T	5.40m	4.20t	4.1t	poa	V 145	136hp Deutz	2 H	poa
9660 T	6.10m	5.3t	4.8t	poa	V 220	157hp Deutz	2 H	poa
Note: SLT version of 2345T is lower; * standard with 40kph transmission.								

TOBROCO								
 A rationalised range of Giant articulated telescopic loaders sees the arrival of the 2.6t lift G4500 Tele with a choice of 80- or 117-litre/min or twin 52-litre/min hydraulic pumps and 4.3m of lift height.								
Central cab, articulated chassis steering								
Giant D204SW Tele	2.8m	0.75t	0.45t	no	F 33	20hp Kubota	1 H	£23,885
Giant D254SW Tele	2.8m	0.75t	0.45t	no	F 33	25hp Kubota	1 H	£24,688
Giant G4500 Tele	4.3m	2.6t	1.4t	poa	F 80, F 52 x2 or F 117	75hp Kubota	2 H	£59,730
Giant V76IT Tele	5.1m	2.8t	1.4t	poa	F 80, V105 or V 145	76hp Deutz	2 H	£70,300
Offset cab, selectable two/four-wheel steering								
Giant 4648 Tendo HD	4.8m	1.4t	0.8t	poa	F 52	45hp Kubota	2 H	£43,600

WEIDEMANN								
Central cab, articulated chassis steering								
2070 CX50 LPT	4.3m	1.8t	1.0t	£970	F 49	49hp Perkins	2 H	£45,600
2070 CX80 LPT	4.3m	1.9t	1.1t	£970	F 52	75hp Deutz	2 H	£47,900
2080 T	4.3m	2.2t	1.5t	£1,075	F 56, 63 or 83	50hp Perkins	2 H	£56,200
2080 T	4.3m	2.2t	1.5t	£1,075	F 56, 63 or 84	60hp Perkins	2 H	£59,600
2080 T	4.3m	2.6t	1.6t	£1,075	F 56, 63 or 85	75hp Deutz	2 H	£61,400
3080 LPT	5.0m	2.2t	1.2t	std	F 73 or F 103	75hp Deutz	2 H	£62,400
4080 LPT	5.0m	3.1t	1.8t	std	F 73 or F 83	75hp Deutz	2 H	£68,600
3080 T	5.0m	2.6t	1.5t	std	F 73 or F 103	75hp Deutz	2 H	£65,000
4080 T	5.0m	3.1t	1.8t	std	F 100 or V 150	102hp Perkins	2 H	£73,200
5080 T	5.0m	4.1t	2.5t	std	F 100 or V 150	122hp Perkins	2 H	£80,400
9080 T	5.48m	6.5t	n/a	std	V 150 or V 180	136hp Deutz	3 H	£125,000
9080 T	5.48m	6.5t	n/a	std	V 150 or V 180	156hp Deutz	3 H	£129,000
Offset cab, permanent four-wheel steering								
T4512	4.5m	1.2t	1.1t	no	F 40 or F 70	40hp Yanmar	2 H	£40,200
T5522	5.5m	2.2t	1.7t	std	F 70 or F 106	49hp Perkins	2 H	£44,900
T5522	5.5m	2.2t	1.7t	std	F 70 or F 106	68hp Perkins	2 H	£56,200
T6027	6.0m	2.7t	2.7t	std	F 90	75hp Kohler	3 H	£63,200