

BUYER'S GUIDE TO TELEHANDLERS

Model	Max lift height	Max lift capacity	Lift to full height	Boom cushion	Hydraulics - litres/min F - gear pump; V - piston pump	Engine - output; make	Transmission - speeds and drive	List price (ex-VAT)
-------	-----------------	-------------------	---------------------	--------------	--	-----------------------	---------------------------------	---------------------

Hydraulics: F - fixed output gear pump; V - variable output piston pump. **Transmissions:** H - hydrostatic; PS - power shift; MS - manual shift; CVT - hydraulic continuously variable. **Prices:** tbc - new model price to be confirmed; poa - manufacturer has not provided a price. Imported machine prices subject to prevailing exchange rate.

AVANT

Central cab, articulated chassis steering

423	2.75m	0.69t	0.55t	no	F 34	22hp Kubota	1 H	£16,900
523	2.79m	1.35t	0.80t	no	F 34	22hp Kubota	1 H	£20,900
528	2.79m	1.50t	0.95t	no	F 36	26hp Kubota	1 H	£22,500
530	2.79m	1.50t	0.95t	no	F 36	26hp Kubota	2 H	£23,500
R28	2.79m	1.10t	0.90t	no	F 36	26hp Kubota	1 H	£22,500
e5	2.79m	1.35t	0.90t	no	F 30	240Ah AGM battery	3 H	£29,500
e6	2.79m	1.35t	0.90t	no	F 30	288Ah Li battery	3 H	£39,500
R35	2.82m	1.25t	1.05t	no	F 50	26hp Kubota	1 H	£27,500
630	2.83m	1.80t	1.00t	no	F 44	26hp Kubota	1 H	£24,500
635	2.83m	1.80t	1.00t	no	F 50	26hp Kubota	1 H	£27,500
640	2.83m	1.80t	1.00t	no	F 50	26hp Kubota	2 H	£29,500
745	3.08m	2.10t	1.40t	no	F 70	49hp Kubota	1 H	£31,900
750	3.08m	2.10t	1.40t	std	F 70	49hp Kubota	2 H	£34,500
755i	3.10m	2.10t	1.40t	std	F 80	57hp Kohler	1 H	£35,900
760i	3.10m	2.10t	1.40t	std	F 80	57hp Kohler	2 H	£38,900
860i	3.50m	2.70t	1.90t	std	F 80	57hp Kohler	2 H	£43,900

Note: Optional cab available on 400 to 700-series and R-series loaders; 640 (Tier IV) 11-22kph, 640 (Tier V) 10-20kph, 750 12-26kph, 760i and 860i 12-30kph; 500 to 700-series have attachment self-levelling as standard. All lift capacities are rated with full counterweight fitted.

BLANEY

Central cab, articulated chassis steering

TL1 10-33	3.30m	1.0t	1.0t	opt	F 50	40hp Yanmar	2 H	£29,000
-----------	-------	------	------	-----	------	-------------	-----	---------

Offset cab, permanent four-wheel steering

TH1 15-48	4.80m	1.5t	1.5t	opt	F 50	40hp Yanmar	2 H	£34,000
-----------	-------	------	------	-----	------	-------------	-----	---------

BOBCAT



Bobcat®

With the addition of the heavier-lifting 4.3t/7.50m TL43.80 HF Agri, the Bobcat telehandler line-up caters for a wider range of applications and performance requirements, with high-flow auxiliary hydraulics, different cab heights and engine outputs on some models, and the equipment-enhanced Agri spec providing further choice.

Offset cab, selectable two/four-wheel steering

TL26.60-75	5.89m	2.6t	2.0t	std	F 100	75hp Bobcat	2 H	£49,000
TL26.60-100 Agri	5.89m	2.6t	2.0t	std	F 100	100hp Bobcat	2 H	£61,000
TL30.60-75	5.89m	3.0t	2.5t	std	F 100	75hp Bobcat	2 H	£50,000
TL30.60-100 Agri	5.89m	3.0t	2.5t	std	F 100	100hp Bobcat	2 H	£62,000
TL34.65HF-130 Agri	6.41m	3.4t	3.4t	std	V 190	130hp Bobcat	4 H	£72,000
TL30.70-75	6.75m	3.0t	2.0t	std	F 100	75hp Bobcat	2 H	£51,500
TL30.70-100 Agri	6.75m	3.0t	2.0t	std	F 100	100hp Bobcat	2 H	£63,500
TL35.70-100 Agri	6.97m	3.5t	3.5t	std	F 100	100hp Bobcat	4 H	£70,000
TL38.70HF-130 Agri	6.97m	3.8t	3.5t	std	V 190	130hp Bobcat	4 H	£75,500
TL43.80HF-130 Agri	7.50m	4.3t	1.8t	std	V 190	130hp Bobcat	4 H	£81,500

Note: All models have selectable independent ground/engine speed control; four-speed transmissions have two mechanical gears and two hydrostatic ranges. HF versions have hydraulic pump booster and flow-sharing. TL26.60, TL30.60 and TL30.70 have choice of cab mounting positions for minimum height or maximum visibility; Bobcat engines built by parent company Doosan.

Model	Max lift height	Max lift capacity	Lift to full height	Boom cushion	Hydraulics - litres/min F - gear pump; V - piston pump	Engine - output; make	Transmission - speeds and drive	List price (ex-VAT)
-------	-----------------	-------------------	---------------------	--------------	--	-----------------------	---------------------------------	---------------------

CASE IH



The latest Case IH Farmlift 633 and 636 telehandlers - with 100kg extra lift capacity over their predecessors at 3.3t and 3.6t - and the 7m Farmlift 737 - with 200kg more at 3.7t - also feature a new six-speed powershift transmission designed to deliver improved performance in high tractive effort situations, such as climbing a silage clamp, repeat cycle loading and travelling up slopes.

Offset cab, selectable two/four-wheel steering								
Farmlift 526	5.78m	2.5t	2.5t	£1,168	F 80	74hp Kubota	1 H	£73,764
Farmlift 633 Powershift	6.10m	3.3t	3.3t	£1,654	F 120	133hp FPT	4 PS	£89,921
Farmlift 633 Autoshift	6.10m	3.3t	3.3t	£1,654	F 120	133hp FPT	6 PS	£91,015
Farmlift 636 Autoshift	6.10m	3.6t	3.6t	£1,654	V 140	146hp FPT	6 PS	£99,985
Farmlift 737 Powershift	7.00m	3.7t	2.5t	£1,654	F 120	133hp FPT	4 PS	£93,911
Farmlift 737 Autoshift	7.00m	3.7t	2.5t	£1,654	F 120	133hp FPT	6 PS	£95,005
Farmlift 742 Autoshift	7.00m	4.2t	2.5t	£1,654	V 140	146hp FPT	6 PS	£103,940
Farmlift 935 Powershift	9.10m	3.5t	1.5t	£1,654	F 120	133hp FPT	4 PS	£97,667
Farmlift 935 Autoshift	9.10m	3.5t	1.5t	£1,654	F 120	133hp FPT	6 PS	£98,761

Note: Farmlift 526 options: air-conditioning £2,275, deluxe air suspension seat £400, reversible cooling fan £2,002, rear-axle limited slip differential £333. Farmlift 633, 737 and 935 - air-conditioning £2,514, variable-flow piston pump hydraulics £930, air-suspension seat £948, hydraulic reversible engine cooling fan £684, headstock 142deg rotation £712, rear-axle limited slip differential £402, auto-steering alignment £274, telematics £1,366. Farmlift 636 and 742 options - air-conditioning £2,514, power shuttle lever £279, auto lubrication £4,782, heated air suspension seat £734, telematics £1,366.

CATERPILLAR

UNAVAILABLE

CLAAS

Offset cab, selectable two/four-wheel steering								*NEW MODEL
Scorpion 635 Trend	6.13m	3.5t	3.0t	opt	F 106	136hp Deutz	3 H	£99,110
Scorpion 635 Varipower	6.13m	3.5t	3.0t	std	V 160	136hp Deutz	3 H	£109,370
Scorpion 732 Trend	6.93m	3.2t	2.8t	opt	F 106	136hp Deutz	3 H	£98,120
Scorpion 732 Varipower	6.93m	3.2t	2.8t	std	V 160	136hp Deutz	3 H	£112,680
Scorpion 736 Trend	6.93m	3.6t	2.5t	opt	F 106	136hp Deutz	3 H	£100,530
Scorpion 736 Varipower	6.93m	3.6t	2.5t	std	V 160	136hp Deutz	3 H	£113,990
Scorpion 741 Trend	6.93m	4.1t	2.5t	opt	F 106	136hp Deutz	3 H	£106,980
Scorpion 741 Varipower	6.93m	4.1t	2.5t	std	V 160	136hp Deutz	3 H	£117,330
Scorpion 746 Varipower	7.03m	4.6t	3.0t	std	V 200	136hp Deutz	3 H	£124,890
Scorpion 756 Varipower Plus	7.03m	5.6t	3.5t	std	V 200	156hp Deutz	3 H	£135,440
Scorpion 960 Varipower Plus*	8.79m	6.5t	4.0t	std	V 200	156hp Deutz	3 H	£150,680
Scorpion 1033 Trend	9.75m	3.3t	1.5t	opt	F 106	136hp Deutz	3 H	£108,590
Scorpion 1033 Varipower	9.75m	3.3t	1.5t	std	V 160	136hp Deutz	3 H	£118,790

Note: Trend models have single-service joystick operation, mechanical hand throttle and no pick-up hitch. Varipower models have a 40kph transmission, auto return-to-dig, pick-up hitch, multi-function joystick able to control multiple functions at once, electronic steering selection and an electronic throttle in addition to boom suspension and piston pump hydraulics. Varipower Plus transmission for Scorpion 756 and 960 has a fixed displacement motor in addition to the variable displacement transmission pump.

DIECI

Central cab, articulated chassis steering								
Agri Pivot T40	4.30m	2.0t	1.25t	no	F 72	50hp Kubota	2 H	£56,680
Agri Pivot T50	4.70m	2.2t	1.35t	£1,308	F 86	68hp Yanmar	2 H	£59,280
Agri Pivot T60	5.00m	2.3t	1.4t	£1,308	F 98	75hp Yanmar	4 H	£62,920
Agri Pivot T70	5.00m	3.0t	1.95t	£1,308	F 114	115hp Kubota	4 H	£75,400
Agri Pivot T80	5.20m	3.5t	2.25t	£1,308	F 114	140hp FPT	4 H	£86,840
Agri Pivot T90 Plus	6.00m	5.7t	2.5t	£1,308	F 150	152hp FPT	2 H	tbc
Offset cab, selectable two/four-wheel steering								
Apollo 25.6R	5.78m	2.5t	1.7t	no	F 88	49hp Kubota	4 H	£49,440
Mini Agri 26.6	5.78m	2.6t	1.7t	£1,308	F 88	75hp Kubota	4 H	£56,750
Agri Farmer 30.7 GD	6.35m	3.0t	2.0t	£1,390	F 110	107hp Kubota	4 H	£63,868

ULTIMATE GUIDE TELEHANDLERS

Model	Max lift height	Max lift capacity	Lift to full height	Boom cushion	Hydraulics - litres/min F - gear pump; V - piston pump	Engine - output; make	Transmission - speeds and drive	List price (ex-VAT)
Agri Star 35.6 GD	6.40m	3.5t	2.0t	£1,390	F 205	143hp FTP	CVT	£72,156
Agri Plus 42.7 Evo 2 GD	7.00m	4.2t	2.4t	£1,390	F 230	153hp FPT	CVT	£79,315
Agri Star 40.7 Evo 2 GD	7.20m	4.0t	2.5t	£1,390	F 205	143hp FPT	CVT	£74,302
Agri Max 50.8 Evo 2 GD	7.70m	5.0t	3.0t	£1,390	F 247	153hp FPT	CVT	£82,000
Agri Max 65.8 Evo 2 GD	7.70m	6.5t	4.2t	£1,390	F 247	153hp FPT	CVT	£89,250
Agri Farmer 30.9 GD	8.14m	3.0t	0.9t	£1,390	F 110	107hp Kubota	4 H	£65,864
Agri Plus 40.9 Evo 2 GD	9.00m	4.0t	1.5t	£1,390	F 230	153hp FPT	CVT	£80,950
Agri Star 38.10 Evo 2 GD	9.60m	3.8t	.9t	£1,390	F 205	143hp FPT	CVT	£76,457

Note: Agri Max VS models have four-mode hydro CVT drive; Agri Tech equipped with 4,000kg lift three-point linkage, pto and up to three remote valves; multi-mode hydro CVT drive.

FARESIN

Offset cab, selectable two/four-wheel steering

6.26 Classic 52	5.9m	2.6t	2.0t	£1,221	F 80	69hp Yanmar	1 H	£55,436
7.30C HLS 74	7.1m	3.0t	2.0t	£1,221	V 152	101hp Deutz	2 H	£87,619
7.30C VPS 100	7.1m	3.0t	2.0t	£1,221	V 152	136hp Deutz	1 CVT	£92,250
7.45 HLS 74	7.1m	4.5t	3.0t	£1,221	V 152	101hp Deutz	2 H	£95,058
7.45 VPSe 100	7.1m	4.5t	3.0t	£1,221	V 180	136hp Deutz	2 CVT	£101,610
8.40 VPSe 100	8.0m	4.0t	2.0t	£1,221	V 180	136hp Deutz	2 CVT	£103,740

Note: Other models available. VPS models have two-range CVT drive with independent ground speed and engine speed available using "creeper" function; VPSe models have twin hydraulic motor CVT transmission and automatic two-speed gearbox, with electronic engine/drive management giving drive up to 40kph, Eco, Handling and "creeper" with independent ground speed and engine speed control.

FENDT

Offset cab, selectable two/four-wheel steering

NEW MODEL

Cargo T955	8.50m	5.50t	4.85t	£2,620	V 200	171hp FPT	1 H	£164,612
------------	-------	-------	-------	--------	-------	-----------	-----	----------

Note: Hydraulically-cushioned and lifting cab standard.

JCB

Central cab, skid steering

Teleskid 3TS-8W	4.05m	1.5t	0.61t	std	F 90-125	74hp JCB	2 H	£57,185
Teleskid 3TS-8T	4.03m	1.7t	0.73t	std	F 90-125	74hp JCB	2 H	£69,726

Central cab, articulated chassis steering

TeleMaster TM180	4.70m	1.8t	1.8t	no	F 64	64hp JCB Kohler	2 H	£63,320
TeleMaster TM220	4.77m	2.2t	2.2t	no	F 89	74hp JCB Kohler	2/3 H	£72,294
TeleMaster TM320	5.37m	3.2t	3.2t	opt	V 140	125hp JCB	6 PS	£87,686
TeleMaster TM320S	5.37m	3.2t	3.2t	std	V 160	145hp JCB	6 PS	£91,587
TeleMaster TM420	5.66m	4.1t	4.1t	std	V 160	145hp JCB	6 PS	£108,599

Central cab, permanent four-wheel steering

Loadall 516-40 Agri	4.04m	1.6t	1.6t	no	F 56	47hp Kohler	2 H	poa
Loadall 520-40 Agri	4.03m	2.0t	2.0t	no	F 60	49hp Perkins	2 H	poa

Offset cab, selectable two/four-wheel steering

***NEW MODEL**

Loadall 527-58 Agri Plus	5.80m	2.7t	2.0t	opt	F 126	109hp JCB	2 H	£68,550
Loadall 525-60 Agri	6.00m	2.5t	1.75t	opt	F 80	74hp JCB Kohler	2 H	£57,239
Loadall 525-60 Agri Plus	6.00m	2.5t	1.75t	opt	F 90	74hp JCB Kohler	2 H	£59,331
Loadall 532-60 Agri*	6.20m	3.2t	3.2t	opt	V 140	109hp JCB	4 PS	£72,394
Loadall 538-60 Agri	6.20m	3.8t	3.8t	opt	V 140	109hp JCB	4 PS	£76,281
Loadall 538-60 Agri Plus	6.20m	3.8t	3.8t	opt	V 140	125hp JCB	4 PS	£82,487
Loadall 538-60 Agri Plus	6.20m	3.8t	3.8t	opt	V 140	145hp JCB	4 PS	£83,442
Loadall 538-60 Agri Super	6.20m	3.8t	3.8t	std	V 140	125hp JCB	6 PS	£88,131
Loadall 538-60 Agri Super	6.20m	3.8t	3.8t	std	V 140	145hp JCB	6 PS	£89,086

ULTIMATE GUIDE TELEHANDLERS

Model	Max lift height	Max lift capacity	Lift to full height	Boom cushion	Hydraulics - litres/min F - gear pump; V - piston pump	Engine - output; make	Transmission - speeds and drive	List price (ex-VAT)
Loadall 538-60 Agri Pro DualTech VT	6.20m	3.8t	3.8t	std	V 140	145hp JCB	1 H + 3 PS	£94,923
Loadall 532-70 Agri	7.00m	3.2t	2.75t	opt	V 140	109hp JCB	4 PS	£76,527
Loadall 532-70 Agri Plus	7.00m	3.2t	2.75t	opt	V 140	125hp JCB	4 PS	£84,386
Loadall 532-70 Agri Plus	7.00m	3.2t	2.75t	opt	V 140	145hp JCB	4 PS	£85,341
Loadall 532-70 Agri Super	7.00m	3.2t	2.75t	std	V 140	125hp JCB	6 PS	£90,035
Loadall 532-70 Agri Super	7.00m	3.2t	2.75t	std	V 140	145hp JCB	6 PS	£90,990
Loadall 532-70 Agri Pro DualTech VT	7.00m	3.2t	2.75t	std	V 140	145hp JCB	1 H + 3 PS	£96,982
Loadall 542-70 Agri	7.00m	4.2t	2.5t	opt	V 140	109hp JCB	4 PS	£83,011
Loadall 542-70 Agri Plus	7.00m	4.2t	2.5t	opt	V 140	125hp JCB	4 PS	£90,094
Loadall 542-70 Agri Plus	7.00m	4.2t	2.5t	opt	V 140	145hp JCB	4 PS	£91,049
Loadall 542-70 Agri Super	7.00m	4.2t	2.5t	std	V 140	125hp JCB	6 PS	£96,182
Loadall 542-70 Agri Super	7.00m	4.2t	2.5t	std	V 140	145hp JCB	6 PS	£97,137
Loadall 542-70 Agri Pro DualTech VT	7.00m	4.2t	2.7t	std	V 140	145hp JCB	1 H + 3 PS	£103,035
Loadall 560-80 Agri Plus	7.90m	6.0t	3.0t	opt	V 140	125hp JCB	4 PS	£106,362
Loadall 560-80 Agri Plus	7.90m	6.0t	3.0t	opt	V 140	145hp JCB	4 PS	£107,317
Loadall 560-80 Agri Super	7.90m	6.0t	3.0t	std	V 140	145hp JCB	6 PS	£110,124
Loadall 560-80 Agri Pro DualTech VT	7.90m	6.0t	3.0t	std	V 140	145hp JCB	1 H + 3 PS	£118,742
Loadall 536-95 Agri	7.90m	3.6t	1.6t	opt	V 140	109hp JCB	4 PS	£82,081
Loadall 536-95 Agri Plus	9.50m	3.6t	1.6t	opt	V 140	125hp JCB	4 PS	£89,164
Loadall 536-95 Agri Plus	9.50m	3.6t	1.6t	opt	V 140	145hp JCB	4 PS	£90,119
Loadall 536-95 Agri Super	9.50m	3.6t	1.6t	std	V 140	125hp JCB	6 PS	£94,586
Loadall 536-95 Agri Super	9.50m	3.6t	1.6t	std	V 140	145hp JCB	6 PS	£95,541
Loadall 536-95 Agri Pro DualTech VT	9.50m	3.6t	2.0t	std	V 140	145hp JCB	1 H + 3 PS	£101,148

Note: Optional separate engine speed and ground speed control available on 516-40 and 525-60; Agri Pro models have separate engine and ground speed control as standard; Plus and Super - standard seat-mounted servo joystick.

KNIKMOPS

Central cab, articulated chassis steering

KM100 Tele	2.96m	0.65t	0.23t	opt	F 33	25hp Kubota	1 H	£23,880
KM130 Tele	3.20m	0.85t	0.38t	opt	F 42	36hp Kubota	1 H	£27,860
KM170 Tele	3.31m	1.30t	0.61t	opt	F 42	36hp Kubota	2 H	£28,995
KM180 Tele	3.31m	1.30t	0.61t	opt	F 50	44hp Kubota	2 H	£30,450
KM250 Tele	3.55m	1.70t	0.71t	opt	F 62	49hp Kubota	2 H	£34,800

Note: All models have hydrostatic wheel motor drive.

KRAMER

Central cab, rigid chassis, four-wheel steering, telescopic boom

***NEW MODEL**

KL25.5T	4.00m	1.65t	1.65t	£1,083	F 70	47hp Yanmar	2 H	£70,070
KL30.8T	4.48m	2.0t	2.0t	£1,083	F 84	75hp Deutz	2 H	£86,732
KL35.8T	4.50m	2.3t	2.3t	£1,083	F 84	100hp Deutz	2 H	£93,867
KL55.8T*	5.20m	3.9t	3.9t	std	V 187	156hp Deutz	3 H	£143,052
Offset cab, selectable two/four-wheel steering								
KT276 Hydrostat	5.73m	2.7t	2.5t	std	F 90	75hp Kohler	2 H	£81,600
KT306 Hydrostat	6.15m	3.0t	2.5t	£1,201	F 100	136hp Deutz	3 H	£99,854
KT356 Ecospeed	6.15m	3.5t	3.0t	std	V 140	136hp Deutz	3 H	£105,369

Model	Max lift height	Max lift capacity	Lift to full height	Boom cushion	Hydraulics - litres/min F - gear pump; V - piston pump	Engine - output; make	Transmission - speeds and drive	List price (ex-VAT)
KT307 Hydrostat	7.00m	3.0t	2.0t	£1,201	F 100	136hp Deutz	3 H	£103,294
KT357 Ecospeed	7.00m	3.5t	2.2t	std	V 140	136hp Deutz	3 H	£108,763
KT407 Ecospeed	7.00m	4.0t	2.4t	std	V 140	136hp Deutz	3 H	£110,729
KT457 Ecospeed	7.01m	4.3t	3.3t	std	V 140	122hp Deutz	3 H	£121,385
KT507 Ecospeed Pro	7.01m	4.8t	3.5t	std	V 140	136hp Deutz	3 H	£123,014
KT557 Ecospeed Pro	7.01m	5.5t	4.0t	std	V 187	156hp Deutz	3 H	£135,936
KT429 Ecospeed	8.75m	4.2t	1.2t	std	V 140	136hp Deutz	3 H	£127,773
KT559 Ecospeed Pro	8.75m	5.5t	5.5t	std	V 187	156hp Deutz	3 H	£141,268

Note: Ecospeed Pro models have transmission with fixed displacement motor in addition to variable displacement pump.

MANITOU

Central cab, articulated chassis steering								*NEW MODEL
MLA-T 516-75H Classic*	4.90m	1.6t	1.2t	POA	F 70	75hp Deutz	2 H or 3 H	£83,104
MLA-T 516-75H Premium*	4.90m	1.6t	1.2t	POA	F 70	75hp Deutz	2 H or 3 H	£90,341
MLA-T 533-145 V+ Classic	5.20m	3.3t	3.3t	£1,910	V 158	143hp Deutz	Hydro CVT	£88,657
MLA-T 533-145 V+ Premium	5.20m	3.3t	3.3t	£1,910	V 158	143hp Deutz	Hydro CVT	£92,915
MLA-T 533-145 V+ Elite	5.20m	3.3t	3.3t	std	V 158	143hp Deutz	Hydro CVT	£95,421
Offset cab, selectable two/four-wheel steering								*NEW MODEL
MLT 420-60H Classic*	4.35m	2.0t	2.0t	n/a	F 77	57hp Kubota	2 H	£54,933
MLT 420-60H Premium*	4.35m	2.0t	2.0t	n/a	F 77	57hp Kubota	2 H	£57,680
MLT 625-75 H Classic	5.90m	2.5t	2.0t	£1,910	F 90	75hp Kubota	2 H	£60,833
MLT 625-75 H Premium	5.90m	2.5t	2.0t	£1,910	F 90	75hp Kubota	2 H	£64,091
MLT 625-75 H Elite	5.90m	2.5t	2.0t	std	F 90	75hp Kubota	2 H	£66,998
MLT 630-105 VCP Classic	6.00m	3.0t	2.7t	£1,910	F 104	101hp Deutz	2 H	£72,799
MLT 630-105 VCP Premium	6.00m	3.0t	2.7t	£1,910	F 104	101hp Deutz	2 H	£76,056
MLT 630-105 VCP Elite	6.00m	3.0t	2.7t	std	F 104	101hp Deutz	2 H	£78,713
MLT 635-130 PS+ Classic	6.08m	3.5t	3.5t	£1,910	V 150	130hp Deutz	6 PS	£83,513
MLT 635-130 PS+ Premium	6.08m	3.5t	3.5t	£1,910	V 150	130hp Deutz	6 PS	£87,122
MLT 635-130 PS+ Elite	6.08m	3.5t	3.5t	std	V 150	130hp Deutz	6 PS	£90,954
MLT 635-140 V+ Classic	6.08m	3.5t	3.5t	£1,910	V 170	136hp Deutz	Hydro CVT	£87,863
MLT 635-140 V+ Premium	6.08m	3.5t	3.5t	£1,910	V 170	136hp Deutz	Hydro CVT	£91,472
MLT 635-140 V+ Elite	6.08m	3.5t	3.5t	std	V 170	136hp Deutz	Hydro CVT	£95,305
MLT 630-105 V Classic	6.10m	3.0t	2.7t	£1,910	F 104	101hp Deutz	2 H	£73,785
MLT 630-105 V Premium	6.10m	3.0t	2.7t	£1,910	F 104	101hp Deutz	2 H	£77,046
MLT 630-105 V Elite	6.10m	3.0t	2.7t	std	F 104	101hp Deutz	2 H	£79,699
MLT 630-105 Classic	6.10m	3.0t	2.7t	£1,910	F 104	101hp Deutz	4 MS	£73,785
MLT 630-105 Premium	6.10m	3.0t	2.7t	£1,910	F 104	101hp Deutz	4 MS	£77,046
MLT 630-105 Elite	6.10m	3.0t	2.7t	std	F 104	101hp Deutz	4 MS	£79,699
MLT 730-115 VCP Classic	6.85m	3.0t	2.0t	£1,910	F 104	116hp Deutz	2 H	£75,741
MLT 730-115 VCP Premium	6.85m	3.0t	2.0t	£1,910	F 104	116hp Deutz	2 H	£78,999
MLT 730-115 VCP Elite	6.85m	3.0t	2.0t	std	F 104	116hp Deutz	2 H	£81,655
MLT 733-115 Classic	6.90m	3.3t	3.3t	£1,910	F 104	116hp Deutz	4 MS	£76,381
MLT 733-115 Premium	6.90m	3.3t	3.3t	£1,910	F 104	116hp Deutz	4 MS	£78,949
MLT 733-115 LSU Classic	6.90m	3.3t	3.3t	£1,910	V 150	116hp Deutz	4 MS	£79,567
MLT 733-115 LSU Premium	6.90m	3.3t	3.3t	£1,910	V 150	116hp Deutz	4 MS	£82,136

ULTIMATE GUIDE TELEHANDLERS

Model	Max lift height	Max lift capacity	Lift to full height	Boom cushion	Hydraulics - litres/min F - gear pump; V - piston pump	Engine - output; make	Transmission - speeds and drive	List price (ex-VAT)
MLT 737-130 PS+ Classic	6.90m	3.7t	2.7t	£1,910	V 150	129hp Deutz	6 PS	£85,769
MLT 737-130 PS+ Premium	6.90m	3.7t	2.7t	£1,910	V 150	129hp Deutz	6 PS	£89,410
MLT 737-130 PS+ Elite	6.90m	3.7t	2.7t	std	V 150	129hp Deutz	6 PS	£93,209
MLT 741-140 V+ Classic	6.90m	4.1t	2.7t	£1,910	V 170	136hp Deutz	Hydro CVT	£91,100
MLT 741-140 V+ Premium	6.90m	4.1t	2.7t	£1,910	V 170	136hp Deutz	Hydro CVT	£94,741
MLT 741-140 V+ Elite	6.90m	4.1t	2.7t	std	V 170	136hp Deutz	Hydro CVT	£98,540
MLT 730-115 V Classic	6.95m	3.0t	2.0t	£1,910	F 104	116hp Deutz	2 H	£76,727
MLT 730-115 V Premium	6.95m	3.0t	2.0t	£1,910	F 104	116hp Deutz	2 H	£79,988
MLT 730-115 V Elite	6.95m	3.0t	2.0t	std	F 104	116hp Deutz	2 H	£82,641
MLT 840-145 PS Classic	7.55m	4.0t	2.0t	£1,910	V 200	141hp Deere	5 PS	£96,009
MLT 840-145 PS Premium	7.55m	4.0t	2.0t	£1,910	V 200	141hp Deere	5 PS	£99,956
MLT 840-145 PS Elite	7.55m	4.0t	2.0t	std	V 200	141hp Deere	5 PS	£103,788
MLT 845-120 Classic	7.55m	4.5t	2.0t	£1,910	V 150	122hp Deutz	4 MS	£90,441
MLT 845-120 Premium	7.55m	4.5t	2.0t	£1,910	V 150	122hp Deutz	4 MS	£94,918
MLT 845-120 Elite	7.55m	4.5t	2.0t	std	V 150	122hp Deutz	4 MS	£98,021
MLT 940-140 V+ Classic	9.00m	4.0t	1.5t	£1,910	V 170	136hp Deutz	Hydro CVT	£94,235
MLT 940-140 V+ Premium	9.00m	4.0t	1.5t	£1,910	V 170	136hp Deutz	Hydro CVT	£97,876
MLT 940-140 V+ Elite	9.00m	4.0t	1.5t	std	V 170	136hp Deutz	Hydro CVT	£101,675
MLT 961-145 V+L Classic*	9.00m	6.0t	4.0t	£2,382	V 200	141hp Deere	Hydro CVT	£109,561
MLT 961-145 V+L Premium*	9.00m	6.0t	4.0t	£2,382	V 200	141hp Deere	Hydro CVT	£114,019
MLT 961-145 V+L Elite*	9.00m	6.0t	4.0t	std	V 200	141hp Deere	Hydro CVT	£120,184
MLT 1040-145 PS L Classic*	9.60m	4.0t	2.5t	£1,910	V 200	141hp Deere	5 PS	£106,392
MLT 1040-145 PS L Premium*	9.60m	4.0t	2.5t	£1,910	V 200	141hp Deere	5 PS	£109,834
MLT 1040-145 PS L Elite*	9.60m	4.0t	2.5t	std	V 200	141hp Deere	5 PS	£112,419

Note: Air-conditioning and easy connect system standard on Elite and Premium versions. *equipped with self-levelling system.

MASSEY FERGUSON

Offset cab, selectable two/four-wheel steering

TH.6030	5.89m	3.0t	2.5t	std	F 100	100hp Doosan	2 H	£66,910
TH.6534	6.41m	3.4t	3.4t	std	V 190	130hp Doosan	4 H	£79,300
TH.7030	6.70m	3.0t	2.0t	std	F 100	100hp Doosan	2 H	£70,580
TH.7035	6.97m	3.5t	3.5t	std	F 100	100hp Doosan	4 H	£76,890
TH.7038	6.97m	3.8t	3.5t	std	V 190	130hp Doosan	4 H	£83,170
TH.8043	7.50m	4.3t	2.6t	std	V 190	130hp Doosan	4 H	£90,480

Note: All models have selectable independent ground/engine speed control; four-speed transmissions have two mechanical gears and two hydrostatic ranges.

MERLO



Two new additions bolster the Turbofarmer line in the Merlo range this year. The 5t/7.80m TF50.8 T-170 with traditional hydrostatic drive is essentially a simpler-spec alternative to the premium CS CVTronic model, with twin hydraulic motor autotransmission and cab suspension. Then there is the "TT" version of the 3.8t/9.50m Turbofarmer with levelling and sideshift front axle.

								*NEW MODEL
Offset cab, selectable two/four-wheel steering								
P27.6 Plus	6.00m	2.7t	1.8t	£1,652	F 94	75hp Kohler	1 H	£55,956
P27.6 Top	6.00m	2.7t	1.8t	£1,652	F 94	75hp Kohler	1 H	£56,445
TF33.7-115G	6.60m	3.3t	2.6t	£1,652	F 98	115hp Deutz	2 H	£64,223
TF35.7-115G	6.60m	3.5t	3.5t	£1,652	F 98	115hp Deutz	2 H	£66,145
TF33.7-115	6.70m	3.3t	2.6t	£1,652	V 125	115hp Deutz	2 H	£70,620
TF33.7-115L	6.70m	3.3t	2.6t	£1,652	V 125	115hp Deutz	2 H	£70,620
TF35.7-115	6.70m	3.5t	3.5t	£1,652	V 125	115hp Deutz	2 H	£74,870
TF35.7 CS-115	6.70m	3.5t	3.5t	£1,652	V 125	115hp Deutz	2 H	£78,334
MF40.7 CS	6.80m	4.0t	4.0t	£1,652	V 150	170hp FPT	CVT	£115,084

ULTIMATE GUIDE TELEHANDLERS

Model	Max lift height	Max lift capacity	Lift to full height	Boom cushion	Hydraulics - litres/min F - gear pump; V - piston pump	Engine - output; make	Transmission - speeds and drive	List price (ex-VAT)
MF34.7	6.85m	3.4t	3.4t	£1,652	V 145	140hp Deutz	2 H	£96,797
MF34.7 CS	6.85m	3.4t	3.4t	£1,652	V 145	140hp Deutz	2 H	£99,697
MF34.7 CS-CVT	6.85m	3.4t	3.4t	£1,652	V 145	140hp Deutz	CVT	£106,289
TF42.7-140	7.10m	4.2t	3.5t	£1,652	V 150	140hp Deutz	2 H	£85,203
TF42.7 CS-140	7.10m	4.2t	3.5t	£1,652	V 150	140hp Deutz	2 H	£89,269
TF42.7 CS-140 CVTronic	7.10m	4.2t	3.5t	£1,652	V 150	140hp Deutz	CVT	£98,944
TF50.8 T-170*	7.80m	5.0t	5.0t	£1,652	V 150	170hp FPT	2 H	£98,060
TF50.8 T CS-170 CVTronic	7.80m	5.0t	5.0t	£1,652	V 150	170hp FPT	CVT	£105,751
TF30.9-115	8.60m	3.3t	3.0t	£1,652	V 125	115hp Deutz	2 H	£75,605
TF30.9-115L	8.60m	3.0t	1.2t	£1,652	V 125	115hp Deutz	2 H	£75,939
TF30.9-115G	8.60m	3.0t	1.2t	£1,652	F 98	115hp Deutz	2 H	£70,778
TF33.9-115G	8.60m	3.3t	1.75t	£1,652	F 98	115hp Deutz	2 H	£73,165
TF33.9-115	8.60m	3.3t	1.75t	£1,652	V 125	115hp Deutz	2 H	£79,890
TF33.9 CS-115	8.60m	3.3t	1.75t	£1,652	V 125	115hp Deutz	2 H	£83,941
MF40.9 CS	8.80m	4.0t	4.0t	£1,652	V 150	170hp FPT	CVT	£119,215
MF34.9	8.85m	3.4t	3.0t	£1,652	V 145	140hp Deutz	2 H	£100,576
MF34.9 CS	8.85m	3.4t	3.0t	£1,652	V 145	140hp Deutz	2 H	£103,476
MF34.9CS-CVT	8.85m	3.4t	3.0t	£1,652	V 145	140hp Deutz	CVT	£108,551
TF38.10 TT-140*	9.50m	3.8t	3.0t	£1,652	V 150	140hp Deutz	2 H	£93,920
TF38.10 TT CS-140*	9.50m	3.8t	3.0t	£1,652	V 150	140hp Deutz	2 H	£98,090
TF38.10-140	9.60m	3.8t	1.5t	£1,652	V 150	140hp Deutz	2 H	£89,525
TF38.10 CS-140	9.60m	3.8t	1.5t	£1,652	V 150	140hp Deutz	2 H	£92,061
TF38.10 CS-140 CVTronic	9.60m	3.8t	1.5t	£1,652	V 150	140hp Deutz	CVT	£99,984
TF38.10 TT CS-140 CVTronic	9.60m	3.8t	1.5t	£1,652	V 150	140hp Deutz	CVT	£105,010
TF45.11 T CS-170 CVTronic	10.6m	4.5t	3.5t	£1,652	V 150	170hp FPT	CVT	£110,720
TF45.11T-170	10.6m	4.5t	3.5t	£1,652	V 150	170hp FPT	2 H	£102,561

Note: L - low-mounted cab; CS - cab suspension standard; TT - levelling and sideshift front axle; CVT - twin hydraulic motor stepless transmission. MF (Multifarmer) models are equipped with integral 7,000kg rear linkage, two-speed mechanical rear pto and trailer braking system.

MULTIONE

Central cab, articulated chassis steering								*NEW MODEL
4.2	2.75m	1.0t	0.70t	no	F 31	20hp Kubota	1 H	£18,650
5.2*	2.75m	1.02t	0.71t	no	F 34	25hp Kubota	1 H	tbc
5.3	2.75m	1.14t	0.64t	no	F 42	28hp Yanmar	1 H	£21,420
7.2	2.90m	1.55t	1.24t	no	F 68	28hp Yanmar	1 H	£23,980
7.3	2.90m	1.55t	1.24t	no	F 68	35hp Yanmar	1 H	£26,550
6.3	2.92m	1.2t	0.96t	no	F 46	28hp Yanmar	1 H	£22,800
8.4+	2.98m	1.6t	1.28t	no	F 72	40hp Yanmar	1 H	£28,890
9.5	3.21m	2.6t	2.08t	no	F 85	50hp Yanmar	2 H	£34,490
10.8	3.21m	2.7t	2.16t	no	F 95	72hp Yanmar	2 H	£38,990

Note: Models 6.3, 7.3 and 8.4 have 13kph transmission standard, with 11kph and two-speed 15kph transmissions optional.

NC ENGINEERING

DISCONTINUED

NEW HOLLAND



The latest addition to the New Holland range of telescopic handlers - now resplendent in their yellow and grey livery and available with a new six-speed powershift - is the TH5.26, a compact machine with 2.6t capacity from the deck and to a 5.68m full lift height. It replaces the last of the TL range with 80-litre/min gear pump hydraulics and a single-range hydrostatic transmission powered by a 73hp Kubota engine.

Offset cab, selectable two/four-wheel steering								*NEW MODEL
TH5.26*	5.68m	2.6t	2.6t	£1,117	F 80	73hp Kubota	1 H	£61,690
TH6.32 S	6.05m	3.2t	3.2t	std	F 120	133hp FPT	4 PS	£81,633
TH6.32 Classic	6.05m	3.2t	3.2t	std	V 140	133hp FPT	4 PS	£84,508
TH6.36 Plus	6.05m	3.6t	3.6t	std	V 140	133hp FPT	6 PS	£90,810
TH6.36 Elite	6.05m	3.6t	3.6t	std	V 140	146hp FPT	6 PS	£97,247

Model	Max lift height	Max lift capacity	Lift to full height	Boom cushion	Hydraulics - litres/min F - gear pump; V - piston pump	Engine - output; make	Transmission - speeds and drive	List price (ex-VAT)
TH6.28*	6.35m	2.8t	2.8t	£1,117	F 100	107hp Kubota	2 H	£76,932
TH7.32 S	7.0m	3.2t	2.5t	std	F 120	133hp FPT	4 PS	£82,979
TH7.32 Classic	7.0m	3.2t	2.5t	std	V 140	133hp FPT	4 PS	£85,854
TH7.32 Plus	7.0m	3.2t	2.5t	std	V 140	133hp FPT	6 PS	£90,840
TH7.37 Classic	7.0m	3.7t	2.5t	std	V 140	133hp FPT	4 PS	£88,097
TH7.37 Plus	7.0m	3.7t	2.5t	std	V 140	133hp FPT	6 PS	£93,083
TH7.37 Elite	7.0m	3.7t	2.5t	std	V 140	146hp FPT	6 PS	£100,238
TH7.42 Plus	7.0m	4.2t	2.5t	std	V 140	133hp FPT	6 PS	£96,044
TH7.42 Elite	7.0m	4.2t	2.5t	std	V 140	146hp FPT	6 PS	£102,482
TH9.35 Classic	9.15m	3.5t	1.5t	std	V 140	133hp FPT	4 PS	£92,557
TH9.35 Plus	9.15m	3.5t	1.5t	std	V 140	133hp FPT	6 PS	£97,543

Note: S - limited slip front axle, 34kph; Classic - limited slip front and rear axle differentials, reversible cooling fan, increased dump angle; Plus - air suspension seat, air-conditioning as standard, hydraulic attachment quick coupler; Elite - armrest-mounted joystick, extra lighting, heated seat, auto steering alignment, rear electric sockets, external front-end hydraulic pressure release.

SCHÄFFER

Central cab, articulated chassis steering								*NEW MODEL
3650 T*	3.85m	1.95t	1.2t*	opt	F 51 or F 60	50hp Kubota	2H	£44,180
3650 T*	3.85m	1.95t	1.2t*	opt	F 51 or F 60	58hp Kubota	2H	£44,900
3650 T SLT*	3.85m	1.95t	1.2t*	opt	F 51 or F 60	50hp Kubota	2H	£45,200
4670 T	4.30m	2.40t	2.11t	opt	F 60	66hp Kubota	2 H	£49,400
5680 T*	4.74m	2.40t	1.6t*	std	F 64 or F 74	75hp Deutz	2H	£53,900
6680 T	4.95m	3.10t	2.8t*	std	F 64	75hp Deutz	2 H	£63,900
8620T	5.20m	4.20t	3.8t*	std	F 105 or V 145	122hp Deutz	2 H	£78,900
8620T	5.20m	4.20t	3.8t*	std	F 105 or V 145	136hp Deutz	2 H	£82,300
9640 T	5.40m	4.20t	4.2t*	std	V 145	136hp Deutz	2 H	£88,600
9660 T	6.10m	5.3t	4.8t*	std	V 220	157hp Deutz	2 H	£112,900

Note: SLT version of 3650T is lower; *payload using forks.

TOBROCO-GIANT

Central cab, articulated chassis steering								*NEW MODEL
Giant D204SW Tele	2.8m	0.75t	0.45t	no	F 33	20hp Kubota	1 H	£23,885
Giant D254SW Tele	2.8m	0.75t	0.45t	no	F 33	25hp Kubota	1 H	£24,688
Giant G3500 Tele*	4.3m	2.4t	1.2t	£1,420	F 70 or F 70+F 50	66hp Kubota	2 H*	£53,500
Giant G5000 Tele*	4.3m	2.8t	2.18t	£1,600	F 80 to F 117	75hp Kubota	2 H*	£59,730
Offset cab, selectable two/four-wheel steering								
Giant GT5048 Tendo HD*	4.8m	1.7t	1.2t	tbc	F 51	50hp Kubota	2 H	£48,399

Note: * Two-range hydrostatic with 30kph or 35kph top speed.

WEIDEMANN

Central cab, articulated chassis steering								*NEW MODEL
2080 LPT*	4.3m	1.9t	1.9t	£1,225	F 57	61hp Perkins	2 H	£56,600
2080 T	4.3m	2.0t	2.0t	£1,225	F 56 or F 63	50hp Perkins	2 H	£61,200
2080 T	4.3m	2.2t	2.2t	£1,225	F 56, F 63 or F 74	75hp Deutz	2 H	£68,200
3080 T	5.0m	2.2t	2.2t	std	F 73 or F 103	75hp Deutz	2 H	£70,300
3080 LPT	5.0m	2.2t	2.2t	std	F 73 or F 103	75hp Deutz	2 H	£72,100
4080 LPT	5.0m	2.6t	2.6t	std	F 73 or F 83	75hp Deutz	2 H	£75,600
3080 T	5.0m	2.6t	2.6t	std	F 73 or F 103	75hp Deutz	2 H	£76,100
4080 T	5.0m	2.6t	2.6t	std	F 100 or V 150	102hp Perkins	2 H	£79,500
5080 T	5.0m	3.0t	3.0t	std	F 100 or V 150	122hp Perkins	2 H	£89,500
9580 T*	5.48m	5.5t	5.5t	std	V 150 or V 180	136hp Deutz	3 H	£149,250
9580 T*	5.48m	5.5t	5.5t	std	V 150 or V 180	156hp Deutz	3 H	£159,000
Offset cab, permanent four-wheel steering								
T4512	4.5m	1.2t	1.1t	no	F 40 or F 70	40hp Yanmar	2 H	£44,250
T5522	5.5m	2.2t	1.7t	std	F 70 or F 100	49hp Perkins	2 H	£55,400
T5522	5.5m	2.2t	1.7t	std	F 70 or F 100	68hp Perkins	2 H	£62,100
T6027	6.0m	2.7t	2.7t	std	F 90	75hp Kohler	3 H	£77,500