

Round baler vital statistics

ROUND BALERS								
Make/model	Bale diameter	Feed-in mechanism	Drop floor	Bale formation	Bale density control	Isobus electronics	Weight - single axle/twin axle	List price (ex-VAT)
Legend: - = information not supplied; na = not available; poa = price on application; std = standard; opt = optional								
BARGAM								
RRX 60	0.57m (x 0.63m)	None	No	19 aluminium rollers	Hydraulic tailgate pressure	No	na	poa
RRX 60 S	0.57m (x 0.63m)	Rotor	No	19 aluminium rollers	Hydraulic tailgate pressure	No	na	poa
<i>Note: Distributed by Marrs of Methlick.</i>								
CASE IH								
RB344 Rotor Feeder	1.25m	Stub augers, spiral rotor	No	Base roller, two chains + slats	Three-stage, springs, tailgate pressure	No	2,775kg/-	£26,286
RB344 Rotor Cutter	1.25m	Stub augers, spiral rotor plus 15 knives	No	Base roller, two chains + slats	Three-stage, springs, tailgate pressure	No	4,810kg/-	£28,757
RB545 Rotor Cutter	1.25m	Stub augers, spiral rotor plus 20 knives	Std	18 rollers	Hydraulic, springs, tailgate pressure	No	3,060kg/-	£43,778
RB545 Rotor Cutter Silage Pack	1.25m plus wrap	Stub augers, spiral rotor plus 20 knives	Std	18 rollers	Hydraulic, springs, tailgate pressure	No	-/4,500kg	£77,773
RB455 VC Overshot Feeder	0.90-1.50m	Overshot spiral rotor/auger	No	Four rollers, four belts	Two hydraulic cylinders, spring	No	3,080kg/-	£34,272
RB455 VC Rotor Feeder	0.90-1.50m	Stub augers, optional paddle feeder/auger, spiral rotor	Std	Four rollers, four belts	Two hydraulic cylinders, springs	No	3,561kg/-	£39,496
RB455 VC Rotor Cutter	0.90-1.50m	Stub augers, optional paddle feeder/auger, spiral rotor plus 15 knives	Std (delete opt)	Four rollers, four belts	Two hydraulic cylinders, springs	No	3,401kg/-	£45,377
RB465 VC Overshot Feeder	0.90-1.80m	Overshot spiral rotor/auger	No	Four rollers, four belts	One or two hydraulic cylinders, springs	No	3,300kg/-	£38,419
RB465 VC Rotor Feeder	0.90-1.80m	Stub augers, optional paddle feeder/auger, spiral rotor	Yes	Four rollers, four belts	Two hydraulic cylinders, springs	No	3,775kg/-	£43,372
RB465 VC Rotor Cutter	0.90-1.80m	Stub augers, optional paddle feeder/auger, spiral rotor plus 15 knives	std (delete opt)	Four rollers, four belts	Two hydraulic cylinders, springs	No	3,615kg /-	£48,695
<i>Note: Material entering the RB455 VC Overshot Feeder and RB465 VC Overshot Feeder passes over rather than under the multi-tine rotor. RB545 Rotor Cutter Silage Pack baler-wrappers can apply net or pre-wrapping plastic film; wrapping plastic is applied from 750mm film dispensers on two horizontal orbital arms.</i>								
CLAAS								
Rollant 520 Rake	1.25m	Stub augers, underfloor feeding tines	No	16 rollers	Hydraulic tailgate pressure	No	2,700kg/-	£24,360
Rollant 520 Roto Feed	1.25m	Stub augers, spiral rotor	No	16 rollers	Hydraulic tailgate pressure	No	2,700kg/-	£27,390
Rollant 540 Roto Feed	1.20m	Stub augers, spiral rotor	Std	15 rollers	Hydraulic tailgate pressure	Opt	3,500kg/-	£34,990
Rollant 540 Roto Cut	1.20m	Stub augers, spiral rotor plus 15 knives	Std	15 rollers	Hydraulic tailgate pressure	Opt	3,500kg/-	£40,020
Rollant 540 Roto Cut Comfort	1.20m	Stub augers, spiral rotor plus 15 knives	Std	15 rollers	Hydraulic tailgate pressure	Opt	3,500kg/-	£41,660
Rollant 455 Roto Cut MPS Uniwrap	1.20m plus wrap	Stub augers, spiral rotor plus 16 knives	Std	16 rollers	Hydraulic tailgate pressure, inner pivoting top three rollers	Opt	5,500kg/-	£67,060
Rollant 454 Roto Cut	1.20m	Stub augers, spiral rotor plus 25 knives	Std	16 rollers	Hydraulic tailgate pressure	Opt	3,600kg/-	£45,620
Rollant 455 Roto Cut MPS	1.20m	Stub augers, spiral rotor plus 25 knives	Std	16 rollers	Hydraulic tailgate pressure, inner pivoting top three rollers	Opt	3,600kg/-	£47,780
Variant 460 Roto Feed PRO	0.90-1.55m	Stub augers, spiral rotor	Std	Four belts	Three hydraulic cylinders, springs	Opt	2,845kg/-	£40,170
Variant 465 Roto Cut PRO	0.90-1.55m	Stub augers, spiral rotor plus 14 knives	Std	Four belts	Three hydraulic cylinders, springs	Opt	2,950kg/-	£42,310
Variant 480 Roto Feed PRO	0.90-1.80m	Stub augers, spiral rotor	Std	Four belts	Three hydraulic cylinders, springs	Opt	2,950kg/-	£43,910

Make/model	Bale diameter	Feed-in mechanism	Drop floor	Bale formation	Bale density control	Isobus electronics	Weight – single axle/twin axle	List price (ex-VAT)
Legend: – = information not supplied; na = not available; poa = price on application; std = standard; opt = optional								
Variant 485 Roto Cut PRO	0.90-1.80m	Stub augers, spiral rotor plus 14 knives	Std	Four belts	Three hydraulic cylinders, springs	Opt	2,950kg/-	£45,970
Note: Rollant 540 models can apply stretch film in place of net. Variant models apply net to the edge (Covered) or over the bale shoulders (Covered XW). Rollant Comfort model automation comprises tailgate open and close. Uniwrap has 750mm 67% or 82% pre-stretch film dispensers on two horizontal orbital arms.								
FENDT								
Rotana 130 F	1.25m	Stub augers, spiral rotor	No	18 rollers	Latched tailgate	No	3,000kg/-	£29,929
Rotana 130 F XtraCut 13	1.25m	Stub augers, spiral rotor plus 13 knives	Std	18 rollers	Latched tailgate	Opt	3,400kg/-	£39,231
Rotana 130 F XtraCut 17	1.25m	Stub augers, spiral rotor plus 17 knives	Std	18 rollers	Latched tailgate	Opt	3,400kg/-	£42,026
Rotana 130 F XtraCut 25	1.25m	Stub augers, spiral rotor plus 25 knives	Std	18 rollers	Latched tailgate	Opt	3,400kg/-	£43,547
Rotana 130 F Combi XtraCut 13	1.25m plus wrap	Stub augers, spiral rotor plus 13 knives	Std	18 rollers	Latched tailgate	Std	6,450kg/-	£85,540
Rotana 130 F Combi XtraCut 17	1.25m plus wrap	Stub augers, spiral rotor plus 17 knives	Std	18 rollers	Latched tailgate	Std	6,450kg/-	£88,335
Rotana 130 F Combi XtraCut 25	1.25m plus wrap	Stub augers, spiral rotor plus 25 knives	Std	18 rollers	Latched tailgate	Std	6,450kg/-	£89,856
4160 V	0.70-1.60m	Stub augers, spiral rotor	No	Three rollers, four belts	Springs then hydraulic, latched tailgate	No	3,950kg/-	£33,806
4160 V XtraCut 13	0.70-1.60m	Stub augers, spiral rotor plus 13 knives	Std	Three rollers, four belts	Springs then hydraulic, latched tailgate	Opt	4,120kg/-	£42,631
4160 V XtraCut 17	0.70-1.60m	Stub augers, spiral rotor plus 17 knives	Std	Three rollers, four belts	Springs then hydraulic, latched tailgate	Opt	4,120kg/-	£45,426
4160 V XtraCut 25	0.70-1.60m	Stub augers, spiral rotor plus 25 knives	Std	Three rollers, four belts	Springs then hydraulic, latched tailgate	Opt	4,120kg/-	£46,947
Rotana 160 V XtraCut 13 Combi	0.70-1.60m plus wrap	Stub augers, spiral rotor plus 13 knives	Std	Three rollers, four belts	Springs then hydraulic, latched tailgate	Std	6,550kg/-	£89,186
Rotana 160 V XtraCut 17 Combi	0.70-1.60m plus wrap	Stub augers, spiral rotor plus 17 knives	Std	Three rollers, four belts	Springs then hydraulic, latched tailgate	Std	6,550kg/-	£91,981
Rotana 160 V XtraCut 25 Combi	0.70-1.60m plus wrap	Stub augers, spiral rotor plus 25 knives	Std	Three rollers, four belts	Springs then hydraulic, latched tailgate	Std	6,550kg/-	£93,502
4180 V	0.70-1.80m	Stub augers, spiral rotor	Std	Three rollers, four belts	Springs then hydraulic, latched tailgate	No	4,200kg/-	£37,564
Rotana 180 V XtraCut 13	0.70-1.80m	Stub augers, spiral rotor plus 13 knives	Std	Three rollers, four belts	Springs then hydraulic, latched tailgate	Opt	4,200kg/-	£46,398
Rotana 180 V XtraCut 17	0.70-1.80m	Stub augers, spiral rotor plus 17 knives	Std	Three rollers, four belts	Springs then hydraulic, latched tailgate	Opt	4,200kg/-	£48,533
Rotana 180 V XtraCut 25	0.70-1.80m	Stub augers, spiral rotor plus 25 knives	Std	Three rollers, four belts	Springs then hydraulic, latched tailgate	Opt	4,200kg/-	£50,714
Note: Combi wrapping models have two 500mm or 750mm pre-stretch film dispensers on horizontal steel ring driven hydraulic motor powered rubber friction drive wheels.								
JOHN DEERE								
F441M Multicrop RotoFlow HC	1.25-1.35m	Spiral rotor with auger flights	Opt	Seven rollers, two chains plus slats	Hydraulic, tailgate pressure	Opt	4,200kg/-	£38,691
F441M Multicrop Maxicut HC 13	1.25-1.35m	Spiral rotor with auger flights plus 13 knives	Std	Seven rollers, two chains plus slats	Hydraulic, tailgate pressure	Opt	4,200kg/-	£42,700
F441M Silage Special RotoFlow HC	1.25-1.35m	Spiral rotor with auger flights	Std	17 rollers	Hydraulic, tailgate pressure	Opt	4,200kg/-	£38,691
F441M Silage Special Maxicut HC 13	1.25-1.35m	Spiral rotor with auger flights plus 13 knives	Std	17 rollers	Hydraulic, tailgate pressure	Opt	4,200kg/-	£42,700
F441R Maxicut HC 13	1.25-1.35m	Spiral rotor with auger flights plus 13 knives	Std	18 rollers	Hydraulic, tailgate pressure	Opt	4,200kg/-	£50,315
F441R Maxicut HC 25	1.25-1.35m	Spiral rotor with auger flights plus 25 knives	Std	18 rollers	Hydraulic, tailgate pressure	Opt	4,200kg/-	£54,845
C441R Maxicut HC 13	1.25-1.35m plus wrap	Spiral rotor with auger flights plus 13 knives	Std	18 rollers	Hydraulic, tailgate pressure	Opt	5,870kg/6,500kg	£98,066/ £102,605
C441R Maxicut HC 25	1.25-1.35m plus wrap	Spiral rotor with auger flights plus 25 knives	Std	18 rollers	Hydraulic, tailgate pressure	Opt	5,870kg/6,500kg	£101,305/ £105,844
V451G RotoFlow HC	0.90-1.65m	Spiral rotor with auger flights	No	Six belts, three rollers	Hydraulic cylinders	Opt	3,700kg/-	£42,987
V451M RotoFlow HC	0.90-1.65m	Spiral rotor with auger flights	Std	Six belts, three rollers	Hydraulic cylinders	Opt	4,000kg/-	£46,183
V451M MaxiCut HC 13 Premium	0.90-1.65m	Spiral rotor with auger flights plus 13 knives	Std	Six belts, three rollers	Hydraulic cylinders	Opt	4,000kg/-	£50,139
V461M RotoFlow HC	0.90-1.85m	Spiral rotor with auger flights	Std	Six belts, three rollers	Hydraulic cylinders	Opt	4,200kg/-	£50,696
V461M MaxiCut HC 13 Premium	1.00-1.85m	Spiral rotor with auger flights plus 13 knives	Std	Six belts, three rollers	Hydraulic cylinders	Opt	4,200kg/-	£54,652

>

ULTIMATE GUIDE COMBINES AND BALERS

Make/model	Bale diameter	Feed-in mechanism	Drop floor	Bale formation	Bale density control	Isobus electronics	Weight – single axle/twin axle	List price (ex-VAT)
Legend: – = information not supplied; na = not available; poa = price on application; std = standard; opt = optional								
V451R RotoFlow HC Premium	0.80-1.60m	Spiral rotor with auger flights	Std	Two belts, three rollers	Hydraulic cylinders, springs	Opt	4,440kg/-	£59,470
V451R MaxiCut HC 13 Premium	0.80-1.60m	Spiral rotor with auger flights plus 13 knives	Std	Two belts, three rollers	Hydraulic cylinders, springs	Opt	4,440kg/-	£62,993
V451R MaxiCut HC 25 Premium	0.80-1.60m	Spiral rotor with auger flights plus 25 knives	Std	Two belts, three rollers	Hydraulic cylinders, springs	Opt	4,440kg/-	£69,444
V461R RotoFlow HC Premium	0.80-1.85m	Spiral rotor with auger flights	Std	Two belts, three rollers	Hydraulic cylinders, springs	Opt	4,740kg/-	£64,744
V461R MaxiCut HC 13 Premium	0.80-1.85m	Spiral rotor with auger flights plus 13 knives	std	Two belts, three rollers	Hydraulic cylinders, springs	Opt	4,740kg/-	£68,481
V461R MaxiCut HC 25 Premium	0.80-1.85m	Spiral rotor with auger flights plus 25 knives	Std	Two belts, three rollers	Hydraulic cylinders, springs	Opt	4,740kg/-	£76,570
C451R Maxicut HC 13 Premium	1.00-1.60m plus wrap	Spiral rotor with auger flights plus 13 knives	Std	Two belts, three rollers	Hydraulic cylinders, springs	Opt	-/8,500kg	£113,193
C451R Maxicut HC 25 Premium	1.00-1.60m plus wrap	Spiral rotor with auger flights plus 25 knives	Std	Two belts, three rollers	Hydraulic cylinders, springs	Opt	-/8,500kg	£117,616
C461R Maxicut HC 13 Premium	1.00-1.70m plus wrap	Spiral rotor with auger flights plus 13 knives	Std	Two belts, three rollers	Hydraulic cylinders, springs	Opt	-/9,000kg	£116,311
C461R Maxicut HC 25 Premium	1.00-1.70m plus wrap	Spiral rotor with auger flights plus 25 knives	Std	Two belts, three rollers	Hydraulic cylinders, springs	Opt	-/9,000kg	£122,394
Note: "C" wrapping balers have 750mm film dispensers on two horizontal orbital arms. "VR" balers have curtain bale release. F441R, V451R and V461R automation comprises tailgate open and close; also stop for netting when operated with GreenStar/AutoTrac-ready John Deere 6R tractors with Isobus.								
KRONE							*NEW MODELS	
Bellima F 130	1.20m	Stub augers, underfloor feeding tines	No	One roller, two chains plus slats	Latched tailgate	No	1,730kg/-	£29,065
Comprima F 125 XC	1.25m	Stub augers, spiral rotor plus 17 knives	Std	Three rollers, two belts plus slats	Coil springs	Std	3,200kg/3,400kg	£47,750/ £52,945
Comprima F 155 XC	1.25-1.50m**	Stub augers, spiral rotor plus 17 knives	Std	Three rollers, two belts plus slats	Coil springs	Std	3,450kg/3,650kg	£49,835/ £55,030
Comprima CF 155 XC	1.25-1.50m** plus wrap	Stub augers, spiral rotor plus 17 knives	Std	Three rollers, two belts plus slats	Coil springs	Std	-/7,100kg	£86,490
Comprima CF 155 XC Plus	1.25-1.50m** plus wrap	Stub augers, spiral rotor plus 26 knives	Std	Three rollers, two belts plus slats	Coil springs	Std	-/7,195kg	£95,460
Comprima V 150	0.90-1.50m	Stub augers, spiral rotor	Std	Three rollers, two belts plus slats	Hydraulic tensioning arms	Std	4,250kg/4,450kg	£45,960/ £51,155
Comprima V 150 XC	0.90-1.50m	Stub augers, spiral rotor plus 17 knives	Std	Three rollers, two belts plus slats	Hydraulic tensioning arms	Std	4,400kg/4,600kg	£56,765/ £61,850
Comprima V 150 XC Plus	0.90-1.50m	Stub augers, spiral rotor plus 26 knives	Std	Three rollers, two belts plus slats	Hydraulic tensioning arms	Std	4,500kg/4,700kg	£58,015/ £63,210
Comprima CV 150 XC	0.90-1.50m plus wrap	Stub augers, spiral rotor plus 17 knives	Std	Three rollers, two belts plus slats	Hydraulic tensioning arms	Std	-/7,500kg	£92,295
Comprima CV 150 XC Plus	0.90-1.50m plus wrap	Stub augers, spiral rotor plus 26 knives	Std	Three rollers, two belts plus slats	Hydraulic tensioning arms	Std	-/7,595kg	£101,735
VariPack V 165*	0.80-1.65m	Spiral rotor with auger flights	Std	Three rollers, four belts	Hydraulic tensioning arms	Std	na/na	£48,315
VariPack V 165 XC*	0.80-1.65m	Spiral rotor with auger flights plus 17 knives	Std	Three rollers, four belts	Hydraulic tensioning arms	Std	na/na	£56,570
VariPack V 165 XC Plus*	0.80-1.65m	Spiral rotor with auger flights plus 26 knives	Std	Three rollers, four belts	Hydraulic tensioning arms	Std	na/na	£63,015
VariPack V 190*	0.80-1.90m	Spiral rotor with auger flights	Std	Three rollers, four belts	Hydraulic tensioning arms	Std	na/na	£57,265
VariPack V 190 XC*	0.80-1.90m	Spiral rotor with auger flights plus 17 knives	Std	Three rollers, four belts	Hydraulic tensioning arms	Std	na/na	£63,840
VariPack V 190 XC Plus*	0.80-1.90m	Spiral rotor with auger flights plus 26 knives	Std	Three rollers, four belts	Hydraulic tensioning arms	Std	na/na	£69,790
Note: **F 155 and CF 155 bale diameter set at one of six diameters in 5cm increments between 1.25m and 1.50m; CF 155 and CV 150 wrappers have 500mm or 750mm, 50% or 70% pre-stretch film dispensers on horizontal orbital arms, and can be fitted with a bale weighing system. VariPack Plus versions have W-formation pick-up tines, 26-knife cutter and larger tyre sizes. Comprima and VariPack Plus automation comprises tailgate open/close; Comprima, VariPack and VariPack Plus automation with optional Isobus Tractor Implement Management (TIM) comprises tractor stop for netting and tailgate open/close.								
KUBOTA								
BF 3255 SuperFeed	1.25m	Stub augers, spiral rotor	Std	17 rollers	Hydraulic	No	2,620kg/-	£33,593
BF 3255 SuperCut 14	1.25m	Stub augers, spiral rotor plus 14 knives	Std	17 rollers	Hydraulic	No	2,900kg/-	£36,519
BV 5160 SuperFeed	0.60-1.65m	Stub augers, spiral rotor	Std	Five belts	Two hydraulic cylinders, two springs	Std	2,990kg/-	£42,657
BV 5160 SuperCut 14	0.60-1.65m	Stub augers, spiral rotor plus 14 knives	Std	Five belts	Two hydraulic cylinders, two springs	Std	2,990kg/-	£45,718

ULTIMATE GUIDE COMBINES AND BALERS

Make/model	Bale diameter	Feed-in mechanism	Drop floor	Bale formation	Bale density control	Isobus electronics	Weight - single axle/twin axle	List price (ex-VAT)
Legend: - = information not supplied; na = not available; poa = price on application; std = standard; opt = optional								
BV 5160 SuperCut 14 FlexiWrap	0.60-1.65m plus wrap	Stub augers, spiral rotor plus 14 knives	Std	Five belts	Two hydraulic cylinders, two springs	Std	~6,050kg	£100,955
BV 5200 Superfeed	0.60-2.00m	Stub augers, spiral rotor	Std	Five belts	Two hydraulic cylinders, two springs	Std	3,340kg/-	£46,733
BV 5200 SuperCut 14	0.60-2.00m	Stub augers, spiral rotor plus 14 knives	Std	Five belts	Two hydraulic cylinders, two springs	Std	3,340kg/-	£49,794
Note: BV 5160 FlexiWrap model has two 750mm pre-stretch film dispensers on hydraulically-driven overhead vertical orbital arms.								
KUHN							*NEW MODELS	
FB 3130 OptiFeed	1.25m	Spiral rotor with auger flights	Std	18 rollers	Hydraulic, tailgate pressure	No	3,300kg/-	£35,985
FB 3130 OptiCut 14	1.25m	Spiral rotor with auger flights plus 14 knives	Std	18 rollers	Hydraulic, tailgate pressure	No	3,300kg/-	£38,875
FB 3135 OptiCut 14	1.25m	Spiral rotor with auger flights plus 14 knives	Std	18 rollers	Hydraulic, tailgate pressure	Std	3,300kg/-	£41,910
FB 3135 OptiCut 23	1.25m	Spiral rotor with auger flights plus 23 knives	Std	18 rollers	Hydraulic, tailgate pressure	Std	3,400kg/-	£44,785
FB 3135 Automate OptiCut 14	1.25m	Spiral rotor with auger flights plus 14 knives	Std	18 rollers	Hydraulic, tailgate pressure	Std	3,300kg/-	£44,740
FB 3135 Automate OptiCut 23	1.25m	Spiral rotor with auger flights plus 23 knives	Std	18 rollers	Hydraulic, tailgate pressure	Std	3,400kg/-	£47,615
FBP 3135 Automate BalePack OptiCut 14	1.22m plus wrap	Spiral rotor with auger flights plus 14 knives	Std	18 rollers	Hydraulic, tailgate pressure	Std	~5,600kg	£76,620
FBP 3135 Automate BalePack OptiCut 23	1.22m plus wrap	Spiral rotor with auger flights plus 23 knives	Std	18 rollers	Hydraulic, tailgate pressure	Std	~5,600kg	£79,495
i-BIO+ OptiCut 14	1.25m plus wrap	Spiral rotor with auger flights plus 14 knives	Std	18 rollers	Hydraulic, tailgate pressure	Std	3,700kg/-	£60,680
i-BIO+ OptiCut 23	1.25m plus wrap	Spiral rotor with auger flights plus 23 knives	Std	18 rollers	Hydraulic, tailgate pressure	Std	3,800kg/-	£63,555
VB 3160 OptiFeed	0.80-1.60m	Spiral rotor with auger flights	Std	Three rollers, five belts	Two hydraulic cylinders, spring tensioner	Opt	3,040kg/-	£37,710
VB 3160 OptiCut 14	0.80-1.60m	Spiral rotor with auger flights plus 14 knives	Std	Three rollers, five belts	Two hydraulic cylinders, spring tensioner	Opt	3,240kg/-	£38,965
VB 3165 OptiFeed	0.80-1.60m	Spiral rotor with auger flights	Std	Two rollers, five belts	One hydraulic cylinder, spring tensioner	Std	3,220kg/-	£41,040
VB 3165 OptiCut 14	0.80-1.60m	Spiral rotor with auger flights plus 14 knives	Std	Three rollers, five belts	Two hydraulic cylinders, spring tensioner	Std	3,420kg/-	£42,795
VB 3165 OptiCut 23	0.80-1.60m	Spiral rotor with auger flights plus 23 knives	Std	Three rollers, five belts	Two hydraulic cylinders, spring tensioner	Std	3,420kg/-	£45,670
VBP 3165 BalePack OptiCut 14	0.80-1.60m plus wrap	Spiral rotor with auger flights plus 14 knives	Std	Three rollers, five belts	Two hydraulic cylinders, spring tensioner	Std	~5,650kg	£82,890
VBP 3165 BalePack OptiCut 23	0.80-1.60m plus wrap	Spiral rotor with auger flights plus 23 knives	Std	Three rollers, five belts	Two hydraulic cylinders, spring tensioner	Std	~5,650kg	£85,765
VB 3190 OptiFeed	0.80-1.85m	Spiral rotor with auger flights	Std	Three rollers, five belts	Two hydraulic cylinders, spring tensioner	Opt	3,090kg/-	£42,010
VB 3190 OptiCut 14	0.80-1.85m	Spiral rotor with auger flights plus 14 knives	Std	Three rollers, five belts	Two hydraulic cylinders, spring tensioner	Opt	3,290kg/-	£44,860
VB 3195 OptiFeed	0.80-1.85m	Spiral rotor with auger flights	Std	Two rollers, five belts	One hydraulic cylinder, spring tensioner	Std	3,270kg/-	£45,360
VB 3195 OptiCut 14	0.80-1.85m	Spiral rotor with auger flights plus 14 knives	Std	Three rollers, five belts	Two hydraulic cylinders, spring tensioner	Std	3,470kg/-	£48,715
VB 3195 OptiCut 23	0.80-1.85m	Spiral rotor with auger flights plus 23 knives	Std	Three rollers, five belts	Two hydraulic cylinders, spring tensioner	Std	3,470kg/-	£51,590
VB 7160 i-Dense Optifeed*	0.80-1.60m	Spiral rotor with auger flights	Std	Three rollers, five belts	Twin hydraulic, moisture sensing	Std	4,200kg/-	£54,200
VB 7160 i-Dense OptiCut 14 *	0.80-1.60m	Spiral rotor with auger flights plus 14 knives	Std	Three rollers, four belts	Twin hydraulic, moisture sensing	Std	4,200kg/-	£57,180
VB 7160 i-Dense OptiCut 23 *	0.80-1.60m	Spiral rotor with auger flights plus 23 knives	Std	Three rollers, four belts	Twin hydraulic, moisture sensing	Std	4,200kg/-	£60,330
VB 7190 i-Dense Optifeed *	0.80-1.85m	Spiral rotor with auger flights	Std	Three rollers, four belts	Twin hydraulic, moisture sensing	Std	5,200kg/-	£61,440
VB 7190 i-Dense OptiCut 14*	0.80-1.85m	Spiral rotor with auger flights plus 14 knives	Std	Three rollers, four belts	Twin hydraulic, moisture sensing	Std	5,200kg/-	£64,840
VB 7190 i-Dense OptiCut 23*	0.80-1.85m	Spiral rotor with auger flights plus 23 knives	Std	Three rollers, four belts	Twin hydraulic, moisture sensing	Std	5,200kg/-	£67,990
VBP 3195 BalePack OptiCut 14	0.80-1.85m plus wrap	Spiral rotor with auger flights plus 14 knives	Std	Three rollers, five belts	Two hydraulic cylinders, spring tensioner	Std	~6,300kg	£84,835
VBP 3195 BalePack OptiCut 23	0.80-1.85m plus wrap	Spiral rotor with auger flights plus 23 knives	Std	Three rollers, five belts	Two hydraulic cylinders, spring tensioner	Std	~6,300kg	£87,710

Make/model	Bale diameter	Feed-in mechanism	Drop floor	Bale formation	Bale density control	Isobus electronics	Weight – single axle/twin axle	List price (ex-VAT)
Legend: – = information not supplied; na = not available; poa = price on application; std = standard; opt = optional								
Note: FBP BalePack and VBP BalePack wrapping models have two 750mm pre-stretch film dispensers mounted on overhead hydraulic motor driven orbital arms; i-BIO+ has two 750mm pre-stretch film dispensers mounted on a ring within the bale formation chamber. Stretch film circumference binding option – FB £8,235 (including Automate), FBP and VBP £6,485, i-BIO+ £5,630. FBP and VBP 3-D wrapping option £3,935. FB Automate model automation comprises tailgate open and close, tailgate opening height limiter, dropfloor open and close, frequency-adjustable knife cleaning and open centre/load sensing hydraulics change-over.								
MASSEY FERGUSON								
RB 3130F Classic	1.25m	Stub augers, spiral rotor	No	18 rollers	Latched tailgate	No	3,000kg/-	£30,919
RB 3130F Xtra	1.25m	Stub augers, spiral rotor	Std	18 rollers	Latched tailgate	Opt	3,200kg/-	£38,233
RB 3130F XtraCut 13	1.25m	Stub augers, spiral rotor plus 13 knives	Std	18 rollers	Latched tailgate	Opt	3,400kg/-	£41,633
RB 3130F XtraCut 17	1.25m	Stub augers, spiral rotor plus 17 knives	Std	18 rollers	Latched tailgate	Opt	3,400kg/-	£44,428
RB 3130F XtraCut 25	1.25m	Stub augers, spiral rotor plus 25 knives	Std	18 rollers	Latched tailgate	Opt	3,400kg/-	£45,949
RBC 3130F Xtracut 13 Protec	1.25m plus wrap	Stub augers, spiral rotor plus 13 knives	Std	18 rollers	Latched tailgate	Opt	6,450kg/-	£87,989
RBC 3130F Xtracut 17 Protec	1.25m plus wrap	Stub augers, spiral rotor plus 17 knives	Std	18 rollers	Latched tailgate	Opt	6,450kg/-	£94,184
RBC 3130F Xtracut 25 Protec	1.25m plus wrap	Stub augers, spiral rotor plus 25 knives	Std	18 rollers	Latched tailgate	Opt	6,450kg/-	£95,705
RB 4160V Classic	0.90-1.60m	Stub augers, spiral rotor	No	Three rollers, four belts	Springs, then hydraulic, latched tailgate	No	3,950kg/-	£34,796
RB 4160V Xtra	0.90-1.60m	Stub augers, spiral rotor	Std	Three rollers, four belts	Springs, then hydraulic, latched tailgate	Opt	3,950kg/-	£41,633
RB 4160V Xtracut 13	0.90-1.60m	Stub augers, spiral rotor plus 13 knives	Std	Three rollers, four belts	Springs, then hydraulic, latched tailgate	Opt	3,950kg/-	£45,033
RB 4160V Xtracut 17	0.90-1.60m	Stub augers, spiral rotor plus 17 knives	Std	Three rollers, four belts	Springs, then hydraulic, latched tailgate	Opt	3,950kg/-	£47,828
RB 4160V Xtracut 25	0.90-1.60m	Stub augers, spiral rotor plus 25 knives	Std	Three rollers, four belts	Springs, then hydraulic, latched tailgate	Opt	3,950kg/-	£49,349
RBC 4160V Protec Xtracut 13	0.90-1.60m plus wrap	Stub augers, spiral rotor plus 13 knives	Std	Three rollers, four belts	Springs, then hydraulic, latched tailgate	Opt	6,550kg/-	£91,634
RBC 4160V Protec Xtracut 17	0.90-1.60m plus wrap	Stub augers, spiral rotor plus 17 knives	Std	Three rollers, four belts	Springs, then hydraulic, latched tailgate	Opt	6,550kg/-	£97,829
RBC 4160V Protec Xtracut 25	0.90-1.60m plus wrap	Stub augers, spiral rotor plus 25 knives	Std	Three rollers, four belts	Springs, then hydraulic, latched tailgate	Opt	6,550kg/-	£99,350
RB 4180V Classic	0.90-1.80m	Stub augers, spiral rotor	No	Three rollers, four belts	Springs, then hydraulic, latched tailgate	No	4,200kg/-	£38,554
RB 4180V Xtra	0.90-1.80m	Stub augers, spiral rotor	Std	Three rollers, four belts	Springs, then hydraulic, latched tailgate	Opt	4,200kg/-	£45,400
RB 4180V Xtracut 13	0.90-1.80m	Stub augers, spiral rotor plus 13 knives	Std	Three rollers, four belts	Springs, then hydraulic, latched tailgate	Opt	4,200kg/-	£48,800
RB 4180V Xtracut 17	0.90-1.80m	Stub augers, spiral rotor plus 17 knives	Std	Three rollers, four belts	Springs, then hydraulic, latched tailgate	Opt	4,200kg/-	£51,595
RB 4180V Xtracut 25	0.90-1.80m	Stub augers, spiral rotor plus 25 knives	Std	Three rollers, four belts	Springs, then hydraulic, latched tailgate	Opt	4,200kg/-	£53,116
Note: Protec wrapping models have two 750mm pre-stretch film dispensers on horizontal steel ring driven hydraulic motor powered rubber friction drive wheels.								
MCHALE							*NEW MODELS	
F5400	1.25m	Stub augers, spiral rotor	Std	18 rollers	Hydraulic, tailgate pressure	No	3,260kg/-	£32,243
F5500	1.25m	Stub augers, spiral rotor plus 15 knives	Std	18 rollers	Hydraulic, tailgate pressure	No	3,500kg/-	£39,043
F5600	1.25m	Stub augers, spiral rotor plus 25 knives	Std	18 rollers	Hydraulic, tailgate pressure	No	3,700kg/-	£44,746
F5600 Plus	1.25m	Stub augers, spiral rotor plus 25 knives	Std	18 rollers	Hydraulic, tailgate pressure	No	3,850kg/-	£51,507
Fusion 3	1.25m plus wrap	Stub augers, spiral rotor plus 25 knives	Std	18 rollers	Hydraulic, tailgate pressure	No	5,500kg/-	£66,116
Fusion 3 Pro	1.25m plus wrap	Stub augers, spiral rotor plus 25 knives	Std	18 rollers	Hydraulic, tailgate pressure	Opt	5,550kg/-	£70,676
Fusion 3 Plus	1.25m plus wrap	Stub augers, spiral rotor plus 25 knives	Std	18 rollers	Hydraulic, tailgate pressure	Opt	5,650kg/-	£72,862
V6740*	0.60-1.68m	Stub augers, spiral rotor	Std	Three rollers, three belts or one belt	Springs, then hydraulic, latched tailgate	No	3,700kg/-	£38,911
V6750*	0.60-1.68m	Stub augers, spiral rotor plus 15 knives	Std	Three rollers, three belts or one belt	Springs, then hydraulic, latched tailgate	No	3,700kg/-	£44,915

ULTIMATE GUIDE COMBINES AND BALERS

Make/model	Bale diameter	Feed-in mechanism	Drop floor	Bale formation	Bale density control	Isobus electronics	Weight – single axle/twin axle	List price (ex-VAT)
Legend: – = information not supplied; na = not available; poa = price on application; std = standard; opt = optional								
Fusion Vario 15	0.60-1.68m plus wrap**	Stub augers, spiral rotor plus 15 knives	Std	Three rollers, one belt	Springs, then hydraulic, latched tailgate	No	6,500kg/-	£74,351
Fusion Vario 25	0.60-1.68m plus wrap**	Stub augers, spiral rotor plus 25 knives	Std	Three rollers, one belt	Springs, then hydraulic, latched tailgate	No	6,500kg/-	poa
Note: "Plus" models can apply stretch film instead of net to the circumference of the bale. V6740 and V6750 available with 2.1m cam-operated five-row or cam-free six-row pick-up. F5600 and F5600 Plus automation comprises tailgate open and close. Fusion wrapping models have two 750mm pre-stretch film dispensers on a hydraulically driven vertical ring; Fusion 3 Pro adds faster wrapping speeds, remote camera, in-cab net and density adjustment and 7in touch screen monitor. ** Fusion Vario will make and wrap bales of haylage and silage from 1.10-1.45m diameter.								
METAL-FACH								
Z562-0	1.20m	Stub augers, reciprocating forks	No	16 rollers	Hydraulic, tailgate pressure		2,200kg/-	poa
Z562-1 Rotor	1.20m	Stub augers, spiral rotor	No	16 rollers	Hydraulic, tailgate pressure		2,300kg/-	poa
Z562-2 Rotor Cutter	1.20m	Stub augers, spiral rotor plus 13 knives	No	16 rollers	Hydraulic, tailgate pressure		2,400kg/-	poa
Z562-40 Rotor Cutter	1.20m	Stub augers, spiral rotor plus 13 knives	No	18 rollers	Hydraulic, tailgate pressure		2,400kg/-	poa
Note: Distributed by Pacific Blue.								
NEW HOLLAND								
Roll-Bar BR6090 CropCutter	1.25m	Stub augers, W spiral rotor plus 15 knives	No	Two rollers, two chains plus slats	Hydraulic, tailgate pressure	No	2,775kg/-	£27,358
Roll Baler 125	1.25m	Stub augers, spiral rotor plus 20 knives	Std	18 rollers	Hydraulic, tailgate pressure	Std	3,060kg/-	£43,157
Roll Baler 125 Combi	1.25m plus wrap	Stub augers, spiral rotor plus 20 knives	Std	18 rollers	Hydraulic, tailgate pressure	Std	-/4,800kg	£75,153
Roll-Belt 150 SuperFeed	0.90-1.50m	Stub augers, optional paddle feeder/auger, spiral rotor	Opt	Three rollers, four belts	Two hydraulic cylinders	Opt	3,715kg/-	£37,127
Roll-Belt 150 CropCutter	0.90-1.50m	Stub augers, optional paddle feeder/auger, spiral rotor plus 15 knives	Std	Three rollers, four belts	Two hydraulic cylinders	Opt	3,715kg/-	£42,655
Roll-Belt 180 SuperFeed	0.90-1.80m	Stub augers, optional paddle feeder/auger, spiral rotor	Opt	Three rollers, four belts	Two hydraulic cylinders	Opt	3,815kg/-	£40,770
Roll-Belt 180 CropCutter	0.90-1.80m	Stub augers, optional paddle feeder/auger, spiral rotor plus 15 knives	Std	Three rollers, four belts	Two hydraulic cylinders	Opt	3,815kg/-	£45,774
Note: Roll Baler 125 Combi can apply stretch film instead of net to the circumference of the bale; has two 750mm pre-stretch film dispensers mounted on hydraulically driven overhead orbital arms; automation includes knife retraction for final layer, knife cleaning retraction and reset with tailgate open/close. Roll-Belt model automation comprises tailgate open and close, and ground speed control when coupled to a tractor with Class 3 Isobus.								
PÖTTINGER								
Impress 125 F Master	1.30m	Twin stub augers, double V rotor plus 16 knives	Std	18 rollers	Hydraulic, tailgate pressure	No	4,600kg/-	£51,146
Impress 125 F Pro	1.30m	Twin stub augers, double V rotor plus 32 knives	Std	18 rollers	Hydraulic, tailgate pressure	Std	4,850kg/-	£61,832

Krone's latest variable round balers have bale-forming by rollers and belts and a feed rotor with integrated auger flights



McHale V6740 is the non-chopping version of the manufacturer's latest variable bale-size round baler



KRONE/MCHALE

Make/model	Bale diameter	Feed-in mechanism	Drop floor	Bale formation	Bale density control	Isobus electronics	Weight – single axle/twin axle	List price (ex-VAT)
Legend: – = information not supplied; na = not available; poa = price on application; std = standard; opt = optional								
Impress 125 FC Pro	1.30m plus wrap	Twin stub augers, double V rotor plus 32 knives	Std	18 rollers	Hydraulic, tailgate pressure	Std	–/7,600kg	£101,446
Impress 155 V	0.80-1.55m	Twin stub augers, double V rotor	Std	Four rollers, three belts	Hydraulic via belt tensioning arm	No	4,500kg/–	£54,187
Impress 155 V Master	0.80-1.55m	Twin stub augers, double V rotor plus 16 knives	Std	Four rollers, three belts	Hydraulic via belt tensioning arm	No	4,750kg/–	£57,811
Impress 155 V Pro	0.80-1.55m	Twin stub augers, double V rotor plus 32 knives	Std	Four rollers, three belts	Hydraulic via belt tensioning arm	Std	5,000kg/–	£70,051
Impress 155 VC Pro	0.80-1.55m plus wrap	Twin stub augers, double V rotor plus 32 knives	Std	Four rollers, three belts	Hydraulic via belt tensioning arm	Std	–/7,700kg	£109,741
Impress 185 V	0.90-1.85m	Twin stub augers, double V rotor	Std	Four rollers, three belts	Hydraulic via belt tensioning arm	No	4,600kg/–	£57,896
Impress 185 V Master	0.90-1.85m	Twin stub augers, double V rotor plus 16 knives	Std	Four rollers, three belts	Hydraulic via belt tensioning arm	No	4,850kg/–	£61,814
Impress 185 V Pro	0.90-1.85m	Twin stub augers, double V rotor plus 32 knives	Std	Four rollers, three belts	Hydraulic via belt tensioning arm	Std	5,100kg/–	£73,165
Impress 185 VC Pro	0.90-1.85m plus wrap	Twin stub augers, double V rotor plus 32 knives	Std	Four rollers, three belts	Hydraulic via belt tensioning arm	Std	–/7,900kg	£114,350

Note: Incoming material passes over rather than under the double V intake rotor; crop slicing knives where fitted are positioned accordingly. FC Pro and VC Pro wrapping models have 750mm pre-stretch film dispensers on hydraulically-driven underside orbital arms; VC Pro models available with film-on-film binding. Pro model automation comprises pick-up reel lift with chamber full signal, tailage open, and tailgate close with optional bale kicker installed.

VICON						*NEW MODEL		
FixBale 500 SuperCut 15*	1.25m	Stub augers, spiral rotor plus 15 knives	Std	18 rollers	Hydraulic, tailgate pressure	No	3,600kg/–	£40,254
FastBale Non-Stop Baler-Wrapper	1.25m plus wrap	Stub augers, spiral rotor plus 25 knives	Std	14 rollers, 17 rollers**	Hydraulic, tailgate pressure	Std	7,500kg/–	£115,391
RV 5216 SuperFeed	0.60-1.65m	Stub augers, spiral rotor	Std	Five belts	Two hydraulic cylinders, two springs	Std	2,990kg/–	£42,657
RV 5216 SuperCut 14	0.60-1.65m	Stub augers, spiral rotor plus 14 knives	Std	Five belts	Two hydraulic cylinders, two springs	Std	2,990kg/–	£45,718
RV 5216 SuperCut 14 FlexiWrap	0.60-1.65m plus wrap	Stub augers, spiral rotor plus 14 knives	Std	Five belts	Two hydraulic cylinders, two springs	Std	–/6,050kg	£100,955
RV 5220 SuperFeed	0.60-2.00m	Stub augers, spiral rotor	Std	Five belts	Two hydraulic cylinders, two springs	Std	3,340kg/–	£46,733
RV 5220 SuperCut 14	0.60-2.00m	Stub augers, spiral rotor plus 14 knives	Std	Five belts	Two hydraulic cylinders, two springs	Std	3,340kg/–	£49,794

Note: **FastBale – grass accumulated in 14-roller pre-chamber during net application is transferred to 17-roller (three rollers shared) main chamber for completion during non-stop operation; wrapping by two 750mm pre-stretch film dispensers mounted on hydraulically driven overhead vertical orbital arms. RV 5126 FlexiWrap has two 750mm pre-stretch film dispensers on hydraulically-driven overhead vertical orbital arms.

>