

Round baler vital statistics

ROUND BALERS								
Make/model	Bale diameter	Feed-in mechanism	Drop floor	Bale formation	Bale density control	Isobus electronics	Weight - single axle/twin axle	List price (ex-VAT)
Legend: - = information not supplied; na = not available; poa = price on application; std = standard; opt = optional								
BARGAM								
RRX 60	0.57m (x 0.63m)	None	No	19 aluminium rollers	Hydraulic tailgate pressure	No	na	£12,500
RRX 60 S	0.57m (x 0.63m)	Rotor	No	19 aluminium rollers	Hydraulic tailgate pressure	No	na	£13,000
<i>Note: Distributed by Marrs of Methlick.</i>								
CASE IH								
RB344 Rotor Feeder "ReFresh"	1.25m	Stub augers, spiral rotor	No	Base roller, two chains plus slats	Three-stage, springs, tailgate pressure	No	2,775kg/-	£29,331
RB344 Rotor Cutter "ReFresh"	1.25m	Stub augers, spiral rotor plus 15 knives	No	Base roller, two chains plus slats	Three-stage, springs, tailgate pressure	No	4,810kg/-	£32,081
RB545 Rotor Cutter	1.25m	Stub augers, spiral rotor plus 20 knives	Opt	18 rollers	Hydraulic, springs, tailgate pressure	Std	3,060kg/-	£45,749
RB545 Rotor Cutter Silage Pack	1.25m plus wrap	Stub augers, spiral rotor plus 20 knives	Std	18 rollers	Hydraulic, springs, tailgate pressure	Std	-/4,500kg	£81,285
RB455 Overshot Feeder	0.9-1.5m	Overshot spiral rotor/auger	No	Four rollers, four belts	One hydraulic cylinder, spring	Opt	3,080kg/-	£35,645
RB455 Rotor Feeder	0.9-1.5m	Stub augers, Optional paddle feeder/auger, spiral rotor	Std	Four rollers, four belts	Two hydraulic cylinders, springs	Opt	3,561kg/-	£41,087
RB455 Rotor Cutter	0.9-1.5m	Stub augers, Optional paddle feeder/auger, spiral rotor plus 15 knives	Std	Four rollers, four belts	Two hydraulic cylinders, springs	Opt	3,401kg/-	£47,206
RB465 Overshot Feeder	0.9-1.8m	Overshot spiral rotor/auger	Std	Four rollers, four belts	Two hydraulic cylinders, springs	Opt	3,300kg/-	£39,961
RB465 Rotor Feeder	0.9-1.8m	Stub augers, Optional paddle feeder/auger, spiral rotor	Std	Four rollers, four belts	Two hydraulic cylinders, springs	Opt	3,775kg/-	£45,115
RB465 Rotor Cutter	0.9-1.8m	Stub augers, Optional paddle feeder/auger, spiral rotor plus 15 knives	Std (delete opt)	Four rollers, four belts	Two hydraulic cylinders, springs	Opt	3,615kg/-	£50,658
<i>Note: Material entering the RB455 Overshot Feeder and RB465 Overshot Feeder passes over rather than under the multi-tine rotor. RB545 Rotor Cutter Silage Pack baler-wrappers can apply net or pre-wrapping plastic film; wrapping plastic is applied from 750mm film dispensers on two horizontal orbital arms.</i>								
CLAAS								
Rollant 520 Rake	1.25m	Stub augers, underfloor feeding tines	No	16 rollers	Hydraulic tailgate pressure	No	2,700kg/-	£26,430
Rollant 520 Roto Feed	1.25m	Stub augers, spiral rotor	No	16 rollers	Hydraulic tailgate pressure	No	2,700kg/-	£29,710
Rollant 540 Roto Feed	1.2m	Stub augers, spiral rotor	Std	15 rollers	Hydraulic tailgate pressure	Opt	3,500kg/-	£37,950
Rollant 540 Roto Cut	1.2m	Stub augers, spiral rotor plus 15 knives	Std	15 rollers	Hydraulic tailgate pressure	Opt	3,500kg/-	£43,410
Rollant 540 Roto Cut Comfort	1.2m	Stub augers, spiral rotor plus 15 knives	Std	15 rollers	Hydraulic tailgate pressure	Opt	3,500kg/-	£45,180
Rollant 455 Roto Cut MPS Uniwrap	1.2m plus wrap	Stub augers, spiral rotor plus 25 knives	Std	16 rollers	Hydraulic tailgate pressure, inner pivoting top three rollers	Opt	5,500kg/-	£83,520
Rollant 454 Roto Cut	1.2m	Stub augers, spiral rotor plus 25 knives	Std	16 rollers	Hydraulic tailgate pressure	Opt	3,600kg/-	£49,480
Rollant 455 Roto Cut MPS	1.2m	Stub augers, spiral rotor plus 25 knives	Std	16 rollers	Hydraulic tailgate pressure, inner pivoting top three rollers	Opt	3,600kg/-	£51,850
Variant 460 Roto Feed PRO	0.9-1.55m	Stub augers, spiral rotor	Std	Four belts	Dual arms, hydraulic cylinders, springs	Opt	2,845kg/-	£43,570
Variant 465 Roto Cut PRO	0.9-1.55m	Stub augers, spiral rotor plus 14 knives	Std	Four belts	Dual arms, hydraulic cylinders, springs	Opt	2,950kg/-	£45,890
Variant 480 Roto Feed PRO	0.9-1.8m	Stub augers, spiral rotor	Std	Four belts	Dual arms, hydraulic cylinders, springs	Opt	2,950kg/-	£47,620
Variant 485 Roto Cut PRO	0.9-1.8m	Stub augers, spiral rotor plus 14 knives	Std	Four belts	Dual arms, hydraulic cylinders, springs	Opt	2,950kg/-	£49,860
<i>Note: Rollant 540 models can apply stretch film in place of net. Variant models apply net to the edge (Covered) or over the bale shoulders (Covered XW). Rollant Comfort model automation comprises tailgate open and close. Uniwrap has 750mm 67% or 82% pre-stretch film dispensers on two horizontal orbital arms.</i>								
FENDT								
Rotana 130 F	1.25m	Stub augers, spiral rotor	No	18 rollers	Latched tailgate	No	3,000kg/-	£32,962
Rotana 130 F Xtra-Cut O	1.25m	Stub augers, spiral rotor plus 0 knives	Std	18 rollers	Latched tailgate	Opt	3,400kg/-	£40,827

ULTIMATE GUIDE COMBINES AND BALERS



Bale weighing is a new option for Kuhn fixed and variable bale size baler-wrappers



Going large – McHale V8 balers can produce a 1.9m-diameter package

Make/model	Bale diameter	Feed-in mechanism	Drop floor	Bale formation	Bale density control	Isobus electronics	Weight – single axle/ twin axle	List price (ex-VAT)
Legend: – = information not supplied; na = not available; poa = price on application; std = standard; opt = optional								
Rotana 130 F XtraCut 13	1.25m	Stub augers, spiral rotor plus 13 knives	Std	18 rollers	Latched tailgate	Opt	3,400kg/-	£42,769
Rotana 130 F XtraCut 17	1.25m	Stub augers, spiral rotor plus 17 knives	Std	18 rollers	Latched tailgate	Opt	3,400kg/-	£45,669
Rotana 130 F XtraCut 25	1.25m	Stub augers, spiral rotor plus 25 knives	Std	18 rollers	Latched tailgate	Opt	3,400kg/-	£47,249
Rotana 130 F Combi XtraCut 13	1.25m plus wrap	Stub augers, spiral rotor plus 13 knives	Std	18 rollers	Latched tailgate	Std	6,450kg/-	£94,079
Rotana 130 F Combi XtraCut 17	1.25m plus wrap	Stub augers, spiral rotor plus 17 knives	Std	18 rollers	Latched tailgate	Std	6,450kg/-	£96,979
Rotana 130 F Combi XtraCut 25	1.25m plus wrap	Stub augers, spiral rotor plus 25 knives	Std	18 rollers	Latched tailgate	Std	6,450kg/-	£98,559
Rotana 160 V	0.7-1.6m	Stub augers, spiral rotor	No	Three rollers, four belts	Springs then hydraulic, latched tailgate	No	3,950kg/-	£37,245
Rotana 160 V Xtra-Cut 0	0.7-1.6m	Stub augers, spiral rotor plus 0 knives	Std	Three rollers, four belts	Springs then hydraulic, latched tailgate	Opt	4,120kg/-	£44,596
Rotana 160 V XtraCut 13	0.7-1.6m	Stub augers, spiral rotor plus 13 knives	Std	Three rollers, four belts	Springs then hydraulic, latched tailgate	Opt	4,120kg/-	£46,538
Rotana 160 V XtraCut 17	0.7-1.6m	Stub augers, spiral rotor plus 17 knives	Std	Three rollers, four belts	Springs then hydraulic, latched tailgate	Opt	4,120kg/-	£49,438
Rotana 160 V XtraCut 25	0.7-1.6m	Stub augers, spiral rotor plus 25 knives	Std	Three rollers, four belts	Springs then hydraulic, latched tailgate	Opt	4,120kg/-	£51,018
Rotana 160 V XtraCut 13 Combi	0.7-1.6m plus wrap	Stub augers, spiral rotor plus 13 knives	Std	Three rollers, four belts	Springs then hydraulic, latched tailgate	Std	6,550kg/-	£98,213
Rotana 160 V XtraCut 17 Combi	0.7-1.6m plus wrap	Stub augers, spiral rotor plus 17 knives	Std	Three rollers, four belts	Springs then hydraulic, latched tailgate	Std	6,550kg/-	£101,113
Rotana 160 V XtraCut 25 Combi	0.7-1.6m plus wrap	Stub augers, spiral rotor plus 25 knives	Std	Three rollers, four belts	Springs then hydraulic, latched tailgate	Std	6,550kg/-	£102,693
Rotana 180 V	0.7-1.8m	Stub augers, spiral rotor	Std	Three rollers, four belts	Springs then hydraulic, latched tailgate	No	4,200kg/-	£41,301
Rotana 180 V Xtra-Cut 0	0.7-1.8m	Stub augers, spiral rotor plus 13 knives	Std	Three rollers, four belts	Springs then hydraulic, latched tailgate	Opt	4,200kg/-	£48,662
Rotana 180 V XtraCut 13	0.7-1.8m	Stub augers, spiral rotor plus 13 knives	Std	Three rollers, four belts	Springs then hydraulic, latched tailgate	Opt	4,200kg/-	£50,604
Rotana 180 V XtraCut 17	0.7-1.8m	Stub augers, spiral rotor plus 17 knives	Std	Three rollers, four belts	Springs then hydraulic, latched tailgate	Opt	4,200kg/-	£53,504
Rotana 180 V XtraCut 25	0.7-1.8m	Stub augers, spiral rotor plus 25 knives	std	Three rollers, four belts	Springs then hydraulic, latched tailgate	Opt	4,200kg/-	£56,491

Note: Combi wrapping models have two 500mm or 750mm pre-stretch film dispensers on horizontal steel ring driven hydraulic motor powered rubber friction drive wheels.

JOHN DEERE

F441M Multicrop Rotoflow HC	1.25-1.35m	Spiral rotor with auger flights	Opt	Seven rollers, two chains plus slats	Hydraulic, tailgate pressure	Opt	4,200kg/-	£42,173
F441M Multicrop Maxicut HC 13	1.25-1.35m	Spiral rotor with auger flights plus 13 knives	Std	Seven rollers, two chains plus slats	Hydraulic, tailgate pressure	Opt	4,200kg/-	£45,263
F441M Silage Special Rotoflow HC	1.25-1.35m	Spiral rotor with auger flights	Std	17 rollers	Hydraulic, tailgate pressure	Opt	4,200kg/-	£42,173
F441M Silage Special Maxicut HC 13	1.25-1.35m	Spiral rotor with auger flights plus 13 knives	Std	17 rollers	Hydraulic, tailgate pressure	Opt	4,200kg/-	£45,263

ULTIMATE GUIDE COMBINES AND BALERS

Make/model	Bale diameter	Feed-in mechanism	Drop floor	Bale formation	Bale density control	Isobus electronics	Weight – single axle/ twin axle	List price (ex-VAT)
Legend: – = information not supplied; na = not available; poa = price on application; std = standard; opt = optional								
F441R Maxicut HC 13	1.25-1.35m	Spiral rotor with auger flights plus 13 knives	Std	18 rollers	Hydraulic, tailgate pressure	Opt	4,200kg/-	£53,334
F441R Maxicut HC 25	1.25-1.35m	Spiral rotor with auger flights plus 25 knives	Std	18 rollers	Hydraulic, tailgate pressure	Opt	4,200kg/-	£57,233
C441R Maxicut HC 13	1.25-1.35m plus wrap	Spiral rotor with auger flights plus 13 knives	Std	18 rollers	Hydraulic, tailgate pressure	Opt	5,870kg/ 6,500kg	£103,950/ £108,761
C441R Maxicut HC 25	1.25-1.35m plus wrap	Spiral rotor with auger flights plus 25 knives	Std	18 rollers	Hydraulic, tailgate pressure	Opt	5,870kg/ 6,500kg	£107,383 / £112,794
V451G RotoFlow HC	0.9-1.65m	Spiral rotor with auger flights	No	Six belts, three rollers	Hydraulic cylinders	Opt	3,700kg/-	£45,952
V451M RotoFlow HC	0.9-1.65m	Spiral rotor with auger flights	Std	Six belts, three rollers	Hydraulic cylinders	Opt	4,000kg/-	£49,281
V451M MaxiCut HC 13 Premium	0.9-1.65m	Spiral rotor with auger flights plus 13 knives	Std	Six belts, three rollers	Hydraulic cylinders	Opt	4,000kg/-	£53,475
V461M RotoFlow HC	0.9-1.85m	Spiral rotor with auger flights	Std	Six belts, three rollers	Hydraulic cylinders	Opt	4,200kg/-	£53,065
V461M MaxiCut HC 13 Premium	1-1.85m	Spiral rotor with auger flights plus 13 knives	Std	Six belts, three rollers	Hydraulic cylinders	Opt	4,200kg/-	£58,259
V451R RotoFlow HC Premium	0.8-1.6m	Spiral rotor with auger flights	Std	Two belts, three rollers	Hydraulic cylinders, springs	Opt	4,440kg/-	£63,365
V451R MaxiCut HC 13 Premium	0.8-1.6m	Spiral rotor with auger flights plus 13 knives	Std	Two belts, three rollers	Hydraulic cylinders, springs	Opt	4,440kg/-	£67,099
V451R MaxiCut HC 25 Premium	0.8-1.6m	Spiral rotor with auger flights plus 25 knives	Std	Two belts, three rollers	Hydraulic cylinders, springs	Opt	4,440kg/-	£73,938
V461R RotoFlow HC Premium	0.8-1.85m	Spiral rotor with auger flights	Std	Two belts, three rollers	Hydraulic cylinders, springs	Opt	4,740kg/-	£68,629
V461R MaxiCut HC 13 Premium	0.8-1.85m	Spiral rotor with auger flights plus 13 knives	Std	Two belts, three rollers	Hydraulic cylinders, springs	Opt	4,740kg/-	£72,590
V461R MaxiCut HC 25 Premium	0.8-1.85m	Spiral rotor with auger flights plus 25 knives	Std	Two belts, three rollers	Hydraulic cylinders, springs	Opt	4,740kg/-	£81,491
C451R Maxicut HC 13 Premium	1.00-1.60m plus wrap	Spiral rotor with auger flights plus 13 knives	Std	Two belts, three rollers	Hydraulic cylinders, springs	Opt	-/8,500kg	£119,985
C451R Maxicut HC 25 Premium	1-1.6m plus wrap	Spiral rotor with auger flights plus 25 knives	Std	Two belts, three rollers	Hydraulic cylinders, springs	Opt	-/8,500kg	£124,673
C461R Maxicut HC 13 Premium	1-1.7m plus wrap	Spiral rotor with auger flights plus 13 knives	Std	Two belts, three rollers	Hydraulic cylinders, springs	Opt	-/9,000kg	£123,290
C461R Maxicut HC 25 Premium	1-1.7m plus wrap	Spiral rotor with auger flights plus 25 knives	Std	Two belts, three rollers	Hydraulic cylinders, springs	Opt	-/9,000kg	£129,737
<i>Note: "C" wrapping balers have 750mm film dispensers on two horizontal orbital arms. "VR" balers have curtain bale release. F441R, V451R and V461R automation comprises tailgate open and close; also stop for netting when operated with GreenStar/AutoTrac-ready John Deere 6R tractors with Isobus.</i>								
KRONE						*ADDITIONAL VARIANTS		
Bellima F 130	1.2m	Stub augers, underfloor feeding tines	No	One roller, two chains plus slats	Latched tailgate	No	1,730kg/-	£29,415
Comprima F 125 XC	1.25m	Stub augers, spiral rotor plus 17 knives	Std	Three rollers, two belts plus slats	Coil springs	Std	3,200kg/ 3,400kg	£50,525/ £56,035
Comprima F 155 XC	1.25-1.5m**	Stub augers, spiral rotor plus 17 knives	Std	Three rollers, two belts plus slats	Coil springs	Std	3,450kg/ 3,650kg	£52,725/ £58,235
Comprima CF 155 XC	1.25-1.5m** plus wrap	Stub augers, spiral rotor plus 17 knives	Std	Three rollers, two belts plus slats	Coil springs	Std	-/7,100kg	£91,510
Comprima CF 155 XC Plus	1.25-1.5m** plus wrap	Stub augers, spiral rotor plus 26 knives	Std	Three rollers, two belts plus slats	Coil springs	Std	-/7,195kg	£100,995
Comprima V 150 XC Plus	0.9-1.5m	Stub augers, spiral rotor plus 26 knives	Std	Three rollers, two belts plus slats	Hydraulic tensioning arms	Std	4,500kg / 4,700kg	£61,380/ £66,890
Comprima CV 150 XC	0.9-1.5m plus wrap	Stub augers, spiral rotor plus 17 knives	Std	Three rollers, two belts plus slats	Hydraulic tensioning arms	Std	-/7,500kg	£97,645
Comprima CV 150 XC Plus	0.9-1.5m plus wrap	Stub augers, spiral rotor plus 26 knives	Std	Three rollers, two belts plus slats	Hydraulic tensioning arms	Std	-/7,595kg	£107,640
VariPack V 165	0.8-1.65m	Spiral rotor with auger flights	Std	Three rollers, four belts	Hydraulic tensioning arms	Std	na/na	£51,125
VariPack V 165 XC	0.8-1.65m	Spiral rotor with auger flights plus 17 knives	Std	Three rollers, four belts	Hydraulic tensioning arms	Std	na/na	£59,855
VariPack V 165 Plus*	0.8-1.65m	Spiral Rotor with auger flights	Std	Three rollers, three belts	Hydraulic tensioning arms	Std	na/na	£61,820
VariPack V 165 XC Plus	0.8-1.65m	Spiral rotor with auger flights plus 26 knives	Std	Three rollers, three belts	Hydraulic tensioning arms	Std	na/na	£66,670
VariPack V 190 XC	0.8-1.9m	Spiral rotor with auger flights plus 17 knives	Std	Three rollers, four belts	Hydraulic tensioning arms	Std	na/na	£63,840
VariPack V 190 Plus*	0.8-1.9m	Spiral Rotor with auger flights	Std	Three rollers, three belts	Hydraulic tensioning arms	Std	na/na	£68,980
VariPack V 190 XC Plus	0.8-1.9m	Spiral rotor with auger flights plus 26 knives	Std	Three rollers, three belts	Hydraulic tensioning arms	Std	na/na	£73,835
<i>Note: **F 155 and CF 155 bale diameter set at one of six diameters in 5cm increments between 1.25m and 1.5m; CF 155 and CV 150 wrappers have 500mm or 750mm, 50% or 70% pre-stretch film dispensers on horizontal orbital arms, and can be fitted with a bale weighing system. VariPack Plus versions have "W" formation pick-up tines, 26-knife cutter and larger tyre sizes. Comprima and VariPack Plus automation comprises tailgate open/close; Comprima, VariPack and VariPack Plus automation with optional Isobus Tractor Implement Management (TIM) comprises tractor stop for netting and tailgate open/close.</i>								

ULTIMATE GUIDE COMBINES AND BALERS

Make/model	Bale diameter	Feed-in mechanism	Drop floor	Bale formation	Bale density control	Isobus electronics	Weight – single axle/ twin axle	List price (ex-VAT)
Legend: – = information not supplied; na = not available; poa = price on application; std = standard; opt = optional								
KUBOTA							*UPDATED MODELS	
BF 3500	1.23-1.25m	Stub augers, spiral rotor plus 15 knives	Std	18 rollers	Two hydraulic cylinders	No	3,600kg/-	£44,417
BV 5160 Plus SuperFeed*	0.6-1.65m	Stub augers, spiral rotor	Std	Five belts	Two hydraulic cylinders, two springs	Std	2,990kg/-	£45,434
BV 5160 Plus SuperCut 14*	0.6-1.65m	Stub augers, spiral rotor plus 14 knives	Std	Five belts	Two hydraulic cylinders, two springs	Std	2,990kg/-	£48,665
BV 5160 Plus Super-Cut 14 FlexiWrap*	0.6-1.65m plus wrap	Stub augers, spiral rotor plus 14 knives	Std	Five belts	Two hydraulic cylinders, two springs	Std	-/6,050kg	£113,652
BV 5200 Plus Superfeed*	0.6-2m	Stub augers, spiral rotor	Std	Five belts	Two hydraulic cylinders, two springs	Std	3,340kg/-	£49,989
BV 5200 Plus SuperCut 14*	0.6-2m	Stub augers, spiral rotor plus 14 knives	Std	Five belts	Two hydraulic cylinders, two springs	Std	3,340kg/-	£53,220
<i>Note: BV 5160 Plus FlexiWrap model has two 750mm pre-stretch film dispensers on hydraulically driven overhead vertical orbital arms.</i>								
KUHN								
FB 3130 OptiFeed	1.25m	Spiral rotor with auger flights	Std	18 rollers	Hydraulic, tailgate pressure	No	3,300kg/-	£38,324
FB 3130 OptiCut 14	1.25m	Spiral rotor with auger flights plus 14 knives	Std	18 rollers	Hydraulic, tailgate pressure	No	3,300kg/-	£41,401
FB 3135 OptiCut 14	1.25m	Spiral rotor with auger flights plus 14 knives	Std	18 rollers	Hydraulic, tailgate pressure	Std	3,300kg/-	£44,634
FB 3135 OptiCut 23	1.25m	Spiral rotor with auger flights plus 23 knives	Std	18 rollers	Hydraulic, tailgate pressure	Std	3,400kg/-	£47,696
FB 3135 Automate OptiCut 14	1.25m	Spiral rotor with auger flights plus 14 knives	Std	18 rollers	Hydraulic, tailgate pressure	Std	3,300kg/-	£47,648
FB 3135 Automate OptiCut 23	1.25m	Spiral rotor with auger flights plus 23 knives	Std	18 rollers	Hydraulic, tailgate pressure	Std	3,400kg/-	£50,709
FBP 3135 Automate BalePack OptiCut 14	1.22m plus wrap	Spiral rotor with auger flights plus 14 knives	Std	18 rollers	Hydraulic, tailgate pressure	Std	-/5,600kg	£81,600
FBP 3135 Automate BalePack OptiCut 23	1.22m plus wrap	Spiral rotor with auger flights plus 23 knives	Std	18 rollers	Hydraulic, tailgate pressure	Std	-/5,600kg	£84,662
i-BIOplus OptiCut 14	1.25m plus wrap	Spiral rotor with auger flights plus 14 knives	Std	18 rollers	Hydraulic, tailgate pressure	Std	3,700kg/-	£64,624
i-BIOplus OptiCut 23	1.25m plus wrap	Spiral rotor with auger flights plus 23 knives	Std	18 rollers	Hydraulic, tailgate pressure	Std	3,800kg/-	£67,686
VB 3160 OptiFeed	0.8-1.6m	Spiral rotor with auger flights	Std	Three rollers, five belts	Two hydraulic cylinders, spring tensioner	Opt	3,040kg/-	£40,161
VB 3160 OptiCut 14	0.8-1.6m	Spiral rotor with auger flights plus 14 knives	Std	Three rollers, five belts	Two hydraulic cylinders, spring tensioner	Opt	3,240kg/-	£41,497
VB 3165 OptiFeed	0.8-1.6m	Spiral rotor with auger flights	Std	Two rollers, five belts	One hydraulic cylinder, spring tensioner	Std	3,220kg/-	£43,707
VB 3165 OptiCut 14	0.8-1.6m	Spiral rotor with auger flights plus 14 knives	Std	Three rollers, five belts	Two hydraulic cylinders, spring tensioner	Std	3,420kg/-	£45,576
VB 3165 OptiCut 23	0.8-1.6m	Spiral rotor with auger flights plus 23 knives	Std	Three rollers, five belts	Two hydraulic cylinders, spring tensioner	Std	3,420kg/-	£48,638
VBP 3165 BalePack OptiCut 14	0.8-1.6m plus wrap	Spiral rotor with auger flights plus 14 knives	Std	Three rollers, five belts	Two hydraulic cylinders, spring tensioner	Std	-/5,650kg	£88,277
VBP 3165 BalePack OptiCut 23	0.8-1.6m plus wrap	Spiral rotor with auger flights plus 23 knives	Std	Three rollers, five belts	Two hydraulic cylinders, spring tensioner	Std	-/5,650kg	£91,339
VB 3190 OptiFeed	0.8-1.85m	Spiral rotor with auger flights	Std	Three rollers, five belts	Two hydraulic cylinders, spring tensioner	Opt	3,090kg/-	£44,740
VB 3190 OptiCut 14	0.8-1.85m	Spiral rotor with auger flights plus 14 knives	Std	Three rollers, five belts	Two hydraulic cylinders, spring tensioner	Opt	3,290kg/-	£47,775
VB 3195 OptiFeed	0.8-1.85m	Spiral rotor with auger flights	Std	Two rollers, five belts	One hydraulic cylinder, spring tensioner	Std	3,270kg/-	£48,308
VB 3195 OptiCut 14	0.8-1.85m	Spiral rotor with auger flights plus 14 knives	Std	Three rollers, five belts	Two hydraulic cylinders, spring tensioner	Std	3,470kg/-	£51,881
VB 3195 OptiCut 23	0.8-1.85m	Spiral rotor with auger flights plus 23 knives	Std	Three rollers, five belts	Two hydraulic cylinders, spring tensioner	Std	3,470kg/-	£54,943
VB 7160 i-Dense Optifeed	0.8-1.6m	Spiral rotor with auger flights	Std	Three rollers, four belts	Twin hydraulic, moisture sensing	Std	4,200kg/-	£57,723
VB 7160 i-Dense OptiCut 14	0.8-1.6m	Spiral rotor with auger flights plus 14 knives	Std	Three rollers, four belts	Twin hydraulic, moisture sensing	Std	4,200kgv	£60,896
VB 7160 i-Dense OptiCut 23	0.8-1.6m	Spiral rotor with auger flights plus 23 knives	Std	Three rollers, four belts	Twin hydraulic, moisture sensing	Std	4,200kg/-	£64,251
VB 7190 i-Dense Optifeed	0.8-1.85m	Spiral rotor with auger flights	Std	Three rollers, four belts	Twin hydraulic, moisture sensing	Std	5,200kg/-	£65,433
VB 7190 i-Dense OptiCut 14	0.8-1.85m	Spiral rotor with auger flights plus 14 knives	Std	Three rollers, four belts	Twin hydraulic, moisture sensing	Std	5,200kg/-	£69,054
VB 7190 i-Dense OptiCut 23	0.8-1.85m	Spiral rotor with auger flights plus 23 knives	Std	Three rollers, four belts	Twin hydraulic, moisture sensing	Std	5,200kg/-	£72,409

ULTIMATE GUIDE COMBINES AND BALERS



Improved pick-up performance is among updates for Vicon RV Plus balers

VICON, WOLAGRI



Wolagri's R500 mini round baler is back on the UK market

Make/model	Bale diameter	Feed-in mechanism	Drop floor	Bale formation	Bale density control	Isobus electronics	Weight - single axle/twin axle	List price (ex-VAT)
------------	---------------	-------------------	------------	----------------	----------------------	--------------------	--------------------------------	---------------------

Legend: - = information not supplied; na = not available; poa = price on application; std = standard; opt = optional

VBP 3195 BalePack OptiCut 14	0.8-1.85m plus wrap	Spiral rotor with auger flights plus 14 knives	Std	Three rollers, five belts	Two hydraulic cylinders, spring tensioner	Std	-/6,300kg	£90,349
VBP 3195 BalePack OptiCut 23	0.8-1.85m plus wrap	Spiral rotor with auger flights plus 23 knives	Std	Three rollers, five belts	Two hydraulic cylinders, spring tensioner	Std	-/6,300kg	£93,411

Note: FBP BalePack and VBP BalePack wrapping models have two 750mm pre-stretch film dispensers mounted on overhead hydraulic motor driven orbital arms; i-BIO+ has two 750mm pre-stretch film dispensers mounted on a ring within the bale-formation chamber. Stretch film circumference binding option - FB £8,770 (including Automate), FBP and VBP £6,906, i-BIO+ £5,996. FBP and VBP 3-D wrapping option £4,191. FB Automate model automation comprises tailgate open and close, tailgate opening height limiter, dropfloor open and close, frequency adjustable knife cleaning and open centre/load-sensing hydraulics changeover. Bale weighing - option available for BalePack baler-wrappers; moisture meter - option available for VB and VBP BalePack models.

MASSEY FERGUSON

RB 3130F Classic	1.25m	Stub augers, spiral rotor	No	18 rollers	Latched tailgate	No	3,000kg/-	£30,919
RB 3130F Xtra	1.25m	Stub augers, spiral rotor	Std	18 rollers	Latched tailgate	Opt	3,200kg/-	£38,233
RB 3130F XtraCut 13	1.25m	Stub augers, spiral rotor plus 13 knives	Std	18 rollers	Latched tailgate	Opt	3,400kg/-	£41,633
RB 3130F XtraCut 17	1.25m	Stub augers, spiral rotor plus 17 knives	Std	18 rollers	Latched tailgate	Opt	3,400kg/-	£44,428
RB 3130F XtraCut 25	1.25m	Stub augers, spiral rotor plus 25 knives	Std	18 rollers	Latched tailgate	Opt	3,400kg/-	£45,949
RBC 3130F Xtracut 13 Protec	1.25m plus wrap	Stub augers, spiral rotor plus 13 knives	Std	18 rollers	Latched tailgate	Opt	6,450kg/-	£87,989
RBC 3130F Xtracut 17 Protec	1.25m plus wrap	Stub augers, spiral rotor plus 17 knives	Std	18 rollers	Latched tailgate	Opt	6,450kg/-	£94,184
RBC 3130F Xtracut 25 Protec	1.25m plus wrap	Stub augers, spiral rotor plus 25 knives	Std	18 rollers	Latched tailgate	Opt	6,450kg/-	£95,705
RB 4160V Classic	0.9-1.6m	Stub augers, spiral rotor	No	Three rollers, four belts	Springs, then hydraulic, latched tailgate	No	3,950kg/-	£34,796
RB 4160V Xtra	0.9-1.6m	Stub augers, spiral rotor	Std	Three rollers, four belts	Springs, then hydraulic, latched tailgate	Opt	3,950kg/-	£41,633
RB 4160V Xtracut 13	0.9-1.6m	Stub augers, spiral rotor plus 13 knives	Std	Three rollers, four belts	Springs, then hydraulic, latched tailgate	Opt	3,950kg/-	£45,033
RB 4160V Xtracut 17	0.9-1.6m	Stub augers, spiral rotor plus 17 knives	Std	Three rollers, four belts	Springs, then hydraulic, latched tailgate	Opt	3,950kg/-	£47,828
RB 4160V Xtracut 25	0.9-1.6m	Stub augers, spiral rotor plus 25 knives	Std	Three rollers, four belts	Springs, then hydraulic, latched tailgate	Opt	3,950kg/-	£49,349
RBC 4160V Protec Xtracut 13	0.9-1.6m plus wrap	Stub augers, spiral rotor plus 13 knives	Std	Three rollers, four belts	Springs, then hydraulic, latched tailgate	Opt	6,550kg/-	£91,634
RBC 4160V Protec Xtracut 17	0.9-1.6m plus wrap	Stub augers, spiral rotor plus 17 knives	Std	Three rollers, four belts	Springs, then hydraulic, latched tailgate	Opt	6,550kg/-	£97,829
RBC 4160V Protec Xtracut 25	0.9-1.6m plus wrap	Stub augers, spiral rotor plus 25 knives	Std	Three rollers, four belts	Springs, then hydraulic, latched tailgate	Opt	6,550kg/-	£99,350
RB 4180V Classic	0.9-1.8m	Stub augers, spiral rotor	No	Three rollers, four belts	Springs, then hydraulic, latched tailgate	No	4,200kg/-	£38,554
RB 4180V Xtra	0.9-1.8m	Stub augers, spiral rotor	Std	Three rollers, four belts	Springs, then hydraulic, latched tailgate	Opt	4,200kg/-	£45,400
RB 4180V Xtracut 13	0.9-1.8m	Stub augers, spiral rotor plus 13 knives	Std	Three rollers, four belts	Springs, then hydraulic, latched tailgate	Opt	4,200kg/-	£48,800
RB 4180V Xtracut 17	0.9-1.8m	Stub augers, spiral rotor plus 17 knives	Std	Three rollers, four belts	Springs, then hydraulic, latched tailgate	Opt	4,200kg/-	£51,595

ULTIMATE GUIDE COMBINES AND BALERS

Make/model	Bale diameter	Feed-in mechanism	Drop floor	Bale formation	Bale density control	Isobus electronics	Weight – single axle/ twin axle	List price (ex-VAT)
Legend: – = information not supplied; na = not available; poa = price on application; std = standard; opt = optional								
RB 4180V Xtracut 25	0.9-1.8m	Stub augers, spiral rotor plus 25 knives	Std	Three rollers, four belts	Springs, then hydraulic, latched tailgate	Opt	4,200kg/-	£53,116
<i>Note: Protec wrapping models have two 750mm pre-stretch film dispensers on a horizontal steel ring driven by hydraulic motor-powered rubber friction drive wheels. Stretch film circumference binding option - RBC 3130F Protec £6,900; 1,000rpm pto option - RB 3130F and RBC 3130F £1,600.</i>								
MCHALE								*NEW MODELS
F5400	1.25m	Stub augers, spiral rotor	Std	18 rollers	Hydraulic, tailgate pressure	No	3,260kg/-	£35,741
F5500	1.25m	Stub augers, spiral rotor plus 15 knives	Std	18 rollers	Hydraulic, tailgate pressure	No	3,500kg/-	£43,279
F5600	1.25m	Stub augers, spiral rotor plus 25 knives	Std	18 rollers	Hydraulic, tailgate pressure	No	3,700kg/-	£49,600
F5600 Plus	1.25m	Stub augers, spiral rotor plus 25 knives	Std	18 rollers	Hydraulic, tailgate pressure	No	3,850kg/-	£57,095
Fusion 3	1.25m plus wrap	Stub augers, spiral rotor plus 25 knives	Std	18 rollers	Hydraulic, tailgate pressure	No	5,500kg/-	£73,288
Fusion 3 Pro	1.25m plus wrap	Stub augers, spiral rotor plus 25 knives	Std	18 rollers	Hydraulic, tailgate pressure	Opt	5,550kg/-	£78,344
Fusion 3 Plus	1.25m plus wrap	Stub augers, spiral rotor plus 25 knives	Std	18 rollers	Hydraulic, tailgate pressure	Opt	5,650kg/-	£80,766
V6740	0.6-1.68m	Stub augers, spiral rotor	Std	Three rollers, three belts or one belt	Springs, then hydraulic, latched tailgate	No	4,430kg/-	£38,911
V6750	0.6-1.68m	Stub augers, spiral rotor plus 15 knives	Std	Three rollers, three belts or one belt	Springs, then hydraulic, latched tailgate	No	4,540kg/-	£44,915
Fusion Vario 15	0.6-1.68m plus wrap**	Stub augers, spiral rotor plus 15 knives	Std	Three rollers, one belt	Springs, then hydraulic, latched tailgate	No	6,500kg/-	£82,417
Fusion Vario 25	0.6-1.68m plus wrap**	Stub augers, spiral rotor plus 25 knives	Std	Three rollers, one belt	Springs, then hydraulic, latched tailgate	No	6,500kg/-	poa
V8940*	0.6-1.9m	Stub augers, spiral rotor	Std	Three rollers, three belts	Springs, then hydraulic, latched tailgate	No	4,740kg/-	£48,531
V8950*	0.6-1.9m	Stub augers, spiral rotor plus 15 knives	Std	Three rollers, three belts	Springs, then hydraulic, latched tailgate	No	4,850kg/-	£55,152
<i>Note: "Plus" models can apply stretch film instead of net to the circumference of the bale. All models available with 2.10m cam-operated five tine bar pick-up or 2.10m camless six-tine bar pick-up. F5600 and F5600 Plus automation comprises tailgate open and close. Fusion wrapping models have two 750mm pre-stretch film dispensers on a hydraulically-driven vertical ring. Fusion 3 Pro adds faster wrapping speeds, remote camera, in-cab net and density adjustment and 7in touch screen monitor. **Fusion Vario will make and wrap bales of haylage and silage from 1-1.45m diameter.</i>								
NEW HOLLAND								*UPDATED MODELS
Roll-Bar BR6090 CropCutter	1.25m	Stub augers, "W" spiral rotor plus 15 knives	No	Two rollers, two chains plus slats	Hydraulic, tailgate pressure	No	2,775kg/-	£28,998
Roll-Bar 125 Rotor Feeder*	1.25m	Stub augers, "W" spiral rotor	No	Two rollers, two chains plus slats	Hydraulic, tailgate pressure	No	2,775kg/-	£29,53
Roll-Bar 125 Rotor Cutter*	1.25m	Stub augers, "W" spiral rotor plus 15 knives	No	Two rollers, two chains plus slats	Hydraulic, tailgate pressure	No	2,775kg/-	£32,167
Roll Baler 125	1.25m	Stub augers, spiral rotor plus 20 knives	Std	18 rollers	Latched tailgate	Std	3,060kg/-	£45,970
Roll Baler 125 Combi	1.25m plus wrap	Stub augers, spiral rotor plus 20 knives	Std	18 rollers	Latched tailgate	Std	-/4,800kg	£80,059
Roll-Belt 150 SuperFeed	0.9-1.5m	Stub augers, optional paddle feeder/auger, spiral rotor	Opt	Three rollers, four belts	Two hydraulic cylinders, two springs	Opt	3,715kg/-	£39,368
Roll-Belt 150 CropCutter	0.9-1.5m	Stub augers, optional paddle feeder/auger, spiral rotor plus 15 knives	Std	Three rollers, four belts	Two hydraulic cylinders, two springs	Opt	3,715kg/-	£45,231
Roll-Belt 180 SuperFeed	0.9-1.8m	Stub augers, optional paddle feeder/auger, spiral rotor	Opt	Three rollers, four belts	Two hydraulic cylinders, two springs	Opt	3,815kg/-	£43,228
Roll-Belt 180 CropCutter	0.9-1.8m	Stub augers, optional paddle feeder/auger, spiral rotor plus 15 knives	Std	Three rollers, four belts	Two hydraulic cylinders, two springs	Opt	3,815kg/-	£48,539
<i>Note: Roll Baler 125 Combi can apply stretch film instead of net to the circumference of the bale; has two 750mm pre-stretch film dispensers mounted on hydraulically driven overhead orbital arms; automation includes knife retraction for final layer, knife cleaning retraction and reset with tailgate open/close. Roll-Belt model automation comprises tailgate open and close, and ground speed control when coupled to a tractor with Class 3 Isobus.</i>								
POTTINGER								UPDATED RANGE
Impress 3130 F Master	1.3m	Twin stub augers, double "V" rotor plus 16 knives	Std	18 rollers	Hydraulic, tailgate pressure	No	4,600kg/-	£56,161
Impress 3130 F Pro	1.3m	Twin stub augers, double "V" rotor plus 32 knives	Std	18 rollers	Hydraulic, tailgate pressure	Std	4,850kg/-	£66,854
Impress 3130 FC Pro	1.3m plus wrap	Twin stub augers, double "V" rotor plus 32 knives	Std	18 rollers	Hydraulic, tailgate pressure	Std	-/7,600kg	£111,754
Impress 3160 V	0.8-1.55m	Twin stub augers, double "V" rotor	Std	Four rollers, three belts	Hydraulic via belt tensioning arm	No	4,500kg/-	£59,485
Impress 3160 V Master	0.8-1.55m	Twin stub augers, double "V" rotor plus 16 knives	Std	Four rollers, three belts	Hydraulic via belt tensioning arm	No	4,750kg/-	£63,447
Impress 3160 V Pro	0.8-1.55m	Twin stub augers, double "V" rotor plus 32 knives	Std	Four rollers, three belts	Hydraulic via belt tensioning arm	Std	5,000kg/-	£75,837
Impress 3160 VC Pro	0.8-1.55m plus wrap	Twin stub augers, double "V" rotor plus 32 knives	Std	Four rollers, three belts	Hydraulic via belt tensioning arm	Std	-/7,700kg	£120,793

ULTIMATE GUIDE COMBINES AND BALERS

Make/model	Bale diameter	Feed-in mechanism	Drop floor	Bale formation	Bale density control	Isobus electronics	Weight – single axle/ twin axle	List price (ex-VAT)
Legend: - = information not supplied; na = not available; poa = price on application; std = standard; opt = optional								
Impress 3190 V	0.9-1.85m	Twin stub augers, double "V" rotor	Std	Four rollers, three belts	Hydraulic via belt tensioning arm	No	4,600kg/-	£63,539
Impress 3190 V Master	0.9-1.85m	Twin stub augers, double "V" rotor plus 16 knives	Std	Four rollers, three belts	Hydraulic via belt tensioning arm	No	4,850kg/-	£67,499
Impress 3190 V Pro	0.9-1.85m	Twin stub augers, double "V" rotor plus 32 knives	Std	Four rollers, three belts	Hydraulic via belt tensioning arm	Std	5,100kg/-	£79,240
Impress 3190 VC Pro	0.9-1.85m plus wrap	Twin stub augers, double "V" rotor plus 32 knives	Std	Four rollers, three belts	Hydraulic via belt tensioning arm	Std	-/7,900kg	£125,830
<i>Note: Incoming material passes over rather than under the double V intake rotor; crop slicing knives where fitted are positioned accordingly. FC Pro and VC Pro wrapping models have 750mm pre-stretch film dispensers on hydraulically-driven underside orbital arms; VC Pro All models available with film-on-film binding. 1,000rpm driveline standard on Pro models, optional on others. Pro model automation comprises pick-up reel lift with chamber full signal, tailgate open, and tailgate close with optional bale kicker installed.</i>								
VICON							*UPDATED MODELS	
FixBale 500 SuperCut 15	1.25m	Stub augers, spiral rotor plus 15 knives	Std	18 rollers	Hydraulic, tailgate pressure	No	3,600kg/-	£44,417
FastBale Non-Stop Baler-Wrapper	1.25m plus wrap	Stub augers, spiral rotor plus 25 knives	Std	14 rollers, 17 rollers**	Hydraulic, tailgate pressure	Std	7,500kg/-	£125,696
RV 5216 Plus SuperFeed*	0.6-1.65m	Stub augers, spiral rotor	Std	Five belts	Two hydraulic cylinders, two springs	Std	2,990kg/-	£42,657
RV 5216 Plus SuperCut 14*	0.6-1.65m	Stub augers, spiral rotor plus 14 knives	Std	Five belts	Two hydraulic cylinders, two springs	Std	2,990kg/-	£45,434
RV 5216 Plus Super-Cut 14 FlexiWrap*	0.6-1.65m plus wrap	Stub augers, spiral rotor plus 14 knives	Std	Five belts	Two hydraulic cylinders, two springs	Std	-/6,050kg	£113,652
RV 5220 Plus SuperFeed*	0.6-2m	Stub augers, spiral rotor	Std	Five belts	Two hydraulic cylinders, two springs	Std	3,340kg/-	£49,989
RV 5220 Plus SuperCut 14*	0.6-2m	Stub augers, spiral rotor plus 14 knives	Std	Five belts	Two hydraulic cylinders, two springs	Std	3,340kg/-	£53,220
<i>Note: **FastBale - grass accumulated in 14-roller pre-chamber during net application is transferred to 17-roller (three rollers shared) main chamber for completion during non-stop operation; wrapping by two 750mm pre-stretch film dispensers mounted on hydraulically driven overhead vertical orbital arms. RV 5216 pLUS FlexiWrap has two 750mm pre-stretch film dispensers on hydraulically driven overhead vertical orbital arms.</i>								
WOLAGRI								
R500	0.57m (x 0.63m)	None	No	19 aluminium rollers	Hydraulic tailgate pressure	No	520kg/-	£12,500
R500 Super	0.57m (x 0.63m)	Rotor	No	19 aluminium rollers	Hydraulic tailgate pressure	No	540kg/-	£13,000
<i>Note: Distributed by Marris of Methlick.</i>								