

No-till and trailed disc cultivator drill specifications

DISC COULTER NO-TILL DRILLS								
Model	Mounted or trailed	Width	Seed rows/spacing	Coulter rows	Hopper capacity	Seed/fertiliser	Weight	Price
Legend: n/a = feature not available; na = information not available; tbc = to be confirmed; poa = price on application; std = standard.								
CROSS SLOT								
Cross Slot Format Hopper on frame, mid-mounted wheels. Pre-coulter tools None. Seed coulters Notched disc opener with seed/fertiliser boots formed to create inverted T-shaped slot; assembly mounted on parallel linkage with optional (standard on 6m) electronically controlled auto hydraulic downforce of up to 450kg. Depth control Angled soft slot-closing tyres. After coulters As for depth control. Fertiliser Dry (including micro) or liquid placed from coulter wing section opposite seed outlet.								
Cross Slot PW3	Trailed	3m	15 x 200mm	Two separate rows	2,600 litres	Seed and fertiliser	7,200kg	poa
Cross Slot PW4	Trailed	4m	19 x 210mm	Two separate rows	2,600 litres	Seed and fertiliser	7,900kg	poa
Cross Slot PW5	Trailed	5m	25 x 200mm	Two separate rows	2,600 litres	Seed and fertiliser	9,500kg	poa
Cross Slot PW6	Trailed	6m	27 x 222mm	Two separate rows	3,500 litres	Seed and fertiliser	11,500kg	poa
<i>Distributed by Primewest.</i>								
HORIZON AGRICULTURE								NEW 4.8M SIZE
DSX Format Two or three tank hoppers on frame with rear-mounted wheels. Pre-coulter tools Optional pneumatic lift-out row-cleaning finger discs. Seed coulters Slanted and angled single-disc opener with optional seed firmer, mounted on parallel linkage with lock-up for wide row spacings; optional Precision Planting Seederforce manual or Deltaforce auto hydraulic pressure control. Depth control Rubber wheel alongside opener. After coulters Angle-adjustable soft-press tyre on seeding unit assembly with individual depth setting. Fertiliser Dry fertiliser (or seed for companion cropping) delivered to front or rear coulters; liquid fertiliser tank optional and hopper for small seeds or slug pellets.								
DSX 40	Trailed	4m	24 x 167mm, 22 x 187mm, 20 x 200mm, 16 x 250mm	Two separate rows	4,600 litres	Seed and fertiliser	5,012-5,868kg	£74,499
DSX 48	Trailed	4.8m	28 x 167mm, 26 x 187mm, 24 x 200mm, 19 x 250mm	Two separate rows	4,600 litres	Seed and fertiliser	5,465-6,428kg	£82,827
DSX 60	Trailed	6m	36 x 167mm, 32 x 187mm, 30 x 200mm, 24 x 250mm	Two separate rows	4,600 litres	Seed and fertiliser	6,310-7,594kg	£90,055
DSX 64	Trailed	6.4m	38 x 167mm, 34 x 187mm, 32 x 200mm, 26 x 250mm	Two separate rows	4,600 litres	Seed and fertiliser	6,594-7,664kg	£93,599
DSX 72	Trailed	7.2m	43 x 167mm, 38 x 187mm, 36 x 200mm, 29 x 250mm	Two separate rows	4,600 litres	Seed and fertiliser	7,191-8,689kg	£99,285
DSX 75	Trailed	7.5m	45 x 167mm, 40 x 187mm, 38 x 200mm, 30 x 250mm	Two separate rows	4,600 litres	Seed and fertiliser	7,290-8,895kg	£101,328
DSX 80	Trailed	8m	48 x 167mm, 43 x 187mm, 40 x 200mm, 32 x 250mm	Two separate rows	4,600 litres	Seed and fertiliser	7,900-9,500kg	£116,460
DSX 90	Trailed	9m	54 x 167mm, 48 x 187mm, 45 x 200mm, 36 x 250mm	Two separate rows	4,600 litres	Seed and fertiliser	8,400-9,900kg	£127,401
<i>Distributed by Horizon Agriculture. Note: Prices are for widest row spacing.</i>								
HORSCH								NEW AVATAR M
Avatar Format 6 SD to 8 SD – hopper on frame, rear wheels; 12 SD and 18 M – coulter frame on seed cart. Pre-coulter tools None. Seed coulters Single-disc opener on trailing arm clamped to frame with rubber inserts for deflection. Depth control Rubber wheel alongside disc opener. After coulters Integral press wheel and covering disc. Fertiliser Metered into seed flow.								
Avatar 3.16 SD	Trailed	3m	18 x 167mm	Two separate rows	2,800 litres	Seed	4,620kg	£58,640
Avatar 3.16 SD Fert	Trailed	3m	18 x 167mm	Two separate rows	3,800 litres	Seed and fertiliser	4,820kg	£64,860
Avatar 4.16 SD	Trailed	4m	24 x 167mm	Two separate rows	2,800 litres	Seed	5,800kg	£72,150
Avatar 4.16 SD Fert	Trailed	4m	24 x 167mm	Two separate rows	3,800 litres	Seed and fertiliser	6,000kg	£78,360
Avatar 6.16 SD	Trailed	6m	36 x 167mm	Two separate rows	3,500 litres	Seed	6,850kg	£97,890
Avatar 6.16 SD Fert	Trailed	6m	36 x 167mm	Two separate rows	5,000 litres	Seed and fertiliser	7,100kg	£104,230
Avatar 8.16 SD	Trailed	8m	48 x 167mm	Two separate rows	3,500 litres	Seed	9,100kg	£124,220
Avatar 8.16 SD Fert	Trailed	8m	48 x 167mm	Two separate rows	5,000 litres	Seed and fertiliser	9,400kg	£130,560
Avatar 12.25 SD	Trailed	12m	48 x 250mm	One inline row	6,500 litres	Seed	12,000kg	£147,470
Avatar 12.25 SD Fert	Trailed	12m	48 x 250mm	One inline row	6,500 litres	Seed and fertiliser	12,000kg	£147,470
Avatar 18 M	Trailed	18m	72 x 250mm	One inline row	12,600 litres	Seed and fertiliser	na	tbc
<i>Distributed by Horsch. Note: Avatar 3.16 to 12.25 seed and fertiliser models have dual-compartment hopper; Avatar 18 M triple-compartment hopper is divided into 2,000-litre and two 5,300-litre sections with optional individual compartment weighing available.</i>								
JOHN DEERE								
750A All-Till Format Hopper on frame, rear wheels. Pre-coulter tool None. Seed coulters Single-disc 457mm-diameter openers set at 7deg angle with coil spring and hydraulic pressure system, plus optional 500kg ballast giving up to 250kg loading. Depth control Wheel close coupled alongside disc opener. After coulters Seed row press wheel and angled covering disc on coulter arm, plus cast iron closing wheel. Fertiliser None.								
750A All-Till	Trailed	3m	18 x 166mm	Two separate rows	1,800 litres	Seed	2,710kg	£65,249

Model	Mounted or trailed	Width	Seed rows/spacing	Coulter rows	Hopper capacity	Seed/fertiliser	Weight	Price
Legend: n/a = feature not available; na = information not available; tbc = to be confirmed; poa = price on application; std = standard.								
750A All-Till	Trailled	4m	24 x 166mm	Two separate rows	1,800 litres	Seed	4,640kg	£83,772
750A All-Till	Trailled	6m	36 x 166mm	Two separate rows	2,300 litres	Seed	6,800kg	£118,263
<i>Distributed by John Deere.</i>								
MA/AG								
Sicura SSM Format Full width hopper on frame with individual row metering and gravity distribution, rear-mounted wheels. Pre-coulter tools None. Seed coulters Parallel linkage-mounted 435mm straight serrated disc and plain disc opener with three-position coil spring providing down pressure. Depth control Hard side/soft centre rubber press wheel. Fertiliser Metered into seed flow.								
Sicura SSM 30 T RP	Trailled	3m	17 x 176mm	Two separate rows	600 litres	Seed	3,100kg	£32,498
Sicura SSM 30 T RP F	Trailled	3m	17 x 176mm	Two separate rows	600 litres	Seed and fertiliser	3,100kg	£35,648
Sicura SSM 40 T RC	Trailled	4m	22 x 182mm	Two separate rows	600 litres	Seed	3,650kg	£37,538
Sicura SSM 40 T RC F	Trailled	4m	22 x 182mm	Two separate rows	600 litres	Seed and fertiliser	3,650kg	£41,528
Sicura SSP Format Mounted model – hopper on frame; trailed models – single or double hopper on frame, mid-mounted wheels. Pre-coulter tools None. Seed coulters Individually floating coulters with up to 250kg pressure arranged beneath hopper on mounted model and with one row ahead, one behind hopper on trailed versions. Fertiliser Metered separately to coulter with placement below seed depth.								
Sicura SSP 30 P	Mounted	3m	17 x 176mm or 20 x 150mm	Two separate rows	1,250 litres	Seed	2,300kg	£31,343
Sicura SSP 30 T RP	Trailled	3m	18 x 176mm or 20 x 150mm	Two separate rows	1,250 litres	Seed	3,230kg	£41,790
Sicura SSP 30 T RP F	Trailled	3m	19 x 176mm or 20 x 150mm	Two separate rows	2,500 litres	Seed and fertiliser	3,230kg	£46,463
Sicura SSP 40 T RC	Trailled	4m	23 x 174mm or 27 x 150mm	Two separate rows	3,500 litres	Seed	4,510kg	£58,748
Sicura SSP 40 T RC F	Trailled	4m	23 x 174mm or 27 x 150mm	Two separate rows	3,500 litres	Seed and fertiliser	4,510kg	£63,578
Sicura SSP 48 T RC	Trailled	4.8m	27 x 177mm or 32 x 150mm	Two separate rows	3,500 litres	Seed	5,345kg	£66,623
Sicura SSP 48 T RC F	Trailled	4.8m	27 x 177mm or 32 x 150mm	Two separate rows	3,500 litres	Seed and fertiliser	5,345kg	£72,660
Sicura SSP 60 T RC	Trailled	6m	33 x 182mm or 40 x 150mm	Two separate rows	3,500 litres	Seed	6,180kg	£72,970
Sicura SSP 60 T RC F	Trailled	6m	33 x 182mm or 40 x 150mm	Two separate rows	3,500 litres	Seed and fertiliser	6,180kg	£79,375
<i>Distributed by Ryetec Industrial Equipment. Note: Prices are for widest row spacing.</i>								
MOORE								
NEW LISTING								
Uni-drill Format Mounted models – Kverneland Accord hopper with metering and air distribution mounted on frame; trailed models – as mounted plus rear wheels. Pre-coulter tools None. Seed coulters 410mm notched disc opener with seed coulter alongside mounted in pairs on trailing arm with rubber inserts in frame clamp; ballast and hydraulic pressure adjustment to 94kg per opener. Depth control Rear packer roller. After coulters Güttler packer roller with alternating 450mm- and 500mm-diameter serrated cast rings or optional soft rubber press wheels. Fertiliser None.								
Uni-drill 24 Base*	Mounted	3m	24 x 125mm	Two separate rows	n/a	Seed	tbc	tbc
Uni-drill 32 Base*	Mounted	3m	32 x 90mm	Two separate rows	n/a	Seed	tbc	tbc
Uni-drill 24 Base*	Trailled	3m	24 x 125mm	Two separate rows	n/a	Seed	tbc	tbc
Uni-drill 32 Base*	Trailled	3m	32 x 90mm	Two separate rows	n/a	Seed	tbc	tbc
Uni-drill 24	Mounted	3m	24 x 125mm	Two separate rows	700 litres	Seed	2,300kg or 3,000kg	tbc
Uni-drill 32	Mounted	3m	32 x 90mm	Two separate rows	700 litres	Seed	2,300kg or 3,000kg	tbc
Uni-drill 24	Trailled	3m	24 x 125mm	Two separate rows	700 litres	Seed	2800kg or 3400kg	tbc
Uni-drill 32	Trailled	3m	32 x 90mm	Two separate rows	700 litres	Seed	2800kg or 3400kg	tbc
<i>Distributed by Moore Uni-drill Manufacturing. *Uni-drill Base models are without Accord hopper and metering system for buyer to install their own or use tractor front-mounted hopper system.</i>								
NOVAG								
NEW LISTING								
T-ForcePlus Format Divided hopper with metering plus air distribution, mounted on mid-wheeled frame; tracks optional on larger models. Pre-coulter tools None. Seed coulters 575mm scalloped vertical disc opener with L-shaped blades either side forming an inverted T-slot with seed placed one side, fertiliser on the other; individual hydraulic cylinders provide 100-500kg pressure. Depth control Automatic coulter pressure adjustment according to soil resistance and pair of V-angled rubber press wheels behind the disc opener. After coulters None. Fertiliser Placed by L-shaped coulter blade.								
T-ForcePlus 150*	Trailled	2.25m	Up to 12 x 187mm	Two separate rows	730 litres	Seed and fertiliser	Up to 3,200kg	£55,600
T-ForcePlus 350	Trailled	3m	18 x 166mm or 16 x 187mm or 12 x 250mm	Two separate rows	4,200 litres	Seed and fertiliser	6,500kg	£77,900
T-ForcePlus 450	Trailled	4m	24 x 166mm or 21 x 190mm or 16 x 250mm	Two separate rows	4,200 litres	Seed and fertiliser	7,500kg	£106,700
T-ForcePlus 450CT	Trailled	6m	24 x 187mm or 18 x 250mm	Two separate rows	4,200 litres	Seed and fertiliser	8,000kg	£113,200
T-ForcePlus 650	Trailled	8m	36 x 166mm or 32 x 187mm or 24 x 250mm	Two separate rows	5,400 litres	Seed and fertiliser	11,000kg	£141,000
T-ForcePlus 950	Trailled	9m	48 x 187mm or 36 x 250mm	Two separate rows	7,700 litres	Seed and fertiliser	18,000kg	£221,500
<i>Distributed by Novag. *T-ForcePlus 150 available in widths from 1.12m to 2.25m with 166mm, 187mm and 250mm with a maximum of 12 rows.</i>								
SKY AGRICULTURE								
EasyDrill Format Full-width hopper with individual row metering and gravity distribution, on frame with rear transport wheels. Pre-coulter tools Soft press wheel on coulter frame. Seed coulters 435mm-diameter notched disc opener with slot-cleaning skim coulter on tandem assembly with 250kg coulter pressure and rubber mounting-clamp inserts for deflection. Depth control Leading press wheel. After coulters Tapered smooth steel packer wheel. Fertiliser Placed by knife coulters behind seed openers with separate depth adjustment.								
EasyDrill 3000 Fertisem	Trailled	3m	18 x 166mm	One staggered row	2,250 litres	Seed and fertiliser	3,500kg	£71,848

ULTIMATE GUIDE SEED DRILLS

Model	Mounted or trailed	Width	Seed rows/spacing	Coulter rows	Hopper capacity	Seed/fertiliser	Weight	Price
Legend: n/a = feature not available; na = information not available; tbc = to be confirmed; poa = price on application; std = standard.								
EasyDrill 4000 Fertisem	Trailed	4m	24 x 166mm	One staggered row	3,100 litres	Seed and fertiliser	4,450kg	£85,763
EasyDrill W Format Hopper with air distribution on frame with rear transport wheels. Pre-coulter tools Soft press wheel on coulter frame. Seed coulters 435mm-diameter notched disc openers with slot-cleaning skim coulter on tandem assembly with 250kg coulter pressure and rubber mounting-clamp inserts for deflection; twin seed tubes standard; E Premium option for electronic individual row shut-off. Depth control Leading press wheel. After coulters Tapered smooth steel packer wheel. Fertiliser Placed by knife coulters behind seed openers with separate depth adjustment. Separate 120-litre hopper (one on Pro, two on Pro II models) for micro fertiliser, slug pellets or small seeds, mixes, companion plant seeds fed into seed or fertiliser placement pipes.								
EasyDrill W 4000 Fertisem	Trailed	4m	24 x 166mm	One staggered row	3,000 litres	Seed and fertiliser	6,360kg	£103,544
EasyDrill W 4000 Fertisem PRO	Trailed	4m	24 x 166mm	One staggered row	3,000 litres	Seed and fertiliser	na	£108,207
EasyDrill W 4000 Fertisem PRO II	Trailed	4m	24 x 166mm	One staggered row	3,000 litres	Seed and fertiliser	na	£112,869
EasyDrill W 6000 Fertisem	Trailed	6m	36 x 166mm	One staggered row	4,100 litres	Seed and fertiliser	7,780kg	£134,059
EasyDrill W 6000 Fertisem PRO	Trailed	6m	36 x 166mm	One staggered row	4,100 litres	Seed and fertiliser	na	£138,722
EasyDrill W 6000 Fertisem PRO II	Trailed	6m	36 x 166mm	One staggered row	4,100 litres	Seed and fertiliser	na	£143,385
EasyDrill W 8020 Fertisem PRO	Trailed	8m	48 x 166mm	One staggered row	5,100 litres	Seed and fertiliser	na	£171,449
EasyDrill W 8020 Fertisem PRO II	Trailed	8m	48 x 166mm	One staggered row	5,100 litres	Seed and fertiliser	na	£176,112
Distributed by Sky Agriculture division of Opico.								
SUMO								
DD Format Mounted models – DD 3 hopper on frame, Toolbar versions hopper front-mounted on tractor. Trailed models – coulter frame on seed cart. Pre-coulter tools None. Seed coulters Serrated 450mm single-disc coulters on parallel linkage with hydraulic coulter pressure providing up to 200kg downforce and stone protection. Depth control Angled rubber gauge wheel alongside opener and rear press wheel. After coulters Fixed-angle steel finger seed row covering discs and rubber tyre press wheel. Fertiliser Combined delivery of seed and fertiliser to the coulter boot.								
DD 3 Toolbar	Mounted	3m	16 x 187mm	Two separate rows	Tractor front hopper	Seed	2,670kg	£40,484
DD 3	Mounted	3m	16 x 187mm	Two separate rows	1,900 litres	Seed	2,700kg	£49,529
DD 4 Toolbar	Mounted	4m	20 x 200mm	Two separate rows	Tractor front hopper	Seed	3,920kg	£58,183
DD 4	Trailed	4m	20 x 200mm	Two separate rows	3,000 litres	Seed	6,785kg	£87,795
DD 4 Grain & Fert	Trailed	4m	20 x 200mm	Two separate rows	3,000 litres	Seed and fertiliser	6,785kg	£93,349
DD 5	Trailed	5m	24 x 208mm	Two separate rows	3,000 litres	Seed	7,797kg	£108,828
DD 5 Grain & Fert	Trailed	5m	24 x 208mm	Two separate rows	3,000 litres	Seed and fertiliser	7,797kg	£114,382
DD 6	Trailed	6m	30 x 200mm	Two separate rows	3,600 litres	Seed	9,050kg	£121,849
DD 6 Grain & Fert	Trailed	6m	30 x 200mm	Two separate rows	3,600 litres	Seed and fertiliser	9,050kg	£132,644
DD 8	Trailed	8m	40 x 200mm	Two separate rows	3,600 litres	Seed	10,330kg	£133,831
DD 8 Grain & Fert	Trailed	8m	40 x 200mm	Two separate rows	3,600 litres	Seed and fertiliser	10,330kg	£144,626
DD 9	Trailed	9m	45 x 200mm	Two separate rows	3,600 litres	Seed	11,448kg	£153,464
DD 9 Grain & Fert	Trailed	9m	45 x 200mm	Two separate rows	3,600 litres	Seed and fertiliser	11,448kg	£164,259
Distributed by Sumo.								
VIRKAR NEW LISTING								
Dynamic D Format Hopper on frame, rear wheels with steering linked to semi-mounted drawbar for sowing in curves. Pre-coulter tools None. Seed coulters Single disc opener on trailing arms connected hydraulically to maintain up to 250kg downforce pressure and even depth over undulations. Depth control Rubber wheel alongside disc opener with individual spring-loaded latch adjustment. After coulters Vertical over-row and angled side slot press wheels attached to coulter arms. Fertiliser Dry or liquid applied via seed coulters.								
Dynamic D 4.5	Trailed	4.5m	24 x 190mm or 18 x 250mm	Two separate rows	5,300 or 6,800 litres	Seed	6,000kg	£81,500
Dynamic D 4.5 G&F	Trailed	4.5m	24 x 190mm or 18 x 250mm	Two separate rows	5,300 or 6,800 litres	Seed and fertiliser	6,000kg	£86,000
Dynamic D 5.0	Trailed	5m	26 x 190mm or 20 x 250mm	Two separate rows	5,300 or 6,800 litres	Seed	7,000kg	£84,800
Dynamic D 5.0 G&F	Trailed	5m	26 x 190mm or 20 x 250mm	Two separate rows	5,300 or 6,800 litres	Seed and fertiliser	7,000kg	£89,000
Dynamic D 6.0	Trailed	6m	32 x 190mm or 24 x 250mm	Two separate rows	5,300 or 6,800 litres	Seed	8,000kg	£93,000
Dynamic D 6.0 G&F	Trailed	6m	32 x 190mm or 24 x 250mm	Two separate rows	5,300 or 6,800 litres	Seed and fertiliser	8,000kg	£97,500
Dynamic D 7.0	Trailed	7m	28 x 250mm	Two separate rows	5,300 or 6,800 litres	Seed	8,500kg	£99,000
Dynamic D 7.0 G&F	Trailed	7m	28 x 250mm	Two separate rows	5,300 or 6,800 litres	Seed and fertiliser	8,500kg	£103,500
Distributed by Samagri. Note: Prices are for 250mm row spacing.								

ULTIMATE GUIDE SEED DRILLS

Model	Mounted or trailed	Width	Seed rows/spacing	Coulter rows	Hopper capacity	Seed/fertiliser	Weight	Price
Legend: n/a = feature not available; na = information not available; tbc = to be confirmed; poa = price on application; std = standard.								
WEAVING								
GD Format Mounted models – hopper on frame; trailed models – hopper on frame, rear wheels. Pre-coulter tools None. Seed coulters Twin-disc opener formed by 405mm serrated and 345mm close-coupled plain disc set 25deg from vertical and mounted on parallel linkage with hydraulic stone protection and coulter pressure control giving 300kg-plus downforce. Depth control Integrated rubber tyre slot closing press wheel – airless optional. After coulters See depth control. Fertiliser Dry fertiliser mixed in seed tube, optional liquid fertiliser dispensed from seed-tube mounted outlet. Optional 130-litre slug pellet, fertiliser, rapeseed applicator, 240-litre Avadex applicator.								
GD 3000M	Mounted	3m	18 x 167mm	Two separate rows	1,600 litres	Seed	2,500kg	£36,800
GD 3000M G&F	Mounted	3m	18 x 167mm	Two separate rows	2,800 litres	Seed and fertiliser	3,000kg	£44,800
GD 3001T G&F	Trailed	3m	18 x 167mm	Two separate rows	5,000 litres	Seed and fertiliser	5,000kg	£52,800
GD 4001T	Trailed	4m	24 x 167mm	Two separate rows	4,000 litres	Seed	7,460kg	£60,800
GD 4001T G&F	Trailed	4m	24 x 167mm	Two separate rows	5,000 litres	Seed and fertiliser	7,960kg	£75,200
GD 4801T	Trailed	4.8m	29 x 167mm	Two separate rows	5,000 litres	Seed	7,800kg	£68,800
GD 4801T G&F	Trailed	4.8m	29 x 167mm	Two separate rows	5,000 litres	Seed and fertiliser	8,300kg	£82,900
GD 6001T	Trailed	6m	36 x 167mm	Two separate rows	5,000 litres	Seed	8,470kg	£76,800
GD 6001T G&F	Trailed	6m	36 x 167mm	Two separate rows	5,000 litres	Seed and fertiliser	8,970kg	£93,200
GD 6401T	Trailed	6.4m	38 x 167mm	Two separate rows	5,000 litres	Seed	8,640kg	£81,800
GD 6401T G&F	Trailed	6.4m	38 x 167mm	Two separate rows	5,000 litres	Seed and fertiliser	9,140kg	£99,500
GD 8001T	Trailed	8m	48 x 167mm	Two separate rows	5,000 litres	Seed	10,000kg	£100,800
IR Drill Format Hopper on frame. Pre-coulter tools None. Seed coulters Twin-disc openers on spring-tensioned trailing arm mounted in pairs or triple sets for inter-row sowing of companion crops between maize rows. Depth control Integral soft press wheel. After coulters See depth control.								
IR Drill	Mounted	5.4m	Flexible	One row	300 litres	Seed	1,500kg	£22,800
Distributed by Weaving Machinery.								

Model	Mounted or trailed	Width	Seed rows/spacing	Coulter rows	Hopper capacity	Seed/fertiliser	Weight	Price
Legend: n/a = feature not available; na = information not available; tbc = to be confirmed; poa = price on application; std = standard.								
AMAZONE								
Cayena Format Hopper on frame, rear press wheels. Pre-coulter tools Optional straight trash-cutting discs. Seed coulters TineTec HD chisel openers protected by rubber frame-clamp inserts allowing three-way displacement. Depth control Tractor lower link arms and rear packer; central depth adjustment by spindle. After coulters Exact S harrow and 800mm wedge ring tyre roller. Fertiliser Delivered into seed pipe.								
Cayena 6001	Trailed	6m	36 x 166mm	Three separate rows	3,600 litres	Seed	5,579kg	£91,210
Cayena 6001-C	Trailed	6m	36 x 166mm	Three separate rows	4,000 litres	Seed and fertiliser	5,679kg	£98,280
Condor Format Coulter frame on rear of seed cart. Pre-coulter tools None. Seed coulters ConTeC pro heavy-duty tine coulters with tungsten carbide/cobalt alloy tip mounted on arm with frame-clamp rubber inserts for deflection; 120kg maximum pressure. Depth control Coulter arm mounted air- or foam-filled or Otico flexi- press wheel. After coulters See depth control. Fertiliser Metered into seed pipe.								
Condor 12001	Trailed	12m	36 x 333mm	Three separate rows	8,000 litres	Seed and fertiliser	10,978kg	£154,625
Condor 12001	Trailed	12m	48 x 250mm	Three separate rows	8,000 litres	Seed and fertiliser	12,867kg	£161,990
Condor 15001	Trailed	15m	48 x 312mm	Three separate rows	8,000 litres	Seed and fertiliser	12,124kg	£168,170
Condor 15001	Trailed	15m	60 x 250mm	Three separate rows	8,000 litres	Seed and fertiliser	12,245kg	£175,825
Primera DMC Format Hopper on frame. Pre-coulter tools None. Seed coulters Chisel tine on rigid leg mounted on parallel linkage incorporating torsion spring lower links and auto-reset spring-loaded upper link allowing horizontal and vertical break-away. Depth control Integral twin steel hoop ring rollers behind tine. After coulters Slot closing rollers – see depth control – then Exact covering harrow and optional row-aligned packer roller. Fertiliser Metered into seed tube.								
Primera 3000	Trailed	3m	16 x 187mm	Three separate rows	4,200, 5,000 or 5,800 litres	Seed and fertiliser	4,887kg	£78,095
Primera 6000-2	Trailed	6m	32 x 187mm	Three separate rows	4,200, 5,000 or 5,800 litres	Seed and fertiliser	6,487kg	£122,700
Distributed by Amazone.								

Model	Mounted or trailed	Width	Seed rows/spacing	Coulter rows	Hopper capacity	Seed/fertiliser	Weight	Price
BROCK								
Campaign Format Hopper on seed cart with support wheels within seed coulter frame. Pre-coulter tools None. Seed coulters Chisel coulter points on spring tensioned rigid tines. Depth control Pin and hole adjusters on support wheels. After coulters Two-row flexible tine harrow on spring-tensioned parallel linkage. Fertiliser Metered into seed flow.								
Campaign 600	Trailed	6m	40 x 150mm	Four separate rows	5,000 litres	Seed	6,500kg	£80,000
Campaign 600C	Trailed	6m	40 x 150mm	Four separate rows	8,500 litres	Seed and fertiliser	7,500kg	£95,000
Campaign 800	Trailed	8m	54 x 150mm	Four separate rows	5,000 litres	Seed	7,000kg	£100,000
Campaign 800C	Trailed	8m	54 x 150mm	Four separate rows	8,500 litres	Seed and fertiliser	8,000kg	£115,000
Campaign 900	Trailed	9m	60 x 150mm	Four separate rows	5,000 litres	Seed	7,800kg	£110,000
Campaign 900C	Trailed	9m	60 x 150mm	Four separate rows	8,500 litres	Seed and fertiliser	8,800kg	£125,000
Campaign 1000	Trailed	10m	68 x 150mm	Four separate rows	7,000 litres	Seed	9,000kg	£125,000
Campaign 1000C	Trailed	10m	68 x 150mm	Four separate rows	10,500 litres	Seed and fertiliser	10,500kg	£135,000

ULTIMATE GUIDE SEED DRILLS

Model	Mounted or trailed	Width	Seed rows/spacing	Coulter rows	Hopper capacity	Seed/fertiliser	Weight	Price
Legend: n/a = feature not available; na = information not available; tbc = to be confirmed; poa = price on application; std = standard.								
Campaign 1200	Trailled	12m	80 x 150mm	Four separate rows	7,000 litres	Seed	10,500kg	£150,000
Campaign 1200C	Trailled	12m	80 x 150mm	Four separate rows	10,500 litres	Seed and fertiliser	12,000kg	£170,000
Campaign 1335	Trailled	13.3m	88 x 150mm	Four separate rows	7,000 litres	Seed	11,000kg	£160,000
Campaign 1335C	Trailled	13.3m	88 x 150mm	Four separate rows	10,500 litres	Seed and fertiliser	12,500kg	£180,000

Distributed by J Brock & Sons.

CLAYDON

NEW HYBRID M4 RIGID

Hybrid Format Mounted drill hopper on frame; trailed drill hopper on frame with mid-located press wheels. **Pre-coulter tools** Trailled models – optional front-mounted rubber press wheels or shouldered trash-cutting discs. All models – depth-adjustable soil-loosening tine (with shear bolt or hydraulic stone protection), angled plain disc or straight-running fluted twin trash cutting discs. **Seed coulters** S-spring tine carriers with interchangeable points and boots for band-sowing or (for wet, sticky soils) single-line sowing. **Depth control** Mounted models – mid-frame support wheels; trailed models – interchangeable collars on hydraulic lift/lower cylinder. **After coulters** Choice of covering/consolidating tools – paddle tines and levelling harrow, paddle tines and press wheels, two-row levelling harrow, and paddle tines plus cage wheels, or harrows plus cage wheels. **Fertiliser** Placed by soil-loosening tine or seed coulter boot, or inter-row on trailed models with NutriSeeder option.

Hybrid M 3	Mounted	3m	9 x 333mm	Two separate rows	1,750 litres	Seed	1,330kg	£39,400
Hybrid M Fert 3	Mounted	3m	9 x 333mm	Two separate rows	2,100 litres	Seed and fertiliser	1,750kg	£52,713
Hybrid M4 Rigid	Mounted	4m	13 x 308mm	Two separate rows	1,750 litres	Seed	1,750kg	£46,067
Hybrid M4 Rigid Fert	Mounted	4m	13 x 308mm	Two separate rows	1,750 litres	Seed and fertiliser	2,100kg	£58,570
Hybrid M 4	Mounted	4m	13 x 308mm	Two separate rows	1,750 litres	Seed	2,074kg	£54,843
Hybrid M 4.8	Mounted	4.8m	15 x 320mm	Two separate rows	1,750 litres	Seed	2,216kg	£58,038
Hybrid M 6	Mounted	6m	19 x 316mm	Two separate rows	1,750 litres	Seed	3,058kg	£65,812
Hybrid T 3	Trailled	3m	9 x 333mm	Two separate rows	1,750 litres	Seed	3,120kg	£56,947
Hybrid T 3 Fert	Trailled	3m	9 x 333mm	Two separate rows	2,100 litres	Seed and fertiliser	3,420kg	£70,260
Hybrid T 4	Trailled	4m	13 x 308mm	Two separate rows	3,500 litres	Seed	6,000kg	£81,681
Hybrid T 4 Fert	Trailled	4m	13 x 308mm	Two separate rows	3,500 litres	Seed and fertiliser	6,000kg	£90,714
Hybrid T 4 .8	Trailled	4.8m	15 x 320mm	Two separate rows	3,500 litres	Seed	6,200kg	£85,195
Hybrid T 4 .8 Fert	Trailled	4.8m	15 x 320mm	Two separate rows	3,500 litres	Seed and fertiliser	6,200kg	£94,220
Hybrid T 6c	Trailled	6m	19 x 316mm	Two separate rows	3,500 litres	Seed	7,900kg	£98,721
Hybrid T 6c Fert	Trailled	6m	19 x 316mm	Two separate rows	3,500 litres	Seed and fertiliser	7,900kg	£107,884
Hybrid T 6	Trailled	6m	19 x 316mm	Two separate rows	5,500 litres	Seed	9,200kg	£115,143
Hybrid T 6 Fert	Trailled	6m	19 x 316mm	Two separate rows	5,500 litres	Seed and fertiliser	9,200kg	£124,305
Hybrid T 8	Trailled	8m	25 x 320mm	Two separate rows	5,500 litres	Seed	11,200kg	£129,252
Hybrid T 8 Fert	Trailled	8m	25 x 320mm	Two separate rows	5,500 litres	Seed and fertiliser	11,200kg	£139,357

Distributed by Claydon.

DALE

MTD Format Three-point linkage mounted with hopper on frame or tractor front mounted, wheels positioned in front of coulters. **Pre-coulter tools** None. **Seed coulters** 12mm-wide tungsten-tipped tines mounted to semi-flexible break tine. **Depth control** Hydraulic adjustment of four wheels, allows wings to contour independently of central section. **After coulters** Single row of adjustable following harrow tines. **Fertiliser** Optional through additional applicator.

MTD 3	Mounted	3m	24 x 125mm or 18 x 166mm	Four separate rows	1,200kg	Seed	1,600kg	£29,500
MTD 4	Mounted	4m	32 x 125mm or 24 x 166mm	Four separate rows	1,200kg	Seed	2,000kg	£34,000
MTD 4.8	Mounted	4m	38 x 125mm or 29 x 166mm	Four separate rows	1,200kg	Seed	2,150kg	£36,000
MTD 6	Mounted	6m	48 x 125mm or 36 x 166mm	Four separate rows	1,200kg	Seed	2,300kg	£38,000

Eco-Drill Format S models – hopper on chassis or tractor front-mounted; M models – hopper mounted above rear transport wheels; L models – hopper on frame or above rear-mounted wheels; XL models – hopper on mid-wheel chassis. **Pre-coulter tools** None. **Seed coulters** Chisel tine coulters with adjustable row spacing mounted in staggered pairs on parallel linkage with hydraulic down-pressure, stone release cylinder. **Depth control** Integral serrated press wheel shaped for seed row consolidation. **Fertiliser** 250mm row spacing – applied via front coulter, 125mm row spacing – applied from the back of each tine.

Eco-Drill S 3	Mounted	3m	24 x 125mm and 12 x 250mm	Three separate rows	1,500kg	Seed and fertiliser	2,750kg	£45,350
Eco-Drill S 4	Mounted	4m	32 x 125mm and 16 x 250mm	Three separate rows	1,500kg	Seed and fertiliser	3,250kg	£53,500
Eco-Drill S 5	Mounted	5m	40 x 125mm and 20 x 250mm	Three separate rows	1,500kg	Seed and fertiliser	3,750kg	£61,000
Eco-Drill M 3	Trailled	3m	24 x 125mm and 12 x 250mm	Three separate rows	2,200kg	Seed and fertiliser	4,330kg	£50,750
Eco-Drill M 4	Trailled	4m	32 x 125mm and 16 x 250mm	Three separate rows	2,200kg	Seed and fertiliser	4,850kg	£58,850
Eco-Drill M 5	Trailled	5m	40 x 125mm and 20 x 250mm	Three separate rows	2,200kg	Seed and fertiliser	5,100kg	£66,500
Eco-Drill M 6	Trailled	6m	48 x 125mm and 24 x 250mm	Three separate rows	2,200kg	Seed and fertiliser	5,900kg	£73,400
Eco-Drill L 6	Trailled	6m	48 x 125mm and 24 x 250mm	Three separate rows	3,000-4,000kg	Seed and fertiliser	6,200kg	£73,400
Eco-Drill L 8	Trailled	8m	64 x 125mm and 32 x 250mm	Three separate rows	3,000-4,000kg	Seed and fertiliser	7,500kg	£89,000
Eco-Drill XL 9	Trailled	9m	72 x 125mm and 36 x 250mm	Three separate rows	4,500-6,000kg	Seed and fertiliser	9,150kg	£103,600
Eco-Drill XL 10	Trailled	10m	80 x 125mm and 40 x 250mm	Three separate rows	4,500-6,000kg	Seed and fertiliser	10,000kg	£118,800

ULTIMATE GUIDE SEED DRILLS

Model	Mounted or trailed	Width	Seed rows/spacing	Coulter rows	Hopper capacity	Seed/fertiliser	Weight	Price
-------	--------------------	-------	-------------------	--------------	-----------------	-----------------	--------	-------

Legend: n/a = feature not available; na = information not available; tbc = to be confirmed; poa = price on application; std = standard.

Eco-Drill XL 12	Trailled	12m	96 x 125mm and 48 x 250mm	Three separate rows	4,500-6,000kg	Seed and fertiliser	11,500kg	£135,000
-----------------	----------	-----	---------------------------	---------------------	---------------	---------------------	----------	----------

Distributed by Dale Drills.

FARMET

NEW LISTING

Falcon Pro Tandem Format Hopper on frame, rear press/transport wheels. **Pre-coulter tools** Single row of packing tyres. **Seed coulters** Three rows of Bourgault VOS system twin-line rigid tines with coil spring protection at 250mm spacing across common frame suspended on parallel linkage. **Depth control** Front packer tyres. **After coulters** Two-row flexible tine covering harrow and 405/70 R20 or 420/65 R20 press/transport tyres. **Fertiliser** Outlets on back of seed coulters placing fertiliser between seed lines.

6 Pro	Trailled	6m	24 x 250mm	Three separate rows	4,000 litres	Seed	6,500kg	tbc
6 Pro Fert+	Trailled	6m	24 x 250mm	Three separate rows	6,000 litres	Seed and fertiliser	7,500kg	tbc
8 Pro	Trailled	8m	32 x 250mm	Three separate rows	6,000 or 8,500 litres	Seed	9,100kg	tbc
8 Pro Fert+	Trailled	8m	32 x 250mm	Three separate rows	6,000 or 8,500 litres	Seed and fertiliser	10,780kg	tbc

Distributed by J Brock & Sons.

HORSCH

Sprinter ST and SW Format ST models – hopper on frame, rear press wheels; SW models – hopper on seed cart, coulter frame behind. **Pre-coulter tools** Optional front-mounted tyre packer. **Seed coulters** Duett double seed row wing tine points on parallel linkage assembly with coil spring pressure up to 285kg. **Depth control** Rear tyre packer and front support wheels or optional tyre packer. **After coulters** Two rows of flexible tines and 650- to 780mm-diameter in-line or staggered-row tyre packer. **Fertiliser** Horsch PPF system places fertiliser below seed depth; Sprinter ST – dry fertiliser only, Sprinter SW – dry or liquid fertiliser.

Sprinter 3 ST	Trailled	3m	12 x 250mm	Three separate rows	3,000kg	Seed	3,200kg	£40,140
Sprinter 3 ST	Trailled	3m	12 x 250mm	Three separate rows	3,800kg	Seed and fertiliser	3,450kg	£44,980
Sprinter 4 ST	Trailled	4m	14 x 286mm	Three separate rows	2,800kg	Seed	4,000kg	£57,690
Sprinter 4 ST	Trailled	4m	14 x 286mm	Three separate rows	5,000kg	Seed and fertiliser	4,550kg	£63,800
Sprinter 6 ST	Trailled	6m	22 x 273mm	Three separate rows	3,500kg	Seed	5,400kg	£75,190
Sprinter 6 ST	Trailled	6m	22 x 273mm	Three separate rows	5,000kg	Seed and fertiliser	6,020kg	£81,960
Sprinter 8 ST	Trailled	8m	25 x 320mm	Two separate rows	4,000kg	Seed	7,250kg	£109,140
Sprinter 8 SW	Trailled	8m	28 x 285mm	Three separate rows	8,000kg	Seed and fertiliser	10,750kg	£140,150
Sprinter 9 SW	Trailled	9m	30 x 300mm	Three separate rows	8,000kg	Seed and fertiliser	11,500kg	£152,710
Sprinter 10 SW	Trailled	10m	34 x 300mm	Three separate rows	8,000kg	Seed and fertiliser	12,200kg	£163,650
Sprinter 12 SW	Trailled	12m	40 x 300mm	Two separate rows	8,000kg	Seed and fertiliser	14,200kg	£194,190

Note: Sprinter ST – frame-mounted hopper; Sprinter SW – trailed hopper, rear-mounted coulter frame.

Sprinter NT Format 11 NT/15 NT – hopper on seed cart, coulter frame behind; 24 NT – hopper on seed cart trailed behind coulter frame. **Pre-coulter tools** None. **Seed coulters** Chisel tine coulters on trailing arms protected by rubber mounting-clamp inserts allowing sideways and upwards deflection. **Depth control** Semi-pneumatic press wheel attached to coulter arm. **Fertiliser** Dry or liquid placed at seed coulters.

Sprinter 11 NT	Trailled	10.8m	36 x 300mm	Three separate rows	12,000kg	Seed and fertiliser	12,350kg	£131,520
Sprinter 15 NT	Trailled	15m	60 x 250mm or 30 x 500mm	Three separate rows	12,000kg	Seed and fertiliser	13,500kg	£142,400
Sprinter 24 NT	Trailled	24m	80 x 400mm	Three separate rows	17,000kg	Seed and fertiliser	21,200kg	£214,950

Distributed by Horsch. Note: Sprinter 15 NT price for 250mm row spacing. Sprinter 11 NT – coulter frame mounted on rear of seed wagon; Sprinter 15 and 24 NT – seed wagon trailing coulter frame.

IZONA

iPass Format Hopper on frame, rear transport wheels. **Pre-coulter tools** Spring-loaded serrated disc ahead of soil loosening, fertiliser placement tine with hydraulic pressure control connected across the drill. **Seed coulters** Choice of single- and twin-row tine coulters for no-till, strip-till and conventional sowing mounted on independent trailing arm parallel linkages with adjustable hydraulic pressure adjustment. **Depth control** Rubber press wheel behind tine coulters. **After coulters** Rubber press wheel on coulter arm assembly, optional flexible tine covering harrow behind transport wheels. **Fertiliser** Applied via soil loosening tine.

iPass 618	Trailled	6m	18 x 333mm	Two separate rows	7,000 litres	Seed and fertiliser	10,400kg	£139,000
iPass 624	Trailled	6m	24 x 250mm	Two separate rows	7,000 litres	Seed and fertiliser	11,000kg	£142,000
iPass 824	Trailled	8m	24 x 333mm	Two separate rows	7,000 litres	Seed and fertiliser	11,300kg	£144,000
iPass 832	Trailled	8m	32 x 250mm	Two separate rows	7,000 litres	Seed and fertiliser	11,900kg	£148,000

Distributed by iZona.

KÖCKERLING

Ultima Format CS 300 and CS 400 – hopper on frame; CS 600 – hopper on drawbar and frame, rear wheels ahead of finishing tools; 800 and 900 models – hopper on seed caddy with rear-mounted seeding frame. **Pre-coulter tools** Optional leading paddle tines. Individual press wheels carrying 70% of drill weight. **Seed coulters** Integrated with press wheels – 60mm-wide coulter boot. **Depth control** Leading press wheel, central hydraulic adjustment. **After coulters** Seed covering and levelling sweeper tines, steel “U” profile consolidating roller and flexible harrow tines. **Fertiliser** Applied via disc coulters placing fertiliser between seed rows.

CS 300	Trailled	3m	16 x 185mm	Five staggered rows	2,800 litres	Seed	4,570kg	£55,100
CS 400	Trailled	4m	22 x 185mm	Five staggered rows	2,800 litres	Seed	5,720kg	£68,500
CS 600	Trailled	6m	32 x 185mm	Five staggered rows	3,300 litres	Seed	9,000kg	£97,200
CS 600 Combi	Trailled	6m	32 x 185mm	Five staggered rows	3,300 litres	Seed and fertiliser	9,000kg	£109,000
800	Trailled	8m	44 x 185mm	Five staggered rows	4,000 litres	Seed	11,000kg	£136,600
900	Trailled	9m	50 x 185mm	Five staggered rows	4,000 litres	Seed	12,000kg	£147,400

Model	Mounted or trailed	Width	Seed rows/spacing	Coulter rows	Hopper capacity	Seed/fertiliser	Weight	Price
Legend: n/a = feature not available; na = information not available; tbc = to be confirmed; poa = price on application; std = standard.								
<i>Distributed by Samagri.</i>								
KRM SOLA								NEW 4.8M SIZES
Soladrill 1909 SM Format Hopper on coulter frame. Pre-coulter tools None. Seed coulters Narrow tungsten carbide points carried on rigid, coil-spring-tensioned tines. Depth control Ratchet-adjusted land wheels. After coulters Two-row flexible tine covering harrow. Fertiliser Optional small hopper for applying microgranular fertilisers or small seeds.								
1909 SM 4.0	Mounted	4m	25 x 160mm	Four separate rows	2,000 litres	Seed	2,100kg	£35,740
1910 SM 4.8	Mounted	4.8m	29 x 160mm	Four separate rows	2,000 litres	Seed	2,200kg	£37,280
1909 SM 5.0	Mounted	5m	31 x 160mm	Four separate rows	2,000 litres	Seed	2,260kg	£37,280
1909 SM 6.0	Mounted	6m	37 x 160mm	Four separate rows	2,000 litres	Seed	2,350kg	£39,170
1909 SM 7.0	Mounted	7m	43 x 160mm	Four separate rows	5,500 litres	Seed	3,700kg	£42,930
Soladrill SM-P Elektra As SM, but with Isobus-controlled metering and a pressurised hopper with external seed distribution heads.								
SM-P 4.0	Mounted	4m	25 x 160mm	Four separate rows	2,000 litres	Seed	2,200kg	£41,070
SM-P 4.8	Mounted	4.8m	29 x 160mm	Four separate rows	2,000 litres	Seed	2,300kg	£42,610
SM-P 5.0	Mounted	5m	31 x 160mm	Four separate rows	2,000 litres	Seed	2,360kg	£42,610
SM-P 6.0	Mounted	6m	37 x 160mm	Four separate rows	2,000 litres	Seed	2,450kg	£44,500
SM-P 7.0	Mounted	7m	43 x 160mm	Four separate rows	2,000 litres	Seed	2,600kg	£48,260
<i>Distributed by KRM.</i>								
MCCONNEL								DISCONTINUED
Seederator								
MZURI								
Pro-Til Format Hopper on frame, mid-mounted press wheels. Pre-coulter tools Optional pivoting trash-cutting discs, then staggered row of press wheels ahead of soil-loosening/fertiliser-placement tines with hydraulic auto-reset protection. Seed coulters Pivoting coulter tines with individual hydraulic pressure downforce. Depth control Semi-pneumatic press wheels on coulter arms. After coulters Flexible tine-covering harrow with hydraulic pressure adjustment. Fertiliser Delivered to soil-loosening tines.								
Pro-Til 3	Mounted	3m	9 x 333mm	Two staggered rows	1,200 litres	Seed	2,900kg	£46,435

Inspire

Introducing Inspire 1200C/S

Full control in 8 sections! This is a key feature of the new 12 metre seed drill Inspire 1200C/S. Väderstad Inspire 1200C/S is built to combine capacity with sound agronomics.



Visit vaderstad.com to learn more.

VÄDERSTAD
Where farming starts

ULTIMATE GUIDE SEED DRILLS

Model	Mounted or trailed	Width	Seed rows/spacing	Coulter rows	Hopper capacity	Seed/fertiliser	Weight	Price
Legend: n/a = feature not available; na = information not available; tbc = to be confirmed; poa = price on application; std = standard.								
Pro-Til 3T	Trailed	3m	9 x 333mm	Two staggered rows	2,800 litres	Seed	4,600kg	£71,895
Pro-Til 3T Dual	Trailed	3m	9 x 333mm	Two staggered rows	3,400 litres	Seed and fertiliser	4,700kg	£78,805
Pro-Til 3T Select Dual	Trailed	3m	9 x 333mm and 5 x 666mm	Two staggered rows	3,400 litres	Seed and fertiliser	4,700kg	£80,425
Pro-Til 4T	Trailed	4m	11 x 363mm	Two staggered rows	2,800 litres	Seed	5,100kg	£86,020
Pro-Til 4T Dual	Trailed	4m	11 x 363mm	Two staggered rows	3,400 litres	Seed and fertiliser	5,200kg	£92,930
Pro-Til 4T Select Dual	Trailed	4m	11 x 363mm and 6 x 726mm	Two staggered rows	3,400 litres	Seed and fertiliser	5,200kg	£94,850
Pro-Til 6T Select Dual	Trailed	6m	17 x 353mm and 8 x 706mm	Two staggered rows	4,300 litres	Seed and fertiliser	10,300kg	£150,660

Distributed by Mzuri. Note: "Select" models have retractable alternate tine coulters for choice of row spacing. Xzact precision sowing option poa per row.

SIMTECH AITCHISON

TRAILED MODELS DISCONTINUED

T-Sem Format Grass 240, Grass 300, 300 and 300A – full-width hopper on frame with gravity distribution; P models – central hopper on frame with air distribution. **Pre-coulter tools** Straight trash-cutting discs or optional semi-pneumatic tyre roller. **Seed coulters** Double-coil tines with inverted "T" coulters. **Depth control** Flotation tyres on T-Sem Grass models, spring-flex roller on regular T-Sem models. **After coulters** Chain link harrow. **Fertiliser** Dry or liquid bolt-on option delivers to seed coulters.

T-Sem Grass 240	Mounted	2.4m	16 x 150mm	Three separate rows	400 litres	Seed	1,220kg	£16,950
T-Sem Grass 300	Mounted	3m	20 x 150mm	Three separate rows	500 litres	Seed	1,440kg	£18,950
T-Sem 300A	Mounted	3m	16 x 187mm	Three separate rows	900 litres	Seed	1,650kg	£23,950
T-Sem 300	Mounted	3m	20 x 150mm	Three separate rows	900 litres	Seed	1,750kg	£24,950
T-Sem 300AP	Mounted	3m	16 x 187mm	Three separate rows	1,000 litres	Seed	1,750kg	£30,950
T-Sem 300P	Mounted	3m	20 x 150mm	Three separate rows	1,000 litres	Seed	1,850kg	£31,950
T-Sem 350AP	Mounted	3.4m	18 x 188mm	Three separate rows	1,000 litres	Seed	1,900kg	£33,950
T-Sem 400AP	Mounted	4m	22 x 182mm	Three separate rows	1,300 litres	Seed	2,150kg	£36,500
T-Sem 480AP	Mounted	4.8m	24 x 200mm	Three separate rows	1,700 litres	Seed	3,250kg	£45,000
T-Sem 600AP	Mounted	6m	32 x 188mm	Three separate rows	1,700 litres	Seed	3,550kg	£55,000

Distributed by SimTech Aitchison.

TRITON

Triton Format Tractor front-mounted hopper with air-distribution head on drill frame or drill frame-mounted Triton (3m to 4m) and Triton/accord (6m and 7.2m) air hoppers. **Pre-coulter tools** None. **Seed coulters** Rigid steel legs 770mm long with rubber impact protection carrying straight or cranked tungsten-tipped points that create a drainage/rooting channel 150mm beyond sowing depth, plus seed tube and deflector. **Depth control** Tractor linkage and adjustable rear-mounted support wheels; optional sledge bar on seed coulters. **After coulters** Seed secured by two rows of vertical tines with side pressing plates aligned between the seed rows. **Fertiliser** Delivered into dual-zone applicator, £495/m plus tank options.

Side-Press 300M	Mounted	3m	18 x 167mm	Four separate rows	1,600 litres*	Seed	1,300kg	£19,000*
Side-Press 300M Hopper	Mounted	3m	18 x 167mm	Four separate rows	1,900 litres	Seed	na	£26,000
Side-Press 3600M	Mounted	3.6m	22 x 163mm	Four separate rows	1,600 litres*	Seed	na	£21,000*
Side-Press 3600M Hopper	Mounted	3.6m	22 x 163mm	Four separate rows	1,900 litres	Seed	na	£28,000
Side-Press 400M	Mounted	4m	22 x 184mm	Four separate rows	1,600 litres*	Seed	na	£23,000*
Side-Press 400M Hopper	Mounted	4m	22 x 184mm	Four separate rows	1,900 litres	Seed	na	£30,000
Side-Press 400MF	Mounted	4m	22 x 184mm	Four separate rows	1,600 litres*	Seed	na	£36,000*
Side-Press 400MF Hopper	Mounted	4m	22 x 184mm	Four separate rows	1,900 litres	Seed	na	£43,000
Side-Press 480M	Mounted	4.8m	26 x 184mm	Four separate rows	1,600 litres*	Seed	na	£27,000*
Side-Press 480M Hopper	Mounted	4.8m	26 x 184mm	Four separate rows	1,900 litres	Seed	na	£34,000
Side-Press 480MF	Mounted	4.8m	26 x 184mm	Four separate rows	1,600 litres*	Seed	na	£37,500*
Side-Press 480MF Hopper	Mounted	4.8m	26 x 184mm	Four separate rows	1,900 litres	Seed	na	£44,500
Side-Press 600MF	Mounted	6m	34 x 176mm	Four separate rows	1,600 litres*	Seed	3,060kg	£40,000*
Side-Press 600MF Hopper	Mounted	6m	34 x 176mm	Four separate rows	2,000 litres	Seed	na	£52,000
Side-Press 720MF	Mounted	7.2m	42 x 171mm	Four separate rows	1,600 litres*	Seed	na	£44,000*
Side-Press 720MF Hopper	Mounted	7.2m	42 x 171mm	Four separate rows	2,000 litres	Seed	na	£56,000

Distributed by Triton UK. Note: "Standard models without a hopper for user's own tractor front-mounted hopper or optional (£8,950) Triton 1,600-litre with RDS GPS-controlled metering. Hopper models up to 4m have drill frame-mounted Triton 1,900-litre steel hopper with hydraulic fan; 6m and 7.2m models have 2,000-litre Triton Accord frame-mounted hopper, also available in sizes 1,500-2,500 litres. All "MF" models have folding frame.

VIRKAR

NEW DYNAMIC C RANGE

Dynamic C Format Hopper on frame, rear wheels with steering linked to semi-mounted drawbar for sowing in curves. **Pre-coulter tool** None. **Seed coulters** Low-disturbance tines on trailing arms connected hydraulically to maintain up to 280kg downforce pressure and even depth over undulations. **Depth control** Integral press wheel with pin-and-hole individual adjustment. **After coulters** V-shaped double press wheels attached to coulter arms. **Fertiliser** Dry or liquid applied via seed coulters.

Dynamic C 4.5	Trailed	4.5m	24 x 190mm or 18 x 250mm	Two staggered rows	5,300 or 6,800 litres	Seed	5,000kg	£69,500
Dynamic C 4.5 G&F	Trailed	4.5m	24 x 190mm or 18 x 250mm	Two staggered rows	5,300 or 6,800 litres	Seed and fertiliser	5,000kg	£74,000
Dynamic C 5.0	Trailed	5m	26 x 190mm or 20 x 250mm	Two staggered rows	5,300 or 6,800 litres	Seed	6,000kg	£71,000

Model	Mounted or trailed	Width	Seed rows/spacing	Coulter rows	Hopper capacity	Seed/fertiliser	Weight	Price
Legend: n/a = feature not available; na = information not available; tbc = to be confirmed; poa = price on application; std = standard.								
Dynamic C 5.0 G&F	Trailled	5m	26 x 190mm or 20 x 250mm	Two staggered rows	5,300 or 6,800 litres	Seed and fertiliser	6,000kg	£76,000
Dynamic C 6.0	Trailled	6m	32 x 190mm or 24 x 250mm	Two staggered rows	5,300 or 6,800 litres	Seed	7,000kg	£76,500
Dynamic C 6.0 G&F	Trailled	6m	32 x 190mm or 24 x 250mm	Two staggered rows	5,300 or 6,800 litres	Seed and fertiliser	7,000kg	£81,500
Dynamic C 7.0	Trailled	7m	28 x 250mm	Two staggered rows	5,300 or 6,800 litres	Seed	7,500kg	£79,500
Dynamic C 7.0 G&F	Trailled	7m	28 x 250mm	Two staggered rows	5,300 or 6,800 litres	Seed and fertiliser	7,500kg	£84,500
Dynamic DC Format Hopper on frame, rear wheels with steering linked to semi-mounted drawbar for sowing in curves. Pre-coulter tools Fluted trash-cutting discs on hydraulically pressured arms to create initial tilth. Seed coulters Low-disturbance tines on trailing arms connected hydraulically to maintain up to 280kg downforce pressure and even depth over undulations. Depth control Integral press wheel with pin-and-hole individual adjustment. After coulters V-shaped double press wheels attached to coulter arms. Fertiliser Dry or liquid applied via seed coulters.								
Dynamic DC 4.5	Trailled	4.5m	24 x 190mm or 18 x 250mm	Two staggered rows	5,300 or 6,800 litres	Seed	5,000kg	£82,388
Dynamic DC 4.5 G&F	Trailled	4.5m	24 x 190mm or 18 x 250mm	Two staggered rows	5,300 or 6,800 litres	Seed and fertiliser	5,000kg	£85,625
Dynamic DC 5.0	Trailled	5m	26 x 190mm or 20 x 250mm	Two staggered rows	5,300 or 6,800 litres	Seed	6,000kg	£85,298
Dynamic DC 5.0 G&F	Trailled	5m	26 x 190mm or 20 x 250mm	Two staggered rows	5,300 or 6,800 litres	Seed and fertiliser	6,000kg	£88,535
Dynamic DC 6.0	Trailled	6m	32 x 190mm or 24 x 250mm	Two staggered rows	5,300 or 6,800 litres	Seed	7,000kg	£94,916
Dynamic DC 6.0 G&F	Trailled	6m	32 x 190mm or 24 x 250mm	Two staggered rows	5,300 or 6,800 litres	Seed and fertiliser	7,000kg	£98,153
Dynamic DC 7.0	Trailled	7m	28 x 250mm	Two staggered rows	5,300 or 6,800 litres	Seed	7,500kg	£99,202

HORSCH Pronto



Pronto DC

The Pronto DC provides unrivalled seed placement in all conditions. The universal sowing technology combines a high operational speed and a low horsepower requirement.

Visit horsch.com, your local HORSCH dealer or call 01733 667895.

POWERED BY
HORSCH
horsch.com

ULTIMATE GUIDE SEED DRILLS

Model	Mounted or trailed	Width	Seed rows/spacing	Coulter rows	Hopper capacity	Seed/fertiliser	Weight	Price
Legend: n/a = feature not available; na = information not available; tbc = to be confirmed; poa = price on application; std = standard.								
Dynamic DC 7.0 G&F	Trailed	7m	28 x 250mm	Two staggered rows	5,300 or 6,800 litres	Seed and fertiliser	7,500kg	£102,439

Distributed by Samagri. Note: Prices are for 250mm row spacing.

WEAVING

NEW SABRE 6400M/7200M AND FRONT TANK MODELS

Sabre Drill Format Hopper on frame, mid-mounted wheels or with a tractor front-mounted hopper. **Pre-coulter tools** None. **Seed coulters** Rigid 12mm chisel tines with tungsten tips mounted on short coulter arms with rubber frame-clamp inserts. **Depth control** Hydraulic depth adjustment via two mid-frame tyres. **After coulters** Two-row flexible tine harrow on parallel linkage. **Fertiliser** 130-litre applicator, also for slug pellets and oilseed rape; optional 240-litre Avadex applicator.

Sabre 3000M	Mounted	3m	18 x 166mm	Four separate rows	2,000 litres	Seed	2,000kg	£31,800
Sabre 4800M	Mounted	4.8m	29 x 166mm	Four separate rows	2,000 litres	Seed	2,800kg	£42,800
Sabre 6000M	Mounted	6m	36 x 166mm	Four separate rows	2,000 litres	Seed	3,200kg	£45,800
Sabre 6000 Front Tank	Mounted	6m	36 x 166mm	Four separate rows	2,400 litres	Seed	950kg plus 2,800kg	£49,800
Sabre 6400M	Mounted	6.4m	38 x 166mm	Four separate rows	2,000 litres	Seed	3,400kg	£47,800
Sabre 7200M	Mounted	7.2m	42 x 166mm	Four separate rows	2,000 litres	Seed	3,600kg	£49,800
Sabre 7200 Front Tank	Mounted	7.2m	42 x 166mm	Four separate rows	2,400 litres	Seed	950kg plus 3,000kg	£53,800

Distributed by Weaving Machinery.

TRAILED DISC COULTER CULTIVATING DRILLS

Model	Width	Seed rows/spacing	Hopper capacity	Seed/fertiliser	Weight	Price	Front paddle tines	Mid paddle tines
-------	-------	-------------------	-----------------	-----------------	--------	-------	--------------------	------------------

Legend: n/a = feature not available; na = information not available; tbc = to be confirmed; poa = price on application; std = standard.

AMAZONE

NEW 48-ROW 6003-2

Cirrus Front tool Optional Crushboard paddle levelling tines and/or traction tread tyre packer - outer wing-mounted tyres 4003 (£2,550), 6003 (£7,220), plus tractor front- or rear-mounted (£5,895/£6,365) T-Pack U and drill underbelly centre packer (£3,060); 3003 T Pack U unit. **Cultivation** Two rows fixed-angle serrated or notched discs in pairs on rubber cushioned trailing arm plus optional Crushboard paddle levelling tines (not available when front tines fitted) or fluted Minimum TillDisc for strip-tillage. **Mid-packer** 880mm-diameter 400/55R 17.5 or tractor grip pattern 15.0/55-17 tyres. **Seed coulters** 400mm single-disc opener with plastic depth-control disc and 55kg downforce or 380mm twin-disc opener with 100kg downforce; both types in staggered row on trailing arms. **Fertiliser** C models airflow mixing of seed and fertiliser; CC models separate delivery to FerTeC single-disc coulters ahead of tyre packer.

3003 Compact RoTeC Pro	3m	18 x 166mm	3,000 litres	Seed	4,064kg	£59,815	£2,230	n/a
3003 Compact RoTeC Pro	3m	24 x 125mm	3,000 litres	Seed	4,160kg	£62,130	£2,230	n/a
3003 Compact TwinTeC+	3m	18 x 166mm	3,000 litres	Seed	4,150kg	£64,080	£2,230	n/a
4003-2 RoTeC Pro	4m	24 x 166mm	3,600 litres	Seed	6,566kg	£85,105	£3,015	£3,015
4003-2C RoTeC Pro	4m	24 x 166mm	4,000 litres	Seed and fertiliser	6,786kg	£92,335	£3,015	£3,015
4003-2CC RoTeC Pro	4m	24 x 166mm	4,000 litres	Seed and fertiliser	6,786kg	£103,540	£3,015	£3,015
4003-2 RoTeC Pro	4m	32 x 125mm	3,600 litres	Seed	6,669kg	£88,570	£3,015	£3,015
4003-2C RoTeC Pro	4m	32 x 125mm	4,000 litres	Seed and fertiliser	6,889kg	£95,805	£3,015	£3,015
4003-2CC RoTeC Pro	4m	32 x 125mm	4,000 litres	Seed and fertiliser	6,889kg	£107,005	£3,015	£3,015
4003-2 TwinTeC+	4m	24 x 166mm	3,600 litres	Seed	6,659kg	£90,955	£3,015	£3,015
4003-2C TwinTeC+	4m	24 x 166mm	4,000 litres	Seed and fertiliser	6,879kg	£98,185	£3,015	£3,015
4003-2CC TwinTeC+	4m	24 x 166mm	4,000 litres	Seed and fertiliser	6,879kg	£109,390	£3,015	£3,015
6003-2 RoTeC Pro	6m	36 x 166mm	3,600 litres	Seed	8,147kg	£99,345	£4,780	£4,780
6003-2C RoTeC Pro	6m	36 x 166mm	4,000 litres	Seed and fertiliser	8,359kg	£107,350	£4,780	£4,780
6003-2CC RoTeC Pro	6m	36 x 166mm	4,000 litres	Seed and fertiliser	8,359kg	£119,935	£4,780	£4,780
6003-2 RoTeC Pro	6m	48 x 125mm	3,600 litres	Seed	8,355kg	£104,600	£4,780	£4,780
6003-2C RoTeC Pro	6m	48 x 125mm	4,000 litres	Seed and fertiliser	8,567kg	£112,610	£4,780	£4,780
6003-2CC RoTeC Pro	6m	48 x 125mm	4,000 litres	Seed and fertiliser	8,567kg	£124,995	£4,780	£4,780
6003-2 TwinTeC+	6m	36 x 166mm	3,600 litres	Seed	8,345kg	£110,870	£4,780	£4,780
6003-2C TwinTeC+	6m	36 x 166mm	4,000 litres	Seed and fertiliser	8,557kg	£118,875	£4,780	£4,780
6003-2CC TwinTeC+	6m	36 x 166mm	4,000 litres	Seed and fertiliser	8,557kg	£131,460	£4,780	£4,780
6003-2 TwinTeC+	6m	48 x 125mm	3,600 litres	Seed	8,345kg	£119,435	£4,780	£4,780
6003-2C TwinTeC+	6m	48 x 125mm	4,000 litres	Seed and fertiliser	8,557kg	£127,440	£4,780	£4,780
6003-2CC TwinTeC+	6m	48 x 125mm	4,000 litres	Seed and fertiliser	8,557kg	£139,825	£4,780	£4,780

Distributed by Amazone.

ULTIMATE GUIDE SEED DRILLS

Model	Width	Seed rows/spacing	Hopper capacity	Seed/fertiliser	Weight	Price	Front paddle tines	Mid paddle tines
Legend: n/a = feature not available; na = information not available; tbc = to be confirmed; poa = price on application; std = standard.								
BEDNAR			NEW EFECTA CE AND 9M OMEGA					
Omega OO Front tool Single row of paddle levelling tines or 3000L – centre packer tyres (£1,465); 4000 L to 8000 L – full-width packer tyres (£3,734-£4,282). Cultivation Two rows of fixed-angle 460mm notched Aggressive discs in “X” pattern with hydraulic lift-out plus one row of wavy Profi discs or straight fluted Turbo discs for direct-drilling potential. Mid-packer Single row of 425/55-R17 tractor grip pattern tyres; 3000L – inline formation; 4000 L to 9000 L – staggered pairs formation. Seed coulters Double-disc on trailing parallel linkage with integral depth/packer wheel. Fertiliser Separate placement via cultivating disc coulters between the seed rows or by mixing with seed.								
OO 3000 L	3m	24 x 125mm or 18 x 167mm	2,800 litres	Seed	3,030-4,600kg	£45,601	£1,072	£1,202
OO 4000 L	4m	32 x 125mm or 24 x 167mm	2,800 litres	Seed	4,250-6,600kg	£64,800	£1,998	£1,825
OO 4000 FL	4m	32 x 125mm or 24 x 167mm	2,800 litres	Seed and fertiliser	5,300-7,600kg	£71,697	£1,998	£1,825
OO 6000 L	6m	48 x 125mm or 36 x 167mm	3,500 litres	Seed	6,350-8,860kg	£77,098	£2,979	£2,120
OO 6000 FL	6m	48 x 125mm or 36 x 167mm	3,500 litres	Seed and fertiliser	7,700-9,600kg	£87,619	£2,979	£2,120
OO 8000 L	8m	64 x 125mm or 48 x 167mm	4,000 litres	Seed	8,500-12,800kg	£101,863	£3,067	£3,250
OO 8000 FL	8m	64 x 125mm or 48 x 167mm	5,000 litres	Seed and fertiliser	9,750-13,250kg	£128,752	£3,450	£3,250
OO 9000 L	9m	72 x 125mm or 54 x 167mm	4,000 litres	Seed	9,500-13,000kg	£115,336	£3,450	£3,498
OO 9000 FL	9m	72 x 125mm or 54 x 167mm	5,000 litres	Seed and fertiliser	10,250-13,500kg	£129,843	£3,450	£3,498
Efecta CE Front tool None. Cultivation Crushbar trailing paddle tines, single row of radial fluted Turbo discs or wavy edge Profi discs mounted on parallel linkage with hydraulic lift-out. Mid-packer None. Seed coulters Double-disc openers with single-row or twin-row seed outlets mounted on trailing parallel linkage with integral depth/press wheel. Fertiliser Separate placement by disc openers ahead of cultivating element between the seed rows.								
12000	12m	96 x 125mm or 72 x 167mm	6,000 litres	Seed and fertiliser	10,328-13,900kg	£137,449	£5,272	n/a
Distributed by Bednar. Note: Prices are for 167mm row spacing.								
FARMET								
Falcon Pro Front tool Optional single row of packing tyres available when chisel cultivator module fitted. Cultivation Two rows of fixed-angle 490mm-diameter notched discs or three rows of spring tines at 250mm or 300mm spacing or two rows of chisel tines at 375mm spacing or power harrow, plus stiff tine harrow between packer tyres and seed coulters. Mid-packer In-line row of 508mm-diameter tyres. Seed coulters 355mm twin-disc coulters in staggered row with 50-115kg downforce or optional precision cell wheel planters. Fertiliser Applied separately via notched discs between cultivation module and packer tyres.								
4 Pro	4m	24 x 125mm or 20 x 150mm	4,000 litres	Seed	5,340-7,580kg	£73,363	n/a	n/a
4 Pro Fert+	4m	24 x 125mm or 20 x 150mm	6,000 litres	Seed and fertiliser	5,340-7,580kg	£83,279	n/a	n/a
6 Pro	6m	48 x 125mm or 40 x 150mm	4,000 litres	Seed	6,800-8,920kg	£89,270	n/a	n/a
6 Pro Fert+	6m	48 x 125mm or 40 x 150mm	6,000 litres	Seed and fertiliser	8,000-9,860kg	£101,018	n/a	n/a
8 Pro	8m	32 x 125mm or 26 x 150mm	4,000 litres	Seed	8,440-10,240kg	£104,560	n/a	n/a
8 Pro Fert+	8m	32 x 125mm or 26 x 150mm	6,000 litres	Seed and fertiliser	10,600-13,140kg	£119,204	n/a	n/a
Distributed by J Brock & Sons. Note: Prices are for 125mm row spacing.								
HORSCH								
Horsch Focus TD Front tool Part-width front tyre packer. Cultivation Two rows of TerraGrip spring-loaded tines with choice of low-disturbance chisel points at 286mm or 300mm spacings followed by plain levelling/mixing discs. Mid-packer 1,000mm-diameter 210/95-24 tractor grip pattern tyres. Seed coulters Single-disc TurboDisc openers; 3pt models have interchangeable grain/seed and precision-sowing toolbars. Fertiliser Applied separately via disc or tine coulters.								
Focus 3 TD	3m	10 x 300mm	3,500 litres	Seed plus fertiliser	na	£77,700	n/a	n/a
Focus 3 TD	3m	20 x 150mm	3,500 litres	Seed plus fertiliser	na	£81,500	n/a	n/a
Focus 4 TD	4m	14 x 286mm	5,000 litres	Seed and fertiliser	8,240kg	£90,940	n/a	n/a
Focus 6 TD	6m	20 x 300mm	5,000 litres	Seed and fertiliser	10,000kg	£108,640	n/a	n/a
Focus 6 TD 3pt	6m	40 x 150mm or 20 x 300mm	5,000 litres	Seed and fertiliser	9,500kg	£112,460	n/a	n/a
Focus 6.35 TD 3pt	6m	34 x 176mm or 17 x 353mm	5,000 litres	Seed and fertiliser	9,500kg	£112,000	n/a	n/a
Focus 6.50 TD 3pt	6m	24 x 250mm or 12 x 500mm	5,000 litres	Seed and fertiliser	9,500kg	£108,000	n/a	n/a
Pronto Front tool Optional hydraulically adjustable Crossbar paddle tines ahead of standard 1.1m-wide, 650mm-diameter tyre packer. Cultivation Two rows of fixed-angle 460mm-diameter serrated discs; Pronto DC and AS – optional fixed-angle Crossbar levelling tines ahead of cultivating discs. Mid-packer Straight row of 780mm-diameter traction pattern 7.50x16 AS tyres, one for every two coulters. Seed coulters 340mm-diameter TurboDisc twin-disc openers with 5-120kg manual or hydraulic pressure adjustment. Fertiliser Pronto DC Mix, AS Mix and 12 SW Mix – applied with seed; 8 SW and 9 SW – Horsch PPF fertiliser placement discs.								
3 DC	3m	20 x 150mm	2,800 litres	Seed	3,355-4,025kg	£49,320	£2,390	£3,160
3 DC Mix	3m	20 x 150mm	3,800 litres	Seed and fertiliser	tbc	£53,740	£2,390	£3,160
4 DC	4m	28 x 143mm	2,800 litres	Seed	4,745-5,600kg	£66,465	£4,230	£5,480
4 DC Mix	4m	28 x 143mm	3,800 litres	Seed and fertiliser	tbc	£70,880	£4,230	£5,480
6 DC	6m	40 x 150mm	3,500 litres	Seed	6,470-7,565kg	£82,140	£5,070	£5,960
6 DC Mix	6m	40 x 150mm	5,000 litres	Seed and fertiliser	tbc	£88,340	£5,070	£5,960
7 DC	7.5m	52 x 144mm	4,000 litres	Seed	8,570kg	£110,260	n/a	n/a

Model	Width	Seed rows/spacing	Hopper capacity	Seed/fertiliser	Weight	Price	Front paddle tines	Mid paddle tines
Legend: n/a = feature not available; na = information not available; tbc = to be confirmed; poa = price on application; std = standard.								
8 DC	8m	52 x 154mm	4,000 litres	Seed	8,805kg	£112,780	n/a	n/a
8 DC Mix	8m	52 x 154mm	5,000 litres	Seed and fertiliser	8,805kg	£117,280	n/a	n/a
9 DC	9m	60 x 150mm	4,000 litres	Seed	9,625kg	£122,130	n/a	n/a
9 DC Mix	9m	60 x 150mm	5,000 litres	Seed	9,625kg	£128,470	n/a	n/a
6 AS	6m	40 x 150mm	3,500 litres	Seed	7,880kg	£96,140	£5,070	£6,030
6 AS Mix	6m	40 x 150mm	5,000 litres	Seed and fertiliser	tbc	£102,430	£5,070	£6,030
8 SW	8m	52 x 154mm	12,000 litres	Seed	12,520kg	£145,070	n/a	n/a
8 SW PPF	8m	52 x 154mm	12,000 litres	Seed and fertiliser	12,520kg	£145,070	n/a	n/a
9 SW	9m	60 x 150mm	12,000 litres	Seed	13,200kg	£149,890	n/a	n/a
9 SW PPF	9m	60 x 150mm	12,000 litres	Seed and fertiliser	13,200kg	£149,890	n/a	n/a
12 SW	12m	80 x 150mm	12,000 litres	Seed	17,600kg	£226,510	n/a	n/a
12 SW Mix	12m	80 x 150mm	12,000 litres	Seed and fertiliser	17,600kg	£226,510	n/a	n/a

Distributed by Horsch. Note: Pronto DC – hopper, cultivation elements and coulters combined on a single chassis; Pronto AS – cultivator-mounted seed hopper plus rear-mounted coulters; Pronto SW – seed wagon plus trailed cultivation and seed coulters module.

KÖCKERLING


Vitu Front tool None. **Cultivation** Two rows of 450mm serrated discs on leaf springs. Optional paddle tine levelling board ahead of mid-packer tyres. **Mid-packer** Two overlapping rows of traction pattern tyres, one tyre per two coulters. **Seed coulters** Staggered row of double-disc coulters on leaf springs with optional electro-hydraulic pressure adjustment and integral press/depth control wheel. **Fertiliser** Double-disc openers on leaf springs ahead of tyre packer.

Vitu	6m	42 x 142mm	3,700 litres	Seed	7,950kg	£88,400	n/a	£3,150
Vitu-Combi	6m	42 x 142mm	4,300 litres	Seed and fertiliser	8,300kg	£95,300	n/a	£3,150

Distributed by Samagri.

Feed your seed

Introducing the Triple-shoot system




Providing targeted nutrition when drilling is key to giving your crops the best possible start in life.

Take the NEW Amazone Triple-shoot system - it gives you the flexibility to sow your cash crop along with a companion plant and fertiliser - all at three different placement depths and all in a single pass.

The beauty of the Cirrus Triple-shoot, multi-hopper concept, is that it can place fertiliser in the row and/or between the rows when sowing, can drill three different seed varieties - either in one row or up to three different rows - and even broadcast on the surface.

Get the full story, visit: triple-shoot.com/en

or call Amazone Sales on:
01302 755 725
or contact your local dealer.



www.triple-shoot.com/en



AMAZONE

ULTIMATE GUIDE SEED DRILLS

Model	Width	Seed rows/spacing	Hopper capacity	Seed/fertiliser	Weight	Price	Front paddle tines	Mid paddle tines
Legend: n/a = feature not available; na = information not available; tbc = to be confirmed; poa = price on application; std = standard.								
KUHN								
Espro Front tool Levelling paddle tines with hydraulic adjustment or optional single in-line row of traction tread tyres with hydraulically adjustable downforce; 3m (£6,850), 4m (£9,605), 6m (£8,895). Cultivation 460mm serrated discs on rubber-cushioned trailing arms. Mid-packer Traction tread 900mm-diameter, 210mm-wide tyres paired in staggered row with 200mm offset. Seed coulters Crossflex offset 350mm twin-disc openers on rubber-cushioned trailing arm with press wheel depth control. Fertiliser Applied separately via independent coulters bar or mixed with seed; optional 110-litre, drawbar-mounted supplementary hopper option for fertiliser can also be used for slug pellets, cover crop seeding, etc.								
3000	3m	20 x 150mm	2,500 litres	Seed	3,700kg	£61,085	£3,290	n/a
4000 R	4m	26 x 154mm	3,500 litres	Seed	5,500kg	£86,205	£6,070	n/a
4000 RC	4m	26 x 154mm	4,000 litres	Seed and fertiliser	6,000kg	£104,475	£5,525	n/a
6000 R	6m	40 x 150mm	3,500 litres	Seed	8,000kg	£104,005	£6,500	n/a
6000 RC	6m	40 x 150mm	5,500 litres	Seed and fertiliser	9,200kg	£150,940	£6,280	n/a
8000 R	8m	52 x 154mm	5,500 litres	Seed	10,800kg	£150,970	n/a	n/a
Aurock Front tool Crimping roller with in-cab adjustable downforce (£10,657). Cultivation Opening discs with up to 300kg downforce, wavy edge for most tith creation or embossed for less. Mid-packer Full-width tyre packer for use in min-till situations (£15,827). Seed coulters Double-disc. Fertiliser Combined placement of seed and fertiliser; optional 110-litre drawbar-mounted supplementary hopper option for fertiliser can also be used for slug pellets or cover crop seeding.								
6000 R	6m	32 x 187mm	3,500 litres	Seed	8,600kg	£127,335	n/a	n/a
6000 RC	6m	33 x 187mm	5,000 litres	Seed and fertiliser	8,700kg	£137,965	n/a	n/a
Distributed by Kuhn Farm Machinery								
KVERNELAND								
U-drill Front tool 800mm-diameter traction tread tyres; centre packer - 3m (£4,515), 4m (£4,515), 6m (£3,780); full-width packer 6m (£8,189). Cultivation Two rows of 457mm serrated discs or with 167mm row spacing 430mm straight-running fluted discs preparing 30-50mm strip, both mounted on rubber cushioned trailing arms with hydraulic depth adjustment. Optional soil flow harrow between second row of discs and packer - 3m 167mm (£1,374), 3m 125mm (£1,419), 4m (£1,885), 6m (£2,734); optional light soil ridge harrow between packer tyres and coulters - 3m (£1,338), 4m (£1,742), 6m (£4,033). Seed coulters Twin offset disc CD coulters in staggered row on trailing arms with coil spring tension for up to 100kg pressure; depth control by 380mm press wheel with electro-hydraulic adjustment. Fertiliser Placed in cultivating disc section or via double outlet coulters.								
U-drill	3m	18 x 167mm	3,000 litres	Seed	4,600kg	£59,253	n/a	£3,955
U-drill	3m	24 x 125mm	3,000 litres	Seed	4,600kg	£61,287	n/a	£3,955
U-drill plus	3m	18 x 167mm	3,000 litres	Seed and fertiliser	4,800kg	£72,897	n/a	£3,955
U-drill plus	3m	24 x 125mm	3,000 litres	Seed and fertiliser	4,800kg	£75,407	n/a	£3,955
U-drill	4m	24 x 167mm	3,000 litres	Seed	5,600kg	£77,399	n/a	£5,477
U-drill	4m	32 x 125mm	3,000 litres	Seed	5,600kg	£80,576	n/a	£5,477
U-drill plus	4m	24 x 167mm	3,000 litres	Seed and fertiliser	5,800kg	£93,367	n/a	£5,477
U-drill plus	4m	32 x 125mm	3,000 litres	Seed and fertiliser	5,800kg	£97,205	n/a	£5,477
U-drill	6m	36 x 167mm	4,350 litres	Seed	8,120kg	£95,228	n/a	£6,522
U-drill	6m	48 x 125mm	4,350 litres	Seed	8,120kg	£98,032	n/a	£6,522
U-drill plus	6m	36 x 167mm	4,200 litres	Seed and fertiliser	8,400kg	£115,833	n/a	£6,522
U-drill plus	6m	48 x 125mm	4,350 litres	Seed and fertiliser	8,400kg	£119,848	n/a	£6,522
Distributed by Kverneland.								
LEMKEN								
Solitaire 25 Front packer Not available. Cultivation Two rows of Heliodor 9 (510mm diameter) or Rubin 10 (645mm) fixed-angle serrated discs mounted individually on leaf springs; or Kristall 9 two-row rigid tine cultivator with 470mm-wide wing shares, mixing discs and crumbler; or Zirkon 12 power harrow. **Optional front-mounted paddle levelling tines available with Heliodor 9 discs only. Mid-packer None. Seed coulters OptiDisc double-disc coulters on trailing arm with up to 45kg mechanical pressure adjustment; or Azurit precision seed planter. Fertiliser None.								
25/400 KA	4m	27 x 150mm	3,000 litres	Seed	1,992kg	£40,639	£2,372**	n/a
25/400 KA	4m	32 x 125mm	3,000 litres	Seed	1,992kg	£41,896	£2,372**	n/a
25/500 KA	5m	33 x 150mm	3,000 litres	Seed	2,225kg	£45,662	£4,134**	n/a
25/500 KA	5m	40 x 125mm	3,000 litres	Seed	2,225kg	£47,074	£4,134**	n/a
25/600 KA	6m	40 x 150mm	3,000 litres	Seed	2,458kg	£51,364	£4,741**	n/a
25/600 KA	6m	48 x 125mm	3,000 litres	Seed	2,458kg	£52,953	£4,741**	n/a
Compact-Solitaire Front tool Optional front-mounted hydraulically adjusted paddle levelling tines. Cultivation H/KH versions - two rows of Heliodor 465mm fixed-angle serrated discs mounted individually on leaf springs. Z12 and KK versions - Zirkon 12 heavy-duty power harrow. All versions - finger tine harrow between mid-packer wheels and coulters. Mid-packer wheels Traction tread 420/65R20 tyres of 1,064mm diameter - one per four coulters - in a staggered row; optional Trapeze cast ring roller ahead of disc coulters with variable pressure distribution across the two packing elements. Seed coulters OptiDisc double-disc coulters on trailing arm with up to 45kg mechanical or up to 70kg hydraulic pressure adjustment; or Azurit precision seed planter. Fertiliser Separate distribution to 400mm-diameter double-disc coulters positioned after cultivating discs.								
9/300 H	3m	20 x 167mm	3,500 litres	Seed	3,503kg	£47,172	£2,372	n/a
9/300 H	3m	24 x 125mm	3,500 litres	Seed	3,503kg	£48,631	£2,372	n/a
9/300 Z12	3m	20 x 1670mm	3,500 litres	Seed	3,644kg	£48,002	n/a	n/a
9/300 Z12	3m	24 x 125mm	3,500 litres	Seed	3,644kg	£49,487	n/a	n/a
9/600 KH	6m	40 x 167mm	4,500 litres	Seed	8,821kg	£95,486	£4,741	n/a
9/600 KH	6m	48 x 125mm	4,500 litres	Seed	8,821kg	£98,440	£4,741	n/a

Model	Width	Seed rows/spacing	Hopper capacity	Seed/fertiliser	Weight	Price	Front paddle tines	Mid paddle tines
Legend: n/a = feature not available; na = information not available; tbc = to be confirmed; poa = price on application; std = standard.								
9/600 KHD	6m	40 x 167mm	5,000 litres	Seed and fertiliser	8,821kg	£134,872	£4,741	n/a
9/600 KHD	6m	48 x 125mm	5,000 litres	Seed and fertiliser	8,821kg	£139,044	£4,741	n/a
9/600 KK	6m	40 x 167mm	4,500 litres	Seed	9,444kg	£110,536	n/a	n/a
9/600 KK	6m	48 x 125mm	4,500 litres	Seed	9,444kg	£113,955	n/a	n/a

Distributed by Lemken.

PÖTTINGER

REVISED RANGE; NEW AEROSEM VT

Terrasem Front tool Optional Frontboard hydraulically adjustable paddle-levelling tines; no tyre packer. **Cultivation** Two rows of Disc-Doublesystem fixed-angle 510mm serrated discs in pairs on rubber-cushioned arms, each row depth adjustable individually; optional wavy, scalloped- or smooth-edge discs for reduced soil disturbance. **Mid-packer** Traction tread 420/55 R17 tyres in alternating staggered row – one tyre per four coulters. **Seed coulters** Dual Disc 380mm-diameter twin-disc openers in a staggered row on equal-length rubber-cushioned trailing arms with 40-120kg pressure. **Fertiliser** Via discs in front of tyre packer in place of levelling tines or single-disc coulters with up to 180kg pressure positioned behind cultivating discs; or via Tegosem 500-litre supplementary hopper feeding into seed flow – can also be used for cover crop sowing via baffle plate distributor.

3000 D	3m	24 x 125mm or 18 x 167mm	3,000 or 4,000 litres	Seed	3,350kg	£61,268	£2,838	£1,210
3000 D Z	3m	24 x 125mm or 18 x 167mm	4,000 or 5,100 litres	Seed and fertiliser	4,356kg	£76,046	£2,838	n/a
4000 D	4m	32 x 125mm or 24 x 167mm	3,000 or 4,000 litres	Seed	4,351kg	£75,079	£4,044	£1,767
4000 D Z	4m	32 x 125mm or 24 x 167mm	4,000 or 5,100 litres	Seed and fertiliser	5,375kg	£90,209	£4,044	n/a
V 4000 D	4m	32 x 125mm or 24 x 167mm	3,000 or 4,000 litres	Seed	4,831kg	£82,654	£4,401	£2,068
V 4000 D Z	4m	32 x 125mm or 24 x 167mm	4,000 or 5,100 litres	Seed and fertiliser	6,091kg	£100,947	£4,401	n/a
V 6000 D	6m	48 x 125mm or 36 x 167mm	3,000 or 4,000 litres	Seed	6,381kg	£108,144	£5,788	£2,788
V 6000 D Z	6m	48 x 125mm or 36 x 167mm	4,000 or 5,100 litres	Seed and fertiliser	8,881kg	£131,968	£5,788	n/a
C8	8m	64 x 125mm or 48 x 167mm	4,000 or 5,100 litres	Seed	7,751kg	£144,086	£7,863	£4,638
C8 Fertilizer	8m	64 x 125mm or 48 x 167mm	4,000 or 5,100 litres	Seed and fertiliser	10,101kg	£174,608	£7,863	n/a
C9	9m	72 x 125mm or 54 x 167mm	4,000 or 5,100 litres	Seed	8,631kg	£157,272	£8,767	£4,961
C9 Fertilizer	9m	72 x 125mm or 54 x 167mm	4,000 or 5,100 litres	Seed and fertiliser	11,161kg	£189,542	£8,767	n/a

Note: V and C models have folding frame, others rigid. Prices are for 125mm row spacing. Levelling bar on seeding assembly 3m/4m (£740), 6m (£1,460), 8m (£1,520), 9m (£1,648).

Aerosem VT Front tool None. **Cultivation** Lion power harrow. **Mid-packer** 800mm-diameter ribbed 400/50 R15.5 tyres in straight row. **Seed coulters** Dual Disc 350mm diameter twin-disc openers in a staggered row on equal length rubber cushioned trailing arms with up to 60kg pressure. **Fertiliser** Metered into pneumatic seed distribution system.

5000 DD	5m	40 x 125mm	2,800 litres	Seed and fertiliser	5,810kg	£105,453	n/a	n/a
---------	----	------------	--------------	---------------------	---------	----------	-----	-----

Distributed by Pöttinger.

SKY AGRICULTURE

MaxiDrill Front tool Traction tread tyre central press – 3m (£4,727), 4m and 6m (£4,211). **Cultivation** Two rows of fixed-angle notched 415mm discs on rubber-cushioned arms. **Mid-packer** Traction tread 765mm-diameter, 210mm-wide tyres staggered in pairs. **Seed coulters** Two rows of 415mm-diameter notched single-disc openers on leaf springs with up to 120kg pressure. **Fertiliser** 3m – outlets integrated into frame behind second row of cultivating discs; 4m and 6m – inter-row placement by dedicated coulters. One or two optional 120-litre micro-granular fertiliser hoppers usable also for slug pellets and companion cropping seed, feed into fertiliser and seed distribution systems.

3020 Fertisem	3m	20 x 150mm	3,000 litres	Seed and fertiliser	4,200kg	£73,746	n/a	n/a
W 4020 Fertisem	4m	28 x 143mm	3,000 litres	Seed and fertiliser	6,800kg	£99,285	n/a	n/a
W 6020 Fertisem	6m	40 x 150mm	4,100 litres	Seed and fertiliser	8,350kg	£120,840	n/a	n/a

Distributed by Opico UK. Note: W models have centre-split folding frames and dedicated transport wheels.

SUMO

Deep Tillage Seeder Front tool Straight trash-cutting serrated discs. **Cultivation** Staggered row of rigid strip cultivating tines with 15mm tungsten points and hydraulic stone protection. **Mid-packer** None. **Seed coulters** Staggered row of twin cast openers sowing two rows in a 120mm band followed by covering discs. **Fertiliser** Delivered separately via strip cultivating tines.

DTS 3 Toolbar (mounted)	3m	9 x 333mm	Tractor front hopper	Seed	2,890kg	£44,289	n/a	n/a
DTS 3 (mounted)	3m	9 x 333mm	1,600 litres	Seed	3,280kg	£59,901	n/a	n/a
DTS 4 Toolbar (mounted)	4m	12 x 333mm	Tractor front hopper	Seed	3,995kg	£56,568	n/a	n/a
DTS 4	4m	12 x 333mm	3,000 litres	Seed	6,600kg	£93,830	n/a	n/a
DTS 4 G&F	4m	12 x 333mm	3,000 litres	Seed and fertiliser	6,600kg	£103,648	n/a	n/a
DTS 5	5m	15 x 333mm	3,000 litres	Seed	8,061kg	£105,888	n/a	n/a
DTS 5 G&F	5m	15 x 333mm	3,000 litres	Seed and fertiliser	8,061kg	£115,706	n/a	n/a
DTS 6	6m	18 x 333mm	3,600 litres	Seed	9,550kg	£124,547	n/a	n/a
DTS 6 G&F	6m	18 x 333mm	3,600 litres	Seed and fertiliser	9,550kg	£138,813	n/a	n/a
DTS 8	8m	24 x 333mm	3,600 litres	Seed	11,135kg	£143,381	n/a	n/a
DTS 8 G&F	8m	24 x 333mm	3,600 litres	Seed and fertiliser	11,135kg	£157,647	n/a	n/a
DTS 9	9m	26 x 346mm	3,600 litres	Seed	12,673kg	£165,683	n/a	n/a
DTS 9 G&F	9m	26 x 346mm	3,600 litres	Seed and fertiliser	12,673kg	£179,949	n/a	n/a

Distributed by Sumo.

ULTIMATE GUIDE SEED DRILLS

Model	Width	Seed rows/spacing	Hopper capacity	Seed/fertiliser	Weight	Price	Front paddle tines	Mid paddle tines
Legend: n/a = feature not available; na = information not available; tbc = to be confirmed; poa = price on application; std = standard.								
VÄDERSTAD NEW FOR SPIRIT - INLINE AND NORDIC FERTILISER PLACEMENT								
Rapid Front tool Optional Pivot Packer draw-bar mounted central-packing tyres (£4,170); optional hydraulically adjustable paddle-levelling tines (or positioned ahead of seed coulters). Cultivation System Disc 410mm Light or 450mm Aggressive notched fixed-angle discs carried individually on rubber-cushioned trailing arms and arranged in X-formation; Seed coulters Single notched disc mounted individually on rubber-cushioned trailing arm; coulter pressure up to 255kg depending on model. Mid-packer Located behind disc coulters – traction tread 190/95-15 tyres arranged with 190mm alternate stagger on separate axles, two seed rows per tyre. Fertiliser Notched discs between front tool and seed coulters and packer wheels.								
RD 300S System Agrilla	3m	24 x 125mm	3,000 litres	Seed	2,400kg	£44,370	std	n/a
RD 300S System Disc*	3m	24 x 125mm	3,000 litres	Seed	2,400kg	£46,325	std	n/a
RD 300C System Agrilla	3m	24 x 125mm	3,150 litres	Seed and fertiliser	2,900kg	£52,445	std	n/a
RD 300C System Disc*	3m	24 x 125mm	3,150 litres	Seed and fertiliser	2,900kg	£54,075	std	n/a
RD 400S System Agrilla	4m	32 x 125mm	4,100 litres	Seed	3,400kg	£51,245	std	n/a
RD 400S System Disc*	4m	32 x 125mm	4,100 litres	Seed	3,400kg	£54,060	std	n/a
RD 400C System Agrilla	4m	32 x 125mm	4,350 litres	Seed and fertiliser	3,800kg	£60,260	std	n/a
RD 400C System Disc*	4m	32 x 125mm	4,350 litres	Seed and fertiliser	3,800kg	£62,495	std	n/a
RDA 400S System Agrilla	4m	32 x 125mm	2,900 litres	Seed	5,200kg	£69,700	std	n/a
RDA 400S System Disc	4m	32 x 125mm	2,900 litres	Seed	5,200kg	£68,860	n/a	£1,735**
RDA 600S System Agrilla	6m	48 x 125mm	3,100 litres	Seed	6,000kg	£95,570	std	n/a
RDA 600S System Disc	6m	48 x 125mm	3,100 litres	Seed	6,000kg	£95,850	n/a	£2,770**
RDA 600J System Disc	6m	48 x 125mm	6,000 litres	Seed	6,950kg	£119,760	n/a	£2,180 **
RDA 600C System Agrilla	6m	48 x 125mm	6,000 litres	Seed and fertiliser	7,300kg	£127,475	std	n/a
RDA 600C System Disc	6m	48 x 125mm	6,000 litres	Seed and fertiliser	7,300kg	£129,215	n/a	£3,175**
RDA 800S System Agrilla	8m	64 x 125mm	3,100 litres	Seed	7,700kg	£114,275	std	n/a
RDA 800S System Disc	8m	64 x 125mm	3,100 litres	Seed	7,700kg	£117,140	n/a	£1,915 **
RDA 800J System Disc	8m	64 x 125mm	6,000 litres	Seed	7,600kg	£140,195	n/a	£2,630**
RDA 800C System Agrilla	8m	64 x 125mm	6,000 litres	Seed and fertiliser	8,700kg	£143,570	std	n/a
RDA 800C System Disc	8m	64 x 125mm	6,000 litres	Seed and fertiliser	8,700kg	£149,755	n/a	£2,890**
Note: *Priced with System Disc 410mm discs; **Optional paddle tines positioned after discs, ahead of seed coulters.								
Spirit Front tool Optional single row of soil-crushing and levelling paddle tines. Cultivation System Disc Aggressive 450mm fixed-angle notched discs on rubber-cushioned trailing arms in X-formation. Mid-packer Traction tread 400/55-15.5 tyres mounted in pairs with 250mm stagger and hydraulic pressure adjustment for centre pair to compensate tractor tyre packing. Seed coulters Double-offset conical disc openers mounted on TriForce rubber cushioned trailing arms with up to 80kg pressure. Fertiliser InLine – starter rate applied with seed at the coulter; Fix – distributed separately to outlets on the cultivating discs laying a 50mm band below the seed; Nordic – distributed via coulter on the cultivating discs laying a single line beneath and between the seed rows.								
STR 300S System Disc	3m	24 x 125mm	2,800 litres	Seed	3,500kg	£42,385	£1,560	n/a
ST 400S System Disc	4m	32 x 125mm or 24 x 167mm	3,800 litres	Seed	4,800kg	£51,970	£2,915	n/a
ST 400C Fix System Disc	4m	32 x 125mm	4,000 litres	Seed and fertiliser	5,600kg	£82,710	£2,915	n/a
ST 400C Nordic	4m	33 x 125mm	4,000 litres	Seed and fertiliser	5,600kg	£78,465	£2,800	n/a
ST 400C InLine System Disc	4m	32 x 125mm	4,000 litres	Seed and fertiliser	5,600kg	£82,665	£2,800	n/a
ST 600S System Disc	6m	48 x 125mm or 36 x 167mm	4,000 litres	Seed	5,700kg	£73,300	£3,495	n/a
ST 600C Fix System Disc	6m	48 x 125mm	5,000 litres	Seed and fertiliser	7,600kg	£120,945	£3,495	n/a
ST 600C InLine System Disc	6m	48 x 125mm	5,000 litres	Seed and fertiliser	7,600kg	£115,110	£3,180	n/a
ST 600C Nordic	6m	48 x 125mm	5,000 litres	Seed and fertiliser	7,600kg	£103,810	£3,495	n/a
ST 800S System Disc	8m	64 x 125mm or 48 x 167mm	4,000 litres	Seed	6,800kg	£89,530	£4,315	n/a
ST 800C Fix System Disc	8m	64 x 125mm	5,000 litres	Seed and fertiliser	10,100kg	£136,705	£3,795	n/a
ST 800C Nordic	8m	63 x 125mm	5,000 litres	Seed and fertiliser	10,100kg	£144,705	£4,315	n/a
ST 900S System Disc	9m	72 x 125mm or 54 x 167mm	4,000 litres	Seed	7,200kg	£98,780	£4,450	n/a
ST 900C Fix System Disc	9m	72 x 125mm	5,000 litres	Seed and fertiliser	10,900kg	£146,240	£3,890	n/a
ST 900C Nordic	9m	71 x 125mm	5,000 litres	Seed and fertiliser	10,900kg	£155,220	£4,450	n/a
Distributed by Väderstad. Note: Prices are for 125mm row spacing.								

ONLINE



Ultimate Guide to direct tine drills, go to fwi.co.uk/direct-tine
 Ultimate Guide to trailed cultivator drill combinations, go to fwi.co.uk/trailed-cultivator
 Ultimate Guide to direct disc drills, go to fwi.co.uk/direct-disc

