

Round baler vital statistics

ROUND BALERS

Make/model	Bale diameter	Feed-in mechanism	Drop floor	Bale formation	Bale density control	Isobus electronics	Weight – single axle/ twin axle	List price (ex-VAT)
------------	---------------	-------------------	------------	----------------	----------------------	--------------------	---------------------------------	---------------------

Legend: - = information not supplied; na = not available; poa = price on application; Std = standard; Opt = optional

BARGAM

RRX 60	0.57x0.63m	None	No	19 aluminium rollers	Hydraulic tailgate pressure	No	na	£13,200
RRX 60 S	0.57x0.63m	rotor	No	19 aluminium rollers	Hydraulic tailgate pressure	No	na	£13,600

Note: Distributed by Marrs of Methlick.

CASE IH

*NEW MODELS

RB344 Rotor Feeder "ReFresh"	1.25m	Stub augers, spiral rotor	No	Base roller, two chains plus slats	Three-stage, springs, tailgate pressure	No	2,775kg/-	£37,397
RB344 Rotor Cutter "ReFresh"	1.25m	Stub augers, spiral rotor plus 15 knives	No	Base roller, two chains plus slats	Three-stage, springs, tailgate pressure	No	4,810kg/-	£40,867
RB545 Rotor Cutter	1.25m	Stub augers, spiral rotor plus 20 knives	Opt	18 rollers	Hydraulic, springs, tailgate pressure	Std	3,060kg/-	£57,690
RB545 Rotor Cutter Silage Pack	1.25m plus wrap	Stub augers, spiral rotor plus 20 knives	Std	18 rollers	Hydraulic, springs, tailgate pressure	Std	-/4,500kg	£102,550
RB455 Overshot Feeder	0.9-1.5m	Overshot spiral rotor/auger	No	Four rollers, four belts	One hydraulic cylinder, spring	Opt	3,080kg/-	£45,419
RB455 Rotor Feeder	0.9-1.5m	Stub augers, optional paddle feeder/auger, spiral rotor	Std	Four rollers, four belts	Two hydraulic cylinders, springs	Opt	3,561kg/-	£52,317
RB455 Rotor Cutter	0.9-1.5m	Stub augers, optional paddle feeder/auger, spiral rotor plus 15 knives	Std	Four rollers, four belts	Two hydraulic cylinders, springs	Opt	3,401kg/-	£60,111
RB465 Overshot Feeder	0.9-1.8m	Overshot spiral rotor/auger	Std	Four rollers, four belts	Two hydraulic cylinders, springs	Opt	3,300kg/-	£50,911
RB465 Rotor Feeder	0.9-1.8m	Stub augers, optional paddle feeder/auger, spiral rotor	Std	Four rollers, four belts	Two hydraulic cylinders, springs	Opt	3,775kg/-	£57,445
RB465 Rotor Cutter	0.9-1.8m	Stub augers, optional paddle feeder/auger, spiral rotor plus 15 knives	Std**	Four rollers, four belts	Two hydraulic cylinders, springs	Opt	3,615kg/-	£64,512
RB456 HD Pro Rotor Feeder*	0.9-1.65m	Stub augers, optional paddle feeder/auger, 520mm spiral rotor	Std	Two rollers, four belts	Two hydraulic cylinders, two springs	Std	4,400kg/-	£65,562
RB456 HD Pro Rotor Cutter 13*	0.9-1.65m	Stub augers, optional paddle feeder/auger, 520mm spiral rotor plus 13 knives	Std	Two rollers, four belts	Two hydraulic cylinders, two springs	Std	4,870kg/-	£69,564
RB456 HD Pro Rotor Cutter 25*	0.9-1.65m	Stub augers, optional paddle feeder/auger, 520mm spiral rotor plus 25 knives	Std	Two rollers, four belts	Two hydraulic cylinders, two springs	Std	4,900kg/-	£73,593
RB466 HD Pro Rotor Feeder*	0.9-1.9m	Stub augers, optional paddle feeder/auger, 520mm spiral rotor	Std	Two rollers, four belts	Two hydraulic cylinders, two springs	Std	4,700kg/-	£73,720
RB466 HD Pro Rotor Cutter 13*	0.9-1.9m	Stub augers, optional paddle feeder/auger, 520mm spiral rotor plus 13 knives	Std	Two rollers, four belts	Two hydraulic cylinders, two springs	Std	4,900kg/-	£77,731
RB466 HD Pro Rotor Cutter 25*	0.9-1.9m	Stub augers, optional paddle feeder/auger, 520mm spiral rotor plus 25 knives	Std	Two rollers, four belts	Two hydraulic cylinders, two springs	Std	5,100kg/-	£81,768

Note: **RB465 Rotor Cutter drop floor is a delete option. Material entering the RB455 Overshot Feeder and RB465 Overshot Feeder passes over rather than under the multi-tine rotor. RB545 Rotor Cutter Silage Pack baler-wrappers can apply net or pre-wrapping plastic film; wrapping plastic is applied from 750mm film dispensers on two horizontal orbital arms. RB6 HD Pro automation via Isobus TIM includes bringing the tractor to a stop, auto netting start/stop, tailgate open and close.

CLAAS

*NEW MODELS

Rollant 520 Roto Feed	1.25m	Stub augers, spiral rotor	No	16 rollers	Hydraulic tailgate pressure	No	2,700kg/-	£35,150
Rollant 540 Roto Feed	1.2m	Stub augers, spiral rotor	Std	15 rollers	Hydraulic tailgate pressure	Opt	3,500kg/-	£44,900
Rollant 540 Roto Cut	1.2m	Stub augers, spiral rotor plus 15 knives	Std	15 rollers	Hydraulic tailgate pressure	Opt	3,500kg/-	£51,360
Rollant 540 Roto Cut Comfort	1.2m	Stub augers, spiral rotor plus 15 knives	Std	15 rollers	Hydraulic tailgate pressure	Opt	3,500kg/-	£53,450
Rollant 455 Roto Cut MPS Uniwrap	1.2m plus wrap	Stub augers, spiral rotor plus 25 knives	Std	16 rollers	Hydraulic tailgate pressure, inner pivoting top three rollers	Opt	5,500kg/-	£98,810
Rollant 454 Roto Cut	1.2m	Stub augers, spiral rotor plus 25 knives	Std	16 rollers	Hydraulic tailgate pressure	Opt	3,600kg/-	£58,540
Rollant 455 Roto Cut MPS	1.2m	Stub augers, spiral rotor plus 25 knives	Std	16 rollers	Hydraulic tailgate pressure, inner pivoting top three rollers	Opt	3,600kg/-	£61,310
Variant 560 Roto Feed Pro*	0.9-1.6m	Stub augers, spiral rotor	Std	Four belts	Dual tensioning arms with individual pressure control, two hydraulic cylinders	Std	3,005-3,880kg/-	£51,550
Variant 565 Roto Cut HD Pro*	0.9-1.6m	Stub augers, spiral rotor plus 17 knives	Std	Four belts	Dual tensioning arms with individual pressure control, two hydraulic cylinders	Std	3,285-3,970kg/-	£54,290

ULTIMATE GUIDE COMBINES AND BALERS



Case IH RB 456 HD Pro makes bales up to 1.6m diameter in 5cm increments

CASE IH, PETER HILL

New Claas Variant 585 Roto Cut baler has separate control of the two belt tensioning arms



Make/model	Bale diameter	Feed-in mechanism	Drop floor	Bale formation	Bale density control	Isobus electronics	Weight – single axle/ twin axle	List price (ex-VAT)
------------	---------------	-------------------	------------	----------------	----------------------	--------------------	---------------------------------	---------------------

Legend: – = information not supplied; na = not available; poa = price on application; Std = standard; Opt = optional

Variant 580 Roto Feed Pro*	0.9-1.8m	Stub augers, spiral rotor	Std	Four belts	Dual tensioning arms with individual pressure control, two hydraulic cylinders	Std	3,060-3,935kg/-	£56,340
Variant 585 Rotor Cut HD Pro*	0.9-1.8m	Stub augers, spiral rotor plus 17 knives	Std	Four belts	Dual tensioning arms with individual pressure control, two hydraulic cylinders	Std	3,340-4,025kg/-	£58,990

Note: Rollant 540 models can apply stretch film in place of net. Variant 400 models apply net to the edge (Covered) or over the bale shoulders (Covered XW); Variant 500 models apply net over the shoulders (Covered XW). Rollant Comfort model automation comprises tailgate open and close. Uniwrap has 750mm 67% or 82% pre-stretch film dispensers on two horizontal orbital arms.

FENDT								*UPDATED MODELS
Rotana 130 F	1.25m	Stub augers, spiral rotor	No	18 rollers	Latched tailgate	No	3,000kg/-	£38,025
Rotana 130 F XtraCut 0*	1.25m	Stub augers, spiral rotor plus 0 knives	Std	18 rollers	Latched tailgate	Opt	3,400kg/-	£47,069
Rotana 130 F XtraCut 13*	1.25m	Stub augers, spiral rotor plus 13 knives	Std	18 rollers	Latched tailgate	Opt	3,400kg/-	£49,302
Rotana 130 F XtraCut 17*	1.25m	Stub augers, spiral rotor plus 17 knives	Std	18 rollers	Latched tailgate	Opt	3,400kg/-	£52,639
Rotana 130 F XtraCut 25*	1.25m	Stub augers, spiral rotor plus 25 knives	Std	18 rollers	Latched tailgate	Opt	3,400kg/-	£54,455
Rotana 130 F Combi XtraCut 13	1.25m plus wrap	Stub augers, spiral rotor plus 13 knives	Std	18 rollers	Latched tailgate	Std	6,450kg/-	£108,192
Rotana 130 F Combi XtraCut 17	1.25m plus wrap	Stub augers, spiral rotor plus 17 knives	Std	18 rollers	Latched tailgate	Std	6,450kg/-	£111,529
Rotana 130 F Combi XtraCut 25	1.25m plus wrap	Stub augers, spiral rotor plus 25 knives	Std	18 rollers	Latched tailgate	Std	6,450kg/-	£113,345
Rotana 160 V	0.7-1.6m	Stub augers, spiral rotor	No	Three rollers, four belts	Springs then hydraulic, latched tailgate	No	3,950kg/-	£42,949
Rotana 160 V XtraCut 0*	0.7-1.6m	Stub augers, spiral rotor plus 0 knives	Std	Three rollers, four belts	Springs then hydraulic, latched tailgate	Opt	4,120kg/-	£50,888
Rotana 160 V XtraCut 13*	0.7-1.6m	Stub augers, spiral rotor plus 13 knives	Std	Three rollers, four belts	Springs then hydraulic, latched tailgate	Opt	4,120kg/-	£53,121
Rotana 160 V XtraCut 17*	0.7-1.6m	Stub augers, spiral rotor plus 17 knives	Std	Three rollers, four belts	Springs then hydraulic, latched tailgate	Opt	4,120kg/-	£56,458
Rotana 160 V XtraCut 25*	0.7-1.6m	Stub augers, spiral rotor plus 25 knives	Std	Three rollers, four belts	Springs then hydraulic, latched tailgate	Opt	4,120kg/-	£58,274
Rotana 160 V XtraCut 13 Combi	0.7-1.6m plus wrap	Stub augers, spiral rotor plus 13 knives	Std	Three rollers, four belts	Springs then hydraulic, latched tailgate	Std	6,550kg/-	£116,191
Rotana 160 V XtraCut 17 Combi	0.7-1.6m plus wrap	Stub augers, spiral rotor plus 17 knives	Std	Three rollers, four belts	Springs then hydraulic, latched tailgate	Std	6,550kg/-	£119,528
Rotana 160 V XtraCut 25 Combi	0.7-1.6m plus wrap	Stub augers, spiral rotor plus 25 knives	Std	Three rollers, four belts	Springs then hydraulic, latched tailgate	Std	6,550kg/-	£121,344
Rotana 180 V	0.7-1.8m	Stub augers, spiral rotor	No	Three rollers, four belts	Springs then hydraulic, latched tailgate	No	4,200kg/-	£47,614
Rotana 180 V XtraCut 0*	0.7-1.8m	Stub augers, spiral rotor plus 13 knives	Std	Three rollers, four belts	Springs then hydraulic, latched tailgate	Opt	4,200kg/-	£55,565
Rotana 180 V XtraCut 13*	0.7-1.8m	Stub augers, spiral rotor plus 13 knives	Std	Three rollers, four belts	Springs then hydraulic, latched tailgate	Opt	4,200kg/-	£57,798
Rotana 180 V XtraCut 17*	0.7-1.8m	Stub augers, spiral rotor plus 17 knives	Std	Three rollers, four belts	Springs then hydraulic, latched tailgate	Opt	4,200kg/-	£61,135
Rotana 180 V XtraCut 25*	0.7-1.8m	Stub augers, spiral rotor plus 25 knives	Std	Three rollers, four belts	Springs then hydraulic, latched tailgate	Opt	4,200kg/-	£65,621

Note: Combi wrapping models have a horizontal steel ring carrying two 500mm or 750mm pre-stretch film dispensers driven by hydraulic motor-powered rubber friction wheels. Options include auto bearing lubrication, moisture measurement and bale weight recording. Automation options include tailgate open/close, knife retraction/deployment to clean knife slots, knife retraction to stabilise straw bales with an uncut outer layer, and (with Isobus TIM) tractor autostop for netting.

ULTIMATE GUIDE COMBINES AND BALERS

Make/model	Bale diameter	Feed-in mechanism	Drop floor	Bale formation	Bale density control	Isobus electronics	Weight - single axle/ twin axle	List price (ex-VAT)
Legend: - = information not supplied; na = not available; poa = price on application; Std = standard; Opt = optional								
JOHN DEERE								
F441M Multicrop RotoFlow HC	1.25-1.35m	Spiral rotor with auger flights	Opt	Seven rollers, two chains plus slats	Hydraulic, tailgate pressure	Opt	4,200kg/-	£45,709
F441M Multicrop Maxicut HC 13	1.25-1.35m	Spiral rotor with auger flights plus 13 knives	Std	Seven rollers, two chains plus slats	Hydraulic, tailgate pressure	Opt	4,200kg/-	£50,527
F441M Silage Special RotoFlow HC	1.25-1.35m	Spiral rotor with auger flights	Std	17 rollers	Hydraulic, tailgate pressure	Opt	4,200kg/-	£45,709
F441M Silage Special Maxicut HC 13	1.25-1.35m	Spiral rotor with auger flights plus 13 knives	Std	17 rollers	Hydraulic, tailgate pressure	Opt	4,200kg/-	£50,527
F441R Maxicut HC 13	1.25-1.35m	Spiral rotor with auger flights plus 13 knives	Std	18 rollers	Hydraulic, tailgate pressure	Std	4,200kg/-	£59,315
F441R Maxicut HC 25	1.25-1.35m	Spiral rotor with auger flights plus 25 knives	Std	18 rollers	Hydraulic, tailgate pressure	Std	4,200kg/-	£63,207
C441R Maxicut HC 13	1.25-1.35m plus wrap	Spiral rotor with auger flights plus 13 knives	Std	18 rollers	Hydraulic, tailgate pressure	Std	-/6,500kg	£115,569
C441R Maxicut HC 25	1.25-1.35m plus wrap	Spiral rotor with auger flights plus 25 knives	Std	18 rollers	Hydraulic, tailgate pressure	Std	-/6,500kg	£119,461
V451G RotoFlow HC	0.9-1.65m	Spiral rotor with auger flights	No	Six belts, three rollers	Hydraulic cylinders	Opt	3,700kg/-	£51,184
V451M RotoFlow HC	0.9-1.65m	Spiral rotor with auger flights	Std	Six belts, three rollers	Hydraulic cylinders	Opt	4,000kg/-	£55,661
V451M MaxiCut HC 13 Premium	0.9-1.65m	Spiral rotor with auger flights plus 13 knives	Std	Six belts, three rollers	Hydraulic cylinders	Opt	4,000kg/-	£60,415
V461M RotoFlow HC	0.9-1.85m	Spiral rotor with auger flights	Std	Six belts, three rollers	Hydraulic cylinders	Opt	4,200kg/-	£61,109
V461M MaxiCut HC 13 Premium	1-1.85m	Spiral rotor with auger flights plus 13 knives	Std	Six belts, three rollers	Hydraulic cylinders	Opt	4,200kg/-	£65,863
V451R RotoFlow HC Premium	0.8-1.6m	Spiral rotor with auger flights	Std	Two belts, three rollers	Hydraulic cylinders, springs	Std	4,440kg/-	£71,707
V451R MaxiCut HC 13 Premium	0.8-1.6m	Spiral rotor with auger flights plus 13 knives	Std	Two belts, three rollers	Hydraulic cylinders, springs	Std	4,440kg/-	£75,940
V451R MaxiCut HC 25 Premium	0.8-1.6m	Spiral rotor with auger flights plus 25 knives	Std	Two belts, three rollers	Hydraulic cylinders, springs	Std	4,440kg/-	£83,805
V461R RotoFlow HC Premium	0.8-1.85m	Spiral rotor with auger flights	Std	Two belts, three rollers	Hydraulic cylinders, springs	Std	4,740kg/-	£78,072
V461R MaxiCut HC 13 Premium	0.8-1.85m	Spiral rotor with auger flights plus 13 knives	Std	Two belts, three rollers	Hydraulic cylinders, springs	Std	4,740kg/-	£82,563
V461R MaxiCut HC 25 Premium	0.8-1.85m	Spiral rotor with auger flights plus 25 knives	Std	Two belts, three rollers	Hydraulic cylinders, springs	Std	4,740kg/-	£92,406
C451R Maxicut HC 13 Premium	1-1.6m plus wrap	Spiral rotor with auger flights plus 13 knives	Std	Two belts, three rollers	Hydraulic cylinders, springs	Std	-/8,500kg	£133,529
C451R Maxicut HC 25 Premium	1-1.6m plus wrap	Spiral rotor with auger flights plus 25 knives	Std	Two belts, three rollers	Hydraulic cylinders, springs	Std	-/8,500kg	£138,746
C461R Maxicut HC 13 Premium	1-1.7m plus wrap	Spiral rotor with auger flights plus 13 knives	Std	Two belts, three rollers	Hydraulic cylinders, springs	Std	-/9,000kg	£137,207
C461R Maxicut HC 25 Premium	1-1.7m plus wrap	Spiral rotor with auger flights plus 25 knives	Std	Two belts, three rollers	Hydraulic cylinders, springs	Std	-/9,000kg	£144,382
<i>Note: "C" wrapping balers have 750mm film dispensers on two horizontal orbital arms. "VR" balers have curtain bale release. Isobus - fixed bale-size R-series balers are Isobus ready but can be operated by a non-Isobus controller; variable bale-size R-series balers and baler-wrappers are Isobus controlled only. F441R, V451R and V461R automation comprises tailgate open and close; also stop for netting when operated with GreenStar/AutoTrac-ready John Deere 6R tractors with Isobus.</i>								
KRONE								
Bellima F 130	1.2m	Stub augers, underfloor feeding tines	No	One roller, two chains plus slats	Latched tailgate	No	1,730kg/-	£30,390
Comprima F 125 XC	1.25m	Stub augers, spiral rotor plus 17 knives	Std	Three rollers, two belts plus slats	Coil springs	Std	3,200kg/ 3,400kg	£53,920 / £63,465
Comprima F 155 XC	1.25-1.5m**	Stub augers, spiral rotor plus 17 knives	Std	Three rollers, two belts plus slats	Coil springs	Std	3,450kg/ 3,650kg	£56,270 / £65,815
Comprima CF 155 XC	1.25-1.5m** plus wrap	Stub augers, spiral rotor plus 17 knives	Std	Three rollers, two belts plus slats	Coil springs	Std	-/7,100kg	£97,660
Comprima CF 155 XC Plus	1.25-1.5m** plus wrap	Stub augers, spiral rotor plus 26 knives	Std	Three rollers, two belts plus slats	Coil springs	Std	-/7,195kg	£107,765
Comprima V 150 XC Plus	0.9-1.5m	Stub augers, spiral rotor plus 26 knives	Std	Three rollers, two belts plus slats	Hydraulic tensioning arms	Std	4,500kg/ 4,700kg	£65,505 / £75,045
Comprima CV 150 XC	0.9-1.5m plus wrap	Stub augers, spiral rotor plus 17 knives	Std	Three rollers, two belts plus slats	Hydraulic tensioning arms	Std	-/7,500kg	£104,205
Comprima CV 150 XC Plus	0.9-1.5m plus wrap	Stub augers, spiral rotor plus 26 knives	Std	Three rollers, two belts plus slats	Hydraulic tensioning arms	Std	-/7,595kg	£114,870
VariPack V 165	0.8-1.65m	Spiral rotor with auger flights	Std	Three rollers, four belts	Hydraulic tensioning arms	Std	3,800kg/-	£54,560
VariPack V 165 XC	0.8-1.65m	Spiral rotor with auger flights plus 17 knives	Std	Three rollers, four belts	Hydraulic tensioning arms	Std	3,950kg/-	£63,880
VariPack V 165 Plus	0.8-1.65m	Spiral rotor with auger flights	Std	Three rollers, three belts	Hydraulic tensioning arms	Std	na/na	£65,975
VariPack V 165 XC Plus	0.8-1.65m	Spiral rotor with auger flights plus 17 knives	Std	Three rollers, three belts	Hydraulic tensioning arms	Std	4,500kg/-	£71,150
VariPack V 165 XC Plus	0.8-1.65m	Spiral rotor with auger flights plus 26 knives	Std	Three rollers, three belts	Hydraulic tensioning arms	Std	4,600kg/-	£73,145
VariPack V 190	0.8-1.9m	Spiral rotor with auger flights	Std	Three rollers, four belts	Hydraulic tensioning arms	Std	4,000kg/-	£64,670

Make/model	Bale diameter	Feed-in mechanism	Drop floor	Bale formation	Bale density control	Isobus electronics	Weight – single axle/ twin axle	List price (ex-VAT)
Legend: – = information not supplied; na = not available; poa = price on application; Std = standard; Opt = optional								
VariPack V 190 XC	0.8-1.9m	Spiral rotor with auger flights plus 17 knives	Std	Three rollers, four belts	Hydraulic tensioning arms	Std	4,150kg/-	£72,085
VariPack V 190 Plus	0.8-1.9m	Spiral rotor with auger flights	Std	Three rollers, three belts	Hydraulic tensioning arms	Std	na/na	£73,615
VariPack V 190 XC Plus	0.8-1.9m	Spiral rotor with auger flights plus 17 knives	Std	Three rollers, three belts	Hydraulic tensioning arms	Std	4,700kg/-	£78,795
VariPack V 190 XC Plus	0.8-1.9m	Spiral rotor with auger flights plus 26 knives	Std	Three rollers, three belts	Hydraulic tensioning arms	Std	4,800kg/-	£80,790

Note: **F 155 and CF 155 bale diameter set at one of six diameters in 5cm increments between 1.25m and 1.5m; CF 155 and CV 150 wrappers have 500mm or 750mm, 50% or 70% pre-stretch film dispensers on horizontal orbital arms, and can be fitted with a bale weighing system. VariPack Plus versions have "W" formation pick-up tines, 26-knife cutter and larger tyre sizes. Comprima and VariPack Plus automation comprises tailgate open/close; Comprima, VariPack and VariPack Plus automation with optional TIM comprises tractor stop for netting and tailgate open/close.

KUBOTA

BF 3500	1.23-1.25m	Stub augers, spiral rotor plus 15 knives	Std	18 rollers	Two hydraulic cylinders	No	3,600kg/-	£51,137
BV 5160 Plus SuperFeed	0.6-1.65m	Stub augers, spiral rotor	Std	Five belts	Two hydraulic cylinders, two springs	Std	2,990kg/-	£48,490
BV 5160 Plus SuperCut 14	0.6-1.65m	Stub augers, spiral rotor plus 14 knives	Std	Five belts	Two hydraulic cylinders, two springs	Std	2,990kg/-	£52,210
BV 5160 Plus SuperCut 14 FlexiWrap	0.6-1.65m plus wrap	Stub augers, spiral rotor plus 14 knives	Std	Five belts	Two hydraulic cylinders, two springs	Std	-/6,050kg	£130,851
BV 5200 Plus Superfeed	0.6-2m	Stub augers, spiral rotor	Std	Five belts	Two hydraulic cylinders, two springs	Std	3,340kg/-	£57,553
BV 5200 Plus SuperCut 14	0.6-2m	Stub augers, spiral rotor plus 14 knives	Std	Five belts	Two hydraulic cylinders, two springs	Std	3,340kg/-	£61,274

Note: BV 5160 Plus FlexiWrap model has two 750mm pre-stretch film dispensers on hydraulically-driven overhead vertical orbital arms.

KUHN

FEWER MODELS

FB 3130 OptiFeed	1.25m	Spiral rotor with auger flights	Std	18 rollers	Hydraulic, tailgate pressure	No	3,300kg/-	£42,085
FB 3130 OptiCut 14	1.25m	Spiral rotor with auger flights plus 14 knives	Std	18 rollers	Hydraulic, tailgate pressure	No	3,300kg/-	£45,465
FB 3135 OptiCut 14	1.25m	Spiral rotor with auger flights plus 14 knives	Std	18 rollers	Hydraulic, tailgate pressure	Std	3,300kg/-	£49,030
FB 3135 OptiCut 23	1.25m	Spiral rotor with auger flights plus 23 knives	Std	18 rollers	Hydraulic, tailgate pressure	Std	3,400kg/-	£52,390
FBP 3135 BalePack OptiCut 14	1.25m plus wrap	Spiral rotor with auger flights plus 14 knives	Std	18 rollers	Hydraulic, tailgate pressure	Std	-/5,600kg	£89,650
FBP 3135 BalePack OptiCut 23	1.25m plus wrap	Spiral rotor with auger flights plus 23 knives	Std	18 rollers	Hydraulic, tailgate pressure	Std	-/5,600kg	£93,010
i-BIOplus OptiCut 14	1.25m plus wrap	Spiral rotor with auger flights plus 14 knives	Std	18 rollers	Hydraulic, tailgate pressure	Std	3,700kg/-	£70,480
i-BIOplus OptiCut 23	1.25m plus wrap	Spiral rotor with auger flights plus 23 knives	Std	18 rollers	Hydraulic, tailgate pressure	Std	3,800kg/-	£73,840
VB 3160 OptiFeed	0.8-1.6m	Spiral rotor with auger flights	Std	Three rollers, five belts	Two hydraulic cylinders, spring tensioner	Opt	3,040kg/-	£44,130
VB 3160 OptiCut 14	0.8-1.6m	Spiral rotor with auger flights plus 14 knives	Std	Three rollers, five belts	Two hydraulic cylinders, spring tensioner	Opt	3,240kg/-	£45,595
VB 3165 OptiFeed	0.8-1.6m	Spiral rotor with auger flights	Std	Two rollers, five belts	Two hydraulic cylinders, spring tensioner	Std	3,220kg/-	£48,020
VB 3165 OptiCut 14	0.8-1.6m	Spiral rotor with auger flights plus 14 knives	Std	Three rollers, five belts	Two hydraulic cylinders, spring tensioner	Std	3,420kg/-	£50,075
VB 3165 OptiCut 23	0.8-1.6m	Spiral rotor with auger flights plus 23 knives	Std	Three rollers, five belts	Two hydraulic cylinders, spring tensioner	Std	3,420kg/-	£52,570
VBP 3165 BalePack OptiCut 14	0.8-1.6m plus wrap	Spiral rotor with auger flights plus 14 knives	Std	Three rollers, five belts	Two hydraulic cylinders, spring tensioner	Std	-/5,650kg	£97,035
VBP 3165 BalePack OptiCut 23	0.8-1.6m plus wrap	Spiral rotor with auger flights plus 23 knives	Std	Three rollers, five belts	Two hydraulic cylinders, spring tensioner	Std	-/5,650kg	£100,070
VB 3190 OptiFeed	0.8-1.85m	Spiral rotor with auger flights	Std	Three rollers, five belts	Two hydraulic cylinders, spring tensioner	Opt	3,090kg/-	£49,165
VB 3190 OptiCut 14	0.8-1.85m	Spiral rotor with auger flights plus 14 knives	Std	Three rollers, five belts	Two hydraulic cylinders, spring tensioner	Opt	3,290kg/-	£52,495
VB 3195 OptiFeed	0.8-1.85m	Spiral rotor with auger flights	Std	Two rollers, five belts	Two hydraulic cylinders, spring tensioner	Std	3,270kg/-	£53,075
VB 3195 OptiCut 14	0.8-1.85m	Spiral rotor with auger flights plus 14 knives	Std	Three rollers, five belts	Two hydraulic cylinders, spring tensioner	Std	3,470kg/-	£56,995
VB 3195 OptiCut 23	0.8-1.85m	Spiral rotor with auger flights plus 23 knives	Std	Three rollers, five belts	Two hydraulic cylinders, spring tensioner	Std	3,470kg/-	£59,490
VB 7160 i-Dense Optifeed	0.8-1.6m	Spiral rotor with auger flights	Std	Three rollers, four belts	Two tensioning arms, each with two hydraulic cylinders plus moisture-sensing auto adjustment	Std	4,200kg/-	£64,045
VB 7160 i-Dense OptiCut 14	0.8-1.6m	Spiral rotor with auger flights plus 14 knives	Std	Three rollers, four belts	Two tensioning arms, each with two hydraulic cylinders plus moisture-sensing auto adjustment	Std	4,200kg/-	£67,560
VB 7160 i-Dense OptiCut 23	0.8-1.6m	Spiral rotor with auger flights plus 23 knives	Std	Three rollers, four belts	Two tensioning arms, each with two hydraulic cylinders plus moisture-sensing auto adjustment	Std	4,200kg/-	£69,870

ULTIMATE GUIDE COMBINES AND BALERS

Updates for McHale Fusion baler-wrapper include isobus electronics



MCHALE, MASSEY FERGUSON



Tractor stop and tailgate open/close is optional on MF RB XtraCut balers

Make/model	Bale diameter	Feed-in mechanism	Drop floor	Bale formation	Bale density control	Isobus electronics	Weight – single axle/twin axle	List price (ex-VAT)
Legend: – = information not supplied; na = not available; poa = price on application; Std = standard; Opt = optional								
VB 7190 i-Dense Optifeed	0.8-1.85m	Spiral rotor with auger flights	Std	Three rollers, four belts	Two tensioning arms, each with two hydraulic cylinders plus moisture-sensing auto adjustment	Std	5,200kg/-	£72,560
VB 7190 i-Dense OptiCut 14	0.8-1.85m	Spiral rotor with auger flights plus 14 knives	Std	Three rollers, four belts	Two tensioning arms, each with two hydraulic cylinders plus moisture-sensing auto adjustment	Std	5,200kg/-	£76,555
VB 7190 i-Dense OptiCut 23	0.8-1.85m	Spiral rotor with auger flights plus 23 knives	Std	Three rollers, four belts	Two tensioning arms, each with two hydraulic cylinders plus moisture-sensing auto adjustment	Std	5,200kg/-	£78,865
VBP 3195 BalePack OptiCut 14	0.8-1.85m plus wrap	Spiral rotor with auger flights plus 14 knives	Std	Three rollers, five belts	Two hydraulic cylinders, spring tensioner	Std	~6,300kg	£99,315
VBP 3195 BalePack OptiCut 23	0.8-1.85m plus wrap	Spiral rotor with auger flights plus 23 knives	Std	Three rollers, five belts	Two hydraulic cylinders, spring tensioner	Std	~6,300kg	£102,350

Note: VBP BalePack and VBP BalePack wrapping models have two 750mm pre-stretch film dispensers mounted on overhead hydraulic motor driven orbital arms; i-BIOplus has two 750mm pre-stretch film dispensers mounted on a ring within the bale formation chamber. Stretch film circumference binding option - FB £9,635, FBP and VBP £7,585, i-BIOplus £6,585. FBP and VBP 3-D wrapping option £4,600. Bale weighing option available for BalePack baler-wrappers; moisture meter option available for VB and VBP BalePack models.

MASSEY FERGUSON

*UPDATED MODELS

RB 3130F Classic	1.25m	Stub augers, spiral rotor	No	18 rollers	Latched tailgate	No	3,000kg/-	£38,608
RB 3130F Xtra*	1.25m	Stub augers, spiral rotor	Std	18 rollers	Latched tailgate	Opt	3,200kg/-	£46,962
RB 3130F XtraCut 13*	1.25m	Stub augers, spiral rotor plus 13 knives	Std	18 rollers	Latched tailgate	Opt	3,400kg/-	£49,195
RB 3130F XtraCut 17*	1.25m	Stub augers, spiral rotor plus 17 knives	Std	18 rollers	Latched tailgate	Opt	3,400kg/-	£52,532
RB 3130F XtraCut 25*	1.25m	Stub augers, spiral rotor plus 25 knives	Std	18 rollers	Latched tailgate	Opt	3,400kg/-	£54,348
RBC 3130F Xtracut 13 Protec	1.25m plus wrap	Stub augers, spiral rotor plus 13 knives	Std	18 rollers	Latched tailgate	Opt	6,450kg/-	£108,085
RBC 3130F Xtracut 17 Protec	1.25m plus wrap	Stub augers, spiral rotor plus 17 knives	Std	18 rollers	Latched tailgate	Opt	6,450kg/-	£111,422
RBC 3130F Xtracut 25 Protec	1.25m plus wrap	Stub augers, spiral rotor plus 25 knives	Std	18 rollers	Latched tailgate	Opt	6,450kg/-	£113,238
RB 4160V Classic	0.9-1.6m	Stub augers, spiral rotor	No	Three rollers, four belts	Springs, then hydraulic, latched tailgate	No	3,950kg/-	£45,076
RB 4160V Xtra*	0.9-1.6m	Stub augers, spiral rotor	Std	Three rollers, four belts	Springs, then hydraulic, latched tailgate	Opt	3,950kg/-	£52,839
RB 4160V Xtracut 13*	0.9-1.6m	Stub augers, spiral rotor plus 13 knives	Std	Three rollers, four belts	Springs, then hydraulic, latched tailgate	Opt	3,950kg/-	£55,072
RB 4160V Xtracut 17*	0.9-1.6m	Stub augers, spiral rotor plus 17 knives	Std	Three rollers, four belts	Springs, then hydraulic, latched tailgate	Opt	3,950kg/-	£61,079
RB 4160V Xtracut 25*	0.9-1.6m	Stub augers, spiral rotor plus 25 knives	Std	Three rollers, four belts	Springs, then hydraulic, latched tailgate	Opt	3,950kg/-	£62,895
RBC 4160V Protec Xtracut 13*	0.9-1.6m plus wrap	Stub augers, spiral rotor plus 13 knives	Std	Three rollers, four belts	Springs, then hydraulic, latched tailgate	Opt	6,550kg/-	£116,828
RBC 4160V Protec Xtracut 17*	0.9-1.6m plus wrap	Stub augers, spiral rotor plus 17 knives	Std	Three rollers, four belts	Springs, then hydraulic, latched tailgate	Opt	6,550kg/-	£120,229
RBC 4160V Protec Xtracut 25*	0.9-1.6m plus wrap	Stub augers, spiral rotor plus 25 knives	Std	Three rollers, four belts	Springs, then hydraulic, latched tailgate	Opt	6,550kg/-	£122,172
RB 4180V Classic	0.9-1.8m	Stub augers, spiral rotor	No	Three rollers, four belts	Springs, then hydraulic, latched tailgate	No	4,200kg/-	£48,624

ULTIMATE GUIDE COMBINES AND BALERS

Make/model	Bale diameter	Feed-in mechanism	Drop floor	Bale formation	Bale density control	Isobus electronics	Weight - single axle/twin axle	List price (ex-VAT)
Legend: - = information not supplied; na = not available; poa = price on application; Std = standard; Opt = optional								
RB 4180V Xtra*	0.9-1.8m	Stub augers, spiral rotor	Std	Three rollers, four belts	Springs, then hydraulic, latched tailgate	Opt	4,200kg/-	£57,516
RB 4180V Xtracut 13*	0.9-1.8m	Stub augers, spiral rotor plus 13 knives	Std	Three rollers, four belts	Springs, then hydraulic, latched tailgate	Opt	4,200kg/-	£62,419
RB 4180V Xtracut 17*	0.9-1.8m	Stub augers, spiral rotor plus 17 knives	Std	Three rollers, four belts	Springs, then hydraulic, latched tailgate	Opt	4,200kg/-	£65,756
RB 4180V Xtracut 25*	0.9-1.8m	Stub augers, spiral rotor plus 25 knives	Std	Three rollers, four belts	Springs, then hydraulic, latched tailgate	Opt	4,200kg/-	£67,572
<i>Note: Protec wrapping models have two 750mm pre-stretch film dispensers on a horizontal steel ring driven by hydraulic motor-powered rubber friction drive wheels. Stretch film circumference binding option - RBC 3130F Protec £6,900; 1,000rpm pto option - RB 3130F and RBC 3130F £1,600. Automation - exclusive option (requires load-sensing tractor hydraulics) for all Xtra non-wrapping balers provides automatic pick-up lift when reversing or weighing, tailgate open and close, XtraCut knife selection and knife cleaning; Exclusive TIM (load-sensing hydraulics not required) adds bringing tractor to a halt via Isobus TIM; both also include bale moisture measurement, bale weighing, withdrawing knives for uncut last layer, and LED maintenance and service lights.</i>								
MCHALE							*REVISED MODELS	
F5400	1.25m	Stub augers, spiral rotor	Std	18 rollers	Hydraulic, tailgate pressure	No	3,260kg/-	£39,705
F5500	1.25m	Stub augers, spiral rotor plus 15 knives	Std	18 rollers	Hydraulic, tailgate pressure	No	3,500kg/-	£48,078
F5600	1.25m	Stub augers, spiral rotor plus 25 knives	Std	18 rollers	Hydraulic, tailgate pressure	No	3,700kg/-	£55,101
F5600 Plus	1.25m	Stub augers, spiral rotor plus 25 knives	Std	18 rollers	Hydraulic, tailgate pressure	No	3,850kg/-	£63,427
Fusion 4*	1.25m plus wrap	Stub augers, spiral rotor plus 25 knives	Std	18 rollers	Hydraulic, tailgate pressure	No	5,500kg/-	£82,767
Fusion 4 Pro*	1.25m plus wrap	Stub augers, spiral rotor plus 25 knives	Std	18 rollers	Hydraulic, tailgate pressure	Opt	5,550kg/-	£90,005
Fusion 4 Plus*	1.25m plus wrap	Stub augers, spiral rotor plus 25 knives	Std	18 rollers	Hydraulic, tailgate pressure	Opt	5,650kg/-	£92,696
V6740	0.6-1.68m	Stub augers, spiral rotor	Std	Three rollers, three belts or one belt	Springs, then hydraulic, latched tailgate	No	4,430kg/-	£48,170
V6750	0.6-1.68m	Stub augers, spiral rotor plus 15 knives	Std	Three rollers, three belts or one belt	Springs, then hydraulic, latched tailgate	No	4,540kg/-	£55,309
Fusion Vario 15	0.6-1.68m plus wrap**	Stub augers, spiral rotor plus 15 knives	Std	Three rollers, one belt	Springs, then hydraulic, latched tailgate	No	6,500kg/-	£91,557
Fusion Vario 25	0.6-1.68m plus wrap**	Stub augers, spiral rotor plus 25 knives	Std	Three rollers, one belt	Springs, then hydraulic, latched tailgate	No	6,500kg/-	poa
V8940	0.6-1.9m	Stub augers, spiral rotor	Std	Three rollers, three belts	Springs, then hydraulic, latched tailgate	No	4,740kg/-	£53,913
V8950	0.6-1.9m	Stub augers, spiral rotor plus 15 knives	Std	Three rollers, three belts	Springs, then hydraulic, latched tailgate	No	4,850kg/-	£61,269
<i>Note: "Plus" models can apply stretch film instead of net to the circumference of the bale. All models available with 2.10m cam-operated five tine bar pick-up or 2.10m camless six-tine bar pick-up. F5600 and F5600 Plus automation comprises tailgate open and close. Fusion wrapping models have two 750mm pre-stretch film dispensers on a hydraulically driven vertical ring; Fusion 4 Pro adds faster wrapping speeds, remote camera, in-cab net and density adjustment and 7in touch screen monitor. **Fusion Vario will make and wrap bales of haylage and silage from 1-1.45m diameter.</i>								
NEW HOLLAND							*NEW MODELS	
Roll-Bar 125 Rotor Feeder	1.25m	Stub augers, W spiral rotor	No	Two rollers, two chains plus slats	Hydraulic, tailgate pressure	No	2,775kg/-	£37,366
Roll-Bar 125 Rotor Cutter	1.25m	Stub augers, W spiral rotor plus 15 knives	No	Two rollers, two chains plus slats	Hydraulic, tailgate pressure	No	2,775kg/-	£40,691
Roll Baler 125	1.25m	Stub augers, spiral rotor plus 20 knives	Std	18 rollers	Latched tailgate	Std	3,060kg/-	£57,970
Roll Baler 125 Combi	1.25m plus wrap	Stub augers, spiral rotor plus 20 knives	Std	18 rollers	Latched tailgate	Std	-/4,800kg	£102,051
Roll-Belt 150 SuperFeed	0.9-1.5m	Stub augers, optional paddle feeder/auger, 455mm spiral rotor	Opt	Three rollers, four belts	Two hydraulic cylinders, two springs	Opt	3,715kg/-	£50,135
Roll-Belt 150 CropCutter	0.9-1.5m	Stub augers, optional paddle feeder/auger, 455mm spiral rotor plus 15 knives	Std	Three rollers, four belts	Two hydraulic cylinders, two springs	Opt	3,715kg/-	£57,603
Roll-Belt 180 SuperFeed	0.9-1.8m	Stub augers, optional paddle feeder/auger, 455mm spiral rotor	Opt	Three rollers, four belts	Two hydraulic cylinders, two springs	Opt	3,815kg/-	£55,049
Roll-Belt 180 CropCutter	0.9-1.8m	Stub augers, optional paddle feeder/auger, 455mm spiral rotor plus 15 knives	Std	Three rollers, four belts	Two hydraulic cylinders, two springs	Opt	3,815kg/-	£61,820
Pro-Belt 165 SuperFeed*	0.9-1.65m	Stub augers, optional paddle feeder/auger, 520mm spiral rotor	Std	Two rollers, four belts	Two hydraulic cylinders, two springs	Std	4,400kg/-	£64,781
Pro-Belt 165 CropCutter 13*	0.9-1.65m	Stub augers, optional paddle feeder/auger, 520mm spiral rotor plus 13 knives	Std	Two rollers, four belts	Two hydraulic cylinders, two springs	Std	4,870kg/-	£68,082
Pro-Belt 165 CropCutter 25*	0.9-1.65m	Stub augers, optional paddle feeder/auger, 520mm spiral rotor plus 25 knives	Std	Two rollers, four belts	Two hydraulic cylinders, two springs	Std	4,900kg/-	£71,941
Pro-Belt 190 SuperFeed*	0.9-1.9m	Stub augers, optional paddle feeder/auger, 520mm spiral rotor	Std	Two rollers, four belts	Two hydraulic cylinders, two springs	Std	4,700kg/-	£72,598
Pro-Belt 190 CropCutter 13*	0.9-1.9m	Stub augers, optional paddle feeder/auger, 520mm spiral rotor plus 13 knives	Std	Two rollers, four belts	Two hydraulic cylinders, two springs	Std	4,900kg/-	£75,907
Pro-Belt 190 CropCutter 25*	0.9-1.9m	Stub augers, optional paddle feeder/auger, 520mm spiral rotor plus 25 knives	Std	Two rollers, four belts	Two hydraulic cylinders, two springs	Std	5,100kg/-	£79,774

Make/model	Bale diameter	Feed-in mechanism	Drop floor	Bale formation	Bale density control	Isobus electronics	Weight – single axle/ twin axle	List price (ex-VAT)
Legend: - = information not supplied; na = not available; poa = price on application; Std = standard; Opt = optional								
<i>Note: Roll Baler 125 Combi can apply stretch film instead of net to the circumference of the bale; has two 750mm pre-stretch film dispensers mounted on hydraulically driven overhead orbital arms; automation includes knife retraction for final layer, knife cleaning retraction and reset with tailgate open/close. Roll-Belt automation comprises tailgate open and close, and ground speed control when coupled to a tractor with Class 3 Isobus. Pro-Belt automation via Isobus TIM includes bringing the tractor to a stop, auto netting start/stop, and tailgate open and close.</i>								
POTTINGER								
Impress 3130 F Master	1.3m	Twin stub augers, double-V rotor plus 16 knives	Std	18 rollers	Hydraulic, tailgate pressure	No	4,600kg/-	£64,832
Impress 3130 F Pro	1.3m	Twin stub augers, double-V rotor plus 32 knives	Std	18 rollers	Hydraulic, tailgate pressure	Std	4,850kg/-	£77,129
Impress 3130 FC Pro	1.3m plus wrap	Twin stub augers, double-V rotor plus 32 knives	Std	18 rollers	Hydraulic, tailgate pressure	Std	-/7,600kg	£128,517
Impress 3160 V	0.8-1.55m	Twin stub augers, double-V rotor	Std	Four rollers, three belts	Hydraulic via belt tensioning arm	No	4,500kg/-	£68,655
Impress 3160 V Master	0.8-1.55m	Twin stub augers, double-V rotor plus 16 knives	Std	Four rollers, three belts	Hydraulic via belt tensioning arm	No	4,750kg/-	£73,513
Impress 3160 V Pro	0.8-1.55m	Twin stub augers, double-V rotor plus 32 knives	Std	Four rollers, three belts	Hydraulic via belt tensioning arm	Std	5,000kg/-	£87,567
Impress 3160 VC Pro	0.8-1.55m plus wrap	Twin stub augers, double-V rotor plus 32 knives	Std	Four rollers, three belts	Hydraulic via belt tensioning arm	Std	-/7,700kg	£139,267
Impress 3190 V	0.9-1.85m	Twin stub augers, double-V rotor	Std	Four rollers, three belts	Hydraulic via belt tensioning arm	No	4,600kg/-	£73,318
Impress 3190 V Master	0.9-1.85m	Twin stub augers, double-V rotor plus 16 knives	Std	Four rollers, three belts	Hydraulic via belt tensioning arm	No	4,850kg/-	£78,172
Impress 3190 V Pro	0.9-1.85m	Twin stub augers, double-V rotor plus 32 knives	Std	Four rollers, three belts	Hydraulic via belt tensioning arm	Std	5,100kg/-	£91,481
Impress 3190 VC Pro	0.9-1.85m plus wrap	Twin stub augers, double-V rotor plus 32 knives	Std	Four rollers, three belts	Hydraulic via belt tensioning arm	Std	-/7,900kg	£145,060
<i>Note: Incoming material passes over rather than under the double-V intake rotor; crop-slicing knives where fitted are positioned accordingly. FC Pro and VC Pro wrapping models have 750mm pre-stretch film dispensers on hydraulically driven underside orbital arms; all Pro models available with film-on-film binding, 1,000rpm driveline standard on Pro models, optional on others. Pro model automation comprises pick-up reel lift with chamber full signal, tailgate open, and tailgate close with optional bale kicker installed.</i>								
VICON								
FixBale 500 SuperCut 15	1.25m	Stub augers, spiral rotor plus 15 knives	Std	18 rollers	Hydraulic, tailgate pressure	No	3,600kg/-	£51,137
FastBale Non-Stop Baler-Wrapper	1.25m plus wrap	Stub augers, spiral rotor plus 25 knives	Std	14 rollers, 17 rollers**	Hydraulic, tailgate pressure	Std	7,500kg/-	£140,525
RV 5216 Plus SuperFeed	0.6-1.65m	Stub augers, spiral rotor	Std	Five belts	Two hydraulic cylinders, two springs	Std	2,990kg/-	£48,490
RV 5216 Plus SuperCut 14	0.6-1.65m	Stub augers, spiral rotor plus 14 knives	Std	Five belts	Two hydraulic cylinders, two springs	Std	2,990kg/-	£52,210
RV 5216 Plus SuperCut 14 FlexiWrap	0.6-1.65m plus wrap	Stub augers, spiral rotor plus 14 knives	Std	Five belts	Two hydraulic cylinders, two springs	Std	-/6,050kg	£130,851
RV 5220 Plus SuperFeed	0.6-2m	Stub augers, spiral rotor	Std	Five belts	Two hydraulic cylinders, two springs	Std	3,340kg/-	£57,553
RV 5220 Plus SuperCut 14	0.6-2m	Stub augers, spiral rotor plus 14 knives	Std	Five belts	Two hydraulic cylinders, two springs	Std	3,340kg/-	£61,274
<i>Note: **FastBale - grass accumulated in 14-roller pre-chamber during net application is transferred to 17-roller (three rollers shared) main chamber for completion during non-stop operation; wrapping by two 750mm pre-stretch film dispensers mounted on hydraulically-driven overhead vertical orbital arms. RV 5126 Plus FlexiWrap has two 750mm pre-stretch film dispensers on hydraulically driven overhead vertical orbital arms.</i>								
WOLAGRI						*REINTRODUCED MODEL		
R500	0.57x0.63m	None	No	19 aluminium rollers	Hydraulic tailgate pressure	No	520kg/-	£13,500
R500 Super	0.57x0.63m	Rotor	No	19 aluminium rollers	Hydraulic tailgate pressure	No	540kg/-	£13,800
R500 Combo*	0.57x0.63m plus wrap	None	No	19 aluminium rollers	Hydraulic tailgate pressure	No	950kg/-	£27,500

Note: Distributed by Marrs of Methlick. R500 Combo applies stretch film from dispensers on two orbital arms.



New Holland Pro-Belt is an all-new advanced-spec round baler

NEW HOLLAND, WOLAGRI



Wolagri mini baler and wrapper combination is back in production