

BUYER'S GUIDE TO TELEHANDLERS

Model	Max lift height	Max lift capacity	Lift to full height	Boom cushion	Hydraulics (litres/min) F - gear pump; V - piston pump	Engine output; make	Transmission - ranges and drive	Transmission - top speed	List price (ex-VAT)
-------	-----------------	-------------------	---------------------	--------------	--	---------------------	---------------------------------	--------------------------	---------------------

Note: n/a - information not available. Hydraulics: F - fixed-output gear pump; V - variable-output piston pump. Transmissions: MS - manual shift with torque converter; PS - power shift with torque converter; PSD - power shift direct drive (no torque converter); 1 H - single-speed hydrostatic; 2 GH - two-speed gearbox hydrostatic; 4 GH - two-speed gearbox plus two-speed hydrostatic; 2 HH/3 HH - two- and three-speed all-hydrostatic drive; SRH CVT - single-range hydrostatic continuously variable; HM CVT - hydro-mechanical power split continuously variable. Prices: tbc - new model price to be confirmed; poa - manufacturer has not provided a price.

AVANT									
Central cab, articulated chassis steering								*ADDITIONAL MODELS	
R28, R35, 745 and 750									
DISCONTINUED									
423	2.75m	0.55t	0.55t	no	F 34	22hp Kubota	1 H	12kph	£20,500
523	2.79m	0.8t	0.8t	no	F 34	22hp Kubota	1 H	12kph	£25,500
528	2.79m	0.95t	0.95t	no	F 36	26hp Kubota	1 H	12kph	£27,500
530	2.79m	0.95t	0.95t	no	F 36	26hp Kubota	2 HH	19kph	£29,000
e5	2.79m	0.9t	0.9t	no	F 30	240Ah AGM battery	3 HH	10kph	£33,950
e6	2.79m	0.9t	0.9t	no	F 30	288Ah Li battery	3 HH	10kph	£43,950
630	2.83m	1t	1t	no	F 44	26hp Kubota	1 H	14kph	£29,900
635	2.83m	1t	1t	no	F 50	26hp Kubota	1 H	14kph	£32,750
640	2.83m	1t	1t	no	F 50	26hp Kubota	2 HH	22kph	£35,750
645i*	2.83m	1t	1t	no	F 75	44hp Kubota	1 H	13kph	£43,900
650i*	2.83m	1t	1t	no	F 75	44hp Kubota	2 HH	23kph	£45,900
735*	3.08m	1.4t	1.4t	no	F 50	26hp Kubota	1 H	15kph	£37,900
755i	3.1m	1.4t	1.4t	std	F 80	57hp Kohler	1 H	17kph	£44,500
760i	3.1m	1.4t	1.4t	std	F 80	57hp Kohler	2 HH	30kph	£47,500
860i*	3.50m	1.9t	1.9t	std	F 80	57hp Kohler	2 HH	30kph	£52,900

Note: Optional DLX cab available on 400- to 600-series, GT cab on 645i, 650i, 700- and 800-series. 500- to 700-series have attachment self-levelling as standard. All lift capacities are rated with full counterweight fitted.

BLANEY									
Central cab, articulated chassis steering									
TL110-33	3.3m	1t	0.8t	opt	F 39	25hp Yanmar	2 HH	n/a	£30,672
Offset cab, permanent four-wheel steering									
TH115-48	4.8m	1.5t	1.4t	opt	F 42	45hp Yanmar	2 HH	n/a	£46,264

BOBCAT									
Offset cab, selectable two/four-wheel steering								*ADDITIONAL MODEL, REVISED RANGE	
TL25.60*	5.91m	2.5t	1.8t	tbc	F 80	75hp Bobcat	1 H	30kph	poa
TL26.60	5.9m	2.6t	2t	std	F 100	100hp Bobcat	2 HH	40kph	£73,757
TL30.60	5.9m	3t	2.5t	std	F 100	100hp Bobcat	2 HH	40kph	£74,849
TL34.65 HF	6.4m	3.5t	3.4t	std	V 190	135hp Bobcat	4 GH	40kph	£87,149
TL30.70	6.8m	3t	2t	std	F 100	100hp Bobcat	2 HH	40kph	£76,812
TL35.70	7m	3.4t	3.5t	std	F 100	100hp Bobcat	4 GH	40kph	£84,326
TL38.70 HF	7m	3.8t	3.5t	std	V 190	135hp Bobcat	4 GH	40kph	£91,492
TL43.80 HF	7.5m	4.3t	1.8t	std	V 190	135hp Bobcat	4 GH	40kph	£98,593

Note: Prices are for 3* Agri Pack versions. All models have selectable Flex independent ground/engine speed control plus Smooth and Dynamic modes. HF versions have hydraulic pump booster and flow-sharing. TL26.60, TL30.60 and TL30.70 have choice of cab mounting positions for minimum height or maximum visibility. Bobcat engines are built by Doosan.

CASE IH									
Offset cab, selectable two/four-wheel steering								FEWER MODELS	
633 Powershift and four-speed Autosshift, 737 Powershift, 935 Powershift									
DISCONTINUED									
Farmlift 526	5.78m	2.5t	2.5t	tbc	F 80	74hp Kubota	1 H	26kph	tbc
Farmlift 633 Autosshift	6.1m	3.3t	3.3t	£1,800	V 140	133hp FPT	6 PS	35kph	£107,000
Farmlift 636 Autosshift	6.1m	3.6t	3.6t	£1,800	V 140	146hp FPT	6 PS	40kph	£115,000
Farmlift 737 Autosshift	7m	3.7t	2.5t	£1,800	V 140	133hp FPT	6 PS	35kph	£112,000
Farmlift 742 Autosshift	7m	4.2t	2.5t	£1,800	V 140	146hp FPT	6 PS	40kph	£122,000
Farmlift 935 Autosshift	9.1m	3.5t	1.5t	£1,800	V 140	133hp FPT	6 PS	35kph	£117,000

Note: Farmlift 633 - Auto wheel alignment £582, rear axle limited slip differential £537, 142deg headstock rotation £959. These features are standard on all other models, but not available on Farmlift 526.

CAST LOADERS									
Central cab, articulated chassis steering								NEW LISTING	
28T	2.94m	0.95t	n/a	no	F 42	25hp Kubota	1 H	12kph	£22,300
30T	2.94m	0.95t	n/a	no	F 45	25hp Kubota	1 H	14kph	£23,760
30T Carbon	2.94m	0.95t	n/a	no	F 45	25hp Kubota	1 H	14kph	£27,040
800 Eco	2.98m	0.95t	n/a	no	F 25	48v/210Ah	1 E	12kph	£32,452
33T	2.98m	0.95t	n/a	no	F 45	30hp Kubota	2 HH	16kph	£25,060
33TLX	2.98m	0.95t	n/a	no	F 51	30hp Kubota	1 H	16kph	£27,080
33TLX Carbon	2.98m	0.95t	n/a	no	F 46	30hp Kubota	2 HH	20kph	£29,480

Model	Max lift height	Max lift capacity	Lift to full height	Boom cushion	Hydraulics (litres/min) F - gear pump; V - piston pump	Engine output; make	Transmission - ranges and drive	Transmission - top speed	List price (ex-VAT)
Genesis 40XD	3.3m	1.4t	n/a	no	F 66	38hp Yanmar	1 H	16kph	£35,680
Maxo 57D	3.3m	2.1t	n/a	no	F 80	57hp Kohler	1 H	15kph	£41,240
Maxo 57D	3.3m	2.1t	n/a	no	F 80	57hp Kohler	2 HH	30kph	£44,400

Note: Carbon and Maxo 57D models have new-design 11-function joystick in place of 10-function standard item.

CLAAS									
Central cab, articulated chassis and rear wheel steering									
Torion 738T Sinus	4.96m	3.8t	2.3t	std	F 93 or F 93+28	73hp Yanmar	2 HH	40kph	£110,630
Offset cab, selectable two/four-wheel steering								REVISED MODELS	
Scorpion 635 Trend Gen 2	6.13m	3.5t	3t	opt	F 106	142hp Deutz	3 HH	30kph	£96,450
Scorpion 635 Varipower 2 Trend Gen 2	6.13m	3.5t	3t	std	V 160	142hp Deutz	3 HH	40kph	£106,440
Scorpion 732 Trend Gen 2	6.93m	3.2t	2.8t	opt	F 106	142hp Deutz	3 HH	30kph	£95,490
Scorpion 732 Varipower Gen 2	6.93m	3.2t	2.8t	std	V 160	142hp Deutz	3 HH	40kph	£109,660
Scorpion 736 Trend Gen 2	6.93m	3.6t	2.5t	opt	F 106	142hp Deutz	3 HH	30kph	£97,850
Scorpion 736 Varipower Gen 2	6.93m	3.6t	2.5t	std	V 160	142hp Deutz	3 HH	40kph	£110,940
Scorpion 741 Trend Gen 2	6.93m	4.1t	2.5t	opt	F 106	142hp Deutz	3 HH	30kph	£104,120
Scorpion 741 Varipower Gen 2	6.93m	4.1t	2.5t	std	V 160	142hp Deutz	3 HH	40kph	£114,180
Scorpion 746 Varipower Gen 2	7.03m	4.6t	3t	std	V 200	142hp Deutz	3 HH	40kph	£121,550
Scorpion 756 Varipower Plus Gen 2	7.03m	5.6t	3.5t	std	V 200	156hp Deutz	3 HH	40kph	£131,800
Scorpion 960 Varipower Plus Gen 2	8.79m	6.5t	4t	std	V 200	156hp Deutz	3 HH	40kph	£146,630
Scorpion 1033 Trend Gen 2	9.75m	3.3t	1.5t	opt	F 106	142hp Deutz	3 HH	30kph	£105,680
Scorpion 1033 Varipower Gen 2	9.75m	3.3t	1.5t	std	V 160	142hp Deutz	3 HH	40kph	£115,610

Note: Torion 738T Sinus lift capacity is tipping load when fully articulated. Scorpion Trend models have single-service joystick operation, mechanical hand throttle and no pick-up hitch. Varipower models have auto return-to-dig, pick-up hitch, a joystick capable of controlling multiple functions at once, electronic steering selection and an electronic throttle in addition to boom suspension and piston pump hydraulics. Base Varipower transmission (Scorpion 746) has 45deg wide-angle hydrostat; Varipower Plus adds a 32deg variable displacement motor for increased tractive power; Varipower 2 has twin hydraulic motors sharing a swash plate and two-ended output shaft (to eliminate reduction gears) within a single casing.

DIECI									
Central cab, articulated chassis steering									
Agri Pivot T60	4.7m	2.25t	1.4t	poa	F 98	73hp Kubota	2 GH	40kph	poa
Agri Pivot T70	5.02m	3t	1.95t	poa	F 117	115hp Perkins	2 GH	40kph	poa
Agri Pivot T80	5.2m	3.5t	2.25t	poa	F 114	143hp FPT	1 H	36kph	poa
Agri Pivot T90	6m	5.7t	2.5t	poa	F 150	153hp FPT	SRH CVT	40kph	poa
Offset cab, selectable two/four-wheel steering								*ADDITIONAL MODELS	
Mini Agri 20.4 Smart	4.35m	2t	2t	no	F 93	50hp Kubota	1 H	38kph	poa
Mini Agri 26.6	5.78m	2.6t	1.7t	poa	F 80	74hp Kubota	1 H	38kph	poa
Agri Farmer 28.7 GD	6.35m	2.8t	1.5t	poa	F 100	107hp Kubota	2 GH	35kph	poa
Agri Farmer 30.7 GD	6.35m	3t	2t	poa	F 100	107hp Kubota	2 GH	35kph	poa
Agri Star 35.6 GD	6.4m	3.5t	2t	poa	F 205	143hp FPT	SRH CVT	38kph	poa
Agri Plus 42.7 Evo 2 GD	7m	4.2t	2.4t	poa	F 247	153hp FPT	SRH CVT	38kph	poa
Agri Star 40.7 Evo 2 GD	7.2m	4t	2.5t	poa	F 205	143hp FPT	SRH CVT	38kph	poa
Agri Star 38.8 GD	7.6m	3.8t	1.2t	poa	F 205	143hp FPT	SRH CVT	38kph	poa
Agri Max 50.8 Evo 2 GD	7.7m	5t	3t	poa	F 247	172hp FPT	SRH CVT	38kph	poa
Agri Max 50.8 Power X2*	7.7m	5t	3t	poa	F 305	172hp FPT	HM CVT	50kph	poa
Agri Max 65.8 Evo 2 GD	7.7m	6.5t	4.2t	poa	F 247	172hp FPT	SRH CVT	38kph	poa
Agri Max 65.8 Power X2*	7.7m	6.5t	4.2t	poa	F 305	172hp FPT	HM CVT	50kph	poa
Agri Farmer 30.9 GD	8.14m	3t	0.9t	poa	F 100	107hp Kubota	2 GH	35kph	poa
Agri Max 60.9 Evo 2 GD	8.6m	6t	3.5t	poa	F 247	172hp FPT	SRH CVT	38kph	poa
Agri Max 60.9 Power X2*	8.6m	6t	3.5t	poa	F 305	172hp FPT	HM CVT	50kph	poa
Agri Plus 40.9 Evo 2 GD	9m	4t	1.5t	poa	F 230	153hp FPT	SRH CVT	38kph	poa
Agri Star 38.10 Evo 2 GD	9.6m	3.8t	0.9t	poa	F 205	143hp FPT	SRH CVT	38kph	poa
Agri Max 75.10 Evo 2 GD	9.65m	7.5t	4.4t	poa	F 247	172hp FPT	SRH CVT	38kph	poa

Note: Agri Pivot T60 has two-speed static shifts gearbox; Agri Pivot T70 has two-speed gearbox with shifts in motion; Agri Pivot T80 has single hydrostat; Agri Pivot T70 has twin hydrostats. Agri Star models have a single-range hydrostatic continuously variable transmission. Agri Plus and Agri Max models have a four-mode single-range hydrostatic continuously variable transmission. Agri Max Power X2 models have a hydro-mechanical power split continuously variable transmission.

FARESIN									
Offset cab, selectable two/four-wheel steering								*NEW MODELS	
DISCONTINUED									
7.45 HLS, 7.45 VPSe and 8.40 VPSe									
6.26 Classic 52	5.9m	2.6t	2t	£1,850	F 80	70hp Yanmar	1 H	30kph	£84,180
7.32C Performance 85*	7.1m	3.2t	2.5t	£1,850	V 150	115hp Deutz	2 HH	40kph	£125,580
7.45 Performance 85*	7.1m	4.5t	3t	£1,850	V 150	115hp Deutz	2 HH	40kph	£137,490
8.40 Excellence Vario 100*	8m	4t	3.5t	£1,850	V 170	136hp Deutz	SRH CVT	40kph	£155,760

Note: Other models available. Vario model has twin hydraulic motor CVT transmission with electronic engine/drive management giving Drive up to 40kph, Eco, Handling and "creeper" modes with independent ground speed and engine speed control.

ULTIMATE GUIDE TELEHANDLERS

Model	Max lift height	Max lift capacity	Lift to full height	Boom cushion	Hydraulics (litres/min) F - gear pump; V - piston pump	Engine output; make	Transmission - ranges and drive	Transmission - top speed	List price (ex-VAT)
FENDT									
Offset cab, selectable two/four-wheel steering									
Cargo T740	7.7m	4t	2.6t	£2,952	V 170	136hp Cummins	SRH CVT	30/40kph	£143,713
Cargo T955	8.5m	5.5t	4.85t	£2,952	V 200	167hp Cummins	SRH CVT	30/40kph	£181,628
<i>Note: Hydraulically cushioned and lifting cab is standard. Reversible cooling fan £716.</i>									
HZM									
Central cab, articulated chassis steering									
*ADDITIONAL MODELS									
810T*	3.44m	1t	0.6t	no	F 58	25hp Kubota	2 HH	18kph	£19,495
810BT*	3.5m	1.1t	0.6t	no	F 58	30hp Xinchai	2 MS	18kph	£16,450
812T	4.5m	1.2t	0.8t	no	F 62	49hp Xinchai	2 MS	30kph	£17,995
816T	4.5m	1.6t	1.1t	no	F 62	53hp Xinchai	2 MS	30kph	£21,995
825T	4.5m	2.5t	1.8t	no	F 85	100hp Xinchai	2 MS	30kph	£29,500
825T Cummins	4.5m	2.5t	1.8t	no	F 85	100hp Cummins	4 MS	35kph	£32,500
<i>Distributed by North Norfolk Vehicle Solutions.</i>									
J MAC									
Central cab, rear axle steering									
JMT1500	4.01m	1.5t	n/a	n/a	F 22	28hp Perkins	2 HH*	16kph	£32,950
Central cab, articulated chassis steering									
JMW1000	2.95m	1t	0.6t	n/a	F 30	25hp Yanmar	1 H	12kph	poa
JMW1500	3.81m	1.5t	n/a	n/a	F 70	49hp Xinchai	1 H	n/a	poa
JMW2500	4.99m	2.5t	n/a	n/a	F 96	71hp Xinchai*	1 H	n/a	poa
<i>Note: *JMT 1500 transmission comprises an engine-mounted pump and four wheel motors. *JMW2500 - Cummins, Kohler and Yanmar engine options poa.</i>									
JCB									
Central cab, skid steering									
Teleskid 3TS-8W	4.05m	1.5t	0.61t	std	F 90-125	74hp JCB	2 HH	20kph	poa
Teleskid 3TS-8T	4.03m	1.7t	0.73t	std	F 90-125	74hp JCB	2 HH	13kph	poa
Central cab, articulated chassis steering									
TM180	4.7m	1.8t	1.8t	£2,575	F 64	64hp JCB Kohler	2 HH	20kph	£81,293
TM220	4.77m	2.2t	2.2t	£2,660	F 89	74hp JCB Kohler	3 HH	40kph	£93,255
TM320	5.2m	3.2t	3.2t	std	V 140	130hp JCB	8 PS	40kph	£116,296
TM320S	5.2m	3.2t	3.2t	std	V 160	150hp JCB	8 PS	40/50kph	£121,142
TM420	5.45m	4.1t	4.1t	std	V 160	150hp JCB	8 PS	40kph	£140,352
TM420S	5.45m	4.1t	4.1t	std	V 160	173hp JCB	8 PS	50/40kph	£149,906
<i>Note: TM320 and TM420 - torque converter lock-up in gears 6-8, TM320S and TM420S - torque converter lock-up in all forward gears and 1-4 in reverse. TM320 - 63cc pump; TM320 and TM420 - 72cc pump; TM420S - 72cc+28cc pumps</i>									
Central cab, permanent four-wheel steering									
FEWER MODELS									
Loadall 516-40 Agri	DISCONTINUED								
Loadall 520-40 Agri	4.03m	2t	2t	no	F 60	25hp Perkins	2 HH	15kph	£57,393
Offset cab, selectable two/four-wheel steering									
*NEW MODELS									
Loadall 560-80 Agri Xtra AutoShift 6	DISCONTINUED								
Loadall 514-40 Agri*	4m	1.4t	1.3t	no	F 23	25hp Perkins	2 HH	15kph	£56,343
Loadall 525-60E Agri	6m	2.5t	2t	no	F 80	24kWhr Lithium-ion	1 E	15kph	£107,708
Loadall 525-60 Agri Plus	6m	2.5t	1.75t	£2,643	F 90	74hp JCB Kohler	2 HH	30kph	£75,310
Loadall 530-60 Agri Super 20in*	5.97m	3t	2t	std	F 97	130hp JCB	2 HH	40kph	£81,771
Loadall 530-60 Agri Super 24in*	6.09m	3t	2t	std	F 97	130hp JCB	2 HH	40kph	£83,242
Loadall 532-60 Agri TorqueLock4	6.2m	3.2t	3.2t	£2,439	V 140	109hp JCB	4 PS	40kph	£86,094
Loadall 532-60 Agri Super DualTech VT	6.2m	3.2t	3.2t	std	V 140	130hp JCB	1 H + 3 PSD	40kph	£102,891
Loadall 538-60 Agri TorqueLock4	6.2m	3.8t	3.8t	£2,439	V 140	109hp JCB	4 PS	40kph	£92,840
Loadall 538-60 Agri Super Powershift 4	6.2m	3.8t	3.8t	std	V 140	130hp JCB	4 PS	40kph	£104,635
Loadall 538-60 Agri Super AutoShift 6	6.2m	3.8t	3.8t	std	V 140	130hp JCB	6 PS	40kph	£107,525
Loadall 538-60 Agri Super DualTech VT	6.2m	3.8t	3.8t	std	V 140	130hp JCB	1 H + 3 PSD	40kph	£110,204
Loadall 538-60 Agri Xtra AutoShift 6	6.2m	3.8t	3.8t	std	V 140	150hp JCB	6 PS	40kph	£111,961
Loadall 538-60 Agri Xtra DualTech VT	6.2m	3.8t	3.8t	std	V 140	150hp JCB	1 H + 3 PSD	40kph	£114,642
Loadall 532-70 Agri TorqueLock4	7.01m	3.2t	2.75t	£2,439	V 140	109hp JCB	4 PS	40kph	£95,135
Loadall 532-70 Agri Super Powershift 4	7.01m	3.2t	2.75t	std	V 140	130hp JCB	4 PS	40kph	£106,928
Loadall 532-70 Agri Super AutoShift 6	7.01m	3.2t	2.75t	std	V 140	130hp JCB	6 PS	40kph	£109,820

ULTIMATE GUIDE TELEHANDLERS

Model	Max lift height	Max lift capacity	Lift to full height	Boom cushion	Hydraulics (litres/min) F - gear pump; V - piston pump	Engine output; make	Transmission - ranges and drive	Transmission - top speed	List price (ex-VAT)
Loadall 532-70 Agri Super DualTech VT	7.01m	3.2t	2.75t	std	V 140	130hp JCB	1 H + 3 PSD	40kph	£112,497
Loadall 532-70 Agri Xtra AutoShift 6	7.01m	3.2t	2.75t	std	V 140	150hp JCB	6 PS	40kph	£114,256
Loadall 532-70 Agri Xtra DualTech VT	7.01m	3.2t	2.75t	std	V 140	150hp JCB	1 H + 3 PSD	40kph	£116,933
Loadall 538-70 Agri TorqueLock4	7.01m	3.8t	2.5t	£2,727	V 140	109hp JCB	4 PS	40kph	£99,576
Loadall 538-70 Agri Super Powershift 4	7.01m	3.8t	2.5t	std	V 140	130hp JCB	4 PS	40kph	£111,371
Loadall 538-70 Agri Super AutoShift 6	7.01m	3.8t	2.5t	std	V 140	130hp JCB	6 PS	40kph	£114,264
Loadall 538-70 Agri Super DualTech VT	7.01m	3.8t	2.75t	std	V 140	130hp JCB	1 H + 3 PSD	40kph	£116,941
Loadall 538-70 Agri Xtra AutoShift 6	7.01m	3.8t	2.5t	std	V 140	150hp JCB	6 PS	40kph	£118,700
Loadall 538-70 Agri Xtra DualTech VT	7.01m	3.8t	2.75t	std	V 140	150hp JCB	1 H + 3 PSD	40kph	£121,380
Loadall 542-70 Agri TorqueLock4	7.01m	4.2t	2.5t	£2,727	V 140	109hp JCB	4 PS	40kph	£102,536
Loadall 542-70 Agri Super Powershift 4	7.01m	4.2t	2.5t	std	V 140	130hp JCB	4 PS	40kph	£114,333
Loadall 542-70 Agri Super AutoShift 6	7.01m	4.2t	2.5t	std	V 140	130hp JCB	6 PS	40kph	£117,225
Loadall 542-70 Agri Super DualTech VT	7.01m	4.2t	2.75t	std	V 140	130hp JCB	1 H + 3 PSD	40kph	£119,902
Loadall 542-70 Agri Xtra AutoShift 6	7.01m	4.2t	2.5t	std	V 140	150hp JCB	6 PS	40kph	£121,661
Loadall 542-70 Agri Xtra DualTech VT	7.01m	4.2t	2.75t	std	V 140	150hp JCB	1 H + 3 PSD	40kph	£124,341
Loadall 542-70 Agri Pro DualTech VT*	7.04m	4.2t	3t	std	V 160	173hp JCB	1 H + 3 PSD	50kph	£133,302
Loadall 560-80 Agri Super Powershift 4	7.9m	6t	3t	std	V 160	130hp JCB	4 PS	33/37kph**	£130,470
Loadall 560-80 Agri Xtra DualTech VT	7.9m	6t	3t	std	V 140	150hp JCB	1 H + 3 PSD	40kph	£140,670
Loadall 536-95 Agri TorqueLock4	7.9m	3.6t	1.6t	£2,727	V 140	109hp JCB	4 PS	40kph	£100,616
Loadall 536-95 Agri Super Powershift 4	9.5m	3.6t	1.6t	std	V 140	130hp JCB	4 PS	40kph	£112,411
Loadall 536-95 Agri Super AutoShift 6	9.5m	3.6t	1.6t	std	V 140	130hp JCB	6 PS	40kph	£115,301
Loadall 536-95 Agri Super DualTech VT	9.5m	3.6t	2t	std	V 140	130hp JCB	1 H + 3 PSD	40kph	£117,709
Loadall 536-95 Agri Xtra AutoShift 6	9.5m	3.6t	1.6t	std	V 140	150hp JCB	6 PS	40kph	£119,738
Loadall 536-95 Agri Xtra DualTech VT	9.5m	3.6t	2t	std	V 140	150hp JCB	1 H + 3 PSD	40kph	£122,417

Note: 530-60 Agri Super available with 20in tyres for 23cm ground clearance, 2.02m overall height and width or 24in tyres for 35cm ground clearance, 2.14m height, 2.12m width. 525-60 - optional separate engine speed and ground speed control; 530-60 Super - standard separate engine speed and ground speed control; all DualTech VT models have separate engine and ground speed control, and rear-wheel drive at road speeds with option to select four-wheel drive. TorqueLock 4 - four-speed manual powershift with torque converter lock-up; Powershift 4 - four-speed manual powershift; AutoShift 6 - six-speed manual/automatic powershift with torque converter lock-up; DualTech VT - multi-mode, hydrostatic to 19kph (22kph on 50kph version) then three-speed direct-drive auto powershift. All models from 532-60 Agri have seat-mounted servo joystick; Agri Super adds 130hp engine, boom suspension and optional LED lighting; Agri Xtra adds regular or auto air-conditioning, LED lighting, limited-slip front axle, boom extension dust covers and centralised greasing on 7m and 8m versions; Agri Pro adds 173hp, 160-litre/min hydraulics, 50kph DualTech VT, 500mm-wide tyres and half leather seat. **560-80 Agri Super Powershift 4 top speeds depend upon tyre size.

KNIKMOPS									
Central cab, articulated chassis steering									*ADDITIONAL MODELS
KM100 Tele*	2.96m	0.8t	0.32t	n/a	F 33	25hp Kubota	1 H	18kph	£24,415
KM125 Tele*	3.2m	0.85t	0.38t	n/a	F 45	25hp Kubota	2 HH	20kph	£28,595
KM130 Tele	3.2m	0.85t	0.38t	n/a	F 42	36hp Kubota	1 H	20kph	£34,835
KM140 Tele*	3.2m	0.94t	0.6t	n/a	F 48	37hp Yanmar	1 H	20kph	£30,630
KM180 Tele	3.31m	1.3t	0.61t	n/a	F 50	43hp Kubota	2 HH	20kph	£36,200
KM250 Tele	3.55m	1.7t	0.71t	n/a	F 62	49hp Kubota	2 HH	20kph	£38,985

Note: All models have hydrostatic wheel motor drive.

KRAMER									
Central cab, permanent four-wheel or selectable two/four-wheel steering									
KL25.5T	4m	1.65t	1.65t	£1,165	F 70	56hp Yanmar	2 HH	27kph	£79,097
Central cab, selectable two/four-wheel steering									
KL30.8T	4.48m	2t	2t	£1,156	F 84	75hp Deutz	2 HH	30/40kph	£97,843
KL35.8T	4.5m	2.3t	2.3t	£1,156	F 84	100hp Deutz	3 HH	30/40kph	£105,824
KL55.8T Ecospeed Pro	5.2m	3.9t	3.9t	std	V 187	156hp Deutz	3 HH	40kph	£163,964
Offset cab, selectable two/four-wheel steering									FEWER MODELS
KT306, KT507 and KT429									DISCONTINUED

Model	Max lift height	Max lift capacity	Lift to full height	Boom cushion	Hydraulics (litres/min) F - gear pump; V - piston pump	Engine output; make	Transmission - ranges and drive	Transmission - top speed	List price (ex-VAT)
KT144 Hydrostat	4.28m	1.45t	1.45t	no	F 42	45hp Yanmar	2 HH	30kph	£64,838
KT276 Hydrostat	5.73m	2.7t	2.5t	std	F 90	75hp Kohler	3 HH	30kph	£95,241
KT356 Ecospeed	6.15m	3.5t	3t	std	V 140	136hp Deutz	3 HH	40kph	£123,496
KT307 Hydrostat	7m	3t	2t	£1,201	F 100	136hp Deutz	3 HH	30kph	£121,676
KT357 Ecospeed	7m	3.5t	2.2t	std	V 140	136hp Deutz	3 HH	40kph	£128,083
KT407 Ecospeed	7m	4t	2.4t	std	V 140	136hp Deutz	3 HH	40kph	£130,394
KT457 Ecospeed	7.01m	4.5t	3.3t	std	V 140	136hp Deutz	3 HH	40kph	£142,870
KT557 Ecospeed Pro	7.01m	5.5t	4t	std	V 187	156hp Deutz	3 HH	40kph	£159,914
KT559 Ecospeed Pro	8.75m	5.5t	5.5t	std	V 187	156hp Deutz	3 HH	40kph	£166,940
KT3610 Ecospeed	9.5m	3.6t	1.5t	std	V 140	136hp Deutz	3 HH	40kph	£142,451

Note: Ecospeed Pro models have transmission with fixed displacement motor in addition to variable displacement pump enabling lower engine speed at 40kph.

MANITOU									
Central cab, articulated chassis steering									
MLA-T 516-75H Essential	4.9m	1.6t	1.2t	poa	F 70	75hp Deutz	2 HH or 3 HH	20/30kph	poa
MLA-T 516-75H Classic	4.9m	1.6t	1.2t	poa	F 70	75hp Deutz	2 HH or 3 HH	20/30kph	poa
MLA-T 516-75H Premium	4.9m	1.6t	1.2t	std	F 70	75hp Deutz	3 HH	30kph	poa
MLA-T 533-145 V+ Classic	5.2m	3.3t	3.3t	£2,312	V 158	143hp Deutz	SRH CVT	40kph	£113,151
MLA-T 533-145 V+ Premium	5.2m	3.3t	3.3t	£2,312	V 158	143hp Deutz	SRH CVT	40kph	£118,140
MLA-T 533-145 V+ Elite	5.2m	3.3t	3.3t	std	V 158	143hp Deutz	SRH CVT	40kph	£125,485

Note: MLA-T 516-75H has independent engine/ground speed control as standard; two speeds derived from hydrostatic pump swash plate limiter.

Offset cab, selectable two/four-wheel steering									*NEW MODELS
ULM 412 H Essential*	4.3m	1.25t	1.25t	no	F 48 or F 62	35hp Yanmar	2 HH	25kph	£52,815
ULM 412 H Comfort*	4.3m	1.25t	1.25t	no	F 48 or F 62	35hp Yanmar	2 HH	25kph	£57,007
ULM 412 H Classic*	4.3m	1.25t	1.25t	no	F 48 or F 62	35hp Yanmar	2 HH	25kph	£60,592
ULM 415 H Essential*	4.3m	1.5t	1.5t	no	F 48 or F 62	35hp Yanmar	2 HH	25kph	£54,753
ULM 415 H Comfort*	4.3m	1.5t	1.5t	no	F 48 or F 62	35hp Yanmar	2 HH	25kph	£58,945

PEREGRINE FINANCE

Peregrine can offer finance for new & used machinery including tractors and telehandlers

Decades of experience providing finance facilities to Agricultural UK businesses

01904 405299

salesdesk@peregrinefinance.co.uk

www.peregrinefinance.co.uk

Model	Max lift height	Max lift capacity	Lift to full height	Boom cushion	Hydraulics (litres/min) F - gear pump; V - piston pump	Engine output; make	Transmission - ranges and drive	Transmission - top speed	List price (ex-VAT)
ULM 415 H Classic*	4.3m	1.5t	1.5t	no	F 48 or F 62	35hp Yanmar	2 HH	25kph	£62,531
MLT 420-60H Classic	4.35m	2t	2t	no	F 77	57hp Kubota	2 GH	25kph	£81,568
MLT 420-60H Premium	4.35m	2t	2t	no	F 77	57hp Kubota	2 GH	25kph	£85,805
MLT 625-75 H Classic	5.9m	2.5t	2t	£2,523	F 90	75hp Kubota	2 GH	25kph	£82,900
MLT 625-75 H Premium	5.9m	2.5t	2t	£2,523	F 90	75hp Kubota	2 GH	25kph	£87,137
MLT 625-75 H Elite	5.9m	2.5t	2t	std	F 90	75hp Kubota	2 GH	25kph	£90,869
MLT 630-115 VCP Classic	6m	3t	2.7t	£2,523	F 104	116hp Deutz	2 HH	38kph	£97,868
MLT 630-115 VCP Premium	6m	3t	2.7t	£2,523	F 104	116hp Deutz	2 HH	38kph	£103,239
MLT 630-115 VCP Elite	6m	3t	2.7t	std	F 104	116hp Deutz	2 HH	38kph	£109,959
MLT 635-130 PS+ Classic	6.08m	3.5t	3.5t	£2,523	V 150	129hp Deutz	6 PS	40kph	£117,923
MLT 635-130 PS+ Premium	6.08m	3.5t	3.5t	£2,523	V 150	129hp Deutz	6 PS	40kph	£122,871
MLT 635-130 PS+ Elite	6.08m	3.5t	3.5t	std	V 150	129hp Deutz	6 PS	40kph	£127,063
MLT 635-140 V+ Classic	6.08m	3.5t	3.5t	£2,523	V 170	136hp Deutz	SRH CVT	40kph	£120,099
MLT 635-140 V+ Premium	6.08m	3.5t	3.5t	£2,523	V 170	136hp Deutz	SRH CVT	40kph	£126,037
MLT 635-140 V+ Elite	6.08m	3.5t	3.5t	std	V 170	136hp Deutz	SRH CVT	40kph	£133,131
MLT 630-115 V Classic	6.1m	3t	2.7t	£2,523	F 104	116hp Deutz	2 HH	40kph	£99,248
MLT 630-115 V Premium	6.1m	3t	2.7t	£2,523	F 104	116hp Deutz	2 HH	40kph	£104,619
MLT 630-115 V Elite	6.1m	3t	2.7t	std	F 104	116hp Deutz	2 HH	40kph	£111,339
MLT 630-115 Classic	6.1m	3t	2.7t	£2,523	F 104	116hp Deutz	4 MS	40kph	£99,248
MLT 630-115 Premium	6.1m	3t	2.7t	£2,523	F 104	116hp Deutz	4 MS	40kph	£104,619
MLT 630-115 Elite	6.1m	3t	2.7t	std	F 104	116hp Deutz	4 MS	40kph	£111,339
MLT 730-115 VC P Classic	6.85m	3t	2t	£2,523	F 104	116hp Deutz	2 HH	38kph	£101,977
MLT 730-115 VC P Premium	6.85m	3t	2t	£2,523	F 104	116hp Deutz	2 HH	38kph	£107,348
MLT 730-115 VC P Elite	6.85m	3t	2t	std	F 104	116hp Deutz	2 HH	38kph	£114,068
MLT 733-115 Classic	6.9m	3.3t	3.3t	£2,523	F 104	116hp Deutz	4 MS	32kph	£105,339
MLT 733-115 Premium	6.9m	3.3t	3.3t	£2,523	F 104	116hp Deutz	4 MS	32kph	£110,276
MLT 733-115 LSU Classic	6.9m	3.3t	3.3t	£2,523	V 150	116hp Deutz	4 MS	32kph	£109,795
MLT 733-115 LSU Premium	6.9m	3.3t	3.3t	£2,523	V 150	116hp Deutz	4 MS	32kph	£114,732
MLT 737-130 PS+ Classic	6.9m	3.7t	2.7t	£2,523	V 150	129hp Deutz	6 PS	40kph	£121,076
MLT 737-130 PS+ Premium	6.9m	3.7t	2.7t	£2,523	V 150	129hp Deutz	6 PS	40kph	£126,024
MLT 737-130 PS+ Elite	6.9m	3.7t	2.7t	std	V 150	129hp Deutz	6 PS	40kph	£130,216
MLT 741-130 PS+ Classic	6.9m	4.1t	2.7t	£2,523	V 150	129hp Deutz	6 PS	40kph	£121,979
MLT 741-130 PS+ Premium	6.9m	4.1t	2.7t	£2,523	V 150	129hp Deutz	6 PS	40kph	£126,927
MLT 741-130 PS+ Elite	6.9m	4.1t	2.7t	std	V 150	129hp Deutz	6 PS	40kph	£133,640
MLT 741-140 V+ Classic	6.9m	4.1t	2.7t	£2,523	V 170	136hp Deutz	SRH CVT	40kph	£124,615
MLT 741-140 V+ Premium	6.9m	4.1t	2.7t	£2,523	V 170	136hp Deutz	SRH CVT	40kph	£130,553
MLT 741-140 V+ Elite	6.9m	4.1t	2.7t	std	V 170	136hp Deutz	SRH CVT	40kph	£137,647
MLT 730-115 V Classic	6.95m	3t	2t	£2,523	F 104	116hp Deutz	2 HH	40kph	£103,361
MLT 730-115 V Premium	6.95m	3t	2t	£2,523	F 104	116hp Deutz	2 HH	40kph	£108,732
MLT 730-115 V Elite	6.95m	3t	2t	std	F 104	116hp Deutz	2 HH	40kph	£115,452
MLT 841-145 PS+ L Classic	7.6m	4.1t	2t	£2,523	V 200	141hp Yanmar	5 PS	40kph	£132,708
MLT 841-145 PS+ L Premium	7.6m	4.1t	2t	£2,523	V 200	141hp Yanmar	5 PS	40kph	£137,535
MLT 841-145 PS+ L Elite	7.6m	4.1t	2t	std	V 200	141hp Yanmar	5 PS	40kph	£144,671
MLT 841-145 PS+ L Platinum	7.6m	4.1t	2t	std	V 200	141hp Yanmar	5 PS	40kph	£155,613
MLT 850-145 V+ Premium*	7.6m	5t	2.5t	£2,523	V 200	141hp Yanmar	SRH CVT	40kph	£145,381
MLT 850-145 V+ Elite*	7.6m	5t	2.5t	std	V 200	141hp Yanmar	SRH CVT	40kph	£152,928
MLT 850-145 V+ Platinum*	7.6m	5t	2.5t	std	V 200	141hp Yanmar	SRH CVT	40kph	£164,627
MLT 940-140 V+ Classic	9m	4t	1.5t	£2,523	V 170	136hp Deutz	SRH CVT	40kph	£129,001
MLT 940-140 V+ Premium	9m	4t	1.5t	£2,523	V 170	136hp Deutz	SRH CVT	40kph	£134,940
MLT 940-140 V+ Elite	9m	4t	1.5t	std	V 170	136hp Deutz	SRH CVT	40kph	£142,033
MLT 961-160 V+ L Classic	9m	6t	4t	£2,523	V 200	156hp Yanmar	SRH CVT	40kph	£146,567
MLT 961-160 V+ L Premium	9m	6t	4t	£2,523	V 200	156hp Yanmar	SRH CVT	40kph	£153,227
MLT 961-160 V+ L Elite	9m	6t	4t	std	V 200	156hp Yanmar	SRH CVT	40kph	£159,559
MLT 961-160 V+ L Platinum	9m	6t	4t	std	V 200	156hp Yanmar	SRH CVT	40kph	£171,517
MLT 1041-145 PS+ L Classic	9.65m	4.1t	2.5t	£2,523	V 200	141hp Yanmar	5 PS	40kph	£140,956
MLT 1041-145 PS+ L Premium	9.65m	4.1t	2.5t	£2,523	V 200	141hp Yanmar	5 PS	40kph	£145,787
MLT 1041-145 PS+ L Elite	9.65m	4.1t	2.5t	std	V 200	141hp Yanmar	5 PS	40kph	£152,925
MLT 1041-145 PS+ L Platinum	9.65m	4.1t	2.5t	std	V 200	141hp Yanmar	5 PS	40kph	£163,865

Note: VC P - hydrostatic drive, compact chassis (low height cab); PS+ - powershift with inching function; V - regular hydrostatic drive; V+ - twin motor hydrostatic drive with auto functions; L - front axle based hydraulic machine levelling. Air conditioning and easy connect system standard on Premium, Elite and Platinum versions.

MASSEY FERGUSON

Offset cab, selectable two/four-wheel steering									
TH.6030 Essential Low Profile	5.89m	3t	2.5t	std	F 100	100hp Doosan	2 HH	40kph	£82,800
TH.6030 Essential	5.89m	3t	2.5t	std	F 100	100hp Doosan	2 HH	40kph	£82,800
TH.6030 Efficient Low Profile	5.89m	3t	2.5t	std	F 100	100hp Doosan	2 HH	40kph	£86,490

Model	Max lift height	Max lift capacity	Lift to full height	Boom cushion	Hydraulics (litres/min) F - gear pump; V - piston pump	Engine output; make	Transmission - ranges and drive	Transmission - top speed	List price (ex-VAT)
TH.6030 Efficient	5.89m	3t	2.5t	std	F 100	100hp Doosan	2 HH	40kph	£86,490
TH.6534 Essential	6.41m	3.4t	3.4t	std	V 190	130hp Doosan	4 GH	40kph	£97,910
TH.6534 Efficient	6.41m	3.4t	3.4t	std	V 190	130hp Doosan	4 GH	40kph	£101,450
TH.6534 Exclusive	6.41m	3.4t	3.4t	std	V 190	130hp Doosan	4 GH	40kph	£111,160
TH.7030 Essential Low Profile	6.7m	3t	2t	std	F 100	100hp Doosan	2 HH	40kph	£87,040
TH.7030 Essential	6.7m	3t	2t	std	F 100	100hp Doosan	2 HH	40kph	£87,040
TH.7030 Efficient Low Profile	6.7m	3t	2t	std	F 100	100hp Doosan	2 HH	40kph	£90,730
TH.7030 Efficient	6.7m	3t	2t	std	F 100	100hp Doosan	2 HH	40kph	£90,730
TH.7035 Essential	6.97m	3.5t	3.5t	std	F 100	100hp Doosan	4 GH	40kph	£95,070
TH.7035 Efficient	6.97m	3.5t	3.5t	std	F 100	100hp Doosan	4 GH	40kph	£98,610
TH.7035 Exclusive	6.97m	3.5t	3.5t	std	F 100	100hp Doosan	4 GH	40kph	£108,310
TH.7038 Essential	6.97m	3.8t	3.5t	std	V 190	135hp Doosan	4 GH	40kph	£102,420
TH.7038 Efficient	6.97m	3.8t	3.5t	std	V 190	135hp Doosan	4 GH	40kph	£105,950
TH.7038 Exclusive	6.97m	3.8t	3.5t	std	V 190	135hp Doosan	4 GH	40kph	£115,660
TH.8043 Essential	7.5m	4.3t	2.6t	std	V 190	135hp Doosan	4 GH	40kph	£111,420
TH.8043 Effective	7.5m	4.3t	2.6t	std	V 190	135hp Doosan	4 GH	40kph	£114,960
TH.8043 Exclusive	7.5m	4.3t	2.6t	std	V 190	135hp Doosan	4 GH	40kph	£124,660

Note: All models have semi-cab steering mode with operator-set rear-wheel angle and steering via the front wheels in addition to full-cab, four-wheel and two-wheel steering. Models with four-speed transmissions have two mechanical gears and two hydrostatic ranges. Efficient specification adds selectable independent ground/engine speed control, auto boom suspension, auto reversing engine cooling fan, heated air seat, audio upgrade. Exclusive adds hydraulic implement attachment, boom float and bucket shake, auto third hydraulics function with adjustable flow/timer, pre-wiring for fourth/fifth functions, armrest-mounted joystick, air conditioning, 7in colour display for settings and audio, side window washer/wiper.

MERLO

Central standing position, track skid steering									
M12.3 Eco Handler 400*	3.4m	0.4t	0.4t	no	F 27+8	21hp Kubota	1 H	5kph	£27,442
Offset cab, two-wheel steering									
eWorker 25.5-90 (4wd)*	4.8m	2.5t	1.5t	£1,810	V 42	960Ah lead acid	1 E	25kph	£109,368



Successful farmers never stop learning

The **Farmers Weekly Learning Centre** is where you can improve your career prospects and agricultural knowledge through online courses. Browse our **growing library of CPD Collections** to find a course that will help you.



FWi.co.uk/learning-centre



BASiS



Dairy Pro



NROSO
National Register of Sprayer Operators



RoSA

ULTIMATE GUIDE TELEHANDLERS

Model	Max lift height	Max lift capacity	Lift to full height	Boom cushion	Hydraulics (litres/min) F - gear pump; V - piston pump	Engine output; make	Transmission - ranges and drive	Transmission - top speed	List price (ex-VAT)
Offset cab, selectable two/four-wheel steering									*NEW MODELS
TF42.7 145 variants and TF38.10 145 variants									DISCONTINUED
P27.6 Plus	5.9m	2.7t	1.8t	£2,083	F 95	75hp Kohler	1 H	40kph	£75,339
P27.6 Top	5.9m	2.7t	1.8t	£2,083	F 95	75hp Kohler	1 H	40kph	£76,853
TF33.7-115	6.6m	3.3t	2.6t	£2,083	V 125	115hp Deutz	2 H	40kph	£97,212
TF33.7-115L	6.6m	3.3t	2.6t	£2,083	V 125	115hp Deutz	2 H	40kph	£97,212
TF35.7-140	6.6m	3.5t	3.5t	£2,083	V 125	136hp Deutz	2 H	40kph	£103,061
TF35.7 CS-140	6.6m	3.5t	3.5t	£2,083	V 125	136hp Deutz	2 H	40kph	£107,829
TF42.7-136*	7m	4.2t	3.5t	£2,083	V 150	136hp Deutz	2 H	40kph	£117,285
TF42.7 CS-136*	7m	4.2t	3.5t	£2,083	V 150	136hp Deutz	2 H	40kph	£122,284
TF42.7 CS-145 CVTronic	7m	4.2t	3.5t	£2,083	V 150	140hp Deutz	CVT	40kph	£132,233
TF42.7 TT-136*	7.2m	4.2t	3.5t	£2,083	V 150	136hp Deutz	2 H	40kph	£124,578
TF42.7 TT CS-136*	7.2m	4.2t	3.5t	£2,083	V 150	136hp Deutz	2 H	40kph	£127,959
TF42.7 TT CS-145 CVTronic	7.2m	4.2t	3.5t	£1,877	V 150	143hp Deutz	CVT	40kph	£134,714
TF50.8 T-170-HF	7.8m	5t	5t	std	V 160	170hp FPT	2 H	40kph	£127,979
TF50.8 T CS-170-HF	7.8m	5t	5t	std	V 160	170hp FPT	2 H	40kph	£133,220
TF50.8 T CS-170-HF CVTronic	7.8m	5t	5t	std	V 160	170hp FPT	CVT	40kph	£137,949
TF30.9-115*	8.6m	3t	1.2t	£2,083	V 125	115hp Deutz	2 H	40kph	£104,073
TF30.9-115L*	8.6m	3t	1.2t	£2,083	V 125	115hp Deutz	2 H	40kph	£104,073
TF33.9-140	8.6m	3.3t	1.75t	£2,083	V 125	136hp Deutz	2 H	40kph	£109,972
TF33.9 CS-140	8.6m	3.3t	1.75t	£2,083	V 125	136hp Deutz	2 H	40kph	£114,741
TF65.9 T CS-170-HF	8.8m	6.5t	5t	£2,083	V 160	170hp FPT	2 H	40kph	£154,607
TF65.9 T CS-170-HF MCVTronic	8.8m	6.5t	5t	£2,083	V 160	170hp FPT	CVT	40kph	£164,445
TF38.10-136*	9.5m	3.8t	1.7t	£2,083	V 150	136hp Perkins	2 H	40kph	£123,235
TF38.10 CS-136*	9.5m	3.8t	1.7t	£2,083	V 150	136hp Perkins	2 H	40kph	£128,236
TF38.10 CS-145 CVTronic	9.5m	3.8t	1.5t	£1,877	V 150	143hp Deutz	CVT	40kph	£133,622
TF38.10 TT-136*	9.7m	3.8t	3t	£2,083	V 150	136hp Perkins	2 H	40kph	£129,285
TF38.10 TT CS-136*	9.7m	3.8t	3t	£2,083	V 150	136hp Perkins	2 H	40kph	£135,025
TF38.10 TT CS-145 CVTronic	9.7m	3.8t	3t	£2,083	V 150	143hp Deutz	CVT	40kph	£140,340
TF45.11 T-170-HF	10.6m	4.5t	3.5t	std	V 150	170hp FPT	2 H	40kph	£133,814
TF45.11 T CS-170-HF	10.6m	4.5t	3.5t	std	V 150	170hp FPT	CVT	40kph	£139,055
TF45.11 T CS-170-HF CVTronic	10.6m	4.5t	3.5t	std	V 150	170hp FPT	CVT	40kph	£144,392
Offset cab, selectable two/four-wheel steering, integral rear linkage									*NEW MODELS
MF44.7 CS-CVT*	6.8m	4.4t	4.4t	std	V 150	170hp FPT	CVT	40kph	£153,674
MF34.7	6.85m	3.4t	3.4t	£2,083	V 145	136hp Deutz	2 H	40kph	£129,255
MF34.7 CS	6.85m	3.4t	3.4t	£2,083	V 145	136hp Deutz	2 H	40kph	£133,127
MF34.7 CS-CVT	6.85m	3.4t	3.4t	£2,083	V 145	136hp Deutz	CVT	40kph	£141,930
MF44.9 CS-CVT*	8.8m	4.4t	4.4t	std	V 150	170hp FPT	CVT	40kph	£159,311
MF34.9	8.85m	3.4t	3t	£2,083	V 145	136hp Deutz	2 H	40kph	£134,301
MF34.9 CS	8.85m	3.4t	3t	£2,083	V 145	136hp Deutz	2 H	40kph	£138,173
MF34.9 CS-CVT	8.85m	3.4t	3t	£2,083	V 145	136hp Deutz	CVT	40kph	£146,975
Note: L - low-mounted cab; CS - cab suspension standard; TT - levelling and sideshift front axle; CVT - twin hydraulic motor stepless transmission. MF (Multifarmer) models are equipped with integral 7,000kg rear linkage, two-speed mechanical rear pto and trailer braking system.									
MULTIONE									
Central cab, articulated chassis steering									*ADDITIONAL MODELS
6.3S K and 9.6									DISCONTINUED
2.3 EFi*	1.6m	0.56t	n/a	no	F 42	26.5hp Kohler	1 H	15kph	£14,780
4.2 K	2.75m	0.8t	n/a	option	F 31	20hp Kubota	1 H	14kph	£19,700
5.2 K	2.75m	0.82t	n/a	option	F 34	25hp Kubota	1 H	14kph	£20,500
5.3 K	2.75m	0.9t	n/a	option	F 50	25hp Kubota	1 H	12.5kph	£23,300
EZ 5*	2.75m	0.89t	n/a	option	F 35	10.8kWhr battery	1 H	12kph	£33,000
7.2 K	2.92m	1.38t	n/a	option	F 40	25hp Kubota	1 H	9kph	£25,800
6.3+ K	2.92m	1.12t	n/a	option	F 50	25hp Kubota	1 H	9kph	£26,500
EZ 8	2.98m	1.42t	n/a	option	F 35	20.5kWhr battery	1 H	12kph	£40,400
EZ 7	2.98m	1.65t	n/a	option	F 35	16.5kWhr battery	1 H	12kph	£34,100
8.4S K	2.98m	1.47t	n/a	option	F 53	26hp Kubota	2 HH	22kph	£32,100
8.5S K	3.2m	1.64t	n/a	option	F 83	57hp Kohler	2 HH	26kph	£38,200
11.6K*	3.7m	2.54t	n/a	option	F 84	57hp Kohler	2 HH	30kph	£44,800
11.9K*	3.7m	2.62t	n/a	option	F 95	75hp Kohler	2 HH	35kph	£46,000
Note: Lift capacity measured with chassis straight and with rear weights. Distributed by Compact Loaders.									
NEW HOLLAND									
Offset cab, selectable two/four-wheel steering									
TH5.26	5.68m	2.6t	2.6t	tbc	F 80	74hp Kubota	1 H	30kph	£81,013

Model	Max lift height	Max lift capacity	Lift to full height	Boom cushion	Hydraulics (litres/min) F - gear pump; V - piston pump	Engine output; make	Transmission - ranges and drive	Transmission - top speed	List price (ex-VAT)
TH6.32 Classic	6.05m	3.2t	3.2t	std	V 140	133hp FPT	4 PS	34kph	£107,057
TH6.36 Plus	6.05m	3.6t	3.6t	std	V 140	133hp FPT	6 PS	34kph	£116,924
TH6.36 Elite	6.05m	3.6t	3.6t	std	V 140	146hp FPT	6 PS	40kph	£124,596
TH6.28	6.35m	2.8t	2.8t	tbc	F 100	108hp Kubota	2 H	40kph	tbc
TH7.32 Classic	7m	3.2t	2.5t	std	V 140	133hp FPT	4 PS	34kph	£108,697
TH7.32 Plus	7m	3.2t	2.5t	std	V 140	133hp FPT	6 PS	34kph	£117,652
TH7.37 Classic	7m	3.7t	2.5t	std	V 140	133hp FPT	4 PS	34kph	£112,297
TH7.37 Plus	7m	3.7t	2.5t	std	V 140	133hp FPT	6 PS	34kph	£120,376
TH7.37 Elite	7m	3.7t	2.5t	std	V 140	146hp FPT	6 PS	40kph	£128,221
TH7.42 Plus	7m	4.2t	2.5t	std	V 140	133hp FPT	6 PS	34kph	£123,282
TH7.42 Elite	7m	4.2t	2.5t	std	V 140	146hp FPT	6 PS	40kph	£130,949
TH9.35 Classic	9.15m	3.5t	1.5t	std	V 140	133hp FPT	4 PS	34kph	£116,863
TH9.35 Plus	9.15m	3.5t	1.5t	std	V 140	133hp FPT	6 PS	34kph	£125,818
TH9.35 Elite	9.15m	3.5t	1.5t	std	V 140	146hp FPT	6 PS	40kph	£133,645
Note: Classic - limited slip front and rear axle differentials, reversible cooling fan, increased dump angle; Plus - air suspension seat, air conditioning as standard, hydraulic attachment quick coupler; Elite - armrest-mounted joystick, extra lighting, heated seat, auto steering alignment, rear electric sockets, external front-end hydraulic pressure release.									
SCHÄFFER									
Central cab, articulated chassis steering									
2630 T SLT	3.72m	1.6t	1.08t*	opt	F 38	25hp Kubota	2 H	20kph	£46,816
3650 T SLT	3.85m	1.95t	1.2t*	opt	F 52	50hp Kubota	2 H	20/30kph	£56,955
3650 T	3.85m	1.95t	1.2t*	opt	F 51 or F 60	50hp Kubota	2 H	20/30kph	£61,726
3650 T	3.85m	1.95t	1.2t*	opt	F 51 or F 60	58hp Kubota	2 H	20/30kph	£62,720
4670 T	4.3m	2.4t	2.11t	opt	F 60 or F 70	66hp Kubota	2 H	20/30kph	£68,286
5680 T	4.74m	2.4t	1.6t*	std	F 64 or F 76	75hp Deutz	2 H	20/30kph	£73,753
6680 T-2	4.95m	3.1t	2.8t*	std	F 76 or F 88 or V 104	75hp Deutz	2 H	40kph	£83,494
8620 T-2	5.2m	4.2t	3.8t*	std	F 106 or F 125	102hp Deutz	2 H	20kph	£93,832
8620 T-2	5.2m	4.2t	3.8t*	std	F 106 or F 125 or V 145	130hp Deutz	2 H	40kph	£98,802
9640 T-2	5.4m	4.2t	4.2t*	std	V 145	143hp Deutz	2 H	40kph	£118,162
9660 T-2	6.1m	5.3t	4.8t*	std	V 196	177hp Deutz	2 H	30kph	£144,326
9660 T-2	6.1m	5.3t	4.8t*	std	V 196 or V 230	204hp Deutz	2 H	40kph	£154,365
Note: 3650 T SLT is a low-profile model with open platform only; overall height 2.10m versus standard version at 2.29m or 2.21m with cab; *payload using forks.									
TOBROCO-GIANT									
Central cab, articulated chassis steering									
Giant G1100 Tele	2.8m	0.75t	0.45t	£1,415	F 28 option + F 39	20hp Kubota	1 H	15kph	£27,700
Giant G1200 Tele	2.8m	0.75t	0.45t	£1,415	F 28 option + F 39	25hp Kubota	1 H	15 or 19kph	£28,670
Giant G3500 Tele	4.3m	2.4t	1.2t	£1,567	F 70 option + F 50	66hp Kubota	2 GH	30/35kph	£58,100
Giant G5000 Tele	4.3m	2.8t	2.18t	£1,759	F 78 option + F 135	75hp Kubota	2 GH	30/35kph	£65,300
Offset cab, selectable two/four-wheel steering									
Giant GT5048 Tendo HD	4.8m	1.7t	1.2t	no	F 51	50hp Kubota	2 GH	25kph	£52,600
WEIDEMANN									
Central cab, articulated chassis steering									
2080 LPT	4.29m	2t	2t	£1,225	F 57	61hp Deutz	2 H	20/28kph	£64,200
2080 T	4.29m	2t	2t	£1,225	F 56 or F 63	61hp Deutz	2 H	20/28kph	£74,100
2080 T	4.29m	2t	2t	£1,225	F 56, F 63 or F 74	75hp Deutz	2 H	20/28kph	£78,800
3080 LPT	4.99m	2.2t	2.2t	std	F 73 or F 103	75hp Deutz	2 H	20/30kph	£83,750
3080 T	4.99m	2.2t	2.2t	std	F 73 or F 103	75hp Deutz	2 H	20/30kph	£83,750
4080 LPT	5.07m	2.5t	2.5t	std	F 73 or F 83	75hp Deutz	2 H	20/30kph	£85,700
4080 T	5.07m	2.6t	2.6t	std	F 100 or V 150	102hp Perkins	2 H	30/40kph	£91,500
5080 T	5.09m	3t	3t	std	F 100 or V 150	136hp Perkins	2 H	30/40kph	£100,700
9580 T	5.48m	3.9t	3.9t	std	V 150 or V 180	136hp Deutz	3 H	30/40kph	£172,000
9580 T	5.48m	3.9t	3.9t	std	V 150 or V 180	156hp Deutz	3 H	30/40kph	£181,000
Offset cab, selectable two/four-wheel steering									
T4512 esDrive	4.5m	1.25t	1.1t	no	F 42 or F 70	45hp Yanmar	2 H	20/30kph	£57,500
T5522	5.5m	2.2t	1.7t	std	F 70 or F 100	61hp Perkins	2 H	20/30kph	£69,100
T6027	6m	2.7t	2.5t	std	F 90	75hp Kohler	3 H	20/30kph	£85,200
T7035	7m	3.5t	2t	std	F 139 or F 187	102hp Perkins	2 H	30/40kph	£112,800
T7035	7m	3.5t	2t	std	F 139 or F 187	122hp Perkins	2 H	30/40kph	£113,350
T7035	7m	3.5t	2t	std	F 139 or F 187	136hp Perkins	2 H	30/40kph	£113,950
T7042	7m	4.2t	2.5t	std	F 139 or F 187	122hp Perkins	2 H	30/40kph	£118,100
T7042	7m	4.2t	2.5t	std	F 139 or F 187	136hp Perkins	2 H	30/40kph	£118,700
Note: T4512 esDrive has auto full performance, eco (reduced revs driving speed), selectable independent ground/engine speed control with overload protection, and pedal speed control modes.									