Pickups

For all vehicles except the Foers Ibex and Munro Mk_1, the prices shown are 'on the road' including VAT, vehicle excise duty, DVLA first registration fee, delivery and number plates. VAT registered businesses may be able to reclaim the VAT on models that meet HM Revenues & Customs qualification as a commercial vehicle - ie weighing no more than 3,500kg and with at least 1t payload capacity.

Make	Cab / Seating	Engine size / Power Battery capacity / Power	Rear axle suspension	Wheelbase	Kerb weight	Payload capacity	Cargo box length x width x height	Braked towing capacity	OTR price including VAT
FOERS IBEX								* N	EW MODEL
Transmission: 5-speed (£2,659)	l manual 4wd higl	h/low, optional transfer g	earbox limited	slip differential	(£414) and I	imited slip (£	840) or locking front and	rear axle diffe	rentials
F8 240 Pick Up	Single / 2	D / 2,500cc / 111hp	coil	2,410mm	1,750kg	1,000kg	1,135 x 1,520 x 550mm	3,500kg	£56,400
F8 250 Pick Up	Single / 2	D / 2,500cc / 111hp	coil	2,515mm	1,800kg	1,250kg	1,240 x 1,520 x 550mm	3,500kg	£56,400
F8 300 Pick Up	Single / 2	D / 2,500cc / 111hp	coil	3,165mm	1,950kg	1,550kg	1,890 x 1,520 x 550mm	3,500kg	£57,834
F8 300 Pick Up	Crew / 5	D / 2,500cc / 111hp	coil	3,165mm	2,020kg	1,480kg	1,135 x 1,520 x 550mm	3,500kg	£61,750
F8 240 Pick Up V8 *	Single / 2	P / 6,200cc / 430hp	coil	2,410mm	1,750kg	1,000kg	1,135 x 1,520 x 550mm	3,500kg	£94,750
F8 250 Pick Up V8 *	Single / 2	P / 6,200cc / 430hp	coil	2,515mm	1,800kg	1,250kg	1,240 x 1,520 x 550mm	3,500kg	£94,750
F8 300 Pick Up V8 *	Single / 2	P / 6,200cc / 430hp	coil	3,165mm	1,950kg	1,550kg	1,890 x 1,520 x 550mm	3,500kg	£95,950
F8 300 Pick Up V8 *	Crew / 5	P / 6,200cc / 430hp	coil	3,165mm	2,020kg	1,480kg	1,135 x 1,520 x 550mm	3,500kg	£99,300

Note: Prices are for vehicle with a used powertrain. Payloads are with Heavy Duty suspension; Super Heavy Duty option available. The lbex is available in a number of standard configurations and also to bespoke specifications in 4x4 and 6x6 configurations using new, used or remanufactured components from donor vehicles. Engines include Land Rover four- and five-cylinder diesel, BMW six-cylinder diesel and V8 petrol options; automatic transmission and different rear suspension installations also available.

FORD RANGER								N	EW RANGE
Transmission: 6-speed	l manual, 2wd hi	gh, 4wd/low/high							
XL Chassis Cab 2.0L	Single / 2	D / 1,996cc / 170hp	Leaf	3,270mm	na	1,358kg	n/a	n/a	£33,060
XL 2.0L	Single / 2	D / 1,996cc / 170hp	Leaf	3,270mm	1,990kg	1,200kg	2,332 x 1,584 x 511mm	3,500kg	£33,930
XL 2.0L	Double / 5	D / 1,996cc / 170hp	Leaf	3,270mm	2,123kg	1,067kg	1,564 x 1,584 x 511mm	3,500kg	£35,760
XLT 2.0L	Double / 5	D / 1,996cc / 170hp	Leaf	3,270mm	2,132kg	1,098kg	1,564 x 1,584 x 511mm	3,500kg	£37,380
Transmission: 10-spee	d auto full-time	4wd low/high, locking rea	r axle diffe	rential					
Tremor 2.0L	Double / 5	D / 1,996cc / 205hp	Leaf	3,270mm	2,436kg	1,037kg	1,564 x 1,584 x 511mm	3,500kg	£41,460
Transmission: 10-speed	d auto full-time 4	wd low/high, optional lock	ing rear a	de differential				÷	
Wildtrak 2.0L	Double / 5	D / 1,996cc / 205hp	Leaf	3,270mm	2,436kg	1,037kg	1,564 x 1,584 x 511mm	3,500kg	£47,220
Wildtrak 3.0L	Double / 5	D / 2,993cc / 240hp	Leaf	3,270mm	2,486kg	1,055kg	1,564 x 1,584 x 511mm	3,500kg	£52,620
Wildtrak X 2.0L	Double / 5	D / 1,996cc / 205hp	Leaf	3,270mm	2,436kg	1,037kg	1,564 x 1,584 x 511mm	3,500kg	£49,620
Platinum 3.0L	Double / 5	D / 2,993cc / 240hp	Leaf	3,270mm	2,486kg	1,055kg	1,564 x 1,584 x 511mm	3,500kg	£55,080
Transmission: 10-spee	d auto full-time	4wd low/high, locking rea	r axle diffe	rential					
Raptor	Double / 5	D / 1,996cc / 210hp	Coil	3,270mm	2,519kg	631kg	1,564 x 1,224 x 529mm	2,500kg	£56,530
Transmission: 10-spee	d auto full-time	4wd low/high, locking from	nt and rear	axle differentials					
Raptor	Double / 5	D / 2,993cc / 292hp	Coil	3,270mm	2,519kg	631kg	1,564 x 1,224 x 529mm	2,500kg	£59,530

Note: Cargo box width is maximum; between wheel arches is 1,224mm. XL standard equipment includes 16in steel wheels, fixed ladder rack, tie-down rails with rope hooks, etc. XLT adds 16in alloy wheels, lift assist and power-locked tailgate, heated mirrors, auto wipers, windscreen defrost, air conditioning, uprated infotainment, tyre pressure sensors, etc. Wildtrak adds 18in alloy wheels, rear disc brakes, LED lights, cargo side rails, 12in touch display, heated front seats, additional driving aids, etc. Wildtrak X standard equipment includes 17in alloy wheels, 26mm suspension lift and wider track, metal underbody protection, etc. Tremor (based on XLT) deletes tie-down rails, adds sports rails, locking rear axle differential, ABS brakes, vinyl flooring and rubber mats, cargo area light, etc. Platinum standard equipment includes 18in alloy wheels, soft-close tailgate, auto levelling projector headlights, side bar steps, heated washer jets, heated and ventilated front seats, auto parking, etc. Raptor 2-litre standard equipment includes 17in alloy wheels and various drive modes, adds position-sensitive dampers, metal underside and fuel tank guards, rear power point, tow hitch, trailer electrics, trailer reversing assistance, front and rear parking sensors, etc. Raptor 3-litre adds live-valve adjustable dampers, jump and launch drive modes, front differential lock, anti-lag, steering wheel with active exhaust, steering mode and damping adjustment switches, etc.

INEOS GRENA	DIER							NE	W LISTING
Transmission: 8-spe	ed auto, full-time 4	4wd low/high, locking cen	tre differe	ntial (optional lockin	ig front and i	rear axle dif	ferential locks £1,508)		
Quartermaster	Double / 5	P / 2,998cc / 286hp	Coil	3,227mm	2,665kg	835kg	1,564 x 1,619 x 485mm	3,500kg	£66,215
Quartermaster	Double / 5	D / 2,993cc / 249hp	Coil	3,227mm	2,740kg	760kg	1,564 x 1,619 x 485mm	3,500kg	£66,215
Quartermaster Fieldmaster	Double / 5	P / 2,998cc / 286hp	Coil	3,227mm	2,665kg	835kg	1,564 x 1,619 x 485mm	3,500kg	£73,715
Quartermaster Fieldmaster	Double / 5	D / 2,993cc / 249hp	Coil	3,227mm	2,740kg	760kg	1,564 x 1,619 x 485mm	3,500kg	£73,715



PICKUPS (contin	nued)								
Make	Cab / Seating	Engine size / Power Battery capacity / Power	Rear axle suspension	Wheelbase	Kerb weight	Payload capacity	Cargo box length x width x height	Braked towing capacity	OTR price including VAT
Transmission: 8-spee	d auto, full-time 4	vd low/high, centre, front	and rear axle	differential lock	S				
Quartermaster Trialmaster	Double / 5	P / 2,998cc / 286hp	Coil	3,227mm	2,665kg	835kg	1,564 x 1,619 x 485mm	3,500kg	£73,715
Quartermaster Trialmaster	Double / 5	D / 2,993cc / 249hp	Coil	3,227mm	2,740kg	760kg	1,564 x 1,619 x 485mm	3,500kg	£73,715

Note: Cargo box width is maximum; between wheel arches is 1,137mm. Quartermaster standard equipment includes 17in steel wheels, Bridgestone All-Terrain tyres, solid white paint (other colours £462, metallic £770), ladder frame, load bay mounting bar, utility interior trim and flooring, Nappa leather driver's pack. Fieldmaster adds 18in alloy wheels, safari cab roof windows, leather seats, carpet floor mats, Smooth Pack (rear-view camera, front parking sensors, power heated exterior mirrors, heated windscreen washer jets, lockable central stowage box, puddle lamps, auxiliary charge points), compass and altimeter, load bay liner, etc. Trialmaster standard equipment includes 17in steel wheels, BFGoodrich All-Terrain tyres, front and rear axle diff locks; adds raised engine air intake, exterior utility mounting belt, load bay utility rails, high-load auxiliary switch panel, auxiliary battery, 400W electrical power, etc.

ISUZU D-MAX

Transmission: 6-speed	d manual 2wd hig	h							
Business Utility 4x2	Single / 2	D / 1,898cc / 164hp	Leaf	3,125mm	1,795kg	1,205kg	2,315 x 1,530 x 465mm	2,500kg	£28,639
Transmission: 6-speed	d manual 2wd hig	h, 4wd low/high, optiona	l locking re	ar axle differential (£600)				
Business Utility	Single / 2	D / 1,898cc / 164hp	Leaf	3,125mm	1,895kg	1,205kg	2,315 x 1,530 x 465mm	3,500kg	£31,039
Business Utility	Extended / 4	D / 1,898cc / 164hp	Leaf	3,125mm	1,960kg	1,140kg	1,805 x 1,530 x 490mm	3,500kg	£31,939
Business Utility	Double / 5	D / 1,898cc / 164hp	Leaf	3,125mm	1,985kg	1,115kg	1,495 x 1,530 x 490mm	3,500kg	£32,839
Transmission: 6-speed	d manual 2wd hig	h, 4wd low/high, locking	rear axle di	ifferential					
All-Purpose DL20	Extended / 4	D / 1,898cc / 164hp	Leaf	3,125mm	1,952kg	1,148kg	1,495 x 1,530 x 490mm	3,500kg	£34,639
All-Purpose DL20	Double / 5	D / 1,898cc / 164hp	Leaf	3,125mm	1,980kg	1,120kg	1,495 x 1,530 x 490mm	3,500kg	£35,539
All-Purpose DL40	Double / 5	D / 1,898cc / 164hp	Leaf	3,125mm	2,000kg	1,100kg	1,495 x 1,530 x 490mm	3,500kg	£39,259
Adventure V-Cross	Double / 5	D / 1,898cc / 164hp	Leaf	3,125mm	2,000kg	1,100kg	1,495 x 1,530 x 490mm	3,500kg	£41,059
Arctic Trucks AT35	Double / 5	D / 1,898cc / 164hp	Leaf	3,125mm	na	na	1,495 x 1,530 x 490mm	3,500kg	£58,759
Transmission: 6-speed	d auto 2wd high, 4	4wd low/high, locking rea	ar axle diffe	rential					
Business Utility	Extended / 4	D / 1,898cc / 164hp	Leaf	3,125mm	1,960kg	1,140kg	1,805 x 1,530 x 490mm	3,500kg	£33,739
Business Utility	Double / 5	D / 1,898cc / 164hp	Leaf	3,125mm	1,985kg	1,115kg	1,495 x 1,530 x 490mm	3,500kg	£41,059
All-Purpose DL20	Extended / 4	D / 1,898cc / 164hp	Leaf	3,125mm	2,010kg	1,090kg	1,495 x 1,530 x 490mm	3,500kg	£36,439
All-Purpose DL20	Double / 5	D / 1,898cc / 164hp	Leaf	3,125mm	2,010kg	1,090kg	1,495 x 1,530 x 490mm	3,500kg	£37,339
All-Purpose DL40	Double / 5	D / 1,898cc / 164hp	Leaf	3,125mm	2,030kg	1,070kg	1,495 x 1,530 x 490mm	3,500kg	£41,059
Adventure V-Cross	Double / 5	D / 1,898cc / 164hp	Leaf	3,125mm	2,030kg	1,070kg	1,495 x 1,530 x 490mm	3,500kg	£42,859
Arctic Trucks AT35	Double / 5	D / 1,898cc / 164hp	Leaf	3,125mm	na	na	1,495 x 1,530 x 490mm	3,500kg	£60,559

PICKUPS (contin	Cab / Seating	Engine size / Power Battery capacity / Power	Rear axle suspension	Wheelbase	Kerb weight	Payload capacity	Cargo box length x width x height	Braked towing capacity	OTR price including VAT
aircon, etc. Utility Sing	gle Cab 4wd adds	ween wheel arches is 1,122 trailer sway control. Utilit d-flat rear seats, 60/40 fo	y Extended Ca	b adds 18in stee	l wheels, hea	ated rear winc	low, storage under rear se	escent assist, el eat base. Utility	ectric window Double Cab

sensors, tailgate damper, height/reach adjustable steering wheel, multi-info display, heated front seats. **DL2D Double Cab** adds adaptive cruise control (auto transmission only) and other electronic driving aids. **DL4D Double Cab** adds dual zone climate control, leather upholstery and steering wheel, front/rear parking sensors, reversing camera. **Adventure V-Cross Double Cab** adds "assertive" styling, gun metal 18in alloy wheels, enhanced sound system, additional electronic driving aids, etc. **Arctic Trucks AT35** adds reinforced chassis, uprated suspension, 35in tyres, wheelarch extensions, leather interior, uprated infotainment, etc.

MAXUS									
Transmission: 2wd	d high								
T90EV 2wd	Double / 5	88.5kWh / 150kW (201hp)	Leaf	3,155mm	2,300kg	1,000kg	1,485 x 1,510 x 530mm	1,000kg	£60,315

Note: Cargo box width is maximum; between wheel arches is na. **T90EV** equipment includes 17in alloy wheels, painted load bed liner, rear camera, rear parking sensors, faux leather electrically adjustable front seats, aircon, side steps, etc. Options include all terrain tyres, tow bar and trailer electrics, front winch, stainless steel "sports bar", hard top, etc.

MUNRO MK_1								NE	
Transmission: full-time	e 4wd low/high,	locking central, front and	rear axle di	ferentials					
Pick Up Utility	Double / 5	61.2kWh / 220kW (295hp)	Coil	3,330mm	2,500kg	1,050kg	1,028 x 1,571 x na	2,500kg	£59,994
Pick Up Range	Double / 5	82.4kWh / 220kW (295hp)	Coil	3,330mm	2,500kg	1,050kg	1,028 x 1,571 x na	2,500kg	£71,994
Pick Up Performance	Double / 5	82.4kWh / 280kW (375hp)	Coil	3,330mm	2,500kg	1,050kg	1,028 x 1,571 x na	3,500kg	£83,994

Note: Cargo box width is maximum; between wheel arches is 1,166mm. Utility, Range and Performance models equipment includes steel wheels and all-terrain tyres, heat pump climate control air conditioning, LED lights including fog lamps, etc.

RAM 1500								
Transmission: 8-spee	ed auto, 2wd high,	4wd low/high, limited slip	o or locking rea	r axle differential				
Classic SLT Black Appearance	Double / 5	P / 5,700cc / 395hp	Coil	3,672mm	1,860kg	1,711 x 1,687 x 543mm	3,500kg	£57,819
Classic Warlock	Double / 5	P / 5,700cc / 395hp	Coil	3,672mm	1,860kg	1,711 x 1,687 x 543mm	3,500kg	£60,219
Laramie Night	Double / 5	P / 5,700cc / 395hp	Coil or Air	3,672mm	1,860kg	1,711 x 1,687 x 543mm	3,500kg	£75,219
Longhorn	Double / 5	P / 5,700cc / 395hp	Air	3,672mm	1,860kg	1,711 x 1,687 x 543mm	3,500kg	£90,219
Limited Night	Double / 5	P / 5,700cc / 395hp	Air	3,672mm	1,860kg	1,711 x 1,687 x 543mm	3,500kg	£92,619
TRX	Double / 5	P / 6,200cc / 702hp	Air	3,672mm	1,860kg	1,711 x 1,687 x 543mm	3,500kg	£140,619

Note: Cargo box width is maximum; between wheel arches is 1,295mm. Dimensions and weights relate to four-wheel drive Crew Cab models with 1.7m cargo box; also available with 1.93m cargo box and Quad Cab shorter wheelbase (3,569mm); all left-hand drive only. All-model options include LPG fuelling conversion, tri-fold tonneau cover, power sunroof, RamBox external lidded storage bins including one with power outlet. **Classic SLT** equipment includes 20in alloy wheels, 25mm raised ride height, vinyl/cloth electrically adjustable front seats, leather heated steering wheel, LED lights, side steps, etc; **Classic Warlock** adds auto aircon, rear parking sensors, rear camera, driving aids and infotainment upgrade, etc. **Laramie Night** adds leather seats, heated and ventilated front seats, 60/40 split reclining heated rear seat, wireless device charging, etc. **Longhorn** adds 22in alloy wheels, air suspension, premium leather/wood interior trim, heated and ventilated front and rear seats, 60/40 split reclining rear seats, uprated sound system, wireless device charging, extending side steps, front tow hooks, tailgate power release. **Limited Night** adds electric extending side steps, lighting upgrades, spray-on bedliner, 360 degree camera system, infotainment and seating upgrades, etc.

MUSSO								
peed manual, 2wd hi	igh, 4wd low/high							
Double / 5	D / 2,157cc / 202hp	Coil	3,100mm	2,145kg	1,065kg	1,300 x 1,570 x 570mm	3,200kg	£30,933
peed auto, 2wd high	, 4wd low/high							
Double / 5	D / 2,157cc / 202hp	Coil	3,100mm	2,155kg	1,095kg	1,300 x 1,570 x 570mm	3,500kg	£35,853
Double / 5	D / 2,157cc / 202hp	Coil	3,100mm	2,155kg	1,095kg	1,300 x 1,570 x 570mm	3,500kg	£39,813
Double / 5	D / 2,157cc / 202hp	Coil	3,210mm	2,195kg	1,140kg	1,610 x 1,570 x 570mm	3,500kg	£41,313
5	peed manual, 2wd hi Double / 5 peed auto, 2wd high Double / 5 Double / 5	peed manual, 2wd high, 4wd low/high Double / 5 D / 2,157cc / 202hp peed auto, 2wd high, 4wd low/high Double / 5 D / 2,157cc / 202hp Double / 5 D / 2,157cc / 202hp	peed manual, 2wd high, 4wd low/high Coil Double / 5 D / 2,157cc / 202hp Coil peed auto, 2wd high, 4wd low/high Coil Double / 5 D / 2,157cc / 202hp Coil Double / 5 D / 2,157cc / 202hp Coil Double / 5 D / 2,157cc / 202hp Coil	peed manual, 2wd high, 4wd low/high Double / 5 D / 2,157cc / 202hp Coil 3,100mm peed auto, 2wd high, 4wd low/high Double / 5 D / 2,157cc / 202hp Coil 3,100mm Double / 5 D / 2,157cc / 202hp Coil 3,100mm 3,100mm	peed manual, 2wd high, 4wd low/high Double / 5 D / 2,157cc / 202hp Coil 3,100mm 2,145kg peed auto, 2wd high, 4wd low/high Understand Understand Understand 2,155kg Double / 5 D / 2,157cc / 202hp Coil 3,100mm 2,155kg Double / 5 D / 2,157cc / 202hp Coil 3,100mm 2,155kg	peed manual, 2wd high, 4wd low/high Double / 5 D / 2,157cc / 202hp Coil 3,100mm 2,145kg 1,065kg peed auto, 2wd high, 4wd low/high Understanding Understanding<	peed manual, 2wd high, 4wd low/high Double / 5 D / 2,157cc / 202hp Coil 3,100mm 2,145kg 1,065kg 1,300 x 1,570 x 570mm peed auto, 2wd high, 4wd low/high Double / 5 D / 2,157cc / 202hp Coil 3,100mm 2,155kg 1,095kg 1,300 x 1,570 x 570mm Double / 5 D / 2,157cc / 202hp Coil 3,100mm 2,155kg 1,095kg 1,300 x 1,570 x 570mm	peed manual, 2wd high, 4wd low/high Double / 5 D / 2,157cc / 202hp Coil 3,100mm 2,145kg 1,065kg 1,300 x 1,570 x 570mm 3,200kg peed auto, 2wd high, 4wd low/high Double / 5 D / 2,157cc / 202hp Coil 3,100mm 2,155kg 1,095kg 1,300 x 1,570 x 570mm 3,500kg Double / 5 D / 2,157cc / 202hp Coil 3,100mm 2,155kg 1,095kg 1,300 x 1,570 x 570mm 3,500kg

Note: Cargo box width is maximum; between wheel arches is na. All models: Standard equipment includes electronic stability control, auto wipers, electric windows and mirrors. EX equipment includes 17in alloy wheels, fabric seats, aircon, etc. Rebel adds roof rails, rear camera, LED front fog lights, faux leather heated and ventilated front seats, heated leather seates, esc. Reserving wheels, auto aircon, electrically-adjustable leather seats, heated rear seats, cruise control, satnav, front and rear parking sensors, etc. Saracen+ adds longer cargo box, runs on 17in alloy wheels.

SUZUKI JIMNY	SUZUKI JIMNY PICKUP												
Transmission: 5-spec	ed manual or 4-sp	eed auto, 2wd high, 4wd	l low/high										
Gen 1 Pick-Up	Single / 2	P 1,328cc / 85hp	Coil	2,250mm	1,080kg	480kg	1,126 x 1,545 x 300mm	1,300kg	£poa				
Gen 1 Pick-Up XL	Single / 2	P 1,328cc / 85hp	Coil	2,250mm	1,080kg	480kg	1,126 x 1,545 x 300mm	1,300kg	£poa				



PICKUPS (continued)												
Make	Cab / Seating	Engine size / Power Battery capacity / Power	Rear axle suspension	Wheelbase	Kerb weight	Payload capacity	Cargo box length x width x height	Braked towing capacity	OTR price including VAT			
Gen 2 Pick-Up	Single / 2	D 1,462cc / 101hp	Coil	2,250mm	1,080kg	480kg	1,175 x 1,630 x 300mm	1,300kg	£poa			
Gen 2 Pick-Up XL	Single / 2	D 1,462cc / 101hp	Coil	2,250mm	1,080kg	480kg	1,175 x 1,630 x 300mm	1,300kg	£poa			

Note: Chassis cab conversion by James Alpe. Jimny Pick-Up equipment (depending on donor vehicle) includes 25mm suspension lift, 15in steel wheels, ABS braking, electronic stability control, hill hold and hill decent control, cruise control, electric windows, air conditioning, auto headlights, electric mirrors, etc. XL version adds 76mm suspension lift and 29x10 R15 tyres.

Transmission: 6-speed manual, 2wd high, 4wd low/high, locking rear differential									
Active	Single / 2	D / 2,393cc / 150hp	Leaf	3,085mm	1,975kg	1,030kg	2,315 x 1,575 x 480mm	3,500kg	£33,723
Active TGS Dropside	Single / 2	D / 2,393cc / 150hp	Leaf	3,085mm	n/a	1,005kg	2,350 x 1,800 x 300mm	3,500kg	£poa
Active TGS Dropside Tipper	Single / 2	D / 2,393cc / 150hp	Leaf	3,085mm	n/a	930kg	2,350 x 1,800 x 300mm	3,500kg	£poa
Active Extra Chassis Body	Extended / 4	D / 2,393cc / 150hp	Leaf	3,085mm	n/a	n/a	n/a	n/a	£34,434
Active Extra	Extended / 4	D / 2,393cc / 150hp	Leaf	3,085mm	2,075kg	1,000kg	1,808 x 1,540 x 480mm	3,500kg	£35,246
Active TGS Extra Dropside	Extended / 4	D / 2,393cc / 150hp	Leaf	3,085mm	n/a	1,086kg	1,850 x 1,800 x 300mm	3,500kg	£poa
Active TGS Extra Dropside Tipper	Extended / 4	D / 2,393cc / 150hp	Leaf	3,085mm	n/a	1,000kg	1,850 x 1,800 x 300mm	3,500kg	£poa
Active Double	Double / 5	D / 2,393cc / 150hp	Leaf	3,085mm	2,105kg	1,030kg	1,525 x 1,540 x 480mm	3,500kg	£36,007
Icon	Double / 5	D / 2,393cc / 150hp	Leaf	3,085mm	2,105kg	1,025kg	1,525 x 1,540 x 480mm	3,500kg	£38,595
Invincible	Double / 5	D / 2,393cc / 150hp	Leaf	3,085mm	2,105kg	1,120kg	1,525 x 1,540 x 480mm	3,500kg	£41,590
Invincible 2.8	Double / 5	D / 2,755cc / 204hp	Leaf	3,085mm	2,105kg	1,120kg	1,525 x 1,540 x 480mm	3,500kg	£41,945
Invincible X 2.8	Double / 5	D / 2,755cc / 204hp	Leaf	3,085mm	2,105kg	1,120kg	1,525 x 1,540 x 480mm	3,500kg	£46,005
Transmission: 6-speed	auto, 2wd high,	4wd low/high, locking rea	ar differentia	l l					
lcon	Double / 5	D / 2,393cc / 150hp	Leaf	3,085mm	2,105kg	1,120kg	1,525 x 1,540 x 480mm	3,500kg	£40,118
Invincible	Double / 5	D / 2,393cc / 150hp	Leaf	3,085mm	2,105kg	1,120kg	1,525 x 1,540 x 480mm	3,500kg	£43,112
Invincible 2.8	Double / 5	D / 2,755cc / 204hp	Leaf	3,085mm	2,105kg	1,120kg	1,525 x 1,540 x 480mm	3,500kg	£43,467
Invincible X 2.8	Double / 5	D / 2,755cc / 204hp	Leaf	3,085mm	2,105kg	1,120kg	1,525 x 1,540 x 480mm	3,500kg	£47,527
GR Sport 2.8	Double / 5	D / 2,755cc / 204hp	Leaf	3,085mm	2,105kg	1,120kg	1,525 x 1,540 x 480mm	3,500kg	£49,735
Invincible AT35 2.8	Double / 5	D / 2,755cc / 204hp	Leaf	3.085mm	2,360kg	1.050kg	1,525 x 1,540 x 480mm	3,500kg	£73,325

Note: Cargo box width is maximum; between wheel arches is 1,100mm. Standard equipment on all models includes hill start assist, trailer stability, vehicle stability and traction control, adaptive cruise control and other electronic driving assist systems. Active equipment includes 17in steel wheels, aircon, tilt/telescopic steering wheel, electric windows; Active single cab has outer lashing hooks in addition to inner hooks. Icon adds 17in alloy wheels, reversing camera, hill descent assist, height-adjustable seats, etc. Invincible adds 18in alloy wheels, fornt/rear parking sensors, heated front seats, auto aircon, auto headlight levelling, etc. Invincible X adds satnav, leather seats, etc. GR Sport (on 17in wheels) adds retuned and uprated front and rear suspension, sports seats in leather and suede, shift paddles, etc. Invincible AT35 adds 25% increased ground clearance, performance suspension, 35in all-terrain tyres, strengthened wheel arches, etc; price based on Invincible X conversion (£18,780); other models may be converted after purchase and registration.

PICKUPS (continued)											
Make	Cab / Seating	Engine size / Power Battery capacity / Power	Rear axle suspension	Wheelbase	Kerb weight	Payload capacity	Cargo box length x width x height	Braked towing capacity	OTR price including VAT		
VOLKSWAGEI	NAMAROK										
Transmission: 6-speed manual, 2wd high, 4wd low/high											
Life	Double / 5	D / 1,996cc / 170hp	Leaf	3,270mm	2,127kg	1,103kg	1,624 x 1,584 x 511mm	3,420kg	£40,791		
Transmission: 10-s	Transmission: 10-speed manual, full-time 4wd low/high										
Life	Double / 5	D / 1,996cc / 205hp	Leaf	3,270mm	2,177kg	1,053kg	1,624 x 1,584 x 511mm	3,500kg	£42,351		
Style	Double / 5	D / 1,996cc / 205hp	Leaf	3,270mm	2,230kg	1,050kg	1,624 x 1,584 x 511mm	3,500kg	£50,931		
Style	Double / 5	D / 2,993cc / 240hp	Leaf	3,270mm	2,282kg	1,068kg	1,624 x 1,584 x 511mm	3,500kg	£53,931		
Transmission: 10-speed manual, full-time 4wd low/high, rear axle diff lock											
PanAmericana	Double / 5	D / 2,993cc / 240hp	Leaf	3,270mm	2,306kg	1,044kg	1,624 x 1,584 x 511mm	3,500kg	£56,631		
Aventura	Double / 5	D / 2,993cc / 240hp	Leaf	3,270mm	2,313kg	877kg	1,624 x 1,584 x 511mm	3,500kg	£57,591		

Note: Cargo box width is maximum; between wheel arches is 1,224mm. Life standard equipment includes 17in alloy wheels, LED headlamps, fog lights, heated power-fold mirrors, front and rear parking sensors, vinyl floor covering, air conditioning, etc. Style adds 18in alloy wheels, cargo area styling bar, side steps, powered front seats with fabric covering, carpet floor covering, etc. PanAmericana adds rear axle diff lock, underside guard, comfort suspension, LED cargo area lighting, infotainment upgrade, etc. Aventura adds (to Style spec) 21in alloy wheels, comfort suspension, LED cargo area lighting, audio upgrade, leather seats, heated steering wheel, etc.

YOMPER 4X4										
Transmission: 5-speed manual, 2wd high, 4wd low/high										
JMV 225 Field Star	Single / 2	P 1,328cc / 85hp or D 1,462cc / 101hp	Coil	2,250mm	1,250kg	350 or 500kg	1,550 x 1,000 x 400mm	750kg	£poa	
JMV 225 Rustler	Single / 2	P 1,328cc / 85hp or D 1,462cc / 101hp	Coil	2,250mm	1,250kg	350 or 500kg	1,280 x 890 x 450mm	750kg	£poa	
JMV 225 Bergan	Single / 2	P 1,328cc / 85hp or D 1,462cc / 101hp	Coil	2,250mm	2,253kg	350 or 500kg	1,280 x 1,280 x 450mm	750kg	£poa	
JMV 275C Commercial Dropside	Single / 2	P 1,328cc / 85hp or D 1,462cc / 101hp	Coil	2,750mm	2,017kg	500kg	1,650 x 1,750 x 400mm	750kg	£poa	

Note: Conversions based on Suzuki Jimny Gen 3 manual or auto, 1.3-litre petrol or 1.5-litre diesel left-hand drive or Gen 4 (2018 onwards) manual or auto 1.5-litre petrol sourced and overhauled by Samson Engineering. All vehicles are subjected post-conversion to Government Individual Vehicle Assessment (IVA) process. Prices subject to age and condition of donor vehicle. **Field Star** has tray back body; options include semi-flotation tyres and 50mm suspension lift kit. **Rustler** has standard length load bed and semi-flotation tyres; options include 50mm suspension lift kit. **Commercial** has dropside body, semi-flotation tyres and 50mm suspension lift kit. **Commercial** has dropside body, semi-flotation tyres and 50mm suspension lift kit.