

# Round and big square baler vital statistics

## ROUND BALERS

Make / Model	Bale diameter	Feed-in mechanism	Drop floor	Bale formation	Bale density control	Isofus electronics	Weight - single axle / twin axle	List Price ex-VAT
--------------	---------------	-------------------	------------	----------------	----------------------	--------------------	----------------------------------	-------------------

Note: no - feature not available; std - feature fitted as standard; opt - feature optional; na - information unavailable. For a review of model changes from the Ultimate Guide - Round Balers 2022, visit [fwi.co.uk](http://fwi.co.uk)

### BARGAM

RRX 60	0.57m (x 0.63m)	none	no	19 aluminium rollers	Hydraulic tailgate pressure	no	520kg	£13,200
RRX 60 S	0.57m (x 0.63m)	rotor	no	19 aluminium rollers	Hydraulic tailgate pressure	no	540kg	£13,600

Note: Distributed by Marrs of Methlick.

### CASE IH

RB344 Rotor Feeder	1.25m	Stub augers, spiral rotor	no	Base roller, two chains + slats	Three-stage, springs, tailgate pressure	no	2,775kg / -	£38,124
RB344 Rotor Cutter	1.25m	Stub augers, spiral rotor + 15 knives	no	Base roller, two chains + slats	Three-stage, springs, tailgate pressure	no	4,810kg / -	£41,661
RB545 Rotor Cutter	1.25m	Stub augers, spiral rotor + 20 knives	opt	18 rollers	Hydraulic, springs, tailgate pressure	std	3,060kg / -	£58,953
RB545 Rotor Cutter Silage Pack	1.25m + wrap	Stub augers, spiral rotor + 20 knives	std	18 rollers	Hydraulic, springs, tailgate pressure	std	- / 4,500kg	£104,710
RB455 Overshot Feeder	0.9-1.5m	Overshot spiral rotor/auger	no	Four rollers, four belts	One hydraulic cylinder, spring	opt	3,080kg / -	£46,342
RB455 Rotor Feeder	0.9-1.5m	Stub augers, optional paddle feeder/auger, spiral rotor	std	Four rollers, four belts	Two hydraulic cylinders, springs	opt	3,561kg / -	£53,374
RB455 Rotor Cutter	0.9-1.5m	Stub augers, optional paddle feeder/auger, spiral rotor + 15 knives	std	Four rollers, four belts	Two hydraulic cylinders, springs	opt	3,401kg / -	£61,320
RB465 Overshot Feeder	0.9-1.8m	Overshot spiral rotor/auger	std	Four rollers, four belts	Two hydraulic cylinders, springs	opt	3,300kg / -	£51,944
RB465 Rotor Feeder	0.9-1.8m	Stub augers, optional paddle feeder/auger, spiral rotor	std	Four rollers, four belts	Two hydraulic cylinders, springs	opt	3,775kg / -	£58,604
RB465 Rotor Cutter	0.9-1.8m	Stub augers, optional paddle feeder/auger, spiral rotor + 15 knives	std	Four rollers, four belts	Two hydraulic cylinders, springs	opt	3,615kg / -	£65,806
RB456 HD Pro Rotor Feeder	0.9-1.65m	Stub augers, optional paddle feeder/auger, 520mm spiral rotor	std	Two rollers, four belts	Two hydraulic cylinders, two springs	std	4,400kg / -	£67,636
RB456 HD Pro Rotor Cutter 13	0.9-1.65m	Stub augers, optional paddle feeder/auger, 520mm spiral rotor + 13 knives	std	Two rollers, four belts	Two hydraulic cylinders, two springs	std	4,870kg / -	£71,442
RB456 HD Pro Rotor Cutter 25	0.9-1.65m	Stub augers, optional paddle feeder/auger, 520mm spiral rotor + 25 knives	std	Two rollers, four belts	Two hydraulic cylinders, two springs	std	4,900kg / -	£75,555
RB466 HD Pro Rotor Feeder	0.9-1.9m	Stub augers, optional paddle feeder/auger, 520mm spiral rotor	std	Two rollers, four belts	Two hydraulic cylinders, two springs	std	4,700kg / -	£75,690
RB466 HD Pro Rotor Cutter 13	0.9-1.9m	Stub augers, optional paddle feeder/auger, 520mm spiral rotor + 13 knives	std	Two rollers, four belts	Two hydraulic cylinders, two springs	std	4,900kg / -	£79,778
RB466 HD Pro Rotor Cutter 25	0.9-1.9m	Stub augers, optional paddle feeder/auger, 520mm spiral rotor + 25 knives	std	Two rollers, four belts	Two hydraulic cylinders, two springs	std	5,100kg / -	£83,891

Note: RB465 Rotor Cutter drop floor is a delete option. Material entering the RB455 Overshot Feeder and RB465 Overshot Feeder passes over rather than under the multi-tine rotor. RB545 Rotor Cutter Silage Pack baler-wrappers can apply net or pre-wrapping plastic film; wrapping plastic is applied from 750mm film dispensers on two horizontal orbital arms. RB6 HD Pro automation via isobus TIM includes bringing the tractor to a stop, auto netting start/stop, tailgate open and close.

### CLAAS

Rollant 520 Roto Feed	1.25m	Stub augers, spiral rotor	no	16 rollers	Hydraulic tailgate pressure	no	2,700kg / -	£36,760
Rollant 540 Roto Feed	1.2m	Stub augers, spiral rotor	std	15 rollers	Hydraulic tailgate pressure	opt	3,500kg / -	£46,960
Rollant 540 Roto Cut	1.2m	Stub augers, spiral rotor + 15 knives	std	15 rollers	Hydraulic tailgate pressure	opt	3,500kg / -	£53,710
Rollant 540 Roto Cut Comfort	1.2m	Stub augers, spiral rotor + 15 knives	std	15 rollers	Hydraulic tailgate pressure	opt	3,500kg / -	£55,890
Rollant 455 Roto Cut MPS Uniwrap	1.2m + wrap	Stub augers, spiral rotor + 25 knives	std	16 rollers	Hydraulic tailgate pressure, inner pivoting top three rollers	opt	5,500kg / -	£103,320

Make / Model	Bale diameter	Feed-in mechanism	Drop floor	Bale formation	Bale density control	Isobus electronics	Weight - single axle / twin axle	List Price ex-VAT
Rollant 454 Roto Cut	1.2m	Stub augers, spiral rotor + 25 knives	std	16 rollers	Hydraulic tailgate pressure	opt	3,600kg / -	€61,220
Rollant 455 Roto Cut MPS	1.2m	Stub augers, spiral rotor + 25 knives	std	16 rollers	Hydraulic tailgate pressure, inner pivoting top three rollers	opt	3,600kg / -	€64,110
Variant 560 Roto Feed Pro	0.9-1.6m	Stub augers, spiral rotor	std	Four belts	Dual tensioning arms with individual pressure control, two hydraulic cylinders	std	3,005-3,880kg / -	€53,900
Variant 565 Roto Cut HD Pro	0.9-1.6m	Stub augers, spiral rotor + 17 knives	std	Four belts	Dual tensioning arms with individual pressure control, two hydraulic cylinders	std	3,285-3,970kg / -	€56,770
Variant 580 Roto Feed Pro	0.9-1.8m	Stub augers, spiral rotor	std	Four belts	Dual tensioning arms with individual pressure control, two hydraulic cylinders	std	3,060-3,935kg / -	€58,910
Variant 585 Rotor Cut HD Pro	0.9-1.8m	Stub augers, spiral rotor + 17 knives	std	Four belts	Dual tensioning arms with individual pressure control, two hydraulic cylinders	std	3,340-4,025kg / -	€61,680

Note: Variant 500 models can apply net over the shoulders (Covered XW). Rollant Comfort model automation comprises tailgate open and close. Uniwrap has 750mm 67% or 82% pre-stretch film dispensers on two horizontal orbital arms.

## FENDT

Rotana 130 F	1.25m	Stub augers, spiral rotor	no	18 rollers	Latched tailgate	no	3,000kg / -	€40,712
Rotana 130 F XtraCut 0	1.25m	Stub augers, spiral rotor + 0 knives	std	18 rollers	Latched tailgate	opt	3,400kg / -	€51,102
Rotana 130 F XtraCut 13	1.25m	Stub augers, spiral rotor + 13 knives	std	18 rollers	Latched tailgate	opt	3,400kg / -	€53,479
Rotana 130 F XtraCut 17	1.25m	Stub augers, spiral rotor + 17 knives	std	18 rollers	Latched tailgate	opt	3,400kg / -	€57,031
Rotana 130 F XtraCut 25	1.25m	Stub augers, spiral rotor + 25 knives	std	18 rollers	Latched tailgate	opt	3,400kg / -	€58,965
Rotana 130 F Combi XtraCut 13	1.25m + wrap	Stub augers, spiral rotor + 13 knives	std	18 rollers	Latched tailgate	std	6,450kg / -	€114,393
Rotana 130 F Combi XtraCut 17	1.25m + wrap	Stub augers, spiral rotor + 17 knives	std	18 rollers	Latched tailgate	std	6,450kg / -	€117,945
Rotana 130 F Combi XtraCut 25	1.25m + wrap	Stub augers, spiral rotor + 25 knives	std	18 rollers	Latched tailgate	std	6,450kg / -	€123,431
Rotana 160 V	0.7-1.6m	Stub augers, spiral rotor	no	Three rollers, four belts	Springs then hydraulic, latched tailgate	no	3,950kg / -	€45,725
Rotana 160 V XtraCut 0	0.7-1.6m	Stub augers, spiral rotor + 0 knives	std	Three rollers, four belts	Springs then hydraulic, latched tailgate	opt	4,120kg / -	€55,404
Rotana 160 V XtraCut 13	0.7-1.6m	Stub augers, spiral rotor + 13 knives	std	Three rollers, four belts	Springs then hydraulic, latched tailgate	opt	4,120kg / -	€57,781
Rotana 160 V XtraCut 17	0.7-1.6m	Stub augers, spiral rotor + 17 knives	std	Three rollers, four belts	Springs then hydraulic, latched tailgate	opt	4,120kg / -	€63,710
Rotana 160 V XtraCut 25	0.7-1.6m	Stub augers, spiral rotor + 25 knives	std	Three rollers, four belts	Springs then hydraulic, latched tailgate	opt	4,120kg / -	€71,573
Rotana 160 V XtraCut 13 Combi	0.7-1.6m + wrap	Stub augers, spiral rotor + 13 knives	std	Three rollers, four belts	Springs then hydraulic, latched tailgate	std	6,550kg / -	€122,760
Rotana 160 V XtraCut 17 Combi	0.7-1.6m + wrap	Stub augers, spiral rotor + 17 knives	std	Three rollers, four belts	Springs then hydraulic, latched tailgate	std	6,550kg / -	€126,312
Rotana 160 V XtraCut 25 Combi	0.7-1.6m + wrap	Stub augers, spiral rotor + 25 knives	std	Three rollers, four belts	Springs then hydraulic, latched tailgate	std	6,550kg / -	€131,798
Rotana 180 V	0.7-1.8m	Stub augers, spiral rotor	no	Three rollers, four belts	Springs then hydraulic, latched tailgate	no	4,200kg / -	€50,692
Rotana 180 V XtraCut 0	0.7-1.8m	Stub augers, spiral rotor + 13 knives	std	Three rollers, four belts	Springs then hydraulic, latched tailgate	opt	4,200kg / -	€60,383
Rotana 180 V XtraCut 13	0.7-1.8m	Stub augers, spiral rotor + 13 knives	std	Three rollers, four belts	Springs then hydraulic, latched tailgate	opt	4,200kg / -	€62,329
Rotana 180 V XtraCut 17	0.7-1.8m	Stub augers, spiral rotor + 17 knives	std	Three rollers, four belts	Springs then hydraulic, latched tailgate	opt	4,200kg / -	€68,258
Rotana 180 V XtraCut 25	0.7-1.8m	Stub augers, spiral rotor + 25 knives	std	Three rollers, four belts	Springs then hydraulic, latched tailgate	opt	4,200kg / -	€76,121

Note: Combi wrapping models have a horizontal steel ring carrying two 500mm or 750mm pre-stretch film dispensers driven by hydraulic motor-powered rubber friction wheels and are capable of film-on-net or film-on-film binding. Options include auto bearing lubrication, moisture measurement and bale weight recording. Automation options include tailgate open/close, knife retraction/deployment to clean knife slots, knife retraction to stabilise straw bales with an uncut outer layer, and (with isobus TIM) tractor auto stop for netting.

## JOHN DEERE

F441M Multicrop RotoFlow HC	1.25-1.35m	Spiral rotor with auger flights	opt	Seven rollers, two chains + slats	Hydraulic, tailgate pressure	opt	4,200kg / -	€48,047
F441M Multicrop Maxicut HC 13	1.25-1.35m	Spiral rotor with auger flights + 13 knives	std	Seven rollers, two chains + slats	Hydraulic, tailgate pressure	opt	4,200kg / -	€53,085
F441M Silage Special RotoFlow HC	1.25-1.35m	Spiral rotor with auger flights	std	17 rollers	Hydraulic, tailgate pressure	opt	4,200kg / -	€48,047
F441M Silage Special Maxicut HC 13	1.25-1.35m	Spiral rotor with auger flights + 13 knives	std	17 rollers	Hydraulic, tailgate pressure	opt	4,200kg / -	€53,085
F441R Maxicut HC 13	1.25-1.35m	Spiral rotor with auger flights + 13 knives	std	18 rollers	Hydraulic, tailgate pressure	std	4,200kg / -	€63,641
F441R Maxicut HC 25	1.25-1.35m	Spiral rotor with auger flights + 25 knives	std	18 rollers	Hydraulic, tailgate pressure	std	4,200kg / -	€68,321

Make / Model	Bale diameter	Feed-in mechanism	Drop floor	Bale formation	Bale density control	Isobus electronics	Weight - single axle / twin axle	List Price ex-VAT
C441R Maxicut HC 13	1.25-1.35m + wrap	Spiral rotor with auger flights + 13 knives	std	18 rollers	Hydraulic, tailgate pressure	std	- / 6,500kg	£120,988
C441R Maxicut HC 25	1.25-1.35m + wrap	Spiral rotor with auger flights + 25 knives	std	18 rollers	Hydraulic, tailgate pressure	std	- / 6,500kg	£125,057
V451G RotoFlow HC	0.9-1.65m	Spiral rotor with auger flights	no	Six belts, three rollers	Hydraulic cylinders	opt	3,700kg / -	£53,584
V451M RotoFlow HC	0.9-1.65m	Spiral rotor with auger flights	std	Six belts, three rollers	Hydraulic cylinders	opt	4,000kg / -	£57,538
V451M MaxiCut HC 13 Premium	0.9-1.65m	Spiral rotor with auger flights + 13 knives	std	Six belts, three rollers	Hydraulic cylinders	opt	4,000kg / -	£62,508
V461M RotoFlow HC	0.9-1.85m	Spiral rotor with auger flights	std	Six belts, three rollers	Hydraulic cylinders	opt	4,200kg / -	£63,234
V461M MaxiCut HC 13 Premium	1-1.85m	Spiral rotor with auger flights + 13 knives	std	Six belts, three rollers	Hydraulic cylinders	opt	4,200kg / -	£68,204
V451R RotoFlow HC Premium	0.8-1.6m	Spiral rotor with auger flights	std	Two belts, three rollers	Hydraulic cylinders, springs	std	4,440kg / -	£73,267
V451R MaxiCut HC 13 Premium	0.8-1.6m	Spiral rotor with auger flights + 13 knives	std	Two belts, three rollers	Hydraulic cylinders, springs	std	4,440kg / -	£77,693
V451R MaxiCut HC 25 Premium	0.8-1.6m	Spiral rotor with auger flights + 25 knives	std	Two belts, three rollers	Hydraulic cylinders, springs	std	4,440kg / -	£85,843
V461R RotoFlow HC Premium	0.8-1.85m	Spiral rotor with auger flights	std	Two belts, three rollers	Hydraulic cylinders, springs	std	4,740kg / -	£82,495
V461R MaxiCut HC 13 Premium	0.8-1.85m	Spiral rotor with auger flights + 13 knives	std	Two belts, three rollers	Hydraulic cylinders, springs	std	4,740kg / -	£87,190
V461R MaxiCut HC 25 Premium	0.8-1.85m	Spiral rotor with auger flights + 25 knives	std	Two belts, three rollers	Hydraulic cylinders, springs	std	4,740kg / -	£94,835
C451R Maxicut HC 13 Premium	1-1.6m + wrap	Spiral rotor with auger flights + 13 knives	std	Two belts, three rollers	Hydraulic cylinders, springs	std	- / 8,500kg	£137,930
C451R Maxicut HC 25 Premium	1-1.6m + wrap	Spiral rotor with auger flights + 25 knives	std	Two belts, three rollers	Hydraulic cylinders, springs	std	- / 8,500kg	£143,384
C461R Maxicut HC 13 Premium	1-1.7m + wrap	Spiral rotor with auger flights + 13 knives	std	Two belts, three rollers	Hydraulic cylinders, springs	std	- / 9,000kg	£144,387
C461R Maxicut HC 25 Premium	1-1.7m + wrap	Spiral rotor with auger flights + 25 knives	std	Two belts, three rollers	Hydraulic cylinders, springs	std	- / 9,000kg	£151,888

Note: 'C' wrapping balers have 750mm film dispensers on two horizontal orbital arms. 'VR' balers have curtain bale release. Isobus - fixed bale-size R-Series balers are Isobus-ready but can be operated by a non-Isobus controller; variable bale-size R-Series balers and baler-wrappers are Isobus controlled only. F441R, V451R and V461R automation comprises tailgate open and close; also stop for netting when operated with GreenStar/AutoTrac-ready John Deere 6R tractors with Isobus.

## KRONE

Bellima F 130	1.2m	Stub augers, underfloor feeding tines	no	One roller, two chains + slats	Latched tailgate	no	1,730kg / -	£31,758
Comprima F 125 XC	1.25m	Stub augers, spiral rotor + 17 knives	std	Three rollers, two belts + slats	Coil springs	std	3,200kg / 3,400kg	£56,346 / £66,320
Comprima F 155 XC	1.25-1.5m	Stub augers, spiral rotor + 17 knives	std	Three rollers, two belts + slats	Coil springs	std	3,450kg / 3,650kg	£58,802 / £68,776
Comprima CF 155 XC	1.25-1.5m + wrap	Stub augers, spiral rotor + 17 knives	std	Three rollers, two belts + slats	Coil springs	std	- / 7,100kg	£102,054
Comprima CF 155 XC Plus	1.25-1.5m + wrap	Stub augers, spiral rotor + 26 knives	std	Three rollers, two belts + slats	Coil springs	std	- / 7,195kg	£112,614
Comprima V 150 XC Plus	0.9-1.5m	Stub augers, spiral rotor + 26 knives	std	Three rollers, two belts + slats	Hydraulic tensioning arms	std	4,500kg / 4,700kg	£68,452 / £78,422
Comprima CV 150 XC	0.9-1.5m + wrap	Stub augers, spiral rotor + 17 knives	std	Three rollers, two belts + slats	Hydraulic tensioning arms	std	- / 7,500kg	£108,894
Comprima CV 150 XC Plus	0.9-1.5m + wrap	Stub augers, spiral rotor + 26 knives	std	Three rollers, two belts + slats	Hydraulic tensioning arms	std	- / 7,595kg	£120,039
VariPack V 165	0.8-1.65m	Spiral rotor with auger flights	std	Three rollers, four belts	Hydraulic tensioning arms	std	3,800kg / -	£57,015
VariPack V 165 XC	0.8-1.65m	Spiral rotor with auger flights + 17 knives	std	Three rollers, four belts	Hydraulic tensioning arms	std	3,950kg / -	£66,754
VariPack V 165 Plus	0.8-1.65m	Spiral rotor with auger flights	std	Three rollers, three belts	Hydraulic tensioning arms	std	na / na	£68,944
VariPack V 165 XC Plus	0.8-1.65m	Spiral rotor with auger flights + 17 knives	std	Three rollers, three belts	Hydraulic tensioning arms	std	4,500kg / -	£74,350
VariPack V 165 XC Plus	0.8-1.65m	Spiral rotor with auger flights + 26 knives	std	Three rollers, three belts	Hydraulic tensioning arms	std	4,600kg / -	£76,436
VariPack V 190	0.8-1.9m	Spiral rotor with auger flights	std	Three rollers, four belts	Hydraulic tensioning arms	std	4,000kg / -	£67,580
VariPack V 190 XC	0.8-1.9m	Spiral rotor with auger flights + 17 knives	std	Three rollers, four belts	Hydraulic tensioning arms	std	4,150kg / -	£75,328
VariPack V 190 Plus	0.8-1.9m	Spiral rotor with auger flights	std	Three rollers, three belts	Hydraulic tensioning arms	std	na / na	£76,927
VariPack V 190 XC Plus	0.8-1.9m	Spiral rotor with auger flights + 17 knives	std	Three rollers, three belts	Hydraulic tensioning arms	std	4,700kg / -	£82,528
VariPack V 190 XC Plus	0.8-1.9m	Spiral rotor with auger flights + 26 knives	std	Three rollers, three belts	Hydraulic tensioning arms	std	4,800kg / -	£84,425

Note: F 155 and CF 155 bale diameter set at one of six diameters in 50mm increments between 1.25m and 1.5m; CF 155 and CV 150 wrappers have 500mm or 750mm, 50% or 70% pre-stretch film dispensers on horizontal orbital arms, and can be fitted with a bale weighing system. VariPack Plus versions have 'W' formation pick-up tines, 26-knife cutter and larger tyre sizes. Comprima and VariPack Plus automation comprises tailgate open/close; Comprima, VariPack and VariPack Plus automation with optional Isobus TIM comprises tractor stop for netting and tailgate open/close.

Make / Model	Bale diameter	Feed-in mechanism	Drop floor	Bale formation	Bale density control	Isobus electronics	Weight - single axle / twin axle	List Price ex-VAT
<b>KUBOTA</b>								<b>*ADDITIONAL MODELS</b>
BF 3500*	1.23-1.25m	Stub augers, spiral rotor	std	18 rollers	Two hydraulic cylinders	no	3,600kg / -	£49,518
BF 3500	1.23-1.25m	Stub augers, spiral rotor + 15 knives	std	18 rollers	Two hydraulic cylinders	no	3,600kg / -	£52,159
FB 1000*	1.25m + wrap	Stub augers, spiral rotor + 25 knives	std	14 rollers, 17 rollers**	Hydraulic, tailgate pressure	std	7,500kg / -	£143,473
BV 5160 Plus SuperFeed	0.6-1.65m	Stub augers, spiral rotor	std	Five belts	Two hydraulic cylinders, two springs	std	2,990kg / -	£53,473
BV 5160 Plus SuperCut 14	0.6-1.65m	Stub augers, spiral rotor + 14 knives	std	Five belts	Two hydraulic cylinders, two springs	std	2,990kg / -	£57,268
BV 5200 Plus Superfeed	0.6-2m	Stub augers, spiral rotor	std	Five belts	Two hydraulic cylinders, two springs	std	3,340kg / -	£58,525
BV 5200 Plus SuperCut 14	0.6-2m	Stub augers, spiral rotor + 14 knives	std	Five belts	Two hydraulic cylinders, two springs	std	3,340kg / -	£62,319

Note: FB 1000 - grass accumulated in 14-roller pre-chamber during net application is transferred to 17-roller (three rollers shared) main chamber for completion during non-stop operation; wrapping by two 750mm pre-stretch film dispensers mounted on hydraulically-driven overhead vertical orbital arms.

<b>KUHN</b>								<b>*NEW MODELS</b>
FB 3130 OptiFeed	1.25m	Spiral rotor with auger flights	std	18 rollers	Hydraulic, tailgate pressure	no	3,300kg / -	£47,860
FB 3130 OptiCut 14	1.25m	Spiral rotor with auger flights + 14 knives	std	18 rollers	Hydraulic, tailgate pressure	no	3,300kg / -	£51,675
FB 3135 OptiCut 14	1.25m	Spiral rotor with auger flights + 14 knives	std	18 rollers	Hydraulic, tailgate pressure	std	3,300kg / -	£55,330
FB 3135 OptiCut 23	1.25m	Spiral rotor with auger flights + 23 knives	std	18 rollers	Hydraulic, tailgate pressure	std	3,400kg / -	£59,125
FBP 3135 BalePack OptiCut 14	1.25m + wrap	Spiral rotor with auger flights + 14 knives	std	18 rollers	Hydraulic, tailgate pressure	std	- / 5,600kg	£101,170
FBP 3135 BalePack OptiCut 23	1.25m + wrap	Spiral rotor with auger flights + 23 knives	std	18 rollers	Hydraulic, tailgate pressure	std	- / 5,600kg	£104,965
i-BIO+ OptiCut 14	1.25m + wrap	Spiral rotor with auger flights + 14 knives	std	18 rollers	Hydraulic, tailgate pressure	std	3,700kg / -	£80,110
i-BIO+ OptiCut 23	1.25m + wrap	Spiral rotor with auger flights + 23 knives	std	18 rollers	Hydraulic, tailgate pressure	std	3,800kg / -	£83,905
VB 3260 OptiFeed*	0.8-1.6m	Spiral rotor with auger flights	std	One starter roller, two chambers rollers, five belts	Hydraulic via belt tensioning arm	std	2,800-3,700kg / -	£51,820
VB 3260 OptiCut 14*	0.8-1.6m	Spiral rotor with auger flights + 14 knives	std	One starter roller, two chambers rollers, five belts	Hydraulic via belt tensioning arm	std	2,800-3,700kg / -	£56,570
VBP 3260 OptiCut 14*	0.8-1.6m + wrap	Spiral rotor with auger flights + 14 knives	std	One starter roller, two chambers rollers, five belts	Hydraulic via belt tensioning arm	std	5,400-6,300kg	£109,500



New addition - Kubota FB1000 non-stop baler-wraper

KUBOTA



Kuhn 7100 series baler (pictured) is joined by BalePack wrapping versions

KUHN



Increased capacity comes with McHale's Fusion Vario Plus

McHALE

Make / Model	Bale diameter	Feed-in mechanism	Drop floor	Bale formation	Bale density control	Isobus electronics	Weight - single axle / twin axle	List Price ex-VAT
VBP 3260 OptiCut 23*	0.8-1.6m + wrap	Spiral rotor with auger flights + 23 knives	std	One starter roller, two chambers rollers, five belts	Hydraulic via belt tensioning arm	std	5,400-6,300kg	£113,295
VB 3290 OptiFeed*	0.8-1.85m	Spiral rotor with auger flights	std	One starter roller, two chambers rollers, five belts	Hydraulic via belt tensioning arm	std	2,800-3,700kg / -	£59,435
VB 3290 OptiCut 14*	0.8-1.85m	Spiral rotor with auger flights + 14 knives	std	One starter roller, two chambers rollers, five belts	Hydraulic via belt tensioning arm	std	2,800-3,700kg / -	£64,185
VBP 3290 OptiCut 14*	0.8-1.85m + wrap	Spiral rotor with auger flights + 14 knives	std	One starter roller, two chambers rollers, five belts	Hydraulic via belt tensioning arm	std	5,400-6,300kg	£112,080
VBP 3290 OptiCut 23*	0.8-1.85m + wrap	Spiral rotor with auger flights + 23 knives	std	One starter roller, two chambers rollers, five belts	Hydraulic via belt tensioning arm	std	5,400-6,300kg	£115,875
VB 7160 i-Dense Optifeed	0.8-1.6m	Spiral rotor with auger flights	std	One starter roller, two chamber rollers, four belts	Two tensioning arms, each with two hydraulic cylinders plus moisture sensing auto adjustment	std	4,200kg / -	£74,940
VB 7160 i-Dense OptiCut 14	0.8-1.6m	Spiral rotor with auger flights + 14 knives	std	One starter roller, two chamber rollers, four belts	Two tensioning arms, each with two hydraulic cylinders plus moisture sensing auto adjustment	std	4,200kg / -	£78,915
VB 7160 i-Dense OptiCut 23	0.8-1.6m	Spiral rotor with auger flights + 23 knives	std	One starter roller, two chamber rollers, four belts	Two tensioning arms, each with two hydraulic cylinders plus moisture sensing auto adjustment	std	4,200kg / -	£83,075
VBP 7160 i-Dense OptiCut 14*	0.8-1.6m + wrap	Spiral rotor with auger flights + 14 knives	std	One starter roller, two chambers rollers, five belts	Two tensioning arms, each with two hydraulic cylinders plus in-cab moisture sensing auto adjustment	std	6,875-7,900kg	£123,320
VBP 7160 i-Dense OptiCut 23 *	0.8-1.6m + wrap	Spiral rotor with auger flights + 23 knives	std	One starter roller, two chambers rollers, five belts	Two tensioning arms, each with two hydraulic cylinders plus in-cab moisture sensing auto adjustment	std	6,875-7,900kg	£127,480
VB 7190 i-Dense Optifeed	0.8-1.85m	Spiral rotor with auger flights	std	One starter roller, two chamber rollers, four belts	Two tensioning arms, each with two hydraulic cylinders plus moisture sensing auto adjustment	std	5,200kg / -	£84,555
VB 7190 i-Dense OptiCut 14	0.8-1.85m	Spiral rotor with auger flights + 14 knives	std	One starter roller, two chamber rollers, four belts	Two tensioning arms, each with two hydraulic cylinders plus moisture sensing auto adjustment	std	5,200kg / -	£89,065
VB 7190 i-Dense OptiCut 23	0.8-1.85m	Spiral rotor with auger flights + 23 knives	std	One starter roller, two chamber rollers, four belts	Two tensioning arms, each with two hydraulic cylinders plus moisture sensing auto adjustment	std	5,200kg / -	£93,225
VBP 7190 i-Dense OptiCut 14*	0.8-1.85m + wrap	Spiral rotor with auger flights + 14 knives	std	One starter roller, two chambers rollers, five belts	Two tensioning arms, each with two hydraulic cylinders plus in-cab moisture sensing auto adjustment	std	6,875-7,900kg	£126,305
VBP 7190 i-Dense OptiCut 23*	0.8-1.85m + wrap	Spiral rotor with auger flights + 23 knives	std	One starter roller, two chambers rollers, five belts	Two tensioning arms, each with two hydraulic cylinders plus in-cab moisture sensing auto adjustment	std	6,875-7,900kg	£130,465

Note: FBP BalePack and VBP BalePack wrapping models have two 750mm pre-stretch film dispensers mounted on overhead orbital arms driven by hydraulic motor; i-BIO+ has two 750mm pre-stretch film dispensers mounted on a ring within the bale formation chamber. Film binding option - FB 3100 series £10,875, FBP 3100 and VBP 3200 series £8,560, VBP 7100 series £11,410, i-BIO+ £7,430. FBP and VBP 3-D wrapping option £5,195. Bale weighing option available for BalePack baler-wrappers; moisture meter optional for VB and VBP BalePack models, standard on VB 7100 and VBP 7100 series i-Dense models.

## MASSEY FERGUSON

RB 3130F Classic	1.25m	Stub augers, spiral rotor	no	18 rollers	Latched tailgate	no	3,000kg / -	£40,598
RB 3130F Xtra	1.25m	Stub augers, spiral rotor	std	18 rollers	Latched tailgate	opt	3,200kg / -	£50,988
RB 3130F XtraCut 13	1.25m	Stub augers, spiral rotor + 13 knives	std	18 rollers	Latched tailgate	opt	3,400kg / -	£53,365
RB 3130F XtraCut 17	1.25m	Stub augers, spiral rotor + 17 knives	std	18 rollers	Latched tailgate	opt	3,400kg / -	£56,917
RB 3130F XtraCut 25	1.25m	Stub augers, spiral rotor + 25 knives	std	18 rollers	Latched tailgate	opt	3,400kg / -	£58,815
RBC 3130F Xtracut 13 Protec	1.25m + wrap	Stub augers, spiral rotor + 13 knives	std	18 rollers	Latched tailgate	opt	6,450kg / -	£114,279
RBC 3130F Xtracut 17 Protec	1.25m + wrap	Stub augers, spiral rotor + 17 knives	std	18 rollers	Latched tailgate	opt	6,450kg / -	£117,831
RBC 3130F Xtracut 25 Protec	1.25m + wrap	Stub augers, spiral rotor + 25 knives	std	18 rollers	Latched tailgate	opt	6,450kg / -	£119,765
RB 4160V Classic	0.9-1.6m	Stub augers, spiral rotor	no	Three rollers, four belts	Springs, then hydraulic, latched tailgate	no	3,950kg / -	£45,611
RB 4160V Xtra	0.9-1.6m	Stub augers, spiral rotor	std	Three rollers, four belts	Springs, then hydraulic, latched tailgate	opt	3,950kg / -	£55,290
RB 4160V Xtracut 13	0.9-1.6m	Stub augers, spiral rotor + 13 knives	std	Three rollers, four belts	Springs, then hydraulic, latched tailgate	opt	3,950kg / -	£57,667
RB 4160V Xtracut 17	0.9-1.6m	Stub augers, spiral rotor + 17 knives	std	Three rollers, four belts	Springs, then hydraulic, latched tailgate	opt	3,950kg / -	£61,219

Make / Model	Bale diameter	Feed-in mechanism	Drop floor	Bale formation	Bale density control	Isobus electronics	Weight - single axle / twin axle	List Price ex-VAT
RB 4160V Xtracut 25	0.9-1.6m	Stub augers, spiral rotor + 25 knives	std	Three rollers, four belts	Springs, then hydraulic, latched tailgate	opt	3,950kg / -	£65,996
RBC 4160V Protec Xtracut 13	0.9-1.6m + wrap	Stub augers, spiral rotor + 13 knives	std	Three rollers, four belts	Springs, then hydraulic, latched tailgate	opt	6,550kg / -	£122,646
RBC 4160V Protec Xtracut 17	0.9-1.6m + wrap	Stub augers, spiral rotor + 17 knives	std	Three rollers, four belts	Springs, then hydraulic, latched tailgate	opt	6,550kg / -	£126,198
RBC 4160V Protec Xtracut 25	0.9-1.6m + wrap	Stub augers, spiral rotor + 25 knives	std	Three rollers, four belts	Springs, then hydraulic, latched tailgate	opt	6,550kg / -	£128,132
RB 4180V Classic	0.9-1.8m	Stub augers, spiral rotor	no	Three rollers, four belts	Springs, then hydraulic, latched tailgate	no	4,200kg / -	£50,578
RB 4180V Xtra	0.9-1.8m	Stub augers, spiral rotor	std	Three rollers, four belts	Springs, then hydraulic, latched tailgate	opt	4,200kg / -	£60,269
RB 4180V Xtracut 13	0.9-1.8m	Stub augers, spiral rotor + 13 knives	std	Three rollers, four belts	Springs, then hydraulic, latched tailgate	opt	4,200kg / -	£62,646
RB 4180V Xtracut 17	0.9-1.8m	Stub augers, spiral rotor + 17 knives	std	Three rollers, four belts	Springs, then hydraulic, latched tailgate	opt	4,200kg / -	£69,041
RB 4180V Xtracut 25	0.9-1.8m	Stub augers, spiral rotor + 25 knives	std	Three rollers, four belts	Springs, then hydraulic, latched tailgate	opt	4,200kg / -	£70,975

Note: Protec wrapping models have two 750mm pre-stretch film dispensers on a horizontal steel ring driven by hydraulic motor-powered rubber friction drive wheels. Stretch film circumference binding option - RBC 3130F Protec £5,073; 1,000rpm pto option - RB 3130F and RBC 3130F £1,858. Automation - automatic pick-up lift when reversing or weighing, tailgate open and close, XtraCut knife selection and knife cleaning; includes bale moisture measurement, bale weighing, withdrawing knives for uncut last layer, and LED maintenance and service lights.

McHALE							*ADDITIONAL MODELS	
F5400	1.25m	Stub augers, spiral rotor	std	18 rollers	Hydraulic, tailgate pressure	no	3,260kg / -	£39,705
F5500	1.25m	Stub augers, spiral rotor + 15 knives	std	18 rollers	Hydraulic, tailgate pressure	no	3,500kg / -	£48,078
F5600	1.25m	Stub augers, spiral rotor + 25 knives	std	18 rollers	Hydraulic, tailgate pressure	no	3,700kg / -	£55,101
F5600 Plus	1.25m	Stub augers, spiral rotor + 25 knives	std	18 rollers	Hydraulic, tailgate pressure	no	3,850kg / -	£63,427
Fusion 4	1.25m + wrap	Stub augers, spiral rotor + 25 knives	std	18 rollers	Hydraulic, tailgate pressure	no	5,500kg / -	£82,767
Fusion 4 Pro	1.25m + wrap	Stub augers, spiral rotor + 25 knives	std	18 rollers	Hydraulic, tailgate pressure	std	5,550kg / -	£90,005
Fusion 4 Plus	1.25m + wrap	Stub augers, spiral rotor + 25 knives	std	18 rollers	Hydraulic, tailgate pressure	std	5,650kg / -	£92,696
V6740	0.6-1.68m	Stub augers, spiral rotor	std	Three rollers, three belts or one belt	Springs, then hydraulic, latched tailgate	no	4,430kg / -	£48,170
V6750	0.6-1.68m	Stub augers, spiral rotor + 15 knives	std	Three rollers, three belts or one belt	Springs, then hydraulic, latched tailgate	opt	4,540kg / -	£55,309
V6760 *	0.6-1.68m	Stub augers, spiral rotor + 15 knives	std	Three rollers, three belts or one belt	Springs, then hydraulic, latched tailgate	std	4,650kg / -	£58,641
Fusion Vario Plus *	0.6-1.68m or 1-1.45m + wrap	Stub augers, spiral rotor + 25 knives	std	Three rollers, one belt	Springs, then hydraulic, latched tailgate	std	na	£95,744
V8940	0.6-1.9m	Stub augers, spiral rotor	std	Three rollers, three belts	Springs, then hydraulic, latched tailgate	no	4,740kg / -	£53,913
V8950	0.6-1.9m	Stub augers, spiral rotor + 15 knives	std	Three rollers, three belts	Springs, then hydraulic, latched tailgate	opt	4,850kg / -	£61,269
V8960 *	0.6-1.9m	Stub augers, spiral rotor + 15 knives	std	Three rollers, three belts	Springs, then hydraulic, latched tailgate	std	4,950kg / -	£poa

Note: Fusion Vario Plus makes and wraps straw and hay in 0.6-1.68m diameter bales and of haylage and silage in 1-1.45m diameter bales applying film-on-film. All 'Plus' models can apply stretch film instead of net to the circumference of the bale. All models available with 2.1m cam-operated five tine bar pick-up or 2.1m camless six-tine bar pick-up. F5600 and F5600 Plus automation comprises tailgate open and close. Fusion wrapping models have two 750mm pre-stretch film dispensers on a hydraulically driven vertical ring; Fusion 4 Pro adds faster wrapping speeds, remote camera, in-cab net and density adjustment and 7in touchscreen monitor.

NEW HOLLAND								
Roll-Bar 125 Rotor Feeder	1.25m	Stub augers, W spiral rotor	no	Two rollers, two chains + slats	Hydraulic, tailgate pressure	no	2,775kg / -	£38,087
Roll-Bar 125 Rotor Cutter	1.25m	Stub augers, W spiral rotor + 15 knives	no	Two rollers, two chains + slats	Hydraulic, tailgate pressure	no	2,775kg / -	£41,476
Roll Baler 125	1.25m	Stub augers, spiral rotor + 20 knives	std	18 rollers	Latched tailgate	std	3,060kg / -	£59,113
Roll Baler 125 Combi	1.25m + wrap	Stub augers, spiral rotor + 20 knives	std	18 rollers	Latched tailgate	std	- / 4,800kg	£103,005
Roll-Belt 150 SuperFeed	0.9-1.5m	Stub augers, optional paddle feeder/auger, 455mm spiral rotor	opt	Three rollers, four belts	Two hydraulic cylinders, two springs	opt	3,715kg / -	£51,142
Roll-Belt 150 CropCutter	0.9-1.5m	Stub augers, optional paddle feeder/auger, 455mm spiral rotor + 15 knives	std	Three rollers, four belts	Two hydraulic cylinders, two springs	opt	3,715kg / -	£58,756
Roll-Belt 180 SuperFeed	0.9-1.8m	Stub augers, optional paddle feeder/auger, 455mm spiral rotor	opt	Three rollers, four belts	Two hydraulic cylinders, two springs	opt	3,815kg / -	£56,154

Make / Model	Bale diameter	Feed-in mechanism	Drop floor	Bale formation	Bale density control	Isobus electronics	Weight - single axle / twin axle	List Price ex-VAT
Roll-Belt 180 CropCutter	0.9-1.8m	Stub augers, optional paddle feeder/auger, 455mm spiral rotor + 15 knives	std	Three rollers, four belts	Two hydraulic cylinders, two springs	opt	3,815kg / -	£63,054
Pro-Belt 165 SuperFeed	0.9-1.65m	Stub augers, optional paddle feeder/auger, 520mm spiral rotor	std	Two rollers, four belts	Two hydraulic cylinders, two springs	std	4,400kg / -	£66,557
Pro-Belt 165 CropCutter 13	0.9-1.65m	Stub augers, optional paddle feeder/auger, 520mm spiral rotor + 13 knives	std	Two rollers, four belts	Two hydraulic cylinders, two springs	std	4,870kg / -	£69,922
Pro-Belt 165 CropCutter 25	0.9-1.65m	Stub augers, optional paddle feeder/auger, 520mm spiral rotor + 25 knives	std	Two rollers, four belts	Two hydraulic cylinders, two springs	std	4,900kg / -	£73,863
Pro-Belt 190 SuperFeed	0.9-1.9m	Stub augers, optional paddle feeder/auger, 520mm spiral rotor	std	Two rollers, four belts	Two hydraulic cylinders, two springs	std	4,700kg / -	£74,536
Pro-Belt 190 CropCutter 13	0.9-1.9m	Stub augers, optional paddle feeder/auger, 520mm spiral rotor + 13 knives	std	Two rollers, four belts	Two hydraulic cylinders, two springs	std	4,900kg / -	£77,910
Pro-Belt 190 CropCutter 25	0.9-1.9m	Stub augers, optional paddle feeder/auger, 520mm spiral rotor + 25 knives	std	Two rollers, four belts	Two hydraulic cylinders, two springs	std	5,100kg / -	£81,850

Note: Roll Baler 125 Combi can apply stretch film instead of net to the circumference of the bale; has two 750mm pre-stretch film dispensers mounted on hydraulically-driven overhead orbital arms; automation includes knife retraction for final layer, knife cleaning retraction and reset with tailgate open/close. Roll-Belt automation comprises tailgate open and close, and ground speed control when coupled to a tractor with Class 3 Isobus. Pro-Belt automation via isobus TIM includes bringing the tractor to a stop, auto netting start/stop, and tailgate open and close.

## POTTINGER

Impress 3130 F Master	1.3m	Twin stub augers, double V rotor + 16 knives	std	18 rollers	Hydraulic, tailgate pressure	no	4,600kg / -	£65,481
Impress 3130 F Pro	1.3m	Twin stub augers, double V rotor + 32 knives	std	18 rollers	Hydraulic, tailgate pressure	std	4,850kg / -	£77,901
Impress 3130 FC Pro	1.3m + wrap	Twin stub augers, double V rotor + 32 knives	std	18 rollers	Hydraulic, tailgate pressure	std	- / 7,600kg	£129,804
Impress 3160 V	0.8-1.55m	Twin stub augers, double V rotor	std	Four rollers, three belts	Hydraulic via belt tensioning arm	no	4,500kg / -	£69,342
Impress 3160 V Master	0.8-1.55m	Twin stub augers, double V rotor + 16 knives	std	Four rollers, three belts	Hydraulic via belt tensioning arm	no	4,750kg / -	£74,248
Impress 3160 V Pro	0.8-1.55m	Twin stub augers, double V rotor + 32 knives	std	Four rollers, three belts	Hydraulic via belt tensioning arm	std	5,000kg / -	£88,444
Impress 3160 VC Pro	0.8-1.55m + wrap	Twin stub augers, double V rotor + 32 knives	std	Four rollers, three belts	Hydraulic via belt tensioning arm	std	- / 7,700kg	£140,661
Impress 3190 V	0.9-1.85m	Twin stub augers, double V rotor	std	Four rollers, three belts	Hydraulic via belt tensioning arm	no	4,600kg / -	£74,051
Impress 3190 V Master	0.9-1.85m	Twin stub augers, double V rotor + 16 knives	std	Four rollers, three belts	Hydraulic via belt tensioning arm	no	4,850kg / -	£78,955
Impress 3190 V Pro	0.9-1.85m	Twin stub augers, double V rotor + 32 knives	std	Four rollers, three belts	Hydraulic via belt tensioning arm	std	5,100kg / -	£92,397
Impress 3190 VC Pro	0.9-1.85m + wrap	Twin stub augers, double V rotor + 32 knives	std	Four rollers, three belts	Hydraulic via belt tensioning arm	std	- / 7,900kg	£146,512

Note: Incoming material passes over rather than under the double V intake rotor; crop slicing knives, where fitted, are positioned accordingly. FC Pro and VC Pro wrapping models have 750mm pre-stretch film dispensers on hydraulically driven underside orbital arms; all Pro models available with film-on-film binding. 1,000rpm driveline standard on Pro models, optional on others. Pro model automation comprises pick-up reel lift with chamber full signal, tailgate open, and tailgate close with optional bale kicker installed.

## VICON

### \*ADDITIONAL MODEL

FixBale 500 *	1.25m	Stub augers, spiral rotor	std	18 rollers	Hydraulic, tailgate pressure	no	3,600kg / -	£49,581
FixBale 500 SuperCut 15	1.25m	Stub augers, spiral rotor + 15 knives	std	18 rollers	Hydraulic, tailgate pressure	no	3,600kg / -	£52,159
FastBale Non-Stop Baler-Wrapper	1.25m + wrap	Stub augers, spiral rotor + 25 knives	std	14 rollers, 17 rollers	Hydraulic, tailgate pressure	std	7,500kg / -	£143,327
RV 5216 Plus SuperFeed	0.6-1.65m	Stub augers, spiral rotor	std	Five belts	Two hydraulic cylinders, two springs	std	2,990kg / -	£53,473
RV 5216 Plus SuperCut 14	0.6-1.65m	Stub augers, spiral rotor + 14 knives	std	Five belts	Two hydraulic cylinders, two springs	std	2,990kg / -	£57,268
RV 5220 Plus SuperFeed	0.6-2m	Stub augers, spiral rotor	std	Five belts	Two hydraulic cylinders, two springs	std	3,340kg / -	£58,525
RV 5220 Plus SuperCut 14	0.6-2m	Stub augers, spiral rotor + 14 knives	std	Five belts	Two hydraulic cylinders, two springs	std	3,340kg / -	£62,525

Note: FastBale - grass accumulated in 14-roller pre-chamber during net application is transferred to 17-roller (three rollers shared) main chamber for completion during non-stop operation; wrapping by two 750mm pre-stretch film dispensers mounted on hydraulically driven overhead vertical orbital arms.

## WOLAGRI

R500	0.57m (x 0.63m)	none	no	19 aluminium rollers	Hydraulic tailgate pressure	no	520kg / -	£13,500
R500 Super	0.57m (x 0.63m)	rotor	no	19 aluminium rollers	Hydraulic tailgate pressure	no	540kg / -	£13,800
R500 Combo	0.57m (x 0.63m) + wrap	none	no	19 aluminium rollers	Hydraulic tailgate pressure	no	950kg / -	£27,500

Note: Distributed by Marrs of Methlick. R500 Combo applies stretch film from dispensers on two orbital arms.



Upgrades bringing a 10% density increase create the new Case IH LB 424 XLD

CASE



New Holland's BigBaler 1270 Plus Density gets stiffer chamber panels and bigger rams

NEW HOLLAND

**SQUARE BALERS**

Make / Model	Chamber Size (WxHxL)	Minimum pto power	Feed-in mechanism (rotor diameter)	Pre-chamber fill	Stuffer fork trip	Plunger speed/stroke	Weight - single axle/twin axle	List Price - Single Axle	List Price - Twin Axles
<b>Legend: na = information not supplied; - = feature not available</b>									
<b>CASE IH</b>								<b>*NEW MODELS</b>	
LB 324 XL Packer Cutter	80cm x 70cm x 3.3m	110hp	Six double tines plus six knives	Variable cycle	Pre-chamber full	48 x 710mm	8,200kg / 8,800kg	£149,487	£159,263
LB 334 XL	80cm x 90cm x 3.3m	105hp	Four tines	Variable cycle	Pre-chamber full	48 x 710mm	8,200kg / 8,800kg	£149,165	£158,941
LB 334 XL Packer Cutter	80cm x 90cm x 3.3m	110hp	Six double tines plus six knives	Variable cycle	Pre-chamber full	48 x 710mm	8,200kg / 8,800kg	£159,668	£169,444
LB 334 XL Rotor Cutter	80cm x 90cm x 3.3m	130hp	65cm 'W' rotor plus nine or 19 knives	Variable cycle	Pre-chamber full	48 x 710mm	8,600kg / 9,400kg	£170,025	£184,234
LB 424 XL	120cm x 70cm x 3.3m	125hp	Nine tines	Variable cycle	Pre-chamber full	48 x 710mm	9,300kg / 10,000kg	£162,325	£172,101
LB 424 XL Rotor Cutter	120cm x 70cm x 3.3m	150hp	65cm 'W' rotor plus 15 or 29 knives	Variable cycle	Pre-chamber full	48 x 710mm	9,700kg / 10,600kg	£186,291	£196,481
LB 424 XLD*	120cm x 70cm x 3.3m	140hp	Nine tines	Variable cycle	Pre-chamber full	48 x 710mm	9,300kg / 10,600kg	£172,049	£181,825
LB 424 XLD Rotor Cutter*	120cm x 70cm x 3.3m	165hp	65cm 'W' rotor plus 29 knives	Variable cycle	Pre-chamber full	48 x 710mm	9,700kg / 10,600kg	£196,015	£206,205
LB 434 XL	120cm x 90cm x 3.3m	125hp	Nine tines	Variable cycle	Pre-chamber full	48 x 710mm	9,300kg / 10,000kg	£165,422	£186,105
LB 434 XL Rotor Cutter	120cm x 90cm x 3.3m	150hp	65cm 'W' rotor plus 15 or 29 knives	Variable cycle	Pre-chamber full	48 x 710mm	9,700kg / 10,600kg	£192,943	£203,133
LB 436 HD	120cm x 90cm x 4.05m	220hp	Nine tines	Variable cycle	Pre-chamber full	48 x 710mm	- / 14,500kg	-	£246,800
LB 436 HD Rotor Cutter	120cm x 90cm x 4.05m	250hp	65cm 'W' rotor plus 29 knives	Variable cycle	Pre-chamber full	48 x 748mm	- / 14,500kg	-	£273,017

Note: Variable tractor speed feed-rate control for consistent slices per bale standard (tractor Isobus 3 required); maximum capacity mode optional with E736 software unlock. Optional bale weighing with whole bale ejector £5,526 or with whole and partial bale ejector £7,185. Star wheel moisture sensor £3,021.

**CLAAS**

Quadrant 4000	80cm x 50cm x 2.57m	100hp	Packing/stuffer forks	Fixed two-phase	Fixed interval	61 x na	4,000kg / -	£84,650	-
Quadrant 4200 Evolution RotoFeed	120cm x 70cm x 3.45m	125hp	50cm spiral rotor	Fixed three-phase	Fixed interval	51 x na	na / 7,450kg	£141,040	£152,260
Quadrant 4200 Evolution RotoCut	120cm x 70cm x 3.45m	150hp	50cm spiral rotor plus 25 knives	Fixed three-phase	Fixed interval	51 x na	na / 7,800kg	£163,960	£173,790
Quadrant 5200 Evolution RotoFeed	120cm x 70cm x 3.85m	150hp	50cm spiral rotor	Variable cycle	Adjustable pre-chamber full	56 x na	na / 8,120kg	£157,860	£169,770
Quadrant 5200 Evolution RotoCut	120cm x 70cm x 3.85m	180hp	50cm spiral rotor plus 25 knives	Variable cycle	Adjustable pre-chamber full	56 x na	- / 9,730kg	-	£193,450
Quadrant 5200 Evolution FineCut	120cm x 70cm x 3.85m	180hp	50cm spiral rotor plus 25 knives	Variable cycle	Adjustable pre-chamber full	56 x na	- / 9,730kg	-	£211,860
Quadrant 5300 Evolution RotoFeed	120cm x 90cm x 3.85m	150hp	50cm spiral rotor	Variable cycle	Adjustable pre-chamber full	46 x na	- / 10,510kg	-	£180,320
Quadrant 5300 Evolution RotoCut	120cm x 90cm x 3.85m	180hp	50cm spiral rotor plus 25/51 knives	Variable cycle	Adjustable pre-chamber full	46 x na	- / 12,120kg	-	£210,490
Quadrant 5300 Evolution FineCut	120cm x 90cm x 3.85m	180hp	50cm spiral rotor plus 51 knives	Variable cycle	Adjustable pre-chamber full	46 x na	na / 12,120kg	-	£221,950

Note: Bale ejector standard. Optional bale weighing £5,940. Strip-type moisture sensor £1,250. Quadrant 4000 - DuoPac two-bale stacker £12,270. Telematics data collection and recording.

**FENDT**

990 Packer	80cm x 90cm x 3.3m	150hp	Tines	Variable cycle	Pre-chamber full	47 x 740mm	6,840kg / 7,440kg	£172,510	£190,425
990 ProCut	80cm x 90cm x 3.3m	180hp	65cm 'V' rotor plus 17 knives	Variable cycle	Pre-chamber full	47 x 740mm	- / 8,360kg	-	£215,843
1270 Packer	120cm x 70cm x 3.3m	160hp	Tines	Variable cycle	Pre-chamber full	47 x 740mm	8,460kg / 9,210kg	£190,425	£208,364
1270 ProCut	120cm x 70cm x 3.3m	190hp	65cm 'V' rotor plus 26 knives	Variable cycle	Pre-chamber full	47 x 740mm	- / 10,230kg	-	£233,784



Make / Model	Chamber Size (WxHxL)	Minimum pto power	Feed-in mechanism (rotor diameter)	Pre-chamber fill	Stuffer fork trip	Plunger speed/stroke	Weight - single axle/twin axle	List Price - Single Axle	List Price - Twin Axles
1290 Packer	120cm x 90cm x 3.3m	170hp	Tines	Variable cycle	Pre-chamber full	47 x 740mm	8,940kg / 9,690kg	£192,800	£210,521
1290 ProCut	120cm x 90cm x 3.3m	200hp	65cm 'V' rotor plus 26 knives	Variable cycle	Pre-chamber full	47 x 740mm	- / 10,710kg	-	£235,954
1290 XD Packer	120cm x 90cm x 3.3m	200hp	Tines	Variable cycle	Pre-chamber full	47 x 740mm	- / 10,580kg	-	£251,014
1290 XD ProCut	120cm x 90cm x 3.3m	200hp	65cm 'V' rotor plus 26 knives	Variable cycle	Pre-chamber full	47 x 740mm	- / 11,600kg	-	£276,420
12130 Packer	120cm x 130cm x 3.3m	150hp	Tines	Variable cycle	Pre-chamber full	33 x 820mm	na / 11,030kg	£209,268	£227,507

Note: Bale weighing 990 to 12130 - Epa, Squadra 1290 UD - standard. Telemetry and Isobus TIM - standard.

## JOHN DEERE

L624 RotoFlow HD	120cm x 70cm x 3m	130hp	59cm spiral rotor	Variable cycle	Pre-chamber full	46 x 695mm	na / 10,700kg	£195,785	£215,796
L624 MaxiCut	120cm x 70cm x 3m	130hp	59cm spiral rotor plus 23 knives	Variable cycle	Pre-chamber full	46 x 695mm	na / 11,300kg	£216,800	£236,811
L633 RotoFlow HD	80cm x 90cm x 3m	105hp	59cm spiral rotor	Variable cycle	Pre-chamber full	46 x 695mm	na / 9,500kg	£168,472	£187,901
L633 MaxiCut	80cm x 90cm x 3m	120hp	59cm spiral rotor plus 15 knives	Variable cycle	Pre-chamber full	46 x 695mm	na / 9,800kg	£187,544	£206,973
L634 RotoFlow HD	120cm x 90cm x 3m	140hp	59cm spiral rotor	Variable cycle	Pre-chamber full	46 x 695mm	na / 10,900kg	£187,617	£207,628
L634 MaxiCut	120cm x 90cm x 3m	165hp	59cm spiral rotor plus 23 knives	Variable cycle	Pre-chamber full	46 x 695mm	na / 11,600kg	£217,816	£237,827

Note: Single multi-tine feed rake delivers into chamber every stroke for high volume swaths or on intermittent strokes for lighter or uneven swaths. Isobus electronics standard. Optional bale weighing £7,648.

## KRONE

BiG Pack 870 HDP MultiBale	80cm x 70cm x 2.7m	145hp	Open throat	Variable cycle	Pre-chamber full	49 x 750mm	- / 9,000kg	-	£195,049
BiG Pack 870 HDP MultiBale XC	80cm x 70cm x 2.7m	165hp	55cm 'V' rotor plus 16 knives	Variable cycle	Pre-chamber full	49 x 750mm	- / 9,400kg	-	£210,035
BiG Pack 890	80cm x 90cm x 2.7m	110hp	Open throat	Variable cycle	Pre-chamber full	49 x 750mm	- / 8,560kg	-	£197,405
BiG Pack 890 XC	80cm x 90cm x 2.7m	130hp	55cm 'V' rotor plus 16 knives	Variable cycle	Pre-chamber full	49 x 750mm	- / 8,800kg	-	£171,657
BiG Pack 1270	120cm x 70cm x 2.7m	115hp	Open throat	Variable cycle	Pre-chamber full	45 x 750mm	- / 8,400kg	-	£194,365
BiG Pack 1270 XC	120cm x 70cm x 2.7m	135hp	55cm 'V' rotor plus 26 knives	Variable cycle	Pre-chamber full	45 x 750mm	- / 9,400kg	-	£213,112
BiG Pack 1270 Gen 5	120cm x 70 cm x 3.6m	116hp	Open throat	Variable cycle	Adjustable pre-chamber fill	45 x 750mm	- / 8,850kg	-	£212,172
BiG Pack 1270 VariCut Gen 5	120cm x 70 cm x 3.6m	136hp	55cm 'V' rotor plus 26 knives	Variable cycle	Adjustable pre-chamber fill	45 x 750mm	- / 9,900kg	-	£242,842
BiG Pack 1270 VariCut Gen 5	120cm x 70 cm x 3.6m	136hp	55cm 'V' rotor plus 51 knives	Variable cycle	Adjustable pre-chamber fill	45 x 750mm	- / 9,900kg	-	£253,042
BiG Pack 1290	120cm x 90cm x 2.7m	125hp	Open throat	Variable cycle	Pre-chamber full	45 x 750mm	- / 8,900kg	-	£201,852
BiG Pack 1290 XC	120cm x 90cm x 2.7m	145hp	55cm 'V' rotor plus 26 knives	Variable cycle	Pre-chamber full	45 x 750mm	- / 9,900kg	-	£221,686
BiG Pack 1290 Gen 5	120cm x 90cm x 3.6m	125hp	Open throat	Variable cycle	Adjustable pre-chamber fill	45 x 750mm	- / 9,400kg	-	£230,992
BiG Pack 1290 VariCut Gen 5	120cm x 90cm x 3.6m	145hp	55cm 'V' rotor plus 26 knives	Variable cycle	Adjustable pre-chamber fill	45 x 750mm	- / 10,400kg	-	£251,417
BiG Pack 1290 VariCut Gen 5	120cm x 90cm x 3.6m	190hp	55cm 'V' rotor plus 51 knives	Variable cycle	Adjustable pre-chamber fill	45 x 750mm	- / 10,400kg	-	£261,616
BiG Pack 1290 HDP	120cm x 90cm x 3.6m	180hp	Open throat	Variable cycle	Pre-chamber full	45 x 750mm	- / 12,000kg	-	£229,780
BiG Pack 1290 HDP XC	120cm x 90cm x 3.6m	200hp	55cm 'V' rotor plus 26 knives	Variable cycle	Pre-chamber full	45 x 750mm	- / 12,600kg	-	£251,432
BiG Pack 1290 HDP II	120cm x 90cm x 3.6m	230hp	Open throat	Variable cycle	Pre-chamber full	45 x 800mm	- / 14,200kg	-	£312,361
BiG Pack 1290 HDP II XC	120cm x 90cm x 3.6m	260hp	72cm 'V' rotor plus 26 knives	Variable cycle	Pre-chamber full	45 x 800mm	- / 15,400kg	-	£346,992
BiG Pack 1290 HDP Gen 5	120cm x 90cm x 3.6m	180hp	Open throat	Variable cycle	Adjustable pre-chamber fill	45 x 750mm	- / 12,500kg	-	£235,465
BiG Pack 1290 HDP VariCut Gen 5	120cm x 90cm x 3.6m	200hp	55cm 'V' rotor plus 26 knives	Variable cycle	Adjustable pre-chamber fill	45 x 750mm	- / 13,100kg	-	£281,178
BiG Pack 1290 HDP VariCut Gen 5	120cm x 90cm x 3.6m	245hp	55cm 'V' rotor plus 51 knives	Variable cycle	Adjustable pre-chamber fill	45 x 750mm	- / 13,100kg	-	£291,377
BiG Pack 4x4	120cm x 130cm x 3.6m	180hp	Open throat	Variable cycle	Pre-chamber full	38 x 800mm	- / 13,100kg	-	£232,084
BiG Pack 4x4 XC	120cm x 130cm x 3.6m	200hp	55cm 'V' rotor plus 26 knives	Variable cycle	Pre-chamber full	38 x 800mm	- / 13,800kg	-	£261,360

Note: Telematics standard on Gen 5 versions recording time bales produced, length and position in field. Optional bale weighing £6,228. Moisture measurement £1,593. BaleCollect accumulator £41,795, GPS-controlled bale discharge line-up £376. MultiBale models produce up to nine 'mini' bales tied into one pack. BiG Pack 870 chamber width can be reduced by 3cm for bale consignments to fit standard shipping containers.

## KUHN

### \*REVISED MODELS

SB 890 Optifeed*	80cm x 90cm x 3.75m	105hp	48cm 'V' rotor	Variable cycle or fixed single-phase	Adjustable pre-chamber fill	46 x 695mm	8,600kg / 10,500kg	£145,380	£161,485
SB 890 Omnicut*	80cm x 90cm x 3.75m	120hp	48cm 'V' rotor plus 15 knives	Variable cycle or fixed single-phase	Adjustable pre-chamber fill	46 x 695mm	8,600kg / 10,500kg	£156,305	£172,410

Make / Model	Chamber Size (WxHxL)	Minimum pto power	Feed-in mechanism (rotor diameter)	Pre-chamber fill	Stuffer fork trip	Plunger speed/stroke	Weight - single axle/twin axle	List Price - Single Axle	List Price - Twin Axles
SB 1270 X Optifeed*	120cm x 70cm x 3.75m	130hp	65cm 'V' rotor	Variable cycle or fixed single-phase	Adjustable pre-chamber fill	46 x 695mm	9,750kg / 11,850kg	£162,975	£179,725
SB 1270 X Omnicut*	120cm x 70cm x 3.75m	155hp	65cm 'V' rotor plus 23 knives	Variable cycle or fixed single-phase	Adjustable pre-chamber fill	46 x 695mm	9,750kg / 11,850kg	£188,970	£205,720
SB 1290 Optifeed*	120cm x 90cm x 3.75m	140hp	65cm 'V' rotor	Variable cycle or fixed single-phase	Adjustable pre-chamber fill	46 x 695mm	10,050kg / 12,150kg	£168,425	£185,175
SB 1290 Omnicut*	120cm x 90cm x 3.75m	165hp	65cm 'V' rotor plus 23 knives	Variable cycle or fixed single-phase	Adjustable pre-chamber fill	46 x 695mm	10,050kg / 12,150kg	£194,550	£211,300
SB 1290 iD Optifeed	120cm x 90cm x 3.75m	180hp	65cm 'V' rotor	Variable cycle or fixed single-phase	Adjustable pre-chamber fill	46 x 695mm	- / 11,700kg	-	£221,025
SB 1290 iD Omnicut	120cm x 90cm x 3.75m	196hp	65cm 'V' rotor plus 23 knives	Variable cycle or fixed single-phase	Adjustable pre-chamber fill	46 x 695mm	- / 12,400kg	-	£246,565

Note: Optional bale weighing - SB 890 £4,360; SB 1270 X to SB 1290 £4,130; standard on SB 1290 iD. Other options include moisture measurement and pre-chamber low friction kit for silage. SB 1290 iD has a two-part plunger giving a double-punch impact on material being baled. With the variable cycle selected, material accumulated in the pre-chamber is transferred once an adjustable pressure is reached; the fixed single-phase setting transfers material with every feeder fork stroke. Isobus electronics standard.

## MASSEY FERGUSON

MF 2233 Packer	80cm x 90cm x 3.3m	150hp	Four tines	Variable cycle	Pre-chamber full	47 x 740mm	6,840kg / 7,440kg	£169,963	£187,877
MF 2233 ProCut	80cm x 90cm x 3.3m	165hp	Four tines plus 17 knives	Variable cycle	Pre-chamber full	47 x 740mm	- / 8,270kg	-	£213,308
MF 2224 Packer	120cm x 70cm x 3.3m	160hp	Six tines	Variable cycle	Pre-chamber full	47 x 740mm	8,720kg / 9,740kg	£187,877	£205,827
MF 2224 ProCut	120cm x 70cm x 3.3m	190hp	65cm 'V' rotor plus six tines plus 26 knives	Variable cycle	Pre-chamber full	47 x 740mm	- / 10,410kg	-	£231,246
MF 2234 Packer	120cm x 90cm x 3.3m	170hp	Six tines	Variable cycle	Pre-chamber full	47 x 740mm	8,940kg / 9,690kg	£190,273	£207,985
MF 2234 ProCut	120cm x 90cm x 3.3m	200hp	65cm 'V' rotor plus six tines plus 26 knives	Variable cycle	Pre-chamber full	47 x 740mm	- / 10,630kg	-	£233,416
MF 2234 XDTP	120cm x 90cm x 3.3m	200hp	Six tines	Variable cycle	Pre-chamber full	47 x 740mm	- / 10,580kg	-	£248,473
MF 2234 XDTC	120cm x 90cm x 3.3m	275hp	65cm 'V' rotor plus six tines plus 26 knives	Variable cycle	Pre-chamber full	47 x 740mm	- / 11,520kg	-	£273,880
MF 2244 Packer	120cm x 130cm x 3.3m	200hp	Six tines	Variable cycle	Pre-chamber full	33 x 820mm	10,520kg / 11,030kg	£206,729	£224,962

Note: Optional bale weighing Epa. Connect telematics data collection and job records standard. Isobus TIM ground speed control - standard.

## NEW HOLLAND

### \*ADDITIONAL MODELS

BigBaler 870 Plus Packer	80cm x 70cm x 3.3m	110hp	Four tines	Variable cycle	Pre-chamber full	48 x 710mm	7,250kg / na	£139,326	£153,282
BigBaler 870 Plus Packer Cutter	80cm x 70cm x 3.3m	115hp	Six tines plus six knives	Variable cycle	Pre-chamber full	48 x 710mm	7,250kg / na	£148,189	£162,145
BigBaler 870 Plus CropCutter	80cm x 70cm x 3.3m	135hp	65cm 'W' rotor plus nine or 19 knives	Variable cycle	Pre-chamber full	48 x 710mm	8,400kg / na	£156,233	£169,848
BigBaler 890 Plus Packer	80cm x 90cm x 3.3m	110hp	Four tines	Variable cycle	Pre-chamber full	48 x 710mm	7,350kg / na	£147,881	£161,837
BigBaler 890 Plus Packer Cutter	80cm x 90cm x 3.3m	115hp	Six tines plus six knives	Variable cycle	Pre-chamber full	48 x 710mm	7,350kg / na	£157,944	£171,900
BigBaler 890 Plus CropCutter	80cm x 90cm x 3.3m	135hp	65cm 'W' rotor plus nine or 19 knives	Variable cycle	Pre-chamber full	48 x 710mm	8,600kg / na	£166,620	£180,235
BigBaler 1270 Plus Packer	120cm x 70cm x 3.3m	125hp	Six tines	Variable cycle	Pre-chamber full	48 x 710mm	9,100kg / na	£162,355	£179,059
BigBaler 1270 Plus CropCutter	120cm x 70cm x 3.3m	150hp	65cm 'W' rotor plus 15 or 29 knives	Variable cycle	Pre-chamber full	48 x 710mm	10,500kg / na	£184,946	£197,669
BigBaler 1270 Plus Density Packer*	120cm x 70cm x 3.3m	150hp	Six tines	Variable cycle	Pre-chamber full	48 x 710mm	9,100kg / na	£171,671	£188,375
BigBaler 1270 Plus Density CropCutter*	120cm x 70cm x 3.3m	150hp	65cm 'W' rotor plus 15 or 29 knives	Variable cycle	Pre-chamber full	48 x 710mm	10,500kg / na	£194,263	£206,986
BigBaler 1290 Plus Packer	120cm x 90cm x 3.3m	130hp	Six tines	Variable cycle	Pre-chamber full	48 x 710mm	9,300kg / na	-	£182,027
BigBaler 1290 Plus CropCutter	120cm x 90cm x 3.3m	160hp	65cm 'W' rotor plus 15 or 29 knives	Variable cycle	Pre-chamber full	48 x 710mm	10,800kg / na	-	£204,043
BigBaler 1290 HD Packer	120cm x 90cm x 4.05m	230hp	Three triple-tine forks	Variable cycle	Pre-chamber full	48 x 748mm	- / 13,900kg	-	£240,125
BigBaler 1290 HD CropCutter	120cm x 90cm x 4.05m	250hp	65cm 'W' rotor plus 29 knives	Variable cycle	Pre-chamber full	48 x 748mm	- / 14,600kg	-	£265,246

Note: Optional bale weighing £3,706. Variable tractor speed feed rate control for consistent slices per bale standard (tractor Isobus 3 required); plus maximum capacity mode optional with £551 software unlock. Pneumatic brakes standard on 120cm balers. BigBaler 1270 Plus Density models have greater plunger force, increased bale chamber top and side pressures and updated components to produce typically 10% denser bales than regular 1270 Plus version.