

BUYER'S GUIDE TO TELEHANDLERS

For a review of all the new and improved machines in this year's guide, visit fwi.co.uk

Model	Max lift height	Max lift capacity	Lift to full height	Boom cushion	Hydraulics (litres/min)	Engine output; make	Transmission ranges and drive	Transmission top speed	List price (ex-VAT)
<p>Note no info = no information provided. n/a = feature not available. std = standard. opt = optional. Hydraulics F = fixed output gear pump; V = variable output piston pump. Transmissions: MS = manual shift with torque converter; PS = powershift with torque converter; PSD = powershift direct drive (no torque converter); 1 H = single-speed hydrostatic; 2 GH = two-speed gearbox hydrostatic; 4 GH = two speed gearbox plus two-speed hydrostatic; 2 HH/3 HH = two- and three-speed all-hydrostatic drive; SRH CVT = single-range hydrostatic continuously variable; HM CVT = hydro-mechanical power split continuously variable; xxkW 1 M = single-speed electric motor mechanical drive; xxkW 1 H = single-speed electric-powered hydrostatic drive; xxkW 2 or 3 HH = electric powered multi-speed hydrostatic drive. Prices: tbc = new model price to be confirmed; poa = manufacturer has not provided a price. Imported machine prices subject to prevailing exchange rate.</p>									
AVANT									
Central cab, articulated chassis steering									
423	2.75m	0.55t	0.55t	no	F 34	22hp Kubota	1 H	12kph	£20,900
523	2.79m	0.8t	0.8t	no	F 34	22hp Kubota	1 H	12kph	£26,100
528	2.79m	0.95t	0.95t	no	F 36	26hp Kubota	1 H	12kph	£28,100
530	2.79m	0.95t	0.95t	no	F 36	26hp Kubota	2 HH	19kph	£29,600
e513	2.79m	0.9t	0.9t	no	F 30	13kWh lithium-ion	3 HH	10kph	£39,500
e527	2.79m	0.9t	0.9t	no	F 30	27kWh lithium-ion	3 HH	10kph	£45,500
635i	2.83m	1t	1t	no	F 66	26hp Kohler	1 H	12kph	£34,500
640i	2.83m	1t	1t	no	F 66	26hp Kohler	2 HH	23kph	£36,500
645i	2.83m	1t	1t	no	F 75	44hp Kubota	1 H	12kph	£44,900
650i	2.83m	1t	1t	no	F 75	44hp Kubota	2 HH	22kph	£46,900
735	3.08m	1t	1.4t	no	F 50	26hp Kubota	1 H	15kph	£38,500
755i	3.1m	1t	1.4t	std	F 80	57hp Kohler	1 H	17kph	£45,500
760i	3.1m	1t	1.4t	std	F 80	57hp Kohler	2 HH	30kph	£48,500
855i	3.1m	1.9t	1.9t	std	F 80	57hp Kohler	1 H	15kph	£51,000
860i	3.5m	1.9t	1.9t	std	F 80	57hp Kohler	2 HH	30kph	£54,000
<p>Note: Optional cab available on all models. All lift capacities are rated with full counterweight fitted.</p>									
BLANEY									
Central cab, articulated chassis steering									
TL1 10-33	3.3m	1t	0.8t	£poa	F 39	25hp Yanmar	2 HH	no info	£34,547
Offset cab, permanent four-wheel steering									
TH1 15-48	4.8m	1.5t	1.4t	£poa	F 42	45hp Yanmar	2 HH	no info	£47,944
BOBCAT									
Offset cab, selectable two/four-wheel steering									
TL25.60 Agri	5.91m	2.5t	1.8t	std	F 80	75hp Bobcat	2 HH	30kph	£72,550
TL26.60 Agri	5.9m	2.6t	2t	std	F 100	100hp Bobcat	2 HH	40kph	£75,250
TL30.60 Agri	5.9m	3t	2.5t	std	F 100	100hp Bobcat	2 HH	40kph	£76,350
TL34.65 HF Agri	6.4m	3.5t	3.4t	std	V 190	135hp Bobcat	4 GH	40kph	£88,900
TL30.70 Agri	6.8m	3t	2t	std	F 100	100hp Bobcat	2 HH	40kph	£78,350
TL35.70 Agri	7m	3.4t	3.5t	std	F 100	100hp Bobcat	4 GH	40kph	£86,000
TL38.70 HF Agri	7m	3.8t	3.5t	std	V 190	135hp Bobcat	4 GH	40kph	£93,300
TL43.80 HF Agri	7.5m	4.3t	1.8t	std	V 190	135hp Bobcat	4 GH	40kph	£100,500
<p>Note: Prices are for 3* Agri Pack versions. All models have selectable Flex independent ground/engine speed control plus Smooth and Dynamic modes. HF versions have hydraulic pump booster and flow-sharing. TL26.60, TL30.60 and TL30.70 have choice of cab mounting positions for minimum height or maximum visibility. Bobcat engines are built by Doosan.</p>									
CASE IH									
Offset cab, selectable two/four-wheel steering									
Farmlift 626*	5.9m	2.6t	2t	£867	F 80	74hp Kubota	1 H	30kph	£85,970
Farmlift 636	6.1m	3.6t	3.6t	£2,174	V 160	146hp FPT	6 PS	40kph	£128,339
Farmlift 737	7m	3.7t	2.5t	£2,147	V 140	133hp FPT	6 PS	40kph	£124,831
Farmlift 742	7m	4.2t	2.5t	£2,174	V 160	146hp FPT	6 PS	40kph	£135,652
Farmlift 935	9.1m	3.5t	1.5t	£2,174	V 140	133hp FPT	6 PS	35kph	£130,976
Farmlift 935 145hp*	9.1m	3.5t	1.5t	£2,174	V 140	145hp FPT	6 PS	35kph	£138,670
<p>Note: Four-wheel drive auto alignment - standard on all models except 737 (available as an option £558). Advanced hydraulic features standard on all models (not available for 626), rear view camera £590.</p>									
CAST LOADERS									
Central cab, articulated chassis steering									
28T									*NEW MODELS
Genesis 25HP*	2.75m	0.8t	n/a	n/a	F 47	25hp Yanmar	1 H	12kph	£22,685
30T	2.94m	1t	n/a	n/a	F 47	25hp Yanmar	1 H	14kph	£25,735
30T Forest Dual Speed	2.94m	1t	n/a	n/a	F 47	25hp Yanmar	2 HH	20kph	£29,395
800 Eco	2.98m	1t	n/a	n/a	F 25	Traction battery	1 H	12kph	£35,650
825D*	2.98m	0.95t	n/a	n/a	F 42	25hp Kubota	1 H	12kph	£25,145
830D Carbon	2.98m	0.95t	n/a	n/a	F 46	25hp Kubota	1 H	16kph	£29,215

Model	Max lift height	Max lift capacity	Lift to full height	Boom cushion	Hydraulics (litres/min)	Engine output; make	Transmission ranges and drive	Transmission top speed	List price (ex-VAT)
840D*	2.98m	0.95t	n/a	n/a	F 46	25hp Kubota	2 HH	20kph	£30,755
33TLX	2.98m	1t	n/a	n/a	F 50	25hp Yanmar	1 H	12kph	£27,975
33TLX Carbon Dual Speed	2.98m	1t	n/a	n/a	F 50	25hp Yanmar	2 HH	20kph	£30,435
40XD	3.3m	1.5t	n/a	n/a	F 66	38hp Yanmar	1 H	16kph	£36,855
Maxo 57D Single Speed	3.3m	1.8t	n/a	n/a	F 80	57hp Kohler	1 H	18kph	£42,595
Maxo 57D Dual Speed	3.3m	1.8t	n/a	n/a	F 80	57hp Kohler	2 HH	30kph	£45,905

Note: Distributed by DJB Machinery. All models come with an 11-function joystick as minimum specification. Lifting capacities are measured in transport position with rear counterweights. Cab and other options available.

CLAAS

Central cab, articulated chassis and rear-wheel steering

Torion 738T Sinus	4.96m	3.8t	2.3t	std	F 93 or F 93+28	73hp Yanmar	2 HH	40kph	£122,100
-------------------	-------	------	------	-----	-----------------	-------------	------	-------	----------

Offset cab, selectable two/four-wheel steering

***NEW MODELS**

635, 732, 736, 741

DISCONTINUED

Scorpion 638*	6.7m	3.8t	3t	std	V 160	142hp Liebherr	3 HH	40kph	£117,980
Scorpion 733	7.03m	3.3t	2.5t	std	V 160	142hp Liebherr	3 HH	40kph	£121,370
Scorpion 738*	7.03m	3.8t	2.5t	std	V 160	142hp Liebherr	3 HH	40kph	£123,290
Scorpion 742*	7.03m	4.2t	2.5t	std	V 160	142hp Liebherr	3 HH	40kph	£126,850
Scorpion 746	7.03m	4.6t	3t	std	V 187	142hp Liebherr	3 HH	40kph	£133,430
Scorpion 756	7.03m	5.6t	3.5t	std	V 187	156hp Deutz	3 HH	40kph	£144,680
Scorpion 960	8.79m	6.5t	4t	std	V 187	156hp Deutz	3 HH	40kph	£156,660
Scorpion 1033*	9.75m	3.3t	1.5t	std	V 160	142hp Liebherr	3 HH	40kph	£127,730

Note: Torion 738T Sinus lift capacity is tipping load when fully articulated. Scorpion features include Smart Roading auto engine speed management, four-mode electronic steering selection, optional joystick movement-related Dynamic Power, electronic throttle creep function. Optional auto bucket/fork return-to-dig plus auto boom retract while lowering. Base Varipower transmission (Scorpion 746) has 45deg wide-angle hydrostat; Varipower Plus (Scorpion 756, 960) adds 32deg variable displacement motor for increased tractive power. Varipower 2 is on Scorpion 638, 733, 1033. Varipower 3 (Scorpion 738 and 742) has twin hydraulic motors for greater power sharing a swash plate and two-ended output shaft (to eliminate reduction gears) within a single zero lubricant casing. Previous Scorpion 635, 732, 736 and 741 models have been replaced by 638, 733, 739 and 741 models respectively.

DIECI

Central cab, articulated chassis steering

Agri Pivot T60	4.7m	2.25t	1.4t	£poa	F 98	73hp Kubota	2 GH	40kph	£86,000
Agri Pivot T70	5.02m	3t	1.95t	£poa	F 117	115hp Perkins	2 GH	40kph	£95,000
Agri Pivot T80*	5.2m	3.5t	2.25t	£poa	F 114	153hp FPT	2 GH	40kph	£120,000

Offset cab, selectable two/four-wheel steering

Agri Plus 40.9 Evo 2 GD, Agri Max 75.10 Evo 2 GD **DISCONTINUED**

Mini Agri 20.4 Smart	4.35m	2t	2t	no	F 93	50hp Kubota	1 H	38kph	£65,000
Mini Agri 26.6	5.78m	2.6t	1.7t	£poa	F 80	74hp Kubota	1 H	38kph	£66,500
Agri Farmer 30.7 GD	6.35m	3t	2t	£poa	F 100	107hp Kubota	2 GH	40kph	£79,500
Agri Farmer 34.7 GD	6.35m	3.4t	2t	£poa	F 100	107hp Kubota	2 GH	40kph	£82,500
Agri Star 37.7 GD	6.8m	3.7t	2.3t	£poa	F 205	135hp Perkins	SRH CVT	40kph	£95,000
Agri Plus 42.7 Evo 2 GD	7m	4.2t	2.5t	£poa	F 247	153hp FPT	SRH CVT	40kph	£115,000
Agri Max 50.8 Evo 2 GD	7.7m	5t	3t	£poa	F 247	172hp FPT	SRH CVT	40kph	£125,000
Agri Max 50.8 Power X2	7.7m	5t	3t	£poa	F 305	172hp FPT	HM CVT	50kph	£poa
Agri Max 65.8 Evo 2 GD	7.7m	6.5t	4.2t	£poa	F 247	172hp FPT	SRH CVT	40kph	£130,000
Agri Max 65.8 Power X2	7.7m	6.5t	4.2t	£poa	F 305	172hp FPT	HM CVT	50kph	£poa
Agri Max 60.9 Evo 2 GD	8.6m	6t	3.5t	£poa	F 247	172hp FPT	SRH CVT	40kph	£130,000
Agri Max 60.9 Power X2	8.6m	6t	3.5t	£poa	F 305	172hp FPT	HM CVT	50kph	£poa
Agri Farmer 30.9 GD	8.65m	3t	0.95t	£poa	F 100	107hp Kubota	2 GH	40kph	£80,000
Agri Farmer 32.9 GD	8.65m	3.2t	1.1t	£poa	F 100	107hp Kubota	2 GH	40kph	£84,500
Agri Star 38.10 Evo 2 GD	9.6m	3.8t	0.85t	£poa	F 205	135hp Perkins	SRH CVT	40kph	£97,500
Agri Plus 40.10 Evo 2 GD	10m	4t	2t	£poa	F 230	153hp FPT	SRH CVT	40kph	£120,000

Note: Agri Pivot T60 has two-speed static-shift gearbox; Agri Pivot T70 has two-speed gearbox with shifting on the move; Agri Pivot T80 has twin hydrostats. Agri Star models have a single-range hydrostatic continuously-variable transmission. Agri Plus and Agri Max models have a four-mode single range hydrostatic continuously-variable transmission. Agri Max Power X2 models have a hydro-mechanical power split continuously-variable transmission.

FAREFIN

Offset cab, selectable two-/four-wheel steering

FS 6.26 Classic 52	5.8m	2.6t	2t	£1,564	F 80	70hp Yanmar	1 H	30kph	£87,392
6.26 Full Electric	5.9m	2.6t	2t	£1,564	F 80	24, 32 or 43kWh battery	30kW 1 H	12kph	£106,000
FS 7.32C Classic 55	7.1m	3.2t	2.5t	£1,564	F 100	75hp Deutz	1 H	30kph	£107,000
FS 7.32C Classic 75	7.1m	3.2t	2.5t	£1,564	F 100	102hp Deutz	1 H	30kph	£111,800
FS 7.32C Dynamic 85	7.1m	3.2t	2.5t	£1,564	F 120	115hp Deutz	1 H	30kph	£115,400
FS 7.32C Performance 85	7.1m	3.2t	2.5t	£1,564	V 150	115hp Deutz	2 HH	40kph	£123,900
FS 7.32C Excellence 85	7.1m	3.2t	2.5t	£1,564	V 170	115hp Deutz	2 HH	40kph	£133,400
FS 7.40 Classic 55	7.1m	4t	2.5t	£1,564	F 100	75hp Deutz	1 H	30kph	£116,900
FS 7.40 Classic 75	7.1m	4t	2.5t	£1,564	F 100	102hp Deutz	1 H	30kph	£122,100
FS 7.40 Dynamic 85	7.1m	4t	2.5t	£1,564	F 120	115hp Deutz	1 H	30kph	£126,800
FS 7.40 Performance 85	7.1m	4t	2.5t	£1,564	V 150	115hp Deutz	2 HH	40kph	£133,400

ULTIMATE GUIDE TELEHANDLERS

Model	Max lift height	Max lift capacity	Lift to full height	Boom cushion	Hydraulics (litres/min)	Engine output; make	Transmission ranges and drive	Transmission top speed	List price (ex-VAT)
FS 7.40 Excellence 85	7.1m	4t	2.5t	£1,564	V 170	115hp Deutz	2 HH	40kph	£141,100
FS 7.40 Excellence HVTronic 100	7.1m	4t	2.5t	£1,564	V 170	136hp Deutz	SRH CVT	40kph	£149,200
FS 7.45 Classic 55	7.1m	4.5t	3t	£1,564	F 100	75hp Deutz	1 H	30kph	£119,100
FS 7.45 Classic 75	7.1m	4.5t	3t	£1,564	F 100	102hp Deutz	1 H	30kph	£124,200
FS 7.45 Dynamic 85	7.1m	4.5t	3t	£1,564	F 120	115hp Deutz	1 H	30kph	£128,900
FS 7.45 Performance 85	7.1m	4.5t	3t	£1,564	V 150	115hp Deutz	2 HH	40kph	£135,600
FS 7.45 Excellence 85	7.1m	4.5t	3t	£1,564	V 170	115hp Deutz	2 HH	40kph	£143,300
FS 7.45 Excellence HVTronic 100	7.1m	4.5t	3t	£1,564	V 170	136hp Deutz	SRH CVT	40kph	£151,400
FS 8.40 Classic 55	8m	4t	2t	£1,564	F 100	75hp Deutz	1 H	30kph	£121,200
FS 8.40 Classic 75	8m	4t	2t	£1,564	F 100	102hp Deutz	1 H	30kph	£126,400
FS 8.40 Dynamic 85	8m	4t	2t	£1,564	F 120	115hp Deutz	1 H	30kph	£131,300
FS 8.40 Performance 85	8m	4t	2t	£1,564	V 150	115hp Deutz	2 HH	40kph	£137,500
FS 8.40 Excellence 85	8m	4t	2t	£1,564	V 170	115hp Deutz	2 HH	40kph	£145,300
FS 8.40 Excellence HVTronic 100	8m	4t	2t	£1,564	V 170	136hp Deutz	SRH CVT	40kph	£153,600
9.60 Classic 74	8.8m	6t	3t	£1,564	F 120	101hp Deutz	2 HH	40kph	£148,700
9.60 HLS 74	8.8m	6t	3t	£1,564	V 152	115hp Deutz	2 HH	40kph	£157,800
9.60 VPSE 100	8.8m	6t	3t	£1,564	V 180	136hp Deutz	2 HH	40kph	£165,900
9.70 Classic 74	8.8m	7t	3t	£1,564	F 120	101hp Deutz	2 HH	40kph	£152,500
9.70 HLS 74	8.8m	7t	3t	£1,564	V 152	115hp Deutz	2 HH	40kph	£147,500
9.70 VPSE 100	8.8m	7t	3t	£1,564	V 180	136hp Deutz	2 HH	40kph	£171,200
FS 9.32C Classic 55	9m	3.2t	1.2t	£1,564	F 100	75hp Deutz	1 H	30kph	£112,700
FS 9.32C Classic 75	9m	3.2t	1.2t	£1,564	F 100	102hp Deutz	1 H	30kph	£117,300
FS 9.32C Dynamic 85	9m	3.2t	1.2t	£1,564	F 120	115hp Deutz	1 H	30kph	£120,800
FS 9.32C Performance 85	9m	3.2t	1.2t	£1,564	V 150	115hp Deutz	2 HH	40kph	£129,300
FS 9.32C Excellence 85	9m	3.2t	1.2t	£1,564	V 170	115hp Deutz	2 HH	40kph	£138,800
10.65 Classic 74	9.5m	6.5t	2.5t	£1,564	F 120	101hp Deutz	2 HH	40kph	£155,000
10.65 HLS 74	9.5m	6.5t	2.5t	£1,564	V 152	115hp Deutz	2 HH	40kph	£162,900
10.65 VPSE 100	9.5m	6.5t	2.5t	£1,564	V 180	136hp Deutz	2 HH	40kph	£172,500
FS 10.40 Classic 55	9.8m	4t	1.5t	£1,564	F 100	75hp Deutz	1 H	30kph	£122,900
FS 10.40 Classic 75	9.8m	4t	1.5t	£1,564	F 100	102hp Deutz	1 H	30kph	£128,700
FS 10.40 Dynamic 85	9.8m	4t	1.5t	£1,564	F 120	115hp Deutz	1 H	30kph	£132,700
FS 10.40 Performance 85	9.8m	4t	1.5t	£1,564	V 150	115hp Deutz	2 HH	40kph	£140,000
FS 10.40 Excellence 85	9.8m	4t	1.5t	£1,564	V 170	115hp Deutz	2 HH	40kph	£147,400
FS 10.40 Excellence HVTronic 100	9.8m	4t	1.5t	£1,564	V 170	136hp Deutz	SRH CVT	40kph	£159,800

Note: Other models available. HVTronic model has twin hydraulic motor CVT transmission with electronic engine/drive management providing 40kph max, plus Eco, Handling and 'creeper' modes with independent ground speed and engine speed control. Distributed by Warwick Ward Machinery.

FENDT

Offset cab, selectable two/four-wheel steering

Cargo T740	7.7m	4t	2.6t	£3,156	V 170	136hp Cummins	SRH CVT	30/40kph	£152,693
Cargo T955	8.5m	5.5t	4.85t	£3,156	V 200	167hp Cummins	SRH CVT	30/40kph	£191,700

Note: Hydraulically-cushioned and lifting cab is standard. Reversible cooling fan £756.

HZM

Central cab, articulated chassis steering

810T	3.44m	1t	0.6t	no	F 58	25hp Kubota	2 HH	18kph	£19,495
810BT	3.5m	1.1t	0.6t	no	F 58	30hp Xinchai	2 MS	18kph	£16,995
812T	4.5m	1.2t	0.8t	no	F 62	49hp Xinchai	2 MS	30kph	£17,995
816T	4.5m	1.6t	1.1t	no	F 62	53hp Xinchai	2 MS	30kph	£21,995
825T	4.5m	2.5t	1.8t	no	F 85	100hp Xinchai	2 MS	30kph	£29,500
825T Cummins	4.5m	2.5t	1.8t	no	F 85	100hp Cummins	4 MS	35kph	£32,500

Offset cab, selectable two/four-wheel steering

2812*	4.2m	1.2t	0.7t	no	F42	42hp Perkins	2 H	22kph	£29,950
7335*	7m	3.5t	2.5t	no	F68	105hp Xinchai	4 H	40kph	£42,500

Note: Distributed by North Norfolk Vehicle Solutions.

JCB

Central cab, skid-steering

Teleskid 3TS-8W	4.05m	1.5t	0.61t	std	F 90-125	74hp JCB	2 HH	20kph	£84,047
-----------------	-------	------	-------	-----	----------	----------	------	-------	---------

Central cab, articulated chassis steering

TM110*	3.5m	1.1t	1.1t	£2,176	F 53	48hp Perkins	2 HH	20/30kph	£53,672
TM180	4.53m	1.8t	1.8t	£2,640	F 64	64hp JCB Kohler	2 HH	20kph	£75,370
TM220	4.56m	2.2t	2.2t	£2,727	F 89	74hp JCB Kohler	2 GH	40kph	£85,023
TM280*	4.8m	2.75t	2.75t	std	V 140	109hp JCB	3 HH	30kph	£110,426
TM280S DualTech VT*	4.8m	2.75t	2.75t	std	V 140	130hp JCB	2 HH + 1 DD	40kph	£115,637
TM320	5.2m	3.2t	3.2t	std	V 140	130hp JCB	8 PS	40kph	£119,266
TM320S	5.2m	3.2t	3.2t	std	V 160	150hp JCB	8 PS	40/50kph	£124,233

ULTIMATE GUIDE TELEHANDLERS

Model	Max lift height	Max lift capacity	Lift to full height	Boom cushion	Hydraulics (litres/min)	Engine output; make	Transmission ranges and drive	Transmission top speed	List price (ex-VAT)
TM420	5.45m	4.1t	4.1t	std	V 160	150hp JCB	8 PS	40kph	£143,950
TM420S	5.45m	4.1t	4.1t	std	V 160	173hp JCB	8 PS	50/40kph	£153,741
<i>Note: TM320 and TM420 - torque converter lock-up in gears 6-8, TM320S and TM420S - torque converter lock-up in all forward gears and 1-4 in reverse. TM280/280S - 54cc pump; TM320 - 63cc pump; TM320S and TM420 - 72cc pump; TM420S - 72cc+28cc pumps.</i>									
Offset cab, permanent four-wheel steering									
Loadall 514-40 Agri	4m	1.4t	1.3t	no	F 23	25hp Perkins	2 HH	15kph	£57,081
Loadall 520-40 Agri	4.03m	2t	2t	no	F 60	25hp Perkins	2 HH	15kph	£58,885
Offset cab, selectable two/four-wheel steering									
536-95 Agri Xtra AutoShift 6 and DualTech VT									
*NEW MODELS DISCONTINUED									
Loadall 525-60E Agri with fast charger	6m	2.5t	2t	no	F 80	24kWh lithium-ion	17kW 1 HH	15kph	£113,794
Loadall 525-60 Agri	6m	2.5t	1.75t	£2,709	F 80	74hp JCB Kohler	2 HH	25kph	£66,434
Loadall 525-60 Agri Plus	6m	2.5t	1.75t	£2,709	F 90	74hp JCB Kohler	2 HH	30kph	£77,067
Loadall 530-60 Agri Super 20in	5.97m	3t	2t	std	F 97	130hp JCB	2 HH	40kph	£85,130
Loadall 530-60 Agri Super 24in	6.09m	3t	2t	std	F 97	130hp JCB	2 HH	40kph	£85,455
Loadall 532-60 Agri TorqueLock4	6.22m	3.2t	3.2t	£2,500	V 140	109hp JCB	4 PS	40kph	£88,615
Loadall 532-60 Agri Super DualTech VT	6.22m	3.2t	3.2t	std	V 140	130hp JCB	1 H + 3 PSD	40kph	£105,903
Loadall 538-60 Agri TorqueLock4	6.23m	3.8t	3.8t	£2,500	V 140	109hp JCB	4 PS	40kph	£95,530
Loadall 538-60 Agri Super Powershift 4	6.23m	3.8t	3.8t	std	V 140	130hp JCB	4 PS	40kph	£107,387
Loadall 538-60 Agri Super AutoShift 6	6.23m	3.8t	3.8t	std	V 140	130hp JCB	6 PS	40kph	£110,349
Loadall 538-60 Agri Super DualTech VT	6.23m	3.8t	3.8t	std	V 140	130hp JCB	1 H + 3 PSD	40kph	£113,096
Loadall 538-60 Agri Xtra AutoShift 6	6.23m	3.8t	3.8t	std	V 140	150hp JCB	6 PS	40kph	£114,893
Loadall 538-60 Agri Xtra DualTech VT	6.23m	3.8t	3.8t	std	V 140	150hp JCB	1 H + 3 PSD	40kph	£117,644
Loadall 538-60 Agri Pro DualTech VT	6.23m	3.8t	3.8t	std	V 160	173hp JCB	1 H + 3 PSD	50kph	£127,890
Loadall 532-70 Agri TorqueLock4	7m	3.2t	2.75t	£2,500	V 140	109hp JCB	4 PS	40kph	£97,883
Loadall 532-70 Agri Super Powershift 4	7m	3.2t	2.75t	std	V 140	130hp JCB	4 PS	40kph	£109,737
Loadall 532-70 Agri Super AutoShift 6	7m	3.2t	2.75t	std	V 140	130hp JCB	6 PS	40kph	£112,701
Loadall 532-70 Agri Super DualTech VT	7m	3.2t	2.75t	std	V 140	130hp JCB	1 H + 3 PSD	40kph	£114,974
Loadall 532-70 Agri Xtra AutoShift 6	7m	3.2t	2.75t	std	V 140	150hp JCB	6 PS	40kph	£117,245
Loadall 532-70 Agri Xtra DualTech VT	7m	3.2t	2.75t	std	V 140	150hp JCB	1 H + 3 PSD	40kph	£119,992
Loadall 538-70 Agri TorqueLock4	7.01m	3.8t	2.5t	£2,795	V 140	109hp JCB	4 PS	40kph	£102,435
Loadall 538-70 Agri Super Powershift 4	7.01m	3.8t	2.5t	std	V 140	130hp JCB	4 PS	40kph	£114,290
Loadall 538-70 Agri Super AutoShift 6	7.01m	3.8t	2.5t	std	V 140	130hp JCB	6 PS	40kph	£117,256
Loadall 538-70 Agri Super DualTech VT	7.01m	3.8t	2.75t	std	V 140	130hp JCB	1 H + 3 PSD	40kph	£120,002
Loadall 538-70 Agri Xtra AutoShift 6	7.01m	3.8t	2.5t	std	V 140	150hp JCB	6 PS	40kph	£121,801
Loadall 538-70 Agri Xtra DualTech VT	7.01m	3.8t	2.75t	std	V 140	150hp JCB	1 H + 3 PSD	40kph	£124,549



More lift capacity for Cast Loaders' updated 840D



The new JCB TM110 pivot-steer

PHOTOGRAPHY: CAST, JCB

Model	Max lift height	Max lift capacity	Lift to full height	Boom cushion	Hydraulics (litres/min)	Engine output; make	Transmission ranges and drive	Transmission top speed	List price (ex-VAT)
Loadall 542-70 Agri TorqueLock4	7.01m	4.2t	2.5t	£2,795	V 140	109hp JCB	4 PS	40kph	£105,468
Loadall 542-70 Agri Super Powershift 4	7.01m	4.2t	2.5t	std	V 140	130hp JCB	4 PS	40kph	£117,327
Loadall 542-70 Agri Super AutoShift 6	7.01m	4.2t	2.5t	std	V 140	130hp JCB	6 PS	40kph	£120,292
Loadall 542-70 Agri Super DualTech VT	7.01m	4.2t	2.75t	std	V 140	130hp JCB	1 H + 3 PSD	40kph	£123,037
Loadall 542-70 Agri Xtra AutoShift 6	7.01m	4.2t	2.5t	std	V 140	150hp JCB	6 PS	40kph	£124,836
Loadall 542-70 Agri Xtra DualTech VT	7.01m	4.2t	2.75t	std	V 140	150hp JCB	1 H + 3 PSD	40kph	£127,583
Loadall 542-70 Agri Pro DualTech VT	7.04m	4.2t	3t	std	V 160	173hp JCB	1 H + 3 PSD	50kph	£137,831
Loadall 560-80 Agri Super Powershift 4	7.9m	6t	3t	std	V 140	130hp JCB	4 PS	33/37kph**	£133,866
Loadall 560-80 Agri Xtra DualTech VT	7.9m	6t	3t	std	V 160	150hp JCB	1 H + 3 PSD	40kph	£144,318
Loadall 560-80 Agri Pro DualTech VT*	7.9m	6t	3t	std	V 160	173hp JCB	1 H + 3 PSD	40kph	£147,888
Loadall 536-95 Agri TorqueLock4	7.9m	3.6t	1.6t	£2,795	V 140	109hp JCB	4 PS	40kph	£103,500
Loadall 536-95 Agri Super Powershift 4	9.49m	3.6t	1.6t	std	V 140	130hp JCB	4 PS	40kph	£115,357
Loadall 536-95 Agri Super AutoShift 6	9.49m	3.6t	1.6t	std	V 140	130hp JCB	6 PS	40kph	£118,320
Loadall 536-95 Agri Super DualTech VT	9.49m	3.6t	2t	std	V 140	130hp JCB	1 H + 3 PSD	40kph	£121,065
Loadall 542-100 Agri Super DualTech VT	9.8m	4.2t	1.8t	std	V 160	130hp JCB	1 H + 3 PSD	40kph	£129,358
Loadall 542-100 Agri Xtra DualTech VT*	9.8m	4.2t	1.8t	std	V 160	150hp JCB	1 H + 3 PSD	40kph	£134,378



EXTEND YOUR REACH



2 500 kg



5.9 m



54.6 kW

ULTIMATE GUIDE TELEHANDLERS

Model	Max lift height	Max lift capacity	Lift to full height	Boom cushion	Hydraulics (litres/min)	Engine output; make	Transmission ranges and drive	Transmission top speed	List price (ex-VAT)
Loadall 542-100 Agri Pro DualTech VT*	9.8m	4.2t	1.8t	std	V 160	173hp JCB	1 H + 3 PSD	50kph	£140,684

Note: 530-60 Agri Super available with 20in tyres for 23cm ground clearance, 2.02m overall height and width or 24in tyres for 35cm ground clearance, 2.14m height, 2.12m width. 525-60 - optional separate engine speed and ground speed control; 530-60 Super - standard separate engine speed and ground speed control; all DualTech VT models have separate engine and ground speed control, and rear-wheel drive at road speeds with option to select four-wheel drive. TorqueLock 4 - four-speed manual powershift with torque converter lock-up; Powershift 4 - four-speed manual powershift; AutoShift 6 - six-speed manual/automatic powershift with torque converter lock-up; DualTech VT - multi-mode, hydrostatic to 19kph (22kph on 50kph version) then three-speed direct drive auto powershift. All models from 532-60 Agri have seat-mounted servo joystick; Agri Super adds 130hp engine, boom suspension and optional LED lighting; Agri Xtra adds regular or auto air conditioning, LED lighting, limited slip front axle differential, boom extension dust covers and centralised greasing on 7m and 8m versions; Agri Pro adds 173hp engine, 160-litre/min hydraulics, DualTech VT transmission, 500mm wide tyres and half leather seat. ** 560-80 Agri Super Powershift 4 top speeds depend upon tyre size.

KNIKMOPS

Central cab, articulated chassis steering

KM100 Tele	2.96m	0.80t	0.32t	n/a	F 33	25hp Kubota	1 H	18kph	£31,560
KM125 Tele	3.2m	0.85t	0.38t	n/a	F 45	25hp Kubota	2 HH	20kph	£34,250
KM130 Tele	3.2m	0.85t	0.38t	n/a	F 42	36hp Kubota	1 H	20kph	£37,000
KM140 Tele	3.2m	0.94t	0.6t	n/a	F 48	37hp Yanmar	1 H	20kph	£34,850
KM180 Tele	3.31m	1.3t	0.61t	n/a	F 50	43hp Kubota	2 HH	20kph	£46,900
KM250 Tele	3.55m	1.7t	0.71t	n/a	F 62	49hp Kubota	2 HH	20kph	£50,530

Note: Distributed by Rapid Tractors. All models have hydrostatic wheel motor drive.

KRAMER

Central cab, permanent four-wheel or selectable two/four-wheel steering

KL25.5T	4m	1.65t	1.65t	£1,165	F 70	56hp Yanmar	2 HH	27kph	£83,875
Central cab, selectable two/four-wheel steering									
KL30.8T	4.48m	2t	2t	£1,156	F 84	75hp Deutz	2 HH	30/40kph	£97,843
KL35.8T	4.5m	2.3t	2.3t	£1,156	F 84	100hp Deutz	3 HH	30/40kph	£105,824
KL33.8T	4.62m	2.1t	2.1t	£1,156	F 70	75hp Deutz	2 HH	30/40kph	£100,264
KL37.8T	4.62m	2.4t	2.4t	£1,156	F 84	100hp Deutz	3 HH	40kph	£109,327
KL55.8T Ecospeed Pro	5.2m	3.9t	3.9t	std	V 187	156hp Deutz	3 HH	40kph	£168,914

Offset cab, selectable two/four-wheel steering

KT144 Hydrostat	4.28m	1.45t	1.45t	no	F 42	45hp Yanmar	2 HH	30kph	£68,123
KT144e	4.28m	1.45t	1.45t	no	F 42	18 or 28kWh lithium-ion	23.2kW 1 M	25kph	£112,685
KT276 Hydrostat	5.73m	2.7t	2.5t	std	F 90	75hp Kohler	3 HH	30/40kph	£100,064
KT316 Hydrostat*	5.83m	3.1t	tbc	£1,383	F 109	112hp Deutz	3 HH	30/40kph	£114,915
KT356 Ecospeed	6.15m	3.5t	3t	std	V 140	136hp Deutz	3 HH	40kph	£133,524
KT307 Hydrostat	7m	3t	2t	£1,201	F 100	136hp Deutz	3 HH	30kph	£131,067
KT357 Ecospeed	7m	3.5t	2.2t	std	V 140	136hp Deutz	3 HH	40kph	£134,562
KT407 Ecospeed	7m	4t	2.4t	std	V 140	136hp Deutz	3 HH	40kph	£137,000
KT457 Ecospeed	7.01m	4.5t	3.3t	std	V 140	136hp Deutz	3 HH	40kph	£150,105
KT557 Ecospeed Pro	7.01m	5.5t	4t	std	V 187	156hp Deutz	3 HH	40kph	£168,004
KT559 Ecospeed Pro	8.75m	5.5t	5.5t	std	V 187	156hp Deutz	3 HH	40kph	£175,384
KT3610 Ecospeed	9.50m	3.6t	1.5t	std	V 140	136hp Deutz	3 HH	40kph	£149,668

Note: Ecospeed Pro models have transmission with fixed displacement motor in addition to variable displacement pump enabling lower engine speed at 40kph. Smart Attach system for mounting and locking attachments and connecting hydraulic services optional on KL55.8T and KT276.

KUBOTA

Central cab, articulated chassis steering

RT105T-2*	2.74m	0.46t	0.2t	no	F 28	25hp Kubota	1 HWM	15kph	£31,556
RT305T-2 Canopy*	4.3m	1.2t	1.2t	no	F 70	66hp Kubota	2 HH	30kph	£58,265
RT305T-2 Cab*	4.3m	1.2t	1.2t	no	F 70	66hp Kubota	2 HH	30kph	£62,734

Note: RT305T - 200kg additional counterweight optional.

Offset cab, full-time four-wheel steering

KTH4815-2 Light Weight	4.8m	1.16t	1.16t	no	F 51	50hp Kubota	2 HH	25kph	£51,042
KTH4815-2 Canopy	4.8m	1.42t	1.42t	no	F 51	50hp Kubota	2 HH	25kph	£52,742
KTH4815-2 Full Cab	4.8m	1.42t	1.42t	no	F 51	50hp Kubota	2 HH	25kph	£56,303

Offset cab, selectable two/four-wheel steering

KTH4815-4 Full Cab	4.8m	1.5t	1.4t	no	F 51	50hp Kubota	2 HH	25kph	£62,752
--------------------	------	------	------	----	------	-------------	------	-------	---------

Note: All KTH4815 variants have full-time four-wheel drive. 170kg counterweight optional for added lift capacity. Light Weight version lacks door and work lights, runs on 10/75x15.3 tyres for approximately 2.9t weight; other versions have 31x15.5-15 skid-steer loader tyres.

MANITOU

Central cab, articulated chassis steering


MLA-T 533-145 V+ Classic	5.2m	3.3t	3.3t	£2,437	V 158	143hp Deutz	SRH CVT	40kph	£115,835
MLA-T 533-145 V+ Premium	5.2m	3.3t	3.3t	£2,437	V 158	143hp Deutz	SRH CVT	40kph	£121,633
MLA-T 533-145 V+ Elite	5.2m	3.3t	3.3t	std	V 158	143hp Deutz	SRH CVT	40kph	£127,777

Note: MLA-T 516-75H has independent engine/ground speed control as standard; two speeds derived from hydrostatic pump swash plate limiter.

Offset cab, selectable two/four-wheel steering

ULM 412 H Essential	4.3m	1.25t	1.25t	no	F 48 or F 62	35hp Yanmar	2 HH	25kph	£53,449
---------------------	------	-------	-------	----	--------------	-------------	------	-------	---------

Model	Max lift height	Max lift capacity	Lift to full height	Boom cushion	Hydraulics (litres/min)	Engine output; make	Transmission ranges and drive	Transmission top speed	List price (ex-VAT)
ULM 412 H Comfort	4.3m	1.25t	1.25t	no	F 48 or F 62	35hp Yanmar	2 HH	25kph	£56,297
ULM 412 H Classic	4.3m	1.25t	1.25t	no	F 48 or F 62	35hp Yanmar	2 HH	25kph	£59,763
ULM 415 H Essential	4.3m	1.5t	1.5t	no	F 48 or F 62	35hp Yanmar	2 HH	25kph	£55,425
ULM 415 H Comfort	4.3m	1.5t	1.5t	no	F 48 or F 62	35hp Yanmar	2 HH	25kph	£58,273
ULM 415 H Classic	4.3m	1.5t	1.5t	no	F 48 or F 62	35hp Yanmar	2 HH	25kph	£61,739
MLT 420-60 H Classic	4.35m	2t	2t	no	F 77	57hp Kubota	2 HH	25kph	£76,783
MLT 420-60 H Premium	4.35m	2t	2t	no	F 77	57hp Kubota	2 HH	25kph	£80,876
MLT 625-75 H Classic	5.9m	2.5t	2t	£2,437	F 90	75hp Kubota	2 HH	25kph	£80,233
MLT 625-75 H Premium	5.9m	2.5t	2t	£2,437	F 90	75hp Kubota	2 HH	25kph	£84,327
MLT 625-75 H Elite	5.9m	2.5t	2t	std	F 90	75hp Kubota	2 HH	25kph	£87,937
MLT 630-115 V CP Classic	6m	3t	2.7t	£2,437	F 104	116hp Deutz	2 GH	38kph	£94,609
MLT 630-115 V CP Premium	6m	3t	2.7t	£2,437	F 104	116hp Deutz	2 GH	38kph	£99,800
MLT 630-115 V CP Elite	6m	3t	2.7t	std	F 104	116hp Deutz	2 GH	38kph	£106,300
MLT 630-115 V Classic	6m	3t	2.7t	£2,437	F 104	116hp Deutz	2 GH	40kph	£94,361
MLT 630-115 V Premium	6m	3t	2.7t	£2,437	F 104	116hp Deutz	2 GH	40kph	£99,552
MLT 630-115 V Elite	6m	3t	2.7t	std	F 104	116hp Deutz	2 GH	40kph	£106,052
MLT 630-115 Classic	6m	3t	2.7t	£2,437	F 104	116hp Deutz	4 MS	40kph	£94,361
MLT 630-115 Premium	6m	3t	2.7t	£2,437	F 104	116hp Deutz	4 MS	40kph	£99,552
MLT 630-115 Elite	6m	3t	2.7t	std	F 104	116hp Deutz	4 MS	40kph	£106,052
MLT 635-130 PS+ Classic	6.08m	3.5t	3.5t	£2,437	V 150	129hp Deutz	6 PS	40kph	£112,536
MLT 635-130 PS+ Premium	6.08m	3.5t	3.5t	£2,437	V 150	129hp Deutz	6 PS	40kph	£117,319
MLT 635-130 PS+ Elite	6.08m	3.5t	3.5t	std	V 150	129hp Deutz	6 PS	40kph	£121,375
MLT 635-140 V+ Classic	6.08m	3.5t	3.5t	£2,437	V 170	136hp Deutz	SRH CVT	40kph	£114,507
MLT 635-140 V+ Premium	6.08m	3.5t	3.5t	£2,437	V 170	136hp Deutz	SRH CVT	40kph	£120,247
MLT 635-140 V+ Elite	6.08m	3.5t	3.5t	std	V 170	136hp Deutz	SRH CVT	40kph	£127,108
MLT 730-115 V CP Classic	6.85m	3t	2t	£2,437	F 104	116hp Deutz	2 GH	38kph	£98,595
MLT 730-115 V CP Premium	6.85m	3t	2t	£2,437	F 104	116hp Deutz	2 GH	38kph	£103,785
MLT 730-115 V CP Elite	6.85m	3t	2t	std	F 104	116hp Deutz	2 GH	38kph	£110,285
MLT 730-115 V Classic	6.85m	3t	2t	£2,437	F 104	116hp Deutz	2 GH	38kph	£98,352
MLT 730-115 V Premium	6.85m	3t	2t	£2,437	F 104	116hp Deutz	2 GH	38kph	£103,543
MLT 730-115 V Elite	6.85m	3t	2t	std	F 104	116hp Deutz	2 GH	38kph	£110,043
MLT 733-115 LSU Classic	6.9m	3.3t	3.3t	£2,437	V 150	116hp Deutz	4 MS	32kph	£106,468
MLT 733-115 LSU Premium	6.9m	3.3t	3.3t	£2,437	V 150	116hp Deutz	4 MS	32kph	£111,241
MLT 737-130 PS+ Classic	6.9m	3.7t	2.7t	£2,437	V 150	129hp Deutz	6 PS	40kph	£115,655
MLT 737-130 PS+ Premium	6.9m	3.7t	2.7t	£2,437	V 150	129hp Deutz	6 PS	40kph	£120,437
MLT 737-130 PS+ Elite	6.9m	3.7t	2.7t	std	V 150	129hp Deutz	6 PS	40kph	£124,493
MLT 741-130 PS+ Classic	6.9m	4.1t	2.7t	£2,437	V 150	129hp Deutz	6 PS	40kph	£116,404
MLT 741-130 PS+ Premium	6.9m	4.1t	2.7t	£2,437	V 150	129hp Deutz	6 PS	40kph	£121,187
MLT 741-130 PS+ Elite	6.9m	4.1t	2.7t	std	V 150	129hp Deutz	6 PS	40kph	£127,680
MLT 741-140 V+ Classic	6.9m	4.1t	2.7t	£2,437	V 170	136hp Deutz	SRH CVT	40kph	£118,945
MLT 741-140 V+ Premium	6.9m	4.1t	2.7t	£2,437	V 170	136hp Deutz	SRH CVT	40kph	£124,685
MLT 741-140 V+ Elite	6.9m	4.1t	2.7t	std	V 170	136hp Deutz	SRH CVT	40kph	£131,547
MLT 730-115 V Classic	6.95m	3t	2t	£2,437	F 104	116hp Deutz	2 GH	40kph	£98,352
MLT 730-115 V Premium	6.95m	3t	2t	£2,437	F 104	116hp Deutz	2 GH	40kph	£103,543
MLT 730-115 V Elite	6.95m	3t	2t	std	F 104	116hp Deutz	2 GH	40kph	£110,043
MLT 841-145 PS+ Classic	7.6m	4.1t	2t	£2,437	V 200	141hp Yanmar	5 PS	40kph	£128,560
MLT 841-145 PS+ Premium	7.6m	4.1t	2t	£2,437	V 200	141hp Yanmar	5 PS	40kph	£133,932



PHOTOGRAPHY: MANITOU, MERLO



ULTIMATE GUIDE TELEHANDLERS

Model	Max lift height	Max lift capacity	Lift to full height	Boom cushion	Hydraulics (litres/min)	Engine output; make	Transmission ranges and drive	Transmission top speed	List price (ex-VAT)
MLT 841-145 PS+ Elite	7.6m	4.1t	2t	std	V 200	141hp Yanmar	5 PS	40kph	£140,127
MLT 841-145 PS+ Platinum	7.6m	4.1t	2t	std	V 200	141hp Yanmar	5 PS	40kph	£150,711
MLT 850-145 V+ Premium	7.6m	5t	2.5t	£2,437	V 200	141hp Yanmar	SRH CVT	40kph	£141,369
MLT 850-145 V+ Elite	7.6m	5t	2.5t	std	V 200	141hp Yanmar	SRH CVT	40kph	£147,964
MLT 850-145 V+ Platinum	7.6m	5t	2.5t	std	V 200	141hp Yanmar	SRH CVT	40kph	£159,280
MLT 940-140 V+ Classic	9m	4t	1.5t	£2,437	V 170	136hp Deutz	SRH CVT	40kph	£123,979
MLT 940-140 V+ Premium	9m	4t	1.5t	£2,437	V 170	136hp Deutz	SRH CVT	40kph	£129,719
MLT 940-140 V+ Elite	9m	4t	1.5t	std	V 170	136hp Deutz	SRH CVT	40kph	£136,580
MLT 961-160 V+ L Classic	9m	6t	4t	£2,437	V 200	156hp Yanmar	SRH CVT	40kph	£142,321
MLT 961-160 V+ L Premium	9m	6t	4t	£2,437	V 200	156hp Yanmar	SRH CVT	40kph	£149,000
MLT 961-160 V+ L Elite	9m	6t	4t	std	V 200	156hp Yanmar	SRH CVT	40kph	£154,416
MLT 961-160 V+ L Platinum	9m	6t	4t	std	V 200	156hp Yanmar	SRH CVT	40kph	£165,983
MLT 1041-145 PS+ L Classic	9.65m	4.1t	2.5t	£2,437	V 200	141hp Yanmar	5 PS	40kph	£136,563
MLT 1041-145 PS+ L Premium	9.65m	4.1t	2.5t	£2,437	V 200	141hp Yanmar	5 PS	40kph	£141,937
MLT 1041-145 PS+ L Elite	9.65m	4.1t	2.5t	std	V 200	141hp Yanmar	5 PS	40kph	£148,139
MLT 1041-145 PS+ L Platinum	9.65m	4.1t	2.5t	std	V 200	141hp Yanmar	5 PS	40kph	£158,717

Note: V CP - hydrostatic drive, compact chassis (low height cab); PS+ - powershift with inching function; V - regular hydrostatic drive; V+ - twin motor hydrostatic drive with auto functions; L - front axle based hydraulic machine levelling. Air conditioning and easy connect system standard on Premium, Elite and Platinum versions. The Manitou Smart Weighing System is a new option currently only available for the MLT 841. Capable of static and dynamic weighing with the boom in any position, it operates through the in-cab 7in display as well as the myManitou app.

MASSEY FERGUSON

Offset cab, selectable two/four-wheel steering

TH.6030 Essential Low Profile	5.89m	3t	2.5t	£2,080	F 100	100hp Doosan	2 HH	40kph	£96,220
TH.6030 Essential	5.89m	3t	2.5t	£2,080	F 100	100hp Doosan	2 HH	40kph	£96,220
TH.6030 Efficient Low Profile	5.89m	3t	2.5t	std	F 100	100hp Doosan	2 HH	40kph	£100,480
TH.6030 Efficient	5.89m	3t	2.5t	std	F 100	100hp Doosan	2 HH	40kph	£100,480
TH.6534 Essential	6.41m	3.4t	3.4t	£2,080	V 190	130hp Doosan	4 GH	40kph	£112,790
TH.6534 Efficient	6.41m	3.4t	3.4t	std	V 190	130hp Doosan	4 GH	40kph	£116,870
TH.6534 Exclusive	6.41m	3.4t	3.4t	std	V 190	130hp Doosan	4 GH	40kph	£128,040
TH.7030 Essential Low Profile	6.75m	3t	1.5t	£2,080	F 100	100hp Doosan	2 HH	40kph	£101,110
TH.7030 Essential	6.75m	3t	1.5t	£2,080	F 100	100hp Doosan	2 HH	40kph	£101,110
TH.7030 Efficient Low Profile	6.75m	3t	1.5t	std	F 100	100hp Doosan	2 HH	40kph	£105,380
TH.7030 Efficient	6.75m	3t	1.5t	std	F 100	100hp Doosan	2 HH	40kph	£105,380
TH.7035 Essential	6.97m	3.5t	3.5t	£2,080	F 100	100hp Doosan	4 GH	40kph	£109,510
TH.7035 Efficient	6.97m	3.5t	3.5t	std	F 100	100hp Doosan	4 GH	40kph	£113,600
TH.7035 Exclusive	6.97m	3.5t	3.5t	std	F 100	100hp Doosan	4 GH	40kph	£124,760
TH.7038 Essential	6.97m	3.8t	3.5t	£2,080	V 190	135hp Doosan	4 GH	40kph	£117,980
TH.7038 Efficient	6.97m	3.8t	3.5t	std	V 190	135hp Doosan	4 GH	40kph	£122,060
TH.7038 Exclusive	6.97m	3.8t	3.5t	std	V 190	135hp Doosan	4 GH	40kph	£133,230
TH.8043 Essential	7.5m	4.3t	1.8t	£2,080	V 190	135hp Doosan	4 GH	40kph	£128,340
TH.8043 Effective	7.5m	4.3t	1.8t	std	V 190	135hp Doosan	4 GH	40kph	£132,440
TH.8043 Exclusive	7.5m	4.3t	1.8t	std	V 190	135hp Doosan	4 GH	40kph	£143,600

Note: All models have semi-crab steering mode with operator-set rear-wheel angle and steering via the front wheels in addition to full crab, four-wheel and two-wheel steering. Models with four-speed transmissions have two mechanical gears and two hydrostatic ranges. Efficient specification adds selectable independent ground/engine speed control, auto boom suspension, auto reversing engine cooling fan, heated air seat, audio upgrade. Exclusive adds hydraulic implement attachment, boom float and bucket shake, auto third hydraulics function with adjustable flow/timer, pre-wiring for fourth/fifth functions, armrest-mounted joystick, air conditioning, 7in colour display for settings and audio, side window washer/wiper.

MERLO

Central standing position, track skid-steering

M12.3 Eco Handler 400	3.4m	0.4t	0.4t	no	F 27+8	21hp Kubota	1 H	5kph	£27,442
Offset cab, two-wheel steering									
eWorker 25.5-90 (4wd)	4.8m	2.5t	1.5t	£1,810	V 42	46kWh lead acid battery	3 x 44kW M	25kph	£109,368

Note: eWorker 25.5-90 has front wheel motors and rear axle-mounted motor

Offset cab, selectable two/four-wheel steering

P27.6 Plus	5.9m	2.7t	1.8t	£2,083	F 95	75hp Kohler	1 H	40kph	£75,339
P27.6 Top	5.9m	2.7t	1.8t	£2,083	F 95	75hp Kohler	1 H	40kph	£75,853
Note: P27.6 Plus and P27.6 Top with basic dashboard and without flow sharing hydraulics, ASCS implement recognition and live load charts. Plus version has smaller hydrostatic pump, lower towing capacity than Top.									
TF27.6	5.9m	2.7t	1.8t	£2,083	F 95	75hp Kohler	1 H	40kph	£77,857
TF30.7-100	6.7m	3t	2t	£2,083	V 100	101hp Deutz	2 HH	40kph	£95,212
TF30.7-100 L	6.7m	3t	2t	£2,083	V 100	101hp Deutz	2 HH	40kph	£95,785
TF30.7 CS-100	6.7m	3t	2t	£2,083	V 100	101hp Deutz	2 HH	40kph	£99,885
TF33.7-115	6.6m	3.3t	2.6t	£2,083	V 125	115hp Deutz	2 HH	40kph	£97,212
TF33.7-115L	6.6m	3.3t	2.6t	£2,083	V 125	115hp Deutz	2 HH	40kph	£97,212
TF35.7-140	6.6m	3.5t	3.5t	£2,083	V 125	136hp Deutz	2 HH	40kph	£103,061
TF35.7 CS-140	6.6m	3.5t	3.5t	£2,083	V 125	136hp Deutz	2 HH	40kph	£107,829
TF42.7-136	7m	4.2t	3.5t	£2,083	V 150	136hp Perkins	2 HH	40kph	£117,285

Model	Max lift height	Max lift capacity	Lift to full height	Boom cushion	Hydraulics (litres/min)	Engine output; make	Transmission ranges and drive	Transmission top speed	List price (ex-VAT)
TF42.7 CS-136	7m	4.2t	3.5t	£2,083	V 150	136hp Perkins	2 HH	40kph	£122,284
TF42.7 CS-145 CVTronic	7m	4.2t	3.5t	£2,083	V 150	143hp Deutz	CVT	40kph	£132,233
TF42.7 TT-136	7.2m	4.2t	4.2t	£2,083	V 150	136hp Perkins	2 HH	40kph	£124,578
TF42.7 TT CS-136	7.2m	4.2t	4.2t	£2,083	V 150	136hp Perkins	2 HH	40kph	£127,959
TF42.7 TT CS-145 CVTronic	7.2m	4.2t	4.2t	£2,083	V 150	143hp Deutz	CVT	40kph	£134,714
TF50.8 T-170-HF	7.8m	5t	5t	std	V 160	170hp FPT	2 HH	40kph	£127,979
TF50.8 T CS-170-HF	7.8m	5t	5t	std	V 160	170hp FPT	2 HH	40kph	£133,220
TF50.8 T CS-170-HF CVTronic	7.8m	5t	5t	std	V 160	170hp FPT	CVT	40kph	£137,949
TF30.9-115	8.6m	3t	1.2t	£2,083	V 125	115hp Deutz	2 HH	40kph	£104,073
TF30.9-115L	8.6m	3t	1.2t	£2,083	V 125	115hp Deutz	2 HH	40kph	£104,073
TF33.9-140	8.6m	3.3t	1.75t	£2,083	V 125	136hp Deutz	2 HH	40kph	£109,972
TF33.9 CS-140	8.6m	3.3t	1.75t	£2,083	V 125	136hp Deutz	2 HH	40kph	£114,741
TF65.9 T CS-170-HF	8.8m	6.5t	5t	std	V 160	170hp FPT	2 HH	40kph	£154,607
TF65.9 T CS-170-HF CVTronic	8.8m	6.5t	5t	std	V 160	170hp FPT	CVT	40kph	£164,445
TF38.10-136	9.5m	3.8t	1.7t	£2,083	V 150	136hp Perkins	2 HH	40kph	£123,235
TF38.10 CS-136	9.5m	3.8t	1.7t	£2,083	V 150	136hp Perkins	2 HH	40kph	£128,236
TF38.10 CS-145 CVTronic	9.5m	3.8t	1.7t	£2,083	V 150	143hp Deutz	CVT	40kph	£133,622
TF38.10 TT-136	9.7m	3.8t	3t	£2,083	V 150	136hp Perkins	2 HH	40kph	£129,285
TF38.10 TT CS-136	9.7m	3.8t	3t	£2,083	V 150	136hp Perkins	2 HH	40kph	£135,025
TF38.10 TT CS-145 CVTronic	9.7m	3.8t	3t	£2,083	V 150	143hp Deutz	CVT	40kph	£140,340
TF45.11 T-170-HF	10.6m	4.5t	3.5t	std	V 160	170hp FPT	2 HH	40kph	£133,814
TF45.11 T CS-170-HF	10.6m	4.5t	3.5t	std	V 160	170hp FPT	CVT	40kph	£139,055
TF45.11 T CS-170-HF CVTronic	10.6m	4.5t	3.5t	std	V 160	170hp FPT	CVT	40kph	£144,392
<i>Note: MF (Multifarmer) models are equipped with integral 3,000kg (MF34) or 7,000kg (MF44) rear linkage, two-speed mechanical rear pto and trailer braking system.</i>									
MF34.7	6.85m	3.4t	3.4t	£2,083	V 145	136hp Deutz	2 HH	40kph	£129,255
MF34.7 CS	6.85m	3.4t	3.4t	£2,083	V 145	136hp Deutz	2 HH	40kph	£133,127
MF34.7 CS-CVTronic	6.85m	3.4t	3.4t	£2,083	V 145	136hp Deutz	CVT	40kph	£141,930
MF44.7 CS-CVTronic	6.8m	4.4t	4.4t	£2,083	V 150	170hp FPT	CVT	40kph	£153,674

FARMERS WEEKLY

Farmers Weekly digital

Read the magazine, listen to podcasts and attend events online

Download our digital editions, podcasts and webinars straight to your device

- Digital magazine access •
- Book Live events and webinars •
- On Demand webinars available •
- Listen to all FW podcasts •
- Search features •



www.FWi.co.uk

ULTIMATE GUIDE TELEHANDLERS

Model	Max lift height	Max lift capacity	Lift to full height	Boom cushion	Hydraulics (litres/min)	Engine output; make	Transmission ranges and drive	Transmission top speed	List price (ex-VAT)
MF44.9 CS-CVTronic	8.8m	4.4t	4.4t	£2,083	V 150	170hp FPT	CVT	40kph	£159,311
MF34.9	8.85m	3.4t	3t	£2,083	V 145	136hp Deutz	2 HH	40kph	£134,301
MF34.9 CS	8.85m	3.4t	3t	£2,083	V 145	136hp Deutz	2 HH	40kph	£138,173
MF34.9 CS-CVTronic	8.85m	3.4t	3t	£2,083	V 145	136hp Deutz	CVT	40kph	£146,975

Note: All models have full-time four-wheel drive. L - low-mounted cab; CS - cab suspension standard; TT - levelling and sideshift front axle; CVT - twin hydraulic motor stepless transmission. MF34 models come with standard 3,000kg Cat 2 rear linkage (7,000kg Cat 3 linkage option £297). MF44 models include standard 7,000kg Cat 3 linkage.

MULTIONE

Central cab, articulated chassis steering									*NEW MODEL
EZ 7									DISCONTINUED
2.3 Efi	1.6m	0.56t	0.46t	£poa	F 42	26.5hp Kohler	1 H	15kph	£14,700
1.1*	1.8m	0.25t	0.19t	£poa	F 19	12hp Yanmar	1 H	8kph	£12,990
4.2 K	2.75m	0.96t	0.71t	£poa	F 31	20hp Kubota	1 H	14kph	£20,800
5.2 K	2.75m	0.96t	0.71t	£poa	F 34	25hp Kubota	1 H	14kph	£21,600
5.3 K	2.75m	1.03t	0.72t	£poa	F 50	25hp Kubota	1 H	12.5kph	£24,100
EZ 5	2.75m	0.9t	0.68t	£poa	F 35	10.8kWh lithium-ion	1 H	12kph	£32,900
7.2 K	2.92m	1.39t	1.14t	£poa	F 40	25hp Kubota	1 H	9kph	£27,797
6.3iDS	2.92m	1.1t	0.87t	£poa	F 50	25hp Kubota	2 HH	23kph	£28,400
EZ 8	2.98m	1.25t	0.98t	£poa	F 35	20.5kWh lithium-ion	1 H	12kph	£41,200
8.4S K	2.98m	1.49t	1.21t	£poa	F 53	26hp Kubota	2 HH	22kph	£33,700
8.5S K	3.2m	1.61t	1.28t	£poa	F 83	57hp Kohler	2 HH	26kph	£42,000
11.6K	3.7m	2.54t	1.81t	£poa	F 84	57hp Kohler	2 HH	30kph	£49,000
11.9K	3.7m	2.54t	1.81t	£poa	F 95	75hp Kohler	2 HH	35kph	£52,300

Note: Distributed by Compact Loaders. Lift capacity measured with chassis straight and with rear weights.

NEOMACH

Central cab, articulated chassis steering									
Nova x20	2.8m	1.05t	0.9t	n/a	V 33	26hp Yanmar	1 HWM	12kph	£29,575
Nova x30	2.9m	1.25t	1.1t	n/a	V 43	26hp Kubota	1 HWM	12kph	£33,475
Nova x40	3m	1.4t	1.3t	n/a	V 45	26hp Kohler	1 HWM	12kph	£38,560

Note: Distributed by Neomach UK (Ophir Solutions). Maximum lift capacity with optional back-weights. Nova x20 standard equipment includes proportional hydraulics, floating boom, attachment auto self-levelling, differential lock, hydraulic locking safety systems. All Nova models come with proportional hydraulics, floating boom, attachment self-levelling, differential lock and hydraulic locking safety systems as standard. Nova x30 and x40 models also include hydraulic multiconnector, continuous hydraulic oil flow with memory, and multifunctional joystick.

NEW HOLLAND

Offset cab, selectable two/four-wheel steering									*NEW MODEL
TH5.26, TH6.28, TH7.32, TH7.42 Plus, TH9.35 Plus									DISCONTINUED
TH6.26*	5.9m	2.6t	2t	£867	F 80	74hp Kubota	1 H	30kph	£85,970
TH6.36 Plus	6.05m	3.6t	3.6t	£2,174	V 140	133hp FPT	6 PS	34kph	£122,202
TH6.36 Elite	6.05m	3.6t	3.6t	£2,174	V 160	146hp FPT	6 PS	40kph	£131,338
TH7.37 Plus	7m	3.7t	2.5t	£2,174	V 140	133hp FPT	6 PS	34kph	£126,146
TH7.37 Elite	7m	3.7t	2.5t	£2,174	V 160	146hp FPT	6 PS	40kph	£135,280
TH7.42 Elite	7m	4.2t	2.5t	£2,174	V 160	146hp FPT	6 PS	40kph	£138,246
TH9.35 Elite	9.15m	3.5t	1.5t	£2,174	V 160	146hp FPT	6 PS	40kph	£141,168

Note: Plus - air suspension seat, air conditioning as standard, hydraulic attachment quick coupler; Elite - 160-litre hydraulics, armrest-mounted joystick, extra lighting, heated seat, auto steering alignment, rear electric sockets, external front-end hydraulic pressure release.

SCHÄFFER

Central cab, articulated chassis steering									
2630 T SLT	3.72m	1.6t	1.33t	£1,682	F 38	25hp Kubota	2 GH	20kph	£50,404
23e T	3.72m	1.6t	1.27t	£1,682	F 42	31.3kWh lithium-ion	21kW 1 H	20kph	£84,094
3650 T SLT	3.85m	1.95t	1.71t	£1,682	F 51	50hp Kubota	2 GH	20/30kph	£61,404
3650 T	3.85m	1.95t	1.71t	£1,682	F 51 or F 60	58hp Kubota	2 GH	20/30kph	£66,134
4670 T	4.3m	2.4t	2.11t	£1,682	F 60 or F 70	66hp Kubota	2 GH	20/30kph	£73,140
5680 T	4.74m	2.4t	2.21t	std	F 64 or F 76	75hp Deutz	2 GH	20/30kph	£79,523
6680 T-2	4.95m	3.1t	2.8t	std	F 76 or F 88 or V 104	75hp Deutz	2 GH	40kph	£89,372
8620 T-2	5.2m	4.2t	3.8t	std	F 106 or F 125 or V 145	129hp Deutz	2 GH	40kph	£102,797
9640 T-2	5.4m	4.2t	3.8t	std	V 145	143hp Deutz	2 GH	40kph	£119,354
9660 T-2	6.10m	5.3t	4.8t	std	V 196 or V 230	204hp Deutz	2 GH	40kph	£155,793

Note: Distributed by H Fulton Tractors (Schäffer UK). 3650 T SLT is a low-profile model with open platform only.

TOBROCO-GIANT

Central cab, articulated chassis steering									
Giant G2200E Tele									DISCONTINUED
Giant G1100 Tele	2.8m	0.75t	0.45t	£1,415	F 28 option + F 39	20hp Kubota	1 H	15kph	£27,700
Giant G1200 Tele	2.8m	0.75t	0.45t	£1,415	F 28 option + F 39	25hp Kubota	1 H	15 or 19kph	£28,670
Giant G2700E Tele	3.71m	2.2t	1.55t	£poa	F 40	12.4, 18.7 or 25kWh lithium-ion	7kW 1 M	20kph	£60,700
Giant G2700 Tele HD	3.71m	2.33t	1.53t	£1,650	F 51	50hp Kubota	2 GH	25kph	£46,800

Model	Max lift height	Max lift capacity	Lift to full height	Boom cushion	Hydraulics (litres/min)	Engine output; make	Transmission ranges and drive	Transmission top speed	List price (ex-VAT)
Giant G2700 Tele HD+	3.71m	2.35t	1.7t	£1,650	F 51	50hp Kubota	2 GH	30kph	£47,600
Giant G3500 Tele	4.3m	2.5t	1.2t	£1,650	F 70 option + F 50	66hp Kubota	2 GH	30/35kph	£58,100
Giant G5000 Tele	4.3m	2.8t	1.5t	£1,650	F 78 option + F 135	75hp Kubota	2 GH	30/35kph	£65,300
Offset cab, selectable two/four-wheel steering									
Giant GT5048 Tendo HD	4.8m	1.6t	1.2t	£poa	F 51	50hp Kubota	2 GH	25kph	£52,600

Note: Distributed by Kirkland UK (Tobroco-Giant UK).

TORO

Central standing position, track skid-steering

Dingo TX 1300	2.77m	0.58t	0.28t	no	F 54	37hp Yanmar	1 H	7.6kph	£33,250
---------------	-------	-------	-------	----	------	-------------	-----	--------	---------

Note: Distributed by Toro UK.

WEIDEMANN

Central cab, articulated chassis steering

*ADDITIONAL MODELS

080 LPT, 3080 LPT, 4080 LPT

DISCONTINUED

2060 T*	4.3m	2t	2t	£1,225	F 74	57hp Kohler	2 HH	30kph	£61,750
2080 T	4.29m	2t	2t	£1,225	F 57.5	61hp Deutz	2 HH	28kph	£72,800
2080 T	4.29m	2t	2t	£1,225	F 57.5	75hp Deutz	2 HH	20/28kph	£76,400
3060 T*	4.99m	2.2t	2.2t	£1,225	F 91	65hp Kohler	2 HH	30kph	£76,375
3080 T	4.99m	2.2t	2.2t	std	F 103	75hp Deutz	2 HH	30kph	£80,800
4060 T*	5.04m	2.5t	2.5t	std	F 101	75hp Kohler	2 HH	30kph	£88,500
4080 T	5.07m	2.6t	2.6t	std	F 100	102hp Perkins	2 HH	40kph	£89,000
5080 T	5.09m	3t	3t	std	V 150	136hp Perkins	2 HH	40kph	£97,900
9580 T	5.48m	3.9t	3.9t	std	V 150	136hp Deutz	3 HH	30kph	£150,000
9580 T	5.48m	3.9t	3.9t	std	V 180	156hp Deutz	3 HH	40kph	£153,400

Offset cab, selectable two/four-wheel steering

*ADDITIONAL MODELS

T4512e	4.5m	1.25t	1.1t	no	F 42	18 or 28kWh lithium-ion	33.1kW 1 M	25kph	£81,250
T4512 esDrive	4.5m	1.25t	1.1t	no	F 42	45hp Yanmar	2 HH	28kph	£55,600
T6025 esDrive*	6m	2.5t	1.75t	std	F 75	75hp Perkins	2 HH	35kph	£80,700
T7035	7m	3.5t	2t	std	V 139	102hp Perkins	2 HH	30kph	£105,200
T7035	7m	3.5t	2t	std	V 139	122hp Perkins	2 HH	40kph	£107,000
T7035	7m	3.5t	2t	std	V 139	136hp Perkins	2 HH	40kph	£107,800
T7042	7m	4.2t	2.5t	std	V 139	122hp Perkins	2 HH	40kph	£111,000
T7042	7m	4.2t	2.5t	std	V 139	136hp Perkins	2 HH	40kph	£111,800
T9535	9.5m	3.5t	0.55t	std	V 139	136hp Perkins	2 HH	40kph	£119,400

Note: esDrive has auto full performance, eco reduced revs driving speed, selectable independent ground/engine speed control with overload protection, and pedal speed control modes.



The Neomach Nova X30 in operation



Weidemann's latest T6025

PHOTOGRAPHY: NEOMACH, WEIDEMANN

Part of
MA Agriculture Mark Allen



Tractors & Telehandlers Ultimate Guide is published by *Farmers Weekly*. *Farmers Weekly* is published every Friday by MA Agriculture, 1st Floor Chancery House, St Nicholas Way, Sutton SM1 1JB for the proprietors. © MA Agriculture 2025. Printed by Precision Colour Printing.