BUYER'S GUIDE TO WHEELED AND TRACKED TRACTORS FROM 50HP

For a review of all the new and improved machines in this year's guide, visit fwi.co.uk

Transmission

Synchro or power shuttle, ratios and powershift steps - the first configuration listed is standard Max power/ boost power Maximum power for draft work/ maximum boost power available

Engine
Cylinders/
volume;
E - electronic
fuel
management

Hydraulics

F - fixed-output gear pump; V - variable-output piston pump; main pump-output plus steering pump where fitted; M - mechanical spool valves; E - electric spool valves Lift linkage
Maximum lift (kg);
M – mechanical
draft control;
E – electronic draft
control

List price £ - synchro shuttle 30kph or 40kph

£ - power shuttle 40kph £ - power shuttle 50kph, 60kph or

70kph

Note n/a = feature not available. no info = no information provided. Prices: tbc = new model price to be confirmed; poa = manufacturer has not provided a price; Engine emissions control technology: EGR = exhaust gas recirculation; DOC = diesel oxidation catalyst; SCR = selective catalytic reduction (NOx); SCRoF = SCR on filter (NOx and particulates); DPF = diesel particulates filter; PMC = particulate matter catalyst; CUC = clean-up catalyst; SC = soot catalyst.

ARMATRAC							
04 Series - Perkins							
Transmission: Synchro S	Shuttle 16x16				SS 40kph	PS 40kph	PS 50kph
854 Lux	79/ -	4/3,400 E	F 48 M	3,200 M	£39,000	n/a	n/a
Note: Cab suspension n	/a, front axle suspen	nsion n/a; front linka	ge n/a. Air conditioning star	ndard.			
04 Series - Deutz							
Transmission: Power Sh	uttle 16x16				SS 40kph	PS 40kph	PS 50kph
1004 PS Lux	101/ -	4T/3,400 E	F 60 M	5,000 E	n/a	£56,000	n/a
Transmission: Synchro S	Shuttle 16x16						
1104 Lux	110/ -	4T/3,400 E	F 60 M	5,000 E	£46,000	n/a	n/a
ArmaTrac Deutz 04 Seri	es tractors are powe	ered by Deutz engin	es with EGR and DOC for E	uro Stage IIIB / US Tier 4i emi	ssions compliance.		
Note: Cab suspension st	andard, front axle s	uspension n/a; front	linkage optional. Air condit	ioning standard.			
54 Series - Deutz							
Transmission: Synchro S	Shuttle 16x16				SS 40kph	PS 40kph	PS 50kph
1254 Lux CRD4	120/-	4T/3,620 E	F 60 M	5,000 E	£57,000	n/a	n/a
Note: Cab suspension st and DOC for Euro Stage				ioning standard. ArmaTrac 54	Series tractors are p	powered by Deutz	engines with E
BOBCAT							
4000 series							
Transmission: Synchro S	Shuttle 16x16 30kph				SS 30kph	PS 30kph	PS 50kph
CT4050 ROPS	50/ -	3T/1,800	F 34+19 M	1,417 M	£31,074	n/a	n/a
CT4058 ROPS	58/ -	3T/1,800	F 34+19 M	1,417 M	£32,458	n/a	n/a
Note: Platform suspensi	on n/a, front axle su	spension n/a; front	linkage n/a.				
Bobcat 4000 series trac	tors are powered by	v Daedong engines	with EGR. DOC and DPF for	EU Stage V emissions compli	ance.		

Bobcat 4000 series tractors are powered by Daedong engines with EGR, DOC and DPF for EU Stage V emissions compliance

BRANSON	BRANSON								
(See TYM)									
CASE IH									
Farmall A ManualDrive									
Transmission: Synchro Shuttle	ransmission: Synchro Shuttle 12x12 40kph, 20x20 creep 40kph, 8x8 30kph or Power Shuttle 12x12 40kph, 20x20 creep 40kph						PS 50kph		
55A	55/ -	3T/2,930 E	F 47+27 M	3,000 M	£43,886	£46,413	n/a		
65A	65/ -	3T/2,930 E	F 47+27 M	3,000 M	£44,696	£47,223	n/a		
75A	75/ -	3T/2,930 E	F 47+27 M	3,000 M	£46,018	£48,545	n/a		
Transmission: Synchro Shuttl	Transmission: Synchro Shuttle 12x12 40kph, 20x20 creep 40kph or Power Shuttle 12x12, 20x20 creep 40kph						PS 50kph		
90A	90/ -	4T/3,600 E	F 82+37 M, 64+37 M or 48+28 M	4,400 M	£61,410	£64,649	n/a		
100A	100/ -	4T/3,600 E	F 82+37 M, 64+37 M or 48+28 M	4,400 M	£64,350	£67,589	n/a		

Note: Cab suspension n/a, front axle suspension n/a. Air conditioning: 55A to 75A £1,895; 90A and 100A - standard. Front linkage: 55A to 75A n/a; 90A and 100A - 1,670kg £3,760, with pto £6,459. Power shuttle replaces dry clutch with multi-plate wet clutch and hydraulic pto clutch. Prices include optional £1,260 hydraulic trailer brake valve. 30kph 8x8 synchro shuttle versions marginally cheaper in base spec but costlier with 40kph equipment (air seat, passenger seat, rear wiper) added. 55A to 75A - open platform ROPS and 2wd versions also available.

Case IH Farmall 55A, 65A and 75A tractors have FPT S8000 engines with EGR and DOC for Euro Stage V emissions compliance; the 90A and 100A have FPT F36 engines with EGR, DOC, DPF and SCR for Euro Stage V emissions compliance.

Farmall C ManualDrive										
Transmission: Synchro Shuttle 12x12 30kph, 20x20 creep 30kph or Power Shuttle 12x12 40kph, 20x20 creep 40kph SS 30/40kph PS 40kph PS 50kph										
55C	58/ -	4T/3,400 E	F 47+36 M	2,500 M	£54,815	£57,342	n/a			
65C	65/ -	4T/3,400 E	F 47+36 M	2,500 M	£56,737	£59,264	n/a			
75C	75/ -	4T/3,400 E	F 47+36 M	2,500 M	£58,267	£60,794	n/a			

Synchro or power shuttle, ratios and powershift steps
- the first configuration listed Maximum power for draft work/ maximum

117/ -

140/

Cylinders/ volume; E - electronic management

4T/3,600 E

4T/4,500 E

F 63+36 M

F - fixed-output gear pump; V - variable-output piston pump; main pump-output plus steering pump where fitted; M - mechanical spool valves; E - electric spool valves

Maximum lift (kg); M - mechanical draft control; E - electronic draft

control

4,700 E or M

5,600 E

n/a

£ - synchro shuttle 30kph or 40kph

List price £ - power shuttle 40kph

£89,621

£110,641

n/a

£ - power shuttle 50kph. 60kph or 70kph

Note: Cab suspension n/a, front axle suspension n/a; front linkage-ready axle £307. Hydraulic trailer brakes £1.593. Air conditioning standard. Power shuttle adds hydraulic in place of mechanical pto engagement. Open platform ROPS and 2wd versions also available.

Case IH Farmall C ManualDrive tractors have FPT F5 Series F34 engines with EGR, DOC and DPF for Euro Stage V emissions compliance.

Farmall C Selection Manual	Orive						
100C, 110C, 120C							DISCONTINUED
Farmall C ActiveDrive 2							UPGRADED SERIES
Transmission: Power Shuttle	24x24/2 40kph	, 40x40/2 creep 40	Okph		SS 40kph	PS 40kph	PS 50kph
90C	90/ -	4T/3,600 E	F 82+36 M	4,700 E or M	n/a	£79,834	n/a
100C	100/ -	4T/3,600 E	F 82+36 M	4,700 E or M	n/a	£82,770	n/a
100C 1.5	100/ -	4T/3,600 E	F 63+36 M	4,700 E or M	n/a	£83,750	n/a
110C	110/ -	4T/3,600 E	F 82+36 M	4,700 E or M	n/a	£85,706	n/a
110C 1.5	110/ -	4T/3,600 E	F 63+36 M	4,700 E or M	n/a	£86,686	n/a
120C	117/ -	4T/3,600 E	F 82+36 M	4,700 E or M	n/a	£88,641	n/a

Note: Cab suspension £1,250, front axle suspension n/a. 1,670kg front linkage £3,339, with pto £5,751. Hydraulic trailer brakes standard. Air conditioning standard. Telematics from £449. Farmall C 1.5 models have a higher capacity front axle, higher permitted gross vehicle weight and locking differential - optional front axle brakes £1,223. Open platform ROPS versions also available.

Vestrum	ActiveDrive	R

120C 1.5

130

ν

Transmission: Power Shuttle 24x24/8 Eco 40kph, 48x48/8 creep 40kph									
100	110/ -	4T/4,500 E	V 110+36 M or M+E or E	5,600 E	n/a	£101,150	n/a		
110	120/ -	4T/4,500 E	V 110+36 M or M+E or E	5,600 E	n/a	£103,838	n/a		
120	130/ -	4T/4,500 E	V 110+36 M or M+E or E	5,600 E	n/a	£107,365	n/a		

V 110+36 M or M+E or E

Note: Cab suspension £1,250; front axle suspension £4,988, with brakes add £1,799. Air trailer braking £2,161. 2,300kg front linkage £3,285, with pto £6,697. Discounted 'fast pick' configuration packs available

estrum CV	'XDrive
-----------	---------

Transmission: Power Shuttle CV	T 40kph		SS 40kph	PS 40kph	PS 50kph		
100	110/ -	4T/4,500 E	V 110+36 M or M+E or E	5,600 E	n/a	£111,425	n/a
110	120/ -	4T/4,500 E	V 110+36 M or M+E or E	5,600 E	n/a	£114,259	n/a
120	130/ -	4T/4,500 E	V 110+36 M or M+E or E	5,600 E	n/a	£118,683	n/a
130	140/ -	4T/4,500 E	V 110+36 M or M+E or E	5,600 E	n/a	£122,292	n/a

Note: Cab suspension £1,250; front axle suspension £4,988, with brakes add £1,799. Air trailer braking £2,161, 2,300kg front linkage £3,285, with pto £6,307. Discounted 'fast pick configuration packs available

Case IH Vestrum tractors have FPT NEF engines with EGR, SCR and DOC for Euro Stage V emissions compliance.

Maxxum ActiveDrive 4							
Transmission: Power Sh	nuttle 16x16/4 40kph, 3	SS 40kph	PS 40kph	PS 50kph			
125	135/155	4T/4,500 E	V 150+40 M or F 86+40 M	7,864 or 7,115 E	n/a	£113,610	£128,470
145	155/175	4T/4,500 E	V 150+40 M or F 86+40 M	7,864 or 7,115 E	n/a	£119,933	£134,793
150	150/175	6T/6 7EO E	V 150±40 M or E 96±40 M	7964 or 7115 E	n/2	£124 004	£170 964

Note: 40kph - cab suspension £1,250; front axle suspension with locking rather than limited slip differential £4,544, with brakes £6,340; heavy duty front axle with suspension £4,882, with brakes £6,678. Air trailer braking £3,985. 50kph - cab and front axle suspension, front axle brakes and air trailer braking standard; heavy duty front axle £338. 2,800kg front linkage £3,882, with pto £7,523

Maxxum Multicontroller ActiveDrive 8

Transmission: Power Shuttle 24x	nsmission: Power Shuttle 24x24/8 Eco 40kph or 50kph, 48x48/8 creep 40kph or 50kph						PS 50kph
125	135/155	4T/4,500 E	V 150+40 M or E or F 86+40 M or E	7,864 or 7,115 E	n/a	£123,861	£135,831
145	155/175	4T/4,500 E	V 150+40 M or E or F 86+40 M or E	7,864 or 7,115 E	n/a	£130,178	£142,148
150	158/175	6T/6 750 F	V 150+40 M or F or F 86+40 M or F	7864 or 7115 F	n/a	£134 578	£146 548

Note: 40kph - cab suspension £1,250, front axle suspension £4,544, with brakes £6,340; heavy duty front axle with suspension and brakes £6,678. Air trailer braking £3,985. 50kph - cab and front axle suspension and air trailer brakes standard. 2,800kg front linkage £3,882, with pto £7,523. Multicontroller specification includes auto powershift and seat-mounted controls with regular or isobus terminal option.

Maxxum Multicontroller CVXDrive

Transmission: Power Shuttle CV	SS 40kph	PS 40kph	PS 50kph				
125	135/155	4T/4,500 E	V 150+40 M or E	7,864 E	n/a	£137,896	£146,438
145	155/175	4T/4,500 E	V 150+40 M or E	7,864 E	n/a	£144,305	£152,847
150	158/175	6T/6,750 E	V 150+40 M or E	7,864 E	n/a	£148,776	£157,318

Note: 40kph - cab suspension £1,250, front axle suspension standard, with brakes £1,796; heavy duty front axle with suspension £338, with brakes £2,134. Air trailer braking £3,985; optional Advanced trailer braking system automatically applies trailer brakes in potentially unstable conditions (grass slope, wet road, etc.) when the operator reduces speed without braking, 50kph - cab and front axle suspension, front axle brakes and air trailer braking standard, 3,100kg front linkage £3,882, with pto £7,523.

Case IH Maxxum tractors have FPT NEF engines with SCR and DOC for Euro Stage V emissions compliance. Highest power outputs are for pto, transport and hydraulic applications.

Puma SWB ActiveDrive 6

140									
Transmission: Power Shuttle 19x6/6 40kph Eco or 19x6/6 50kph Eco SS 40kph PS 40kph									
150	165/190	6T/6,700 E	V 110+65 M or E or V 150+66 M or E	8,257 E	n/a	£136,540	£145,049		
165	180/209	6T/6,700 E	V 110+65 M or E or V 150+66 M or E	8,257 E	n/a	£142,969	£151,879		

Note: No transmission auto features. Cab suspension and front axle suspension standard. 50kph includes front axle brakes and air trailer braking. 3,520kg front linkage £4,379, with pto £8,650. Discounted 'fast pick' configuration packs available

Transmission
Synchro or power shuttle,
ratios and powershift steps
- the first configuration listed
is standard

Max power/ boost powe Maximum power for draft work/ maximum boost powe available Engine
Cylinders/
volume;
E - electronic
fuel
management

Hydraulics
F - fixed-output gear pump;
V - variable-output piston pump;
main pump-output plus steering
pump where fitted;
M - mechanical spool valves;
E - electric spool valves

Lift linkage

Maximum lift (kg);

M - mechanical
draft control;
E - electronic draft
control

List price £ - synchro shuttle 30kph or 40kph List price £ - power shuttle 40kph List price £ - power shuttle 50kph, 60kph or 70kph

Puma PowerDrive

Transmission: Power Shuttle	19x6/18 50kph, 2	SS 40kph	PS 40kph	PS 50kph		
150	165/190	6T/6,700 E	V 110+65 M or E or V 150+66 M or E 8,257 E	n/a	£148,848	£153,228
165	180/209	6T/6,700 E	V 110+65 M or E or V 150+66 M or E 8,257 E	n/a	£154,866	£159,246

Note: Cab suspension and front axle suspension standard. 50kph includes front axle brakes and air trailer braking. 3,520kg front linkage £4,379, with pto £8,650. Discounted 'fast pick' configuration packs available.

Puma CVXDrive

Transmission: Power Shuttle C	VT	SS 40kph	PS 40kph	PS 50kph		
150	165/190	6T/6,700 E	V 110+65 M or E or V 150+66 M or E 8,257 E	n/a	£166,564	£172,535
165	180/209	6T/6,700 E	V 110+65 M or E or V 150+66 M or E 8,257 E	n/a	£171,994	£177,965
175	190/225	6T/6,700 E	V 110+65 M or E or V 150+66 M or E 8,257 E	n/a	£178,188	£184,159

Note: Cab suspension and front axle suspension standard. 50kph includes front axle brakes and air trailer braking. 3,520kg front linkage £4,379, with pto £8,650. Discounted 'fast pick' configuration packs available.

Puma PowerDrive Multico	uma PowerDrive Multicontroller								
Transmission: Power Shut	ttle 19x6/18 50kph, 2	SS 40kph	PS 40kph	PS 50kph					
185	200/224	6T/6,700 E	V 120+66 or 150+66 E or M	10,464 E	n/a	£188,000	£188,769		
200	220/245	6T/6,700 E	V 120+66 or 150+66 E or M	10,464 E	n/a	£193,493	£194,262		
220	240/260	6T/6,700 E	V 120+66 or 150+66 E or M	10,464 E	n/a	£203,966	£201,735		
240 *	260/271	6T/6,700 E	V 120+66 or 150+66 E or M	10,464 E	n/a	£208,438	£209,207		

Note: Cab and front axle suspension standard; 40kph - Class 4 axle -£1,797 deduct option. Air trailer braking standard. 6,220kg front linkage standard (-£4,999 deduct option), with pto £4,337. Discounted 'fast pick' configuration packs available.

Puma CVXDrive							NEW MODELS
Transmission: Power	Shuttle CVT			SS 40kph	PS 40kph	PS 50kph	
185	200/225	6T/6,700 E	V 150 or 170 E	10,464 E	n/a	£247,246	£248,362
200	220/245	6T/6,700 E	V 150 or 170 E	10,464 E	n/a	£252,776	£253,892
220	239/260	6T/6,700 E	V 150 or 170 E	10,464 E	n/a	£260,133	£261,249
240	260/271	6T/6,700 E	V 150 or 170 E	10,464 E	n/a	£278,996	£280,112
260	280/302	6T/6.700 F	V 170 F	10.464 F	n/a	£289.613	£290.729

Note: Semi-active cab suspension standard (mechanical suspension -£3,227, fully active suspension £2,100); front axle suspension standard. Air trailer braking standard; optional Advanced trailer braking system automatically applies trailer brakes in potentially unstable conditions (grass slope, wet road, etc) when the operator reduces speed without braking. 6,220kg front linkage standard (-£4,999 deduct option), with pto £4,337. Discounted 'fast pick' configurations available.

Case IH Puma tractors have FPT NEF engines with DOC and SCR for Euro Stage V emissions compliance. Highest power outputs are for pto and transport applications.

Optum CVXDrive *ADDITIONAL MC								
Transmission: Power	r Shuttle CVT				SS 40kph	PS 40kph	PS 50kph	
270	288/ -	6T/6,700 E	V 165 or 220 E	11,058 E	n/a	£299,772	£300,888	
300	313/ -	6T/6,700 E	V 165 or 220 E	11,058 E	n/a	£314,389	£315,505	
340	340/-	6T/6.700 F	V 165 or 220 F	11.058 F	n/a	£331.188	£332.304	

Note: 40kph - cab and front axle suspension with brakes (-£1,798 deduct option) standard. Air trailer braking standard (-£3,985 deduct option); optional Advanced trailer braking system automatically applies trailer brakes in potentially unstable conditions (grass slope, wet road, etc) when the operator reduces speed without braking. 50kph - semi-active cab suspension standard (mechanical suspension -£3,227), front axle suspension with brakes and air trailer braking standard. 6,016kg front linkage standard, with pto £5,609.

Case IH Optum CVX tractors have FPT NEF engines with DOC, SCR and CUC for Euro Stage V emissions compliance.





Transmission Synchro or power shuttle, ratios and powershift steps - the first configuration listed is standard	Max power/ boost power Maximum power for draft work/ maximum boost power available	Engine Cylinders/ volume; E - electronic fuel management	Hydraulics F - fixed-output gear pump; V - variable-output piston pump; main pump-output plus steering pump where fitted; M - mechanical spool valves; E - electric spool valves	Lift linkage Maximum lift (kg); M - mechanical draft control; E - electronic draft control	List price £ - synchro shuttle 30kph or 40kph	List price £ - power shuttle 40kph	List price £ - power shuttle 50kph, 60kph or 70kph
Magnum PowerDrive							
Transmission: Power Shuttle 183	x4/18, 19x4/19 E	co 40kph or 50kp	h, or 23x6/18 40kph creep		SS 40kph	PS 40kph	PS 50kph
340	374/409	6T/8,700 E	V 221 or 282 E	10,929 E	n/a	£308,026	£308,026
400	435/ -	6T/8,700 E	V 221 or 282 E	10,929 E	n/a	£341,033	£341,033
Magnum PowerDrive Rowtrac							
Transmission: Power Shuttle 212	x5/18 40kph cre	ер			SS 40kph	PS 40kph	PS 50kph
400	435/ -	6T/8,700 E	V 221 or 282 E	10,929 E	n/a	£427,500	n/a
Magnum CVXDrive							
Transmission: Power Shuttle CV	/T				SS 40kph	PS 40kph	PS 50kph
340	374/409	6T/8,700 E	V 221 or 282 E	10,929 E	n/a	£326,585	£326,585
380	418/435	6T/8,700 E	V 221 or 282 E	10,929 E	n/a	£360,780	£360,780
Magnum CVXDrive Rowtrac	.,	,				, ==	, ==
Transmission: Power Shuttle CV	/T				SS 40kph	PS 40kph	PS 50kph
380	418/435	6T/8,700 E	V 221 or 282 E	10,929 E	n/a	£442,422	n/a
available.			2, with pto £16,954. Hydraulic output of SCR for Euro Stage V emissions comp				
Transmission: Power Shuttle 16:	×2/16				SS 40kph	PS 40kph	PS 50kph
		6T/12,900 E	V 216 E or V 428 E	10,092 E		•	•
475 525	522/522	-	V 216 E or V 428 E	10,092 E	n/a n/a	£436,425 £473,293	n/a n/a
Steiger CVXDrive	578/578	6T/12,900 E	V 210 E 01 V 420 E	10,092 E	II/a	E473,293	П/а
Transmission: Power Shuttle CV	/T				SS 40kph	PS 40kph	PS 50kph
475	522/522	6T/12,900 E	V 216 E or V 428 E	10,092 E		£472,630	n/a
525	578/578	-		10,092 E	n/a n/a	£509,713	n/a
	3/6/3/6	6T/12,900 E	V 216 E or V 428 E	10,092 E	II/a	£509,713	П/а
Quadtrac PowerDrive	·· 2 /1C				CC 40lmb	DC 40kmh	DC FOlimb
Transmission: Power Shuttle 16:		CT/12 000 F	V 216 F 2" V 420 F	10.003.5	SS 40kph	PS 40kph	PS 50kph
475	522/522	6T/12,900 E	V 216 E or V 428 E	10,092 E	n/a	£548,294	n/a /-
525	578/578	6T/12,900 E	V 216 E or V 428 E	10,092 E	n/a	£593,211	n/a
555	614/614	6T/12,900 E	V 216 E or V 428 E	10,092 E	n/a	£621,420	n/a /-
595	656/656	6T/12,900 E	V 216 E or V 428 E	10,092 E 10.092 E	n/a	£645,346	n/a
645	699/699	6T/12,900 E	V 216 E or V 428 E	-,	n/a /-	£665,681	n/a /-
715 Quadtrac CVXDrive	778/778	6T/15,900 E	V 216 E or V 428 E	10,092 E	n/a	£754,208	n/a
	<i>,</i> —				CC 401	DC 401	DC FOL: b
Transmission: Power Shuttle CV 475		6T/12 000 F	V 216 E or V 429 E	10.003 E	SS 40kph	PS 40kph £584,347	PS 50kph
	525/525	6T/12,900 E	V 216 E or V 428 E	10,092 E	n/a	· · · · · · · · · · · · · · · · · · ·	n/a
525	558/558	6T/12,900 E	V 216 E or V 428 E	10,092 E	n/a	£629,466	n/a
Note: Steiger - Articulated chas. linkage £22,993, with pto £34,86			V 216 E or V 428 E assis, four rubber tracks. Cab suspension lics £7,841.	10,092 E on standard, front axle	n/a suspension n/a.	£657,677 Front linkage n/a.	n/a Rear three-point
Case IH Steiger and Quadtrac trapplications. CLAAS	ractors have FP1	Cursor engines w	ith SCR for Euro Stage V emissions col	mpliance. Peak power	outputs maintain	ed for pto, transp	ort and hydraulic
Axos 200	v1E /2 E 40!	h aroon			SS 40kmb	DS 40kmh	DC EOLimb
Transmission: Power Shuttle 30	1X15/2 Eco 40kp	n creep			SS 40kph	PS 40kph	PS 50kph

CLAAS								
Axos 200								
Transmission: Power Shuttle 30x15/2 Eco 40kph creep SS 40kph PS 40kph PS 50kph								
230	92/ -	4T/3,600 E	F 60 M or F 87 M or E	3,350kg	n/a	£57,720	n/a	
240	103/ -	4T/3,600 E	F 60 M or F 87 M or E	3,350kg	n/a	£59,060	n/a	
Note: Cab suspension n/a, front axle suspension n/a: 3,200kg front linkage £3,080, with pto £3,200. Hydraulic trailer braking standard, Air conditioning £1,970.								

Claas Axos 200 tractors have FPT F36 engines with EGR, DOC and SCR for European Stage V emissions compliance.

Axos 3							NEW RANGE
Transmission: Power Sh	uttle 24x12/2 40kph	n, 36x18/3 40kph or	Synchro Shuttle 12x12 40kph		SS 40kph	PS 40kph	PS 50kph
3.95 Trend	92/ -	4T/3,600 E	F 60 M or F 87 M	4,000kg	opt	£64,700	n/a
3.95 Comfort	92/ -	4T/3,600 E	F 87 M	4,000kg	opt	£67,160	n/a
3.105 Trend	103/ -	4T/3,600 E	F 60 M or F 87 M	4,000kg	opt	£65,970	n/a
3.105 Comfort	103/ -	4T/3,600 E	F 87 M	4,000kg	opt	£68,440	n/a
3.110 Trend	112/ -	4T/3,600 E	F 60 M or F 87 M	4,000kg	opt	£67,800	n/a
3.110 Comfort	112/ -	4T/3,600 E	F 87 M	4,000kg	opt	£70,270	n/a
3.120 Trend	120/ -	4T/3,600 E	F 60 M or F 87 M	4,000kg	opt	£69,440	n/a
3.120 Comfort	120/ -	4T/3,600 E	F 87 M	4,000kg	opt	£71,910	n/a

Note: Cab suspension n/a, front axle suspension n/a; 3,240kg front linkage £3,080, with pto £6,280. Hydraulic trailer braking standard. Air trailer braking £3,230. Air conditioning standard. Trend models have solid roof and mechanical linkage stabilisers; Comfort models have brake-to-stop and park lock, cab roof window and automatic stabilisers.

Claas Axos 3 tractors have FPT F36 engines with EGR, DOC and SCR for European Stage V emissions compliance.

Transmission Synchro or power shuttle, ratios and powershift steps - the first configuration listed is standard	Max power/ boost power Maximum power for draft work/ maximum boost power available	Engine Cylinders/ volume; E - electronic fuel management	Hydraulics F - fixed-output gear pump; V - variable-output piston pump; main pump-output plus steering pump where fitted; M - mechanical spool valves; E - electric spool valves	Lift linkage Maximum lift (kg); M - mechanical draft control; E - electronic draft control	List price £ - synchro shuttle 30kph or 40kph	List price £ - power shuttle 40kph	List price £ - power shuttle 50kph, 60kph or 70kph
Arion 400 Quadrishift							
Transmission: Power Shuttle 16x					SS 40kph	PS 40kph	PS 50kph
410 Classic	90/-	4T/4,500 E	F 60 or F 100 M	5,750 E	n/a	£78,980	n/a
410 CIS	90/-	4T/4,500 E	F 100 or V 110 M	5,750 E	n/a	£84,090	n/a
420 Classic	100/-	4T/4,500 E	F 60 or F 100 M	5,750 E	n/a	£82,720	n/a
420 CIS	100/-	4T/4,500 E	F 100 or V 110 M	5,750 E	n/a	£87,860	n/a
430 Classic	115/ -	4T/4,500 E	F 60 or F 100 M	5,750 E / 6,250 E	n/a	£95,830	n/a
430 CIS	115/ -	4T/4,500 E	F 100 M or V 110 / V 150 M or M+E	5,750 E / 6,250 E	n/a	£98,890	n/a
440 Classic	115/125	4T/4,500 E	F 60 or F 100 M	5,750 E / 6,250 E	n/a	£99,750	n/a
440 CIS	115/125	4T/4,500 E	F 100 M or V 110 / V 150 M or M+E	5,750 E / 6,250 E	n/a	£102,860	n/a
440 CIS+	115/125	4T/4,500 E	V 110 E or V 150 E	5,750 E / 6,250 E	n/a	£111,080	n/a
450 Classic	125/135	4T/4,500 E	F 60 or F 100 M	5,750 E / 6,250 E	n/a	£100,430	n/a
450 CIS	125/135	4T/4,500 E	F 100 M or V 110 / V 150 M or M+E	5,750 E / 6,250 E	n/a	£103,400	n/a
450 CIS+	125/135	4T/4,500 E	V 110 E or V 150 E	5,750 E / 6,250 E	n/a	£111,350	n/a
460 Classic	135/145	4T/4,500 E	F 60 or F 100 M	5,750 E / 6,250 E	n/a	£103,480	n/a
460 CIS	135/145	4T/4,500 E	F 100 M or V 110 / V 150 M or M+E	5,750 E / 6,250 E	n/a	£107,070	n/a
460 CIS+	135/145	4T/4,500 E	V 110 E or V 150 E	5,750 E / 6,250 E	n/a	£115,040	n/a
470 Classic	145/155	4T/4,500 E	F 60 or F 100 M	5,750 E / 6,250 E	n/a	£107,340	n/a
470 CIS	145/155	4T/4,500 E	V 110 M or M+E	5,750 E / 6,250 E	n/a	£110,090	n/a
470 CIS+	145/155	4T/4,500 E	V 110 E or V 150 E	5,750 E / 6,250 E	n/a	£118,310	n/a
Arion 400 Hexashift						*ADD	TIONAL MODELS
Transmission: Power Shuttle 32:	x32/6, 48x48/6	creep			SS 40kph	PS 40kph	PS 50kph
430 Classic	115/ -	4T/4,500 E	F 60 or F 100 M	5,750 E / 6,250 E	n/a	£98,375	n/a
430 CIS	115/ -	4T/4,500 E	F 100 M or V 110 / V 150 M or M+E	5,750 E / 6,250 E	n/a	£101,435	n/a
440 Classic *	115/125	4T/4,500 E	F 60 or F 100 M	5,750 E / 6,250 E	n/a	£102,295	n/a
440 CIS *	115/125	4T/4,500 E	F 100 M or V 110 / V 150 M or M+E	5,750 E / 6,250 E	n/a	£105,405	n/a
440 CIS+ *	115/125	4T/4,500 E	V 110 E or V 150 E	5,750 E / 6,250 E	n/a	£113,625	n/a
450 Classic *	125/135	4T/4,500 E	F 60 or F 100 M	5,750 E / 6,250 E	n/a	£102,975	n/a
450 CIS	125/135	4T/4,500 E	V 110 M or M+E	6,250 E	n/a	£105,945	n/a
450 CIS+ *	125/135	4T/4,500 E	V 110 E or V 150 E	5,750 E / 6,250 E	n/a	£113,895	n/a
460 Classic *	135/145	4T/4,500 E	F 60 or F 100 M	5,750 E / 6,250 E	n/a	£106,025	n/a
460 CIS *	135/145	4T/4,500 E	F 100 M or V 110 / V 150 M or M+E	5,750 E / 6,250 E	n/a	£109,615	n/a
460 CIS+ *	135/145	4T/4,500 E	V 110 E or V 150 E	5,750 E / 6,250 E	n/a	£117,585	n/a
470 Classic	145/155	4T/4,500 E	F 60 or F 100 M	5,750 E / 6,250 E	n/a	£109,885	n/a
470 CIS	145/155	4T/4,500 E	V 110 M or M+E	5,750 E / 6,250 E	n/a	£112,635	n/a



Transmission Synchro or power shuttle, ratios and powershift steps - the first configuration listed is standard	Max power/ boost power Maximum power for draft work/ maximum boost power available	Engine Cylinders/ volume; E - electronic fuel management	Hydraulics F - fixed-output gear pump; V - variable-output piston pump; main pump-output plus steering pump where fitted; M - mechanical spool valves; E - electric spool valves	Lift linkage Maximum lift (kg); M - mechanical draft control; E - electronic draft control	List price £ - synchro shuttle 30kph or 40kph	List price £ - power shuttle 40kph	List price £ - power shuttle 50kph, 60kph or 70kph
470 CIS+	145/155	4T/4,500 E	V 110 E or V 150 E	5,750 E / 6,250 E	n/a	£120,855	n/a

Note: Cab suspension standard on CIS+ versions, otherwise £1,830, front axle suspension including mudguards £4,930; 2,800kg front linkage including revised lights £3,495, with pto £6,695. Air trailer braking standard. In addition to higher output hydraulics, CIS models have Panoramic high-vision cab, fixed multi-function controller and CIS information black and white display. In addition to piston pump hydraulics, CIS+ models have Panoramic high-vision cab with two-point suspension, multi-function joystick controller (Electropilot) and CIS information colour display.

Claas Arion 400 tractors have FPT NEF engines with DOC and SCR for European Stage V emissions compliance. Highest power outputs are for pto, transport and high-demand hydraulic applications.

Arion 500 Hexashift	Arion 500 Hexashift										
Transmission: Power Sh	uttle 24x24/6, 36x36	6/6 creep			SS 40kph	PS 40kph	PS 50kph				
510 Classic	125/ -	4T/4,525 E	V 110 M or M+E	7,500 E	n/a	£96,580	n/a				
510 CIS	125/ -	4T/4,525 E	V 110 M or M+E	7,500 E	n/a	£106,650	£107,510				
510 CIS+	125/ -	4T/4,525 E	V 110 M	7,500 E	n/a	£111,170	£112,030				
530 CIS	145/ -	4T/4,525 E	V 110 M or M+E	7,500 E	n/a	£114,910	£115,770				
530 CIS+	145/ -	4T/4,525 E	V 110 M	7,500 E	n/a	£119,540	£120,400				
530 CEBIS	145/ -	4T/4,525 E	V 110 M	7,500 E	n/a	n/a	£124,900				
550 CIS	165/ -	4T/4,525 E	V 110 M or M+E	7,500 E	n/a	£123,560	£124,420				
550 CIS+	165/ -	4T/4,525 E	V 110 M	7,500 E	n/a	£128,230	£129,090				
550 CEBIS	165/ -	4T/4,525 E	V 110 M	7,500 E	n/a	n/a	£133,960				

Note: Cab suspension and air trailer braking standard; front axle suspension - standard on CIS, CIS+ and CEBIS, £5,185 on Classic. 4,000kg front linkage £3,690, with pto £6,865 including engine/transmission side rails and revised lighting.

Arion 500 CMatic	vion 500 CMatic * ADDITIONAL MODEL										
Transmission: Power Shu	ttle CVT	SS 40kph	PS 40kph	PS 50kph							
510 CIS+	125/ -	4T/4,525 E	V 110 or 150 E	8,000 E	n/a	n/a	£121,960				
510 CEBIS	125/ -	4T/4,525 E	V 110 or 150 E	8,000 E	n/a	n/a	£127,560				
530 CIS+	145/ -	4T/4,525 E	V 110 or 150 E	8,000 E	n/a	n/a	£130,410				
530 CEBIS	145/ -	4T/4,525 E	V 110 or 150 E	8,000 E	n/a	n/a	£135,990				
550 CIS+	165/ -	4T/4,525 E	V 110 or 150 E	8,000 E	n/a	n/a	£141,280				
550 CEBIS	165/ -	4T/4,525 E	V 110 or 150 E	8,000 E	n/a	n/a	£146,950				
570 CEBIS *	180/ -	4T/4,525 E	V 150 E	8,000 E	n/a	n/a	£158,000				

Note: 50kph includes braked front axle and cab suspension, and air trailer braking. 4,000kg front linkage £3,690 with pto £8,575 including engine/transmission side rails and revised lighting.

Claas Arion 500 tractors have John Deere Power Systems engines with EGR, DOC, DPF and SCR for Euro Stage V emissions compliance.

Arion 600 Hexashift							
Transmission: Power S	huttle 24x24/6, 36x36	SS 40kph	PS 40kph	PS 50kph			
610 Classic	145/ -	6T/6,788 E	V 110 or 150 M or M+E	8,000 E	n/a	£103,290	n/a
610 CIS	145/ -	6T/6,788 E	V 110 or 150 M or M+E	8,000 E	n/a	£112,980	£113,840
610 CIS+	145/ -	6T/6,788 E	V 110 or 150 E	8,000 E	n/a	£117,550	£118,410
630 CIS	165/ -	6T/6,788 E	V 110 or 150 M or M+E	8,000 E	n/a	£122,860	£123,720
630 CIS+	165/ -	6T/6,788 E	V 150 E	8,000 E	n/a	£127,250	£128,110
630 CEBIS	165/ -	6T/6,788 E	V 110 or 150 E	8,000 E	n/a	£131,950	£132,810
650 CIS	185/ -	6T/6,788 E	V 110 or 150 M or M+E	8,000 E	n/a	£134,950	£135,810
650 CIS+	185/ -	6T/6,788 E	V 110 or 150 E	8,000 E	n/a	£139,780	£140,640
650 CEBIS	185/ -	6T/6,788 E	V 110 or 150 E	8,000 E	n/a	n/a	£145,480

Note: Classic - Cab suspension, braked front axle suspension £5,185, all other versions standard. Air trailer braking standard. 4,000kg front linkage including engine/transmission side rails and revised lighting £5,400, with pto £8,575. CEBIS versions have touch-screen display, isobus and other additional equipment.

Arion 600 CMatic							
Transmission: Power S	huttle CVT				SS 40kph	PS 40kph	PS 50kph
610 CIS+	145/ -	6T/6,788 E	V 110 or 150 E	8,000 E	n/a	n/a	£136,270
610 CEBIS	145/ -	6T/6,788 E	V 110 or 150 E	8,000 E	n/a	n/a	£141,380
630 CIS+	165/ -	6T/6,788 E	V 110 or 150 E	8,000 E	n/a	n/a	£147,630
630 CEBIS	165/ -	6T/6,788 E	V 110 or 150 E	8,000 E	n/a	n/a	£152,720
650 CIS+	185/-	6T/6,788 E	V 110 or 150 E	8,000 E	n/a	n/a	£157,400
650 CEBIS	185/-	6T/6,788 E	V 110 or 150 E	8,000 E	n/a	n/a	£162,520
660 CIS+	185/205	6T/6,788 E	V 110 or 150 E	8,000 E	n/a	n/a	£162,420
660 CEBIS	185/205	6T/6,788 E	V 110 or 150 E	8,000 E	n/a	n/a	£167,550

Note: Cab suspension, braked front axle suspension, and air trailer braking standard. 4,000kg front linkage £5,400 including engine/transmission siderails, with pto £8,575. CEBIS versions have touchscreen display, isobus and other additional equipment.

Claas Arion 600 tractors have John Deere Power Systems engines with EGR, DOC, DPF and SCR for Euro Stage V emissions compliance. Axion 660 highest power output is for pto applications and transport.

Axion 800 Hexashift							DISCONTINUED
Axion 800 CMatic							
Transmission: Power Shut	ttle CVT				SS 40kph	PS 40kph	PS 50kph
810 CIS+	215/ -	6T/6,788 E	V 110 or 150 or 205 E	9,500 E	n/a	n/a	£179,350
810 CEBIS	215/ -	6T/6,788 E	V 110 or 150 or 205 E	9,500 E	n/a	n/a	£184,260
830 CEBIS	235/ -	6T/6,728 E	V 205 E	9,676 E	n/a	n/a	£194,790
850 CEBIS	264/ -	6T/6,728 E	V 150 or 205 E	10,229 E	n/a	n/a	£220,310

List price £ - power shuttle Hydratus:
F - fixed-output gear pump;
V - variable-output piston pump;
main pump-output plus steering
pump where fitted;
M - mechanical spool valves;
E - electric spool valves Synchro or power shuttle, ratios and powershift steps - the first configuration listed is standard £ - synchro shuttle 30kph or 40kph £ - power shuttle 50kph, 60kph or 70kph Cylinders/ Maximum lift (kg); volume; E - electronic M - mechanical draft control; E - electronic draft Maximum power for draft work/ 40kph maximum management control 870 CEBIS 280/295 6T/6,728 E V 205 E 10.229 E n/a n/a £239.910

Note: Cab suspension, braked front axle suspension, and air trailer braking standard. 5,800kg front linkage £5,065 including revised lighting, with pto £10,195. CEBIS models have touchscreen display with isobus.

Claas Axion 800 tractors have FPT NEF engines with DOC and SCR for Euro Stage V emissions compliance. Axion 870 highest power output is for pto applications and above 14kph.

Axion 900 CMatic							
Transmission: Power Shuttle CV	Т				SS 40kph	PS 40kph	PS 50kph
920 CEBIS	325/ -	6T/8,710 E	V 150 or 220 E	10,950 E	n/a	n/a	£286,200
930 CEBIS	355/ -	6T/8,710 E	V 150 or 220 E	10,950 E	n/a	n/a	£299,720
940 CEBIS	385/-	6T/8,710 E	V 150 or 220 E	11,250 E	n/a	n/a	£314,690
950 CEBIS	410/ -	6T/8,710 E	V 150 or 220 E	11,250 E	n/a	n/a	£328,820
960 CEBIS	445/ -	6T/8,710 E	V 150 or 220 E	11,250 E	n/a	n/a	£340,120
Natar Cala anna anna ann a fhanna			lain an atau a da wale a sa saina a sa da a catala wales Co	FFF 6 F001 f+ l'	lea era atamatanat era	th t - CE COO	

Note: Cab suspension and front axle suspension, and air trailer braking standard; engine exhaust brake £555. 6,500kg front linkage standard, with pto £5,620.

Axion 900 CMatic Terra Trac							
Transmission: Power Shuttle CV	Т				SS 40kph	PS 40kph	PS 50kph
930 CEBIS	355/ -	6T/8,710 E	V 150 or 220 E	10,950 E	n/a	£377,860	n/a
960 CEBIS	445/ -	6T/8,710 E	V 150 or 220 E	11,250 E	n/a	£406,530	n/a

Note: Cab and front axle suspension standard. Pivoting tracks with ride height-adjustable suspension and 635mm or 735mm traction belts. 6,500kg front linkage standard, with pto £5,620.

Claas Axion 900 tractors have FPT NEF engines with DOC and SCR for Euro Stage V emissions compliance.

Xerion 4000/5000											
Transmission: Power Shuttle	CVT	SS 40kph	PS 40kph	PS 50kph							
4200 CEBIS Trac	462/ -	6T/10,700 E	V 195 E or V 195+225 E	13,600 E	n/a	£377,360	£377,360				
4200 CEBIS Trac VC	462/ -	6T/10,700 E	V 195 E or V 195+225 E	13,600 E	n/a	£421,060	£421,060				
4200 CEBIS Saddle-Trac	462/ -	6T/10,700 E	V 195 E or V 195+225 E	13,600 E	n/a	£389,070	£389,070				
4500 CEBIS Trac	490/ -	6T/12,800 E	V 195 E or V 195+225 E	13,600 E	n/a	£417,470	£417,470				
4500 CEBIS Trac VC	490/ -	6T/12,800 E	V 195 E or V 195+225 E	13,600 E	n/a	£458,950	£458,950				
5000 CEBIS Trac	530/ -	6T/12,800 E	V 195 E or V 195+225 E	13,600 E	n/a	£434,910	£434,910				
5000 CEBIS Trac VC	530/ -	6T/12,800 E	V 195 E or V 195+225 E	13,600 E	n/a	£477,230	£477,230				

Note: Trac = fixed mid-mounted cab; Trac VC = reverse drive 180deg pivoting cab; Saddle-Trac = fixed forward control cab. Cab suspension standard, front axle suspension n/a. Rear pto standard. 8,200kg front linkage standard.

Claas Xerion 4000 and 5000 series tractors have MTU Mercedes-Benz engines with DPF, SCR and DOC for Euro Stage V emissions compliance.

Xerion 12							
Transmission: Power Shuttle	CVT 40kph				SS 40kph	PS 40kph	PS 50kph
12.590	585/ -	6T/15,600 E	V 220 E or V 220 + 92 E	13,600 E	n/a	£604,100	n/a
12.650	653/ -	6T/15,600 E	V 220 E or V 220 + 92 E	13,600 E	n/a	£631,860	n/a

Note: Rigid chassis, four tracks with 762mm traction belts and dynamic four-wheel steering. Cab suspension standard, front axle suspension n/a. Front linkage n/a. Rear pto £14,105.

Claas Xerion 12 series tractors have MTU Mercedes-Benz engines with DPF, SCR and DOC for Euro Stage V emissions compliance.



ransmission synchro or power shuttle, atios and powershift steps the first configuration listed	May newer/						
s standard	Max power/ boost power Maximum power for draft work/ maximum boost power available	Engine Cylinders/ volume; E - electronic fuel management	Hydraulics F - fixed-output gear pump; V - variable-output piston pump; main pump-output plus steering pump where fitted; M - mechanical spool valves; E - electric spool valves	Lift linkage Maximum lift (kg); M - mechanical draft control; E - electronic draft control	List price £ - synchro shuttle 30kph or 40kph	List price £ - power shuttle 40kph	List price £ - power shuttle 50kph 60kph or 70kph
DEUTZ-FAHR							
Series							
ransmission: Synchro Shuttle	12x12 or 16x16				SS 30kph	PS 40kph	PS 50kph
050 Narrow	51/ -	4T/2,200 E	F 30+15 M	1,200 M	£37,247	n/a	n/a
050	51/ -	4T/2,200 E	F 30+15 M	1,200 M	£37,470	n/a	n/a
060	60/ -	4T/2,200 E	F 30+15 M	1,200 M	£39,336	n/a	n/a
lote: Cab suspension n/a, fron	t axle suspension	n/a; 600kg front	t linkage £1,491, with pto £3,277.				
eutz-Fahr 3 Series tractors ar	e powered by Pe	rkins 404-22 engi	ines with EGR, DOC and DPF for Euro	Stage V emissions com	pliance.		
D Series Keyline							
ransmission: Synchro Shuttle	15x15 or 30x15 o	r Power Shuttle 1	5x15 or 30x30 *		SS 40kph	PS 40kph	PS 50kph
070 Keyline LS/GS	66/-	3T/2,887 E	F 50+17 M	3,500 M	£53,053	£62,536	n/a
080 Keyline LS/GS	75/ -	3T/2,887 E	F 50+17 M	3,500 M	£55,017	£64,492	n/a
i090 Keyline LS/GS	88/ -	3T/2,887 E	F 50+17 M	3,500 M	£60,447	£69,921	n/a
100 Keyline LS/GS	97/ -	3T/2,887 E	F 50+17 M	3,500 M	£62,393	£71,877	n/a
Note: Cab suspension n/a, fron	t axle suspension	n n/a; front linkage	e n/a.				
D Series	70.45		45 40		00.401.1	DC 401 :	D0 = 01 ·
ransmission: Synchro Shuttle				7.000 11 =	SS 40kph	PS 40kph	PS 50kph
6075 LS / GS	75/ -	4T/3,849 E	F 54+35 M	3,600 M or E	£68,662	£71,582	n/a
095 LS / GS	95/ -	4T/3,849 E	F 54+35 M	3,600 M or E	£73,217	£76,137	n/a
105 LS / GS	106/ -	4T/3,849 E	F 54+35 M	3,600 M or E	£76,137	£79,066	n/a
Note: Cab suspension n/a, fron D TTV Series	axie suspension	i ri/a; i,/UUKg froi	nt linkage £3,402, with pto £5,277.		SS 40kph	PS 40kph	PS 50kph
	\				66 40lm-h	DC 401	DC FOL:h
ransmission: Power Shuttle C		7T/2 007 F	V 100 : 42 F av F 04 : 42 F	4 710 F	SS 40kph	PS 40kph	PS 50kph
095 D	95/ -	3T/2,887 E	V 100+42 E or F 84+42 E	4,310 E	n/a	£111,508	n/a
i105 D	106/ -	4T/3,849 E	V 100+42 E or F 84+42 E	4,310 E	n/a	£114,473	n/a
i115 D	116/126	4T/3,849 E	V 100+42 E or F 84+42 E	4,310 E	n/a	£118,249	n/a
lote: Cab suspension n/a, fron	t axle suspension	£9,956; 2,100kg	front linkage £3,625, with pto £5,741.				
Deutz-Fahr 5D Series tractors I	CDE E4 DA4-						
	nave SDF FARMO	tion engines with	EGR, DOC, DPF and SCR for Euro Stag	ge V emissions complia	ance.		
Series Keyline				ge V emissions complia			
Series Keyline Transmission: Synchro Shuttle	or Power Shuttle	20x20 creep, 2	0x20/2, 40x40/2 creep,		SS 40kph	PS 40kph	PS 50kph
Series Keyline Transmission: Synchro Shuttle 1075 LS / GS	or Power Shuttle 75/ -	20x20 creep, 2 4T/3,849 E	0x20/2, 40x40/2 creep, F 55+35 M	4,525 M	SS 40kph £66,278	£69,484	n/a
Series Keyline Transmission: Synchro Shuttle 1075 LS / GS 1095 LS / GS	or Power Shuttle 75/ - 95/ -	20x20 creep, 20 4T/3,849 E 4T/3,849 E	0x20/2, 40x40/2 creep, F 55+35 M F 55+35 M	4,525 M 4,525 M	SS 40kph £66,278 £69,466	£69,484 £72,672	n/a n/a
Series Keyline Transmission: Synchro Shuttle 1075 LS / GS 1095 LS / GS 1105 LS / GS	or Power Shuttle 75/ - 95/ - 106/ -	20x20 creep, 20 4T/3,849 E 4T/3,849 E 4T/3,849 E	0x20/2, 40x40/2 creep, F 55+35 M F 55+35 M F 55+35 M	4,525 M 4,525 M 4,525 M	SS 40kph £66,278 £69,466 £72,672	£69,484 £72,672 £75,878	n/a n/a n/a
Series Keyline Fransmission: Synchro Shuttle Fransmission: Synchro	or Power Shuttle 75/ - 95/ - 106/ -	20x20 creep, 2 4T/3,849 E 4T/3,849 E 4T/3,849 E 4T/3,849 E	0x20/2, 40x40/2 creep, F 55+35 M F 55+35 M F 55+35 M F 55+35 M	4,525 M 4,525 M	SS 40kph £66,278 £69,466	£69,484 £72,672	n/a n/a
Series Keyline Fransmission: Synchro Shuttle Fransmission: Synchro	or Power Shuttle 75/ - 95/ - 106/ - 106/ - t axle suspension	20x20 creep, 2 4T/3,849 E 4T/3,849 E 4T/3,849 E 4T/3,849 E 0 n/a; front linkage	0x20/2, 40x40/2 creep, F 55+35 M F 55+35 M F 55+35 M F 55+35 M	4,525 M 4,525 M 4,525 M 4,525 M	SS 40kph £66,278 £69,466 £72,672 £74,806	£69,484 £72,672 £75,878	n/a n/a n/a
Geries Keyline Transmission: Synchro Shuttle 1075 LS / GS 1095 LS / GS 10105 Plus LS / GS	or Power Shuttle 75/ - 95/ - 106/ - 106/ - t axle suspension	20x20 creep, 2 4T/3,849 E 4T/3,849 E 4T/3,849 E 4T/3,849 E 0 n/a; front linkage	0x20/2, 40x40/2 creep, F 55+35 M F 55+35 M F 55+35 M F 55+35 M	4,525 M 4,525 M 4,525 M 4,525 M	SS 40kph £66,278 £69,466 £72,672 £74,806	£69,484 £72,672 £75,878	n/a n/a n/a
Geries Keyline Gransmission: Synchro Shuttle Gr75 LS / GS Gr95 LS / GS	or Power Shuttle 75/ - 95/ - 106/ - 106/ - t axle suspension ctors have SDF F	20x20 creep, 2 4T/3,849 E 4T/3,849 E 4T/3,849 E 4T/3,849 E 0 n/a; front linkage FARMotion engine	0x20/2, 40x40/2 creep, F 55+35 M F 55+35 M F 55+35 M F 55+35 M e/pto n/a. s with EGR, DOC, DPF and SCR for Eu	4,525 M 4,525 M 4,525 M 4,525 M ro Stage V emissions c	\$\$ 40kph £66,278 £69,466 £72,672 £74,806	£69,484 £72,672 £75,878 £78,012	n/a n/a n/a n/a
Geries Keyline Transmission: Synchro Shuttle 1075 LS / GS 1095 LS / GS 10105 LS / GS 10105 Plus LS /	or Power Shuttle 75/ - 95/ - 106/ - 106/ - t axle suspension ctors have SDF F	2 20x20 creep, 20 4T/3,849 E 4T/3,849 E 4T/3,849 E 4T/3,849 E 0 n/a; front linkage FARMotion engine	0x20/2, 40x40/2 creep, F 55+35 M F 55+35 M F 55+35 M F 55+35 M e/pto n/a. s with EGR, DOC, DPF and SCR for Eu	4,525 M 4,525 M 4,525 M 4,525 M ro Stage V emissions c	SS 40kph £66,278 £69,466 £72,672 £74,806 ompliance.	£69,484 £72,672 £75,878 £78,012	n/a n/a n/a n/a
Series Keyline Transmission: Synchro Shuttle 1075 LS / GS 1095 LS / GS 10105 LS / GS 10105 Plus LS / GS	or Power Shuttle 75/ - 95/ - 106/ - 106/ - t axle suspension ctors have SDF F or Power Shuttle	2 20x20 creep, 20 4T/3,849 E 4T/3,849 E 4T/3,849 E 4T/3,849 E 0 n/a; front linkage CARMotion engine 10x10, 20x20 cre 4T/3,849 E	0x20/2, 40x40/2 creep, F 55+35 M F 55+35 M F 55+35 M F 55+35 M e/pto n/a. s with EGR, DOC, DPF and SCR for Eu eep, 20x20/2, 40x40/2 creep, 30x30/ F 55+35 M or F90+35 M	4,525 M 4,525 M 4,525 M 4,525 M ro Stage V emissions of (3, 60x60/3 creep 4,525 M or E	SS 40kph £66,278 £69,466 £72,672 £74,806 ompliance. SS 40kph £81,254	£69,484 £72,672 £75,878 £78,012 PS 40kph £86,576	n/a n/a n/a n/a n/a PS 50kph n/a
Series Keyline Transmission: Synchro Shuttle 1075 LS / GS 1095 LS / GS 1005 LS / GS 1005 Plus LS / GS 1006: Cab suspension n/a, fron 100cutz-Fahr 5 Series Keyline tra 10cutz-Fahr 5 Series Keyline tra	or Power Shuttle 75/ - 95/ - 106/ - 106/ - t axle suspension ctors have SDF F or Power Shuttle 95/ - 102/ -	2 20x20 creep, 2t 4T/3,849 E 4T/3,849 E 4T/3,849 E 4T/3,849 E 0 n/a; front linkage CARMotion engine 2 10x10, 20x20 cre 4T/3,849 E 3T/2,887 E	0x20/2, 40x40/2 creep, F 55+35 M F 55+35 M F 55+35 M F 55+35 M e/pto n/a. s with EGR, DOC, DPF and SCR for Eu eep, 20x20/2, 40x40/2 creep, 30x30/ F 55+35 M or F90+35 M F 55+35 M or F90+35 M	4,525 M 4,525 M 4,525 M 70 Stage V emissions of the control of	SS 40kph £66,278 £69,466 £72,672 £74,806 ompliance. SS 40kph £81,254 £82,834	£69,484 £72,672 £75,878 £78,012 PS 40kph £86,576 £88,192	n/a n/a n/a n/a n/a PS 50kph n/a n/a
Series Keyline Transmission: Synchro Shuttle 1075 LS / GS 1095 LS / GS 1005 LS / GS 1005 Plus LS / GS 1006 Plus Plus LS / GS 1006 Plus Plus Plus Plus Plus Plus Plus Plus	or Power Shuttle 75/ - 95/ - 106/ - 106/ - t axle suspension ctors have SDF F or Power Shuttle 95/ - 102/ - 106/ -	2 20x20 creep, 2t 4T/3,849 E 4T/3,849 E 4T/3,849 E 4T/3,849 E 4T/3,849 E 6ARMotion engine 2 10x10, 20x20 cre 4T/3,849 E 3T/2,887 E 4T/3,849 E	0x20/2, 40x40/2 creep, F 55+35 M F 55+35 M F 55+35 M F 55+35 M e/pto n/a. s with EGR, DOC, DPF and SCR for Eu eep, 20x20/2, 40x40/2 creep, 30x30/ F 55+35 M or F90+35 M F 55+35 M or F90+35 M F 55+35 M or F90+35 M	4,525 M 4,525 M 4,525 M 70 Stage V emissions of the stage V emission of the stage V emission	SS 40kph £66,278 £69,466 £72,672 £74,806 ompliance. SS 40kph £81,254 £82,834 £84,692	£69,484 £72,672 £75,878 £78,012 PS 40kph £86,576 £88,192 £89,755	n/a n/a n/a n/a n/a PS 50kph n/a n/a n/a
Series Keyline Transmission: Synchro Shuttle 1075 LS / GS 1095 LS / GS 1005 LS / GS 1005 Plus LS / GS 1006 Plus LS / GS 1000 LS / GS 1000 LS / GS 1015 LS / GS 1015 LS / GS	or Power Shuttle 75/ - 95/ - 106/ - 106/ - t axle suspension ctors have SDF F or Power Shuttle 95/ - 102/ - 106/ - 116/ -	2 20x20 creep, 2t 4T/3,849 E 4T/3,849 E 4T/3,849 E 4T/3,849 E 4T/3,849 E 10x10, 20x20 cre 4T/3,849 E 3T/2,887 E 4T/3,849 E 4T/3,849 E	0x20/2, 40x40/2 creep, F 55+35 M F 55+35 M F 55+35 M F 55+35 M e/pto n/a. s with EGR, DOC, DPF and SCR for Eu eep, 20x20/2, 40x40/2 creep, 30x30/ F 55+35 M or F90+35 M	4,525 M 4,525 M 4,525 M 4,525 M ro Stage V emissions of (3, 60x60/3 creep 4,525 M or E 4,525 M or E 4,525 M or E 4,525 M or E	SS 40kph £66,278 £69,466 £72,672 £74,806 ompliance. SS 40kph £81,254 £82,834 £84,692 £85,745	£69,484 £72,672 £75,878 £78,012 PS 40kph £86,576 £88,192 £89,755 £91,094	n/a n/a n/a n/a n/a PS 50kph n/a n/a n/a n/a
Series Keyline Transmission: Synchro Shuttle 1075 LS / GS 1095 LS / GS 10105 LS / GS 10105 Plus Plus LS / GS 10105 Plus Plus Plus Plus Plus Plus Plus Plus	or Power Shuttle 75/ - 95/ - 106/ - 106/ - t axle suspension ctors have SDF F or Power Shuttle 95/ - 102/ - 106/ - 116/ - 126/ -	20x20 creep, 20 4T/3,849 E 4T/3,849 E 4T/3,849 E 4T/3,849 E 4T/3,849 E 6ARMotion engine 210x10, 20x20 cre 4T/3,849 E 4T/3,849 E 4T/3,849 E 4T/3,849 E	0x20/2, 40x40/2 creep, F 55+35 M F 55+35 M F 55+35 M F 55+35 M e/pto n/a. s with EGR, DOC, DPF and SCR for Eu eep, 20x20/2, 40x40/2 creep, 30x30/ F 55+35 M or F90+35 M	4,525 M 4,525 M 4,525 M 70 Stage V emissions of the stage V emission of the stage V emission	SS 40kph £66,278 £69,466 £72,672 £74,806 ompliance. SS 40kph £81,254 £82,834 £84,692	£69,484 £72,672 £75,878 £78,012 PS 40kph £86,576 £88,192 £89,755	n/a n/a n/a n/a n/a PS 50kph n/a n/a n/a
Series Keyline Transmission: Synchro Shuttle 1075 LS / GS 1095 LS / GS 1005 Plus Plus LS / GS 1005 Plus Plus LS / GS 1005 Plus Plus Plus Plus Plus Plus Plus Plus	or Power Shuttle 75/ - 95/ - 106/ - 106/ - t axle suspension ctors have SDF F or Power Shuttle 95/ - 102/ - 106/ - 116/ - 126/ - t axle suspension	20x20 creep, 20 4T/3,849 E 4T/3,849 E 4T/3,849 E 4T/3,849 E 20 n/a; front linkage ARMotion engine 210x10, 20x20 cre 4T/3,849 E 4T/3,849 E 4T/3,849 E 4T/3,849 E 4T/3,849 E	0x20/2, 40x40/2 creep, F 55+35 M F 55+35 M F 55+35 M F 55+35 M e/pto n/a. s with EGR, DOC, DPF and SCR for Eu eep, 20x20/2, 40x40/2 creep, 30x30/ F 55+35 M or F90+35 M	4,525 M 4,525 M 4,525 M 70 Stage V emissions of the stage V emission	SS 40kph £66,278 £69,466 £72,672 £74,806 ompliance. SS 40kph £81,254 £82,834 £84,692 £85,745 £88,326	£69,484 £72,672 £75,878 £78,012 PS 40kph £86,576 £88,192 £89,755 £91,094	n/a n/a n/a n/a n/a PS 50kph n/a n/a n/a n/a
Series Keyline Transmission: Synchro Shuttle 1075 LS / GS 1095 LS / GS 1005 Plus LS / GS 1006 Plus Plus LS / GS 1006 Plus Plus LS / GS 1006 Plus Plus Plus Plus Plus Plus Plus Plus	or Power Shuttle 75/ - 95/ - 106/ - 106/ - t axle suspension ctors have SDF F or Power Shuttle 95/ - 102/ - 106/ - 116/ - 126/ - t axle suspension	20x20 creep, 20 4T/3,849 E 4T/3,849 E 4T/3,849 E 4T/3,849 E 20 n/a; front linkage ARMotion engine 210x10, 20x20 cre 4T/3,849 E 4T/3,849 E 4T/3,849 E 4T/3,849 E 4T/3,849 E	0x20/2, 40x40/2 creep, F 55+35 M F 55+35 M F 55+35 M F 55+35 M e/pto n/a. s with EGR, DOC, DPF and SCR for Eu eep, 20x20/2, 40x40/2 creep, 30x30/ F 55+35 M or F90+35 M	4,525 M 4,525 M 4,525 M 70 Stage V emissions of the stage V emission	SS 40kph £66,278 £69,466 £72,672 £74,806 ompliance. SS 40kph £81,254 £82,834 £84,692 £85,745 £88,326	£69,484 £72,672 £75,878 £78,012 PS 40kph £86,576 £88,192 £89,755 £91,094	n/a n/a n/a n/a n/a PS 50kph n/a n/a n/a n/a
Series Keyline Transmission: Synchro Shuttle 1075 LS / GS 1095 LS / GS 10105 Plus Plus LS / GS 10105 Plus Plus LS / GS 10105 Plus Plus Plus Plus Plus Plus Plus Plus	or Power Shuttle 75/ - 95/ - 106/ - 106/ - It axle suspension ctors have SDF F or Power Shuttle 95/ - 102/ - 106/ - 116/ - 126/ - It axle suspension we SDF FARMotion	20x20 creep, 20 4T/3,849 E 4T/3,849 E 4T/3,849 E 4T/3,849 E 20 n/a; front linkage ARMotion engine 210x10, 20x20 cm 4T/3,849 E 4T/3,849 E 4T/3,849 E 4T/3,849 E 4T/3,849 E 4T/3,849 E	Dx20/2, 40x40/2 creep, F 55+35 M F 55+35 M F 55+35 M F 55+35 M e/pto n/a. s with EGR, DOC, DPF and SCR for Eu eep, 20x20/2, 40x40/2 creep, 30x30/ F 55+35 M or F90+35 M F 55+36 M or F90+35 M F 55+37 M or F90+37 M F 55+37	4,525 M 4,525 M 4,525 M 70 Stage V emissions of the stage V emission	SS 40kph £66,278 £69,466 £72,672 £74,806 ompliance. SS 40kph £81,254 £82,834 £84,692 £85,745 £88,326	£69,484 £72,672 £75,878 £78,012 PS 40kph £86,576 £88,192 £89,755 £91,094 £93,684	n/a n/a n/a n/a n/a n/a PS 50kph n/a n/a n/a n/a n/a
Series Keyline Transmission: Synchro Shuttle 1075 LS / GS 1095 LS / GS 10105 Plus Plus LS / GS 10105 Plus Plus LS / GS 10105 Plus Plus Plus Plus Plus Plus Plus Plus	or Power Shuttle 75/ - 95/ - 106/ - 106/ - t axle suspension ctors have SDF F or Power Shuttle 95/ - 102/ - 106/ - 116/ - 126/ - t axle suspension we SDF FARMotic 0x20/2, 40x40/2	20x20 creep, 20 4T/3,849 E 4T/3,849 E 4T/3,849 E 4T/3,849 E 20 n/a; front linkage ARMotion engine 210x10, 20x20 cre 4T/3,849 E 4T/3,849 E	0x20/2, 40x40/2 creep, F 55+35 M F 55+35 M F 55+35 M F 55+35 M e/pto n/a. s with EGR, DOC, DPF and SCR for Eu eep, 20x20/2, 40x40/2 creep, 30x30/ F 55+35 M or F90+35 M F 55+36 M or F90+35 M F 55+37 M or F90+35 M F 55+37 M or F90+35 M F 55+37 M or F90+37 M F 55-37 M or F90-37 M F 55-37	4,525 M 4,525 M 4,525 M 4,525 M 70 Stage V emissions of the stage V emissions compliant the stage V emission the stage V emissi	SS 40kph £66,278 £69,466 £72,672 £74,806 ompliance. SS 40kph £81,254 £82,834 £84,692 £85,745 £88,326 cce.	£69,484 £72,672 £75,878 £78,012 PS 40kph £86,576 £88,192 £89,755 £91,094 £93,684	n/a n/a n/a n/a n/a n/a PS 50kph n/a n/a n/a n/a n/a PS 50kph
Series Keyline Transmission: Synchro Shuttle 1075 LS / GS 1095 LS / GS 10105 Plus Plus LS / GS 10105 Plus Plus Plus Plus Plus Plus Plus Plus	or Power Shuttle 75/ - 95/ - 106/ - 106/ - t axle suspension ctors have SDF F or Power Shuttle 95/ - 102/ - 106/ - 116/ - 126/ - t axle suspension we SDF FARMotic 0x20/2, 40x40/2 120/126	2 20x20 creep, 20 4T/3,849 E 4T/3,849 E 4T/3,849 E 4T/3,849 E 20 n/a; front linkage ARMotion engine 2 10x10, 20x20 cre 4T/3,849 E 4T/3,849 E 4T/3,849 E 4T/3,849 E 4T/3,849 E 4T/3,849 E 4T/3,849 E 4T/3,849 E 4T/3,849 E 4T/3,849 E	0x20/2, 40x40/2 creep, F 55+35 M F 55+35 M F 55+35 M F 55+35 M e/pto n/a. s with EGR, DOC, DPF and SCR for Eu eep, 20x20/2, 40x40/2 creep, 30x30/ F 55+35 M or F90+35 M	4,525 M 4,525 M 4,525 M 4,525 M 70 Stage V emissions of the stage V emissions compliant the stage V emission the stage V emission the stage V emission the stage V emission the sta	SS 40kph £66,278 £69,466 £72,672 £74,806 ompliance. SS 40kph £81,254 £82,834 £84,692 £85,745 £88,326 cce. SS 40kph n/a	£69,484 £72,672 £75,878 £78,012 PS 40kph £86,576 £88,192 £89,755 £91,094 £93,684	n/a n/a n/a n/a n/a n/a PS 50kph n/a n/a n/a n/a n/a n/a n/a
Series Keyline Transmission: Synchro Shuttle 1075 LS / GS 1095 LS / GS 10105 LS / GS 10105 Plus Plus Plus Plus Plus Plus Plus Plus	or Power Shuttle 75/ - 95/ - 106/ - 106/ - 10 axle suspension ctors have SDF F or Power Shuttle 95/ - 102/ - 106/ - 116/ - 126/ - 1x axle suspension ive SDF FARMotic 0x20/2, 40x40/2 120/126 129/136	2 20x20 creep, 20 4T/3,849 E 4T/3,849 E 4T/3,849 E 4T/3,849 E 2 0n/a; front linkage 2 10x10, 20x20 cree 4T/3,849 E 4T/3,849 E 4T/3,849 E 4T/3,849 E 4T/3,849 E 2 10x10, 20x20 cree 4T/3,849 E 4T/3,849 E 4T/3,849 E 2 10x10, 20x20 cree 4T/3,849 E 4T/3,849 E 4T/3,849 E 4T/3,849 E 4T/3,849 E	0x20/2, 40x40/2 creep, F 55+35 M e/pto n/a. s with EGR, DOC, DPF and SCR for Eu eep, 20x20/2, 40x40/2 creep, 30x30/ F 55+35 M or F90+35 M et linkage £3,768, with pto £5,688. GGR, DOC, DPF and SCR for Euro Stage 60x60/3 creep F 55+35 M or F90+35 M F 90+40 M or V 120+40 M or E	4,525 M 4,525 M 4,525 M 4,525 M 70 Stage V emissions of the text o	SS 40kph	£69,484 £72,672 £75,878 £78,012 PS 40kph £86,576 £88,192 £89,755 £91,094 £93,684 PS 40kph £105,106 £117,411	n/a n/a n/a n/a n/a n/a PS 50kph n/a n/a n/a n/a n/a n/a n/a n/a
Series Keyline Transmission: Synchro Shuttle 1075 LS / GS 1095 LS / GS 10105 LS / GS 10105 Plus Plus Plus Plus Plus Plus Plus Plus	or Power Shuttle 75/ - 95/ - 106/ - 106/ - t axle suspension ctors have SDF F or Power Shuttle 95/ - 102/ - 106/ - 116/ - 126/ - t axle suspension we SDF FARMotic 0x20/2, 40x40/2 120/126	2 20x20 creep, 20 4T/3,849 E 4T/3,849 E 4T/3,849 E 4T/3,849 E 2 0n/a; front linkage 2 10x10, 20x20 cree 4T/3,849 E 3T/2,887 E 4T/3,849 E 4T/3,849 E 4T/3,849 E 4T/3,849 E 4T/3,849 E 4T/3,849 E 4T/3,849 E 4T/3,849 E	0x20/2, 40x40/2 creep, F 55+35 M F 55+35 M F 55+35 M F 55+35 M e/pto n/a. s with EGR, DOC, DPF and SCR for Eu eep, 20x20/2, 40x40/2 creep, 30x30/ F 55+35 M or F90+35 M	4,525 M 4,525 M 4,525 M 4,525 M 70 Stage V emissions of the stage V emissions compliant to the stage V emission to the stag	SS 40kph £66,278 £69,466 £72,672 £74,806 ompliance. SS 40kph £81,254 £82,834 £84,692 £85,745 £88,326 cce. SS 40kph n/a	£69,484 £72,672 £75,878 £78,012 PS 40kph £86,576 £88,192 £89,755 £91,094 £93,684	n/a n/a n/a n/a n/a n/a PS 50kph n/a n/a n/a n/a n/a n/a n/a
Series Keyline Transmission: Synchro Shuttle 1075 LS / GS 1095 LS / GS 10105 LS / GS 10105 Plus Plus Plus Plus Plus Plus Plus Plus	or Power Shuttle 75/ - 95/ - 106/ - 106/ - 106/ - 1t axle suspension ctors have SDF F or Power Shuttle 95/ - 102/ - 106/ - 116/ - 126/ - 1t axle suspension ave SDF FARMotic 0x20/2, 40x40/2 120/126 129/136 136/143	2 20x20 creep, 20 4T/3,849 E 4T/3,849 E 4T/3,849 E 4T/3,849 E 4T/3,849 E 2 10x10, 20x20 cree 4T/3,849 E 4T/3,849 E 4T/3,849 E 4T/3,849 E 4T/3,849 E 2 creep, 30x30/3, 4T/3,849 E 4T/3,849 E 4T/3,849 E	0x20/2, 40x40/2 creep, F 55+35 M e/pto n/a. s with EGR, DOC, DPF and SCR for Eu eep, 20x20/2, 40x40/2 creep, 30x30/ F 55+35 M or F90+35 M et linkage £3,768, with pto £5,688. GGR, DOC, DPF and SCR for Euro Stage 60x60/3 creep F 55+35 M or F90+35 M F 90+40 M or V 120+40 M or E	4,525 M 4,525 M 4,525 M 4,525 M 70 Stage V emissions of the text o	SS 40kph	£69,484 £72,672 £75,878 £78,012 PS 40kph £86,576 £88,192 £89,755 £91,094 £93,684 PS 40kph £105,106 £117,411 £121,706	n/a n/a n/a n/a n/a n/a n/a PS 50kph n/a
Series Keyline Transmission: Synchro Shuttle 1075 LS / GS 1095 LS / GS 10105 LS / GS 10105 Plus Plus Plus Plus Plus Plus Plus Plus	or Power Shuttle 75/ - 95/ - 106/ - 106/ - 106/ - 1t axle suspension ctors have SDF F or Power Shuttle 95/ - 102/ - 106/ - 116/ - 126/ - 1t axle suspension ave SDF FARMotic 0x20/2, 40x40/2 120/126 129/136 136/143	2 20x20 creep, 20 4T/3,849 E 4T/3,849 E 4T/3,849 E 4T/3,849 E 4T/3,849 E 2 10x10, 20x20 cree 4T/3,849 E 4T/3,849 E 4T/3,849 E 4T/3,849 E 4T/3,849 E 2 creep, 30x30/3, 4T/3,849 E 4T/3,849 E 4T/3,849 E	0x20/2, 40x40/2 creep, F 55+35 M e/pto n/a. s with EGR, DOC, DPF and SCR for Eu eep, 20x20/2, 40x40/2 creep, 30x30/ F 55+35 M or F90+35 M et linkage £3,768, with pto £5,688. GGR, DOC, DPF and SCR for Euro Stage 60x60/3 creep F 55+35 M or F90+35 M F 90+40 M or V 120+40 M or E	4,525 M 4,525 M 4,525 M 4,525 M 70 Stage V emissions of the text o	SS 40kph	£69,484 £72,672 £75,878 £78,012 PS 40kph £86,576 £88,192 £89,755 £91,094 £93,684 PS 40kph £105,106 £117,411	n/a n/a n/a n/a n/a n/a PS 50kph n/a n/a n/a n/a n/a n/a n/a n/a
Series Keyline Transmission: Synchro Shuttle 1075 LS / GS 1095 LS / GS 10105 LS / GS 10105 Plus Plus Plus Plus Plus Plus Plus Plus	or Power Shuttle 75/ - 95/ - 106/ - 106/ - 106/ - t axle suspension ctors have SDF F or Power Shuttle 95/ - 102/ - 106/ - 116/ - 126/ - t axle suspension ave SDF FARMotic 0x20/2, 40x40/2 120/126 129/136 136/143 0x16/20, creep o	2 20x20 creep, 20 4T/3,849 E 4T/3,849 E 4T/3,849 E 4T/3,849 E 4T/3,849 E 2 0x/a; front linkage 2 10x10, 20x20 cree 4T/3,849 E 4T/3,849 E 4T/3,849 E 4T/3,849 E 2 0x/a 2,100kg from on engines with E 2 creep, 30x30/3, 4T/3,849 E 4T/3,849 E 4T/3,849 E 4T/3,849 E	0x20/2, 40x40/2 creep, F 55+35 M e/pto n/a. s with EGR, DOC, DPF and SCR for Eu eep, 20x20/2, 40x40/2 creep, 30x30/ F 55+35 M or F90+35 M f 50x60/3 creep F 55+35 M or F90+35 M F 90+40 M or V 120+40 M or E F 90+40 M or V 120+40 M or E	4,525 M 4,525 M 4,525 M 4,525 M 70 Stage V emissions of the stage V emissions compliant the stage V emissions comp	SS 40kph	£69,484 £72,672 £75,878 £78,012 PS 40kph £86,576 £88,192 £89,755 £91,094 £93,684 PS 40kph £105,106 £117,411 £121,706	n/a n/a n/a n/a n/a n/a n/a PS 50kph n/a n/a n/a n/a n/a n/a PS 50kph n/a n/a PS 50kph
Series Keyline Transmission: Synchro Shuttle 1075 LS / GS 1095 LS / GS 1005 LS / GS 1005 Plus LS / GS 1006 Plus LS / GS 1006 Plus LS / GS 1007 Plus LS / GS 1007 Plus LS / GS 1008 Plus LS / GS 1009 Plus LS / GS 1010 Plus LS / GS	or Power Shuttle 75/ - 95/ - 106/ - 106/ - 106/ - 1t axle suspension ctors have SDF F or Power Shuttle 95/ - 102/ - 106/ - 116/ - 126/ - 1t axle suspension we SDF FARMotic 0x20/2, 40x40/2 120/126 129/136 136/143 0x16/20, creep o 120/126	2 20x20 creep, 20 4T/3,849 E 4T/3,849 E 4T/3,849 E 4T/3,849 E 4T/3,849 E 10x10, 20x20 cre 4T/3,849 E 4T/3,849 E 4T/3,849 E 4T/3,849 E 4T/3,849 E 2 creep, 30x30/3, 4T/3,849 E 4T/3,849 E 4T/3,849 E 4T/3,849 E 4T/3,849 E	0x20/2, 40x40/2 creep, F 55+35 M e/pto n/a. s with EGR, DOC, DPF and SCR for Eu eep, 20x20/2, 40x40/2 creep, 30x30/ F 55+35 M or F90+35 M F 10x40 M or F90+35 M F 90+40 M or V 120+40 M or E F 90+40 M or V 120+40 M or E	4,525 M 4,525 M 4,525 M 4,525 M 4,525 M 4,525 M 70 Stage V emissions of the temperature o	SS 40kph £66,278 £69,466 £72,672 £74,806 ompliance. SS 40kph £81,254 £82,834 £84,692 £85,745 £88,326 cce. SS 40kph n/a n/a n/a sS 40kph n/a	£69,484 £72,672 £75,878 £78,012 PS 40kph £86,576 £88,192 £89,755 £91,094 £93,684 PS 40kph £105,106 £117,411 £121,706 PS 40kph	n/a n/a n/a n/a n/a n/a n/a PS 50kph n/a n/a n/a n/a n/a PS 50kph n/a n/a PS 50kph efiz5,520
Series Keyline Transmission: Synchro Shuttle 1075 LS / GS 1095 LS / GS 10105 LS / GS 10105 Plus Plus Plus Plus Plus Plus Plus Plus	or Power Shuttle 75/ - 95/ - 106/ - 106/ - 106/ - 106/ - 1t axle suspension cctors have SDF F or Power Shuttle 95/ - 102/ - 106/ - 116/ - 126/ - 1t axle suspension ove SDF FARMotic 0x20/2, 40x40/2 120/126 129/136 136/143 0x16/20, creep o 120/126	2 20x20 creep, 20 4T/3,849 E 4T/3,849 E 4T/3,849 E 4T/3,849 E 10 n/a; front linkage 2 10x10, 20x20 cree 4T/3,849 E 4T/3,849 E	0x20/2, 40x40/2 creep, F 55+35 M e/pto n/a. s with EGR, DOC, DPF and SCR for Eu eep, 20x20/2, 40x40/2 creep, 30x30/ F 55+35 M or F90+35 M F 10t linkage £3,768, with pto £5,688. GR, DOC, DPF and SCR for Euro Stage 60x60/3 creep F 55+35 M or F90+35 M F 90+40 M or V 120+40 M or E F 90+40 M or V 120+40 M or E	4,525 M 4,525 M 4,525 M 4,525 M 4,525 M 70 Stage V emissions of the text of th	SS 40kph £66,278 £69,466 £72,672 £74,806 ompliance. SS 40kph £81,254 £82,834 £84,692 £85,745 £88,326 SS 40kph n/a n/a n/a n/a n/a n/a	£69,484 £72,672 £75,878 £78,012 PS 40kph £86,576 £88,192 £89,755 £91,094 £93,684 PS 40kph £105,106 £117,411 £121,706 PS 40kph £120,617	n/a n/a n/a n/a n/a n/a n/a PS 50kph n/a n/a n/a n/a n/a PS 50kph n/a n/a PS 50kph £125,520 £129,779
Series Keyline Transmission: Synchro Shuttle 1075 LS / GS 1095 LS / GS 1095 LS / GS 10105 Plus Plus Plus Plus Plus Plus Plus Plus	or Power Shuttle 75/ - 95/ - 106/ - 106/ - 106/ - t axle suspension ctors have SDF F or Power Shuttle 95/ - 102/ - 106/ - 116/ - 116/ - 126/ - t axle suspension we SDF FARMotic 0x20/2, 40x40/2 120/126 129/136 136/143 0x16/20, creep o 120/126 129/136 136/143	2 20x20 creep, 20 4T/3,849 E 4T/3,849 E 4T/3,849 E 4T/3,849 E 10 n/a; front linkage 2 10x10, 20x20 cree 4T/3,849 E 4T/3,849 E	0x20/2, 40x40/2 creep, F 55+35 M e/pto n/a. s with EGR, DOC, DPF and SCR for Eu eep, 20x20/2, 40x40/2 creep, 30x30/ F 55+35 M or F90+35 M F 10t linkage £3,768, with pto £5,688. GR, DOC, DPF and SCR for Euro Stage 60x60/3 creep F 55+35 M or F90+35 M F 90+40 M or V 120+40 M or E F 90+40 M or V 120+40 M or E	4,525 M 4,525 M 4,525 M 4,525 M 4,525 M 70 Stage V emissions of the text of th	SS 40kph £66,278 £69,466 £72,672 £74,806 ompliance. SS 40kph £81,254 £82,834 £84,692 £85,745 £88,326 SS 40kph n/a n/a n/a n/a n/a n/a	£69,484 £72,672 £75,878 £78,012 PS 40kph £86,576 £88,192 £89,755 £91,094 £93,684 PS 40kph £105,106 £117,411 £121,706 PS 40kph £120,617	n/a n/a n/a n/a n/a n/a n/a PS 50kph n/a n/a n/a n/a n/a n/a PS 50kph n/a n/a £125,520 £129,779

Transmission Synchro or power shuttle, ratios and powershift steps - the first configuration listed is standard	Max power/ boost power Maximum power for draft work/ maximum boost power available	Engine Cylinders/ volume; E - electronic fuel management	Hydraulics F - fixed-output gear pump; V - variable-output piston pump; main pump-output plus steering pump where fitted; M - mechanical spool valves; E - electric spool valves	Lift linkage Maximum lift (kg); M - mechanical draft control; E - electronic draft control	List price £ - synchro shuttle 30kph or 40kph	List price £ - power shuttle 40kph	List price £ - power shuttle 50kph, 60kph or 70kph
6125 C	129/136	4T/3,849 E	F 90+40 M or V 120+40 M or E	5,000 or 7,000 M or E	n/a	£129,994	£134,959
6135 C	136/143	4T/3,849 E	F 90+40 M or V 120+40 M or E	5,000 or 7,000 M or E	n/a	£134,298	£139,263

Note: Cab suspension 6115 C Powershift - n/a; 6125 C and 6135 C Powershift and all other variants - £1,527; front axle suspension £4,804. 3,000kg front linkage £3,732, with pto £5,634.

Deutz-Fahr 6C Series tractors have SDF FARMotion engines with EGR, DOC, DPF and SCR for Euro Stage V emissions compliance. Highest power outputs are for pto and all operations from 15kph.

6.4 Series RVshift							
Transmission: Power	Shuttle 20x16/20, creep	SS 40kph	PS 40kph	PS 50kph			
6130.4	136/ -	4/3,849 E	F 90+40 M or M+E or V 120+40 M+E	5,870 or 9,170 E	n/a	£141,844	£148,479
6140.4	147/ -	4/3,849 E	F 90+40 M or M+E or V 120+40 M+E	5,870 or 9,170 E	n/a	£145,210	£151,845
6150.4	156/ -	4/3,849 E	F 90+40 M or M+E or V 120+40	5,870 or 9,170 E	n/a	£148,568	£155,203

Note: Cab suspension standard; front axle suspension - 40kph £6,501, 50kph standard. 3,000kg front linkage £3,616, with pto £6,920.

6.4 Series TTV

Transmission: Power Sh	nuttle CVT				SS 40kph	PS 40kph	PS 50kph
6130.4	136/ -	4/3,849 E	V 120+40 M+E or E	5,870 or 9,170 E	n/a	n/a	£161,257
6140.4	147/ -	4/3,849 E	V 120+40 M+E or E	5,870 or 9,170 E	n/a	n/a	£164,642
6150.4	156/ -	4/3,849 E	V 120+40 M+E or E	5,870 or 9,170 E	n/a	n/a	£168,044

Note: Cab and front axle suspension standard. 3,000kg front linkage £3,616, with pto £6,920.

Deutz-Fahr 6.4 Series tractors have SDF FARMotion engines with DOC, DPF and SCR for Euro Stage V emissions compliance.

6 Series Powershift

O SCITES I OWEISIME							
Transmission: Power	Shuttle 30x15/6 or 54x2	27/6 creep			SS 40kph	PS 40kph	PS 50kph
6160.4	161/171	4T/3,620 E	F 84+42 M or V 120+42 M or V 160+42 M or M+E	9,700 E	n/a	n/a	£155,060
6160	161/171	6T/6,057 E	F 84+42 M or V 120+42 M or V 160+42 M or M+E	9,700 E	n/a	n/a	£161,633
6170.4	171/ -	4T/3,620 E	F 84+42 M or V 120+42 M or V 160+42 M or M+E	9,700 E	n/a	n/a	£159,998
6170	171/ -	6T/6,057 E	F 84+42 M or V 120+42 M or V 160+42 M or M+E	9,700 E	n/a	n/a	£166,589
6180	181/192	6T/6,057 E	F 84+42 M or V 120+42 M or V 160+42 M or M+E	9,700 E	n/a	n/a	£174,635
6190	192/ -	6T/6,057 E	V 120+42 M or M+E or V 160+42 M or M+E	9,700 E	n/a	n/a	£190,137
6210	216/ -	6T/6,057 E	V 120+42 M or M+E or V 160+42 M or M+E	9,700 E	n/a	n/a	£202,237
6230	217/230	6T/6,057 E	V 120+42 M or M+E or V 160+42 M or M+E	9,700 E	n/a	n/a	£212,596

Cab and front axle suspension standard. Trailer air braking standard. 3,800kg front linkage £3,670, with pto £6,974.





Transmission Synchro or power shuttle, ratios and powershift steps - the first configuration listed is standard	Max power/boost power Maximum power for draft work/maximum boost power available	Engine Cylinders/ volume; E - electronic fuel management	Hydraulics F - fixed-output gear pump; V - variable-output piston pump; main pump-output plus steering pump where fitted; M - mechanical spool valves; E - electric spool valves	Lift linkage Maximum lift (kg); M - mechanical draft control; E - electronic draft control	List price £ - synchro shuttle 30kph or 40kph	List price £ - power shuttle 40kph	List price £ - power shuttle 50kph, 60kph or 70kph
6 Series RCshift							
Transmission: Power Shuttle 54	x27/6 creep or 3	30x15/6			SS 40kph	PS 40kph	PS 50kph
6160.4	161/171	4T/3,620 E	F 84+42 M or V 120+42 M or V 160+42 M or M+E	9,700 E	n/a	n/a	£163,142
6160	161/171	6T/6,057 E	F 84+42 M or V 120+42 M or V 160+42 M or M+E	9,700 E	n/a	n/a	£169,678
6170.4	171/ -	4T/3,620 E	F 84+42 M or V 120+42 M or V 160+42 M or M+E	9,700 E	n/a	n/a	£168,062
6170	171/ -	6T/6,057 E	F 84+42 M or V 120+42 M or V 160+42 M or M+E	9,700 E	n/a	n/a	£174,635
6180	181/192	6T/6,057 E	F 84+42 M or V 120+42 M or V 160+42 M or M+E	9,700 E	n/a	n/a	£182,698
6190	192/ -	6T/6,057 E	V 120+42 M or M+E or V 160+42 M or M+E	9,700 E	n/a	n/a	£194,861
6205	216/ -	6T/6,057 E	V 120+42 M or M+E or V 160+42 M or M+E	9,700 E	n/a	n/a	£206,961
6215	217/230	6T/6,057 E	V 120+42 M or M+E or V 160+42 M or M+E	9,700 E	n/a	n/a	£217,320
Note: RCshift models have elect	tronic range and	powershifts. Cab	and front axle suspension standard. Tra	iler air braking standa	rd. 3,800kg fron	t linkage £3,670,	with pto £6,974.
6 Series TTV							
Transmission: Power Shuttle CV	′ Τ				SS 40kph	PS 40kph	PS 50kph
6160.4	161/171	4T/4,100 E	V 120+52 M+E or E or V 170 160+52 M+E or E	9,700 E	n/a	n/a	£194,334
6160	161/171	6T/6,057 E	V 120+52 M+E or E or V 170+52 M+E or E	9,200 E	n/a	n/a	£199,933
6170.4	171/ -	4T/4,100 E	V 120+52 M+E or E or V 170+52 M+E or E	9,200 E	n/a	n/a	£199,326
6170	171/ -	6T/6,057 E	V 120+52 M+E or E or V 170+52 M+E or E	9,200 E	n/a	n/a	£204,916
6180	183/188	6T/6,057 E	V 120+52 M+E or E or V 170+52 M+E or E	9,200 E	n/a	n/a	£215,739
6190	192/ -	6T/6,057 E	V 120+58 E or V 160+58 E	9,200 E	n/a	n/a	£234,582
6210	216/ -	6T/6,057 E	V 120+58 E or V 160+58 E	9,200 E	n/a	n/a	£247,012
6230	230/ -	6T/6,057 E	V 120+58 E or V 160+58 E	9,200 E	n/a	n/a	£253,942
6230 HD	230/ -	6T/6,057 E	V 120+58 or V 160+58 E or V 210+58 E	10,000 E	n/a	n/a	£268,158

Note: Up to 6190: 50kph - cab and front axle suspension standard. Trailer air braking standard. 3,800kg front linkage £4,625, with pto £7,924. From 6210: Cab and front axle suspension with front axle disc brakes, and trailer air braking, standard. 5,480kg front linkage standard, with pto £3,304.

Deutz-Fahr 6 Series tractors have Deutz TCD engines with EGR, DOC, SCR and DPF for Euro Stage V emissions compliance. Highest power outputs are for transport and pto applications

7 Series TTV									
Transmission: Power Shuttle C	VT	SS 40kph	PS 40kph	PS 50/60kph					
7250	247/ -	6T/6,057 E	V 120+86 E, V 160+86 E, V 210+86 E 10,000 E	n/a	n/a	£269,480			
7250 HD	247/ -	6T/6,057 E	V 120+86 E, V 160+86 E, V 210+86 E 11,100 E	n/a	n/a	£285,795			
Note: Cab and front axle suspension with front axle disc brakes, and trailer air braking standard. 5,480kg front linkage standard, with pto £3,348.									

Deutz-Fahr 7 Series tractors have Deutz TCD engines with EGR, SCR and DPF for Euro Stage V emissions compliance.

8 Series TTV						
Transmission: Power Shu	ttle CVT			SS 40kph	PS 40kph	PS 50/60kph
8280	287/ -	6T/6,057 E	V 120+58 E, V 160+58 E, V 210+58 E 11,100 E	n/a	n/a	£313,818

Note: Cab and front axle suspension with front axle disc brakes, and trailer air braking standard. 5,480kg front linkage standard, with pto £3,348.

Deutz-Fahr 8 Series tractor has a Deutz TCD engine with EGR, SCR and DPF for Euro Stage V emissions compliance.

9 Series TTV							
Transmission: Power Sh		SS 40kph	PS 40kph	PS 50kph			
9290	295/ -	6T/7,775 E	V 210 E	12,000 E	n/a	n/a	£326,936
9310	312/ -	6T/7,775 E	V 210 E	12,000 E	n/a	n/a	£332,544
9340	336/ -	6T/7,775 E	V 210 E	12,000 E	n/a	n/a	£346,117

Note: Cab and front axle suspension standard. 5,000kg front linkage and pto standard.

Deutz-Fahr 9 Series tractors have Deutz TCD engines with SCR, DOC and DPF for Euro Stage V emissions compliance.

			,	-3				
FARMTRAC								
6100 DT V, 9120 DTn, 9	130 DTn						DISCONTINUED	
6-series								
6075	75/ -	4/3,680	F 50 M	2,500 M	£poa	n/a	n/a	
Note: Cab suspension n/a, front axle suspension n/a. Front linkage n/a. Air conditioning standard. Distributed by Kubota UK.								

Farmtrac 6 Series tractors are powered by Farmtrac engines with DOC and DPF for Euro Stage V emissions compliance.

Transmission: Power Shuttle CV	/T				SS 40kph	PS 40kph	PS 50kph
300 Vario Gen4							
Fendt 200 Vario tractors have A for stationary and mobile pto, h			R and DPF for Euro Stage V emissions Lair conditioning.	s compliance. 211 Dynar	micPerformance l	nighest power ou	tput is available
Note: Cab suspension £1,360, fr	ont axle suspens	ion £5,145; 2,500i	kg front linkage £3,721, with pto £7,586	6.			
211 Power DynamicPerformance	114/124	3T/3,300 E	F 42+33 or V 71+33 E	4,286 E	n/a	£126,581	n/a
210 Power	104/ -	3T/3,300 E	F 42+33 or V 71+33 E	4,286 E	n/a	£121,174	n/a
209 Power	94/ -	3T/3,300 E	F 42+33 or V 71+33 E	4,286 E	n/a	£117,766	n/a
208 Power	84/ -	3T/3,300 E	F 42+33 or V 71+33 E	4,286 E	n/a	£114,379	n/a
207 Power	79/ -	3T/3,300 E	F 42+33 or V 71+33 E	4,286 E	n/a	£111,951	n/a
Transmission: Power Shuttle CV	′ Τ				SS 40kph	PS 40kph	PS 50kph
200 S Vario Gen3							
FENDT							
Transmission Synchro or power shuttle, ratios and powershift steps - the first configuration listed is standard	Max power/ boost power Maximum power for draft work/ maximum boost power available	Engine Cylinders/ volume; E - electronic fuel management	Hydraulics F - fixed-output gear pump; V - variable-output piston pump; main pump-output plus steering pump where fitted; M - mechanical spool valves; E - electric spool valves	Lift linkage Maximum lift (kg); M - mechanical draft control; E - electronic draft control	List price £ - synchro shuttle 30kph or 40kph	List price £ - power shuttle 40kph	List price £ - power shuttle 50kph 60kph or 70kph

311 Power F 46+38 E or V 110 E £140,327 113/ -4T/4.400 E 5.960 E n/a n/a 312 Power 4T/4,400 E F 46+38 E or V 110 E n/a £144,406 n/a 313 Power 133/ -4T/4,400 E F 46+38 E or V 110 E 5,960 E n/a £149,834 n/a 314 Power Dynamic 142/152 4T/4.400 E F 46+38 E or V 110 E 5.960 E £156.490 n/a n/a Performance

Note: Cab suspension £1,341, front axle suspension standard. 3,000kg front linkage £3,986, with pto £8,642.

Fendt 300 Vario Gen4 tractors have Agco Power engines with EGR, SCR and DOC for Euro Stage V emissions compliance. 314 DynamicPerformance highest power output is available in controlled amounts for stationary and mobile pto, draft and slow transport, hydraulics, fans and air conditioning.

500 Vario Gen3							
Transmission: Power Shu	ttle CVT	SS 40kph	PS 40kph	PS 50kph			
512 Power	131/ -	4T/4,040 E	V 75, 110 or 158 E	7,780 E	n/a	£170,325	£170,325
513 Power	141/ -	4T/4,040 E	V 75, 110 or 158 E	7,780 E	n/a	£174,681	£174,681
514 Power	156/ -	4T/4,040 E	V 75, 110 or 158 E	7,780 E	n/a	£181,814	£181,814
516 Power	171/ -	4T/4,040 E	V 75, 110 or 158 E	7,780 E	n/a	£190,983	£190,983

Note: Mechanical cab suspension, front axle suspension and air trailer braking standard. 3,400kg front linkage £2,293, with pto £7,269. Fendt 500 Vario Gen3 tractors have Deutz TCD engines with DOC, SCR and DPF for Euro Stage V emissions compliance.

600 Vario							* NEW RANGE
Transmission: Power Shutt	tle CVT **	SS 40kph	PS 40kph	PS 50kph			
614 Power	149/164	4T/5,000 E	V 152 or 205 E	9,790 E	n/a	£200,012	£200,012
616 Power	169/184	4T/5,000 E	V 152 or 205 E	9,790 E	n/a	£208,890	£208,890
618 Power	189/204	4T/5,000 E	V 152 or 205 E	9,790 E	n/a	£224,412	£224,412
620 Power	209/224	4T/5,000 E	V 152 or 205 E	9,790 E	n/a	£233,915	£233,915

Note: ** Vario transmission has separate drive to front and rear axles with variable torque distribution. Air cab suspension, front axle suspension and air trailer braking standard. 4,400kg front linkage £4,712 (including additional lights), with pto £9,688.

Fendt 600 Vario tractors have Agco Power Core50 engines with DOC, SCR and DPF for Euro Stage V emissions compliance. Highest power outputs are available in controlled amounts for stationary and mobile pto, draft and slow transport, hydraulics, fans and air conditioning compensation.

700 Vario Gen6							
714, 716							DISCONTINUED
Transmission: Power SI	huttle CVT				SS 40kph	PS 40kph	PS 50kph
718 Power	188/ -	6T/6,060 E	V 109, 152 or 193 E	10,360 E	n/a	£225,106	£225,106
720 Power	209/ -	6T/6,060 E	V 109, 152 or 193 E	10,360 E	n/a	£237,798	£237,798
722 Power	228/ -	6T/6,060 E	V 109, 152 or 193 E	10,360 E	n/a	£247,596	£247,596
724 Power	246/ -	6T/6,060 E	V 109, 152 or 193 E	10,360 E	n/a	£259,699	£259,699

Note: Air cab suspension, front axle suspension, exhaust brake and air trailer braking standard. 4,400kg front linkage £3,886 (including additional lights), with pto £8,862.

Fendt 700 Vario Gen6 tractors have Deutz TCD engines with DOC, SCR and DPF for Euro Stage V emissions compliance.

700 Vario Gen7							
Transmission: Power Shuttle CV	SS 40kph	PS 40/50kph	PS 60kph				
720 Power	203/ -	6T/7,500 E	V 165 or 220 E	11,050 E	n/a	£252,751	n/a
722 Power	223/ -	6T/7,500 E	V 165 or 220 E	11,050 E	n/a	£262,550	n/a
724 Power	243/ -	6T/7,500 E	V 165 or 220 E	11,050 E	n/a	£274,653	n/a
726 Power	262/ -	6T/7,500 E	V 165 or 220 E	11,050 E	n/a	£285,490	£301,614
728 Power Dynamic Performance	283/303	6T/7,500 E	V 165 or 220 E	11,050 E	n/a	£292,437	£308,911

Note: ** Vario transmission has separate drive to front and rear axles with variable torque distribution. Air cab suspension, front axle suspension and air trailer braking standard. 5,300kg single-acting front linkage £4,712 (including additional lights), with pto £9,688; 5,300kg double-acting front linkage £6,745, with pto £11,721.

Fendt 700 Vario Gen7 tractors have Agco Power Core75 engines with DOC, DPF and SCR for Euro Stage V emissions compliance. 728 Dynamic Performance highest power output is available in controlled amounts for stationary and mobile pto, fast draft work, transport and hydraulic applications, and to compensate when fans, air conditioning, lights, etc are in use.

900 Vario Gen7							
Transmission: Power Shuttle	CVT **				SS 40kph	PS 40kph	PS 50/60kph
930 Power	296/ -	6T/9,000 E	V 165 or 220 E or V 220+210 E *	12,410 E	n/a	£325,614	£325,614
933 Power	326/ -	6T/9,000 E	V 165 or 220 E or V 220+210 E *	12,410 E	n/a	£337,944	£337,944

Transmission Synchro or power shuttle, ratios and powershift steps - the first configuration listed is standard	Max power/ boost power Maximum power for draft work/ maximum boost power available	Engine Cylinders/ volume; E - electronic fuel management	Hydraulics F - fixed-output gear pump; V - variable-output piston pump; main pump-output plus steering pump where fitted; M - mechanical spool valves; E - electric spool valves	Lift linkage Maximum lift (kg); M - mechanical draft control; E - electronic draft control	List price £ - synchro shuttle 30kph or 40kph	List price £ - power shuttle 40kph	List price £ - power shuttle 50kph, 60kph or 70kph
936 Power	355/ -	6T/9,000 E	V 165 or 220 E or V 220+210 E *	12,410 E	n/a	£349,561	£349,561
939 Power	385/ -	6T/9,000 E	V 165 or 220 E or V 220+210 E *	12,410 E	n/a	£358,888	£358,888
942 Power	415/ -	6T/9,000 E	V 165 or 220 E or V 220+210 E *	12,410 E	n/a	£370,103	£370,103

Note: ** Vario transmisison has separate drive to front and rear axles with variable torque distribution. * Twin hydraulic pumps with separate circuits for total flow of 430-litre/min. Air cab suspension, front axle suspension, exhaust brake and air trailer braking standard. 60kph option (£11,267) includes 1,000kg GVW reduction to 17,000kg and Profi cab specification. 5,500kg single-acting front linkage £5,130, with pto £8,573; 5,500kg double-acting front linkage £23,654, with pto £28,646 - both include required upgrade to Profi cab specification.

Fendt 900 Vario Gen6 tractors have MAN engines with VGT, DOC, DPF and SCR for Euro Stage V emissions compliance.

900 Vario MT Gen2							
Transmission: Power Shuttle	CVT				SS 40kph	PS 40kph	PS 50/60kph
938 MT	380/ -	7T/9,800 E	V 220 or 440 E	11,500 E	n/a	£438,579	n/a
940 MT	405/ -	7T/9,800 E	V 220 or 440 E	11,500 E	n/a	£446,213	n/a
943 MT	431/ -	7T/9,800 E	V 220 or 440 E	11,500 E	n/a	£458,001	n/a

Note: Twin full length rubber tracks. Mechanical cab suspension £1,145, front axle suspension standard. Front linkage n/a. Air trailer braking standard.

Fendt 900 MT Vario tractors have Agco Power engines with EGR, DOC, DPF and SCR for Euro Stage V emissions compliance.

1000 Vario Gen3							
Transmission: Power Shu	ıttle CVT **				SS 40kph	PS 40kph	PS 50/60kph
1038 PowerPlus	396/ -	6T/12,400 E	V 165, 220 or 220+210 E *	12,920 E	n/a	£412,650	£412,650
1042 PowerPlus	435/ -	6T/12,400 E	V 165, 220 or 220+210 E *	12,920 E	n/a	£428,905	£428,905
1046 PowerPlus	476/ -	6T/12,400 E	V 165, 220 or 220+210 E *	12,920 E	n/a	£440,754	£440,754
1050 PowerPlus	517/ -	6T/12,400 E	V 165, 220 or 220+210 E *	12,920 E	n/a	£450,233	£450,233

Note: ** Vario transmission with separate drive to front and rear axles with variable torque distribution. * Twin hydraulic pumps with separate circuits for total flow of 430-litre/min. Air cab suspension, front axle suspension, exhaust brake and air trailer braking standard. 60kph option (£847) includes Profi cab specification. 5,500kg front linkage £3,471, with pto n/a.

Fendt 1000 Vario tractors have MAN engines with VGT, DOC, DPF and SCR for Euro Stage V emissions compliance.

1100 Vario MT Gen1			
Transmission: Power Shuttle CVT	SS 40kph	PS 40kph	PS 50/60kph

A LONG WAY TOGETHER



POWERTRAILER SR 331

Designed for trailers and tankers in transport applications both in the fields and on the road, BKT comes up with POWERTRAILER SR 331. The brand-new All Steel radial tyre features high load capacity plus extraordinary casing stability. Moreover, POWERTRAILER SR 331 stands out for enhanced durability - partly due to a special sidewall rib providing protection against impacts and the effects of tyre rubbing, while the hexagonal bead with chafer reinforcement ensures a perfect fit on the rim. Thanks to all these features, POWERTRAILER SR 331 is also synonymous with fuel economy and comfort on the road.







in f X D 0 & bkt-tires.com

Transmission Synchro or power shuttle, ratios and powershift steps - the first configuration listed is standard	Max power/ boost power Maximum power for draft work/ maximum boost power available	Engine Cylinders/ volume; E - electronic fuel management	Hydraulics F - fixed-output gear pump; V - variable-output piston pump; main pump-output plus steering pump where fitted; M - mechanical spool valves; E - electric spool valves	Lift linkage Maximum lift (kg); M - mechanical draft control; E - electronic draft control	List price £ - synchro shuttle 30kph or 40kph	List price £ - power shuttle 40kph	List price £ - power shuttle 50kph, 60kph or 70kph
1151 MT	511/ -	6T/15,200 E	V 220 or V 440 E	15,000 E	n/a	£448,064	n/a
1156 MT	564/ -	6T/15,200 E	V 220 or V 440 E	15,000 E	n/a	£471,249	n/a
1162 MT	618/ -	6T/15,200 E	V 220 or V 440 E	15,000 E	n/a	£492,109	n/a
1167 MT	618/673	6T/16,200 E	V 220 or V 440 E	15,000 E	n/a	£524,397	n/a

Note: Twin full length rubber tracks. Mechanical cab suspension £1,145. Rear linkage £26,485, with pto n/a.

Fendt 1100 Vario MT tractors have MAN engines with EGR, VGT, DOC, DPF and SCR for Euro Stage V emissions compliance. 1167 MT highest power output available for pto and high-demand hydraulic applications.

nigri-demand nydradiic ap	piicatioris.						
ISEKI							
TLE							
Transmission: Synchro Sh	uttle 12x12 creep				SS30kph	PS 30kph	PS 50kph
TLE4550	55/ -	4T/2,434 E	F 32.2+19.4 M	1,200 M	£28,350	n/a	n/a
Note: Open platform, no o	ab option. Front a.	xle suspension n/a.	Front linkage and pto optiona	al.			

Iseki TLE tractors have an Iseki engine with EGR, DOC and DPF for Euro Stage V emissions compliance.

TG6							
Transmission: Power Shu	uttle 12x12 creep				SS 40kph	PS 30kph	PS 50kph
TG6557 PS	55/ -	4T/2,434 E	F 48+26.5 M	1,580 M	n/a	£41,815	n/a
TG6687 PS	67/ -	4T/2,434 E	F 48+26.5 M	1,600 M	n/a	£44,057	n/a
Transmission: Three-rang	ge hydrostatic 6x6				SS 40kph	PS 30kph	PS 50kph
TG6687 HST	67/ -	4T/2,434 E	F 48+26.5 M	1,580 M	n/a	£46,581	n/a

Note: Cab suspension n/a, front axle suspension n/a. Front linkage and pto optional. Category 2 cab with air conditioning standard.

Iseki TG6 tractors have an Iseki engine with EGR, DOC and DPF for Euro Stage V emissions compliance

JCB							
Fastrac 4000 iCON							
Transmission: Power Sh	uttle CVT				SS 40kph	PS 40kph	PS 60kph
4160	178/ -	6T/6,596 E	V 195 E	7,000 E	n/a	n/a	£157,260
4190	210/ -	6T/6,596 E	V 195 E	7,000 or 8,000 E	n/a	n/a	£172,592
4220	235/ -	6T/6,596 E	V 195 E	8,000 E	n/a	n/a	£180,007
4220 Field Pro	235/ -	6T/6,596 E	V 195 E	8,000 E	n/a	n/a	£193,551
4220 Pro Line	235/ -	6T/6,596 E	V 195 E	8,000 E	n/a	n/a	£207,219

Note: Cab suspension n/a, front and rear active axle suspension and ABS air trailer braking standard. Four-wheel steer, 60kph, four-wheel ABS brakes standard. 3,500kg front linkage including front spool valve £8,026 (included on Pro Line model), with pto £12,641 (£4,615 option on Pro Line model). Five years' LiveLink telematics subscription standard. Field Pro adds LED worklights, hydraulic power beyond, fender spool controls, isobus, GPS ready, JCB Rapid Steer, headland turn assist, heated/ventilated leather seat, forward/neutral/reverse shuttle lever and twin linkage auto stabilisers. Pro Line adds to Field Pro heated front and rear windows, rear hitch camera, twin beacons, LED road lights, Hill Hold, 2wd Traction Control, etc.

Fastrac 8000 iCON							
Transmission: Power Shuttle	CVT				SS 40kph	PS 40kph	PS 70kph
8290	306/ -	6T/8,419 E	V 178 E	10,000 E	n/a	n/a	£227,470
8330	348/ -	6T/8,419 E	V 178 E	10,000 E	n/a	n/a	£235,306
8330 Field Pro	348/ -	6T/8,419 E	V 178 E	10,000 E	n/a	n/a	£248,877
8330 Pro Line	348/ -	6T/8,419 E	V 178 E	10,000 E	n/a	n/a	£264,917

Note: Cab suspension n/a, front and rear active axle suspension, ABS air trailer braking, 70kph, four-wheel ABS brakes standard. 3,500kg front linkage including front spool valve £9,940 (included on Pro Line model), with pto £15,898 (£5,958 option on Pro Line model). Five years' LiveLink telematics subscription standard. Field Pro adds LED worklights, hydraulic power beyond, fender spool controls, isobus, GPS ready, JCB Rapid Steer, headland turn assist, heated/ventilated leather seat, forward/neutral/reverse shuttle lever and twin linkage auto stabilisers. Pro Line adds to Field Pro heated front and rear windows, rear hitch camera, twin beacons, LED road lights, Hill Hold, 2wd Traction Control, etc.

JCB Fastrac tractors have Agco Power engines with DOC, SCR and DPF for Euro Stage V emissions compliance.

JOHN DEERE							
5E PowrReverser						* AI	DITIONAL MODEL
Transmission: Power SI	huttle 12x12 35kph, 24	1x12 40kph			PS 35kph	PS 40kph	PS 50kph
5050E *	60/ -	3T/2,920 E	F 46+25 M	1,800 M	£37,399	n/a	n/a
5058E	60/ -	3T/2,920 E	F 46+25 M	1,800 M	£41,817	£50,318	n/a
5067E	68/ -	3T/2,920 E	F 46+25 M	1,800 M	£45,748	£54,249	n/a
5075E	75/ -	3T/2,920 E	F 46+25 M	1,800 M	£48,239	£59,269	n/a
	/ 6 : 1		/ - / :				

Note: Cab suspension n/a, front axle suspension n/a. Front linkage n/a. Open platform ROPS and 2wd versions available.

John Deere 5E Series tractors have Deere Power Systems engines with EGR, DOC and DPF for Euro Stage V emissions compliance.

5M PowrReverser / PowrReve	rser HiLo						
Transmission: Power Shuttle 1	6x16 40kph, 3	2x16/2 40kph, 32x16	5/2 creep 40kph		SS 40kph	PS 40kph	PS 50kph
5075M	75/ -	3T/2,920 E	F 70+24 M	4,109 M or 4,326 E	n/a	£67,388	n/a
5095M	100/ -	4T/4,500 E	F 70+24 M	4,109 M or 4,326 E	n/a	£69,696	n/a
5105M	110/ -	4T/4,500 E	F 70+24 M	4,109 M or 4,326 E	n/a	£72,992	n/a
5120M	125/ -	4T/4,500 E	F 70+24 M	4,109 M or 4,326 E	n/a	£76,801	n/a

Note: Open platform ROPS versions of 5095M, 5105M and 5120M with PowrReverser also available. Cab suspension n/a, front axle suspension n/a. 2,695kg front linkage £4,478, with pto £8,803.

5M PowrQuad Plus

Transmission: Power Shuttle 16x16/4 40kph, 16x16/4 creep 40kph

Transmission Synchro or power shuttle, ratios and powershift steps - the first configuration listed is standard	Max power/ boost power Maximum power for draft work/ maximum boost power available	Engine Cylinders/ volume; E - electronic fuel management	Hydraulics F - fixed-output gear pump; V - variable-output piston pump; main pump-output plus steering pump where fitted; M - mechanical spool valves; E - electric spool valves	Lift linkage Maximum lift (kg); M - mechanical draft control; E - electronic draft control	List price £ - synchro shuttle 30kph or 40kph	List price £ - power shuttle 40kph	List price £ - power shuttle 50kph, 60kph or 70kph
5095M	100/ -	4T/4,500 E	F 73+24 M	5,045 or 5,677 E	n/a	£77,430	n/a
5105M	110/ -	4T/4,500 E	F 73+24 M	5,045 or 5,677 E	n/a	£80,325	n/a
5120M	125/ -	4T/4,500 E	F 73+24 M	5,045 or 5,677 E	n/a	£83,811	n/a
5130M	135/ -	4T/4,500 E	F 73+24 M	5,045 or 5,677 E	n/a	£96,297	n/a
Note: Cab suspension n/a, front	axle suspension	n/a. 2,695kg front	t linkage £4,478, with pto £8,803.				
5M Powr8							
Transmission: Power Shuttle 32:	x16/8 40kph, 32	x16/8 creep 40kp	h creep				
5095M	100/ -	4T/4,500 E	F 73+24 M	5,045 or 5,677 E	n/a	£79,757	n/a
5105M	110/ -	4T/4,500 E	F 73+24 M	5,045 or 5,677 E	n/a	£82,652	n/a
5120M	125/ -	4T/4,500 E	F 73+24 M	5,045 or 5,677 E	n/a	£86,138	n/a
5130M	135/ -	4T/4,500 E	F 73+24 M	5,045 or 5,677 E	n/a	£98,624	n/a
Note: Cab suspension n/a, front	axle suspension	n/a. 2,695kg from	t linkage £4,478, with pto £8,803.				

John Deere 5075M has John Deere PowerTech E engine with EGR, DOC and DPF for Euro Stage V emissions compliance; 5095M to 5130M have John Deere PowerTech PWS engines with EGR, DOC, DPF and SCR for Euro Stage V emissions compliance

6M PowrQuad					* ADD	ITIONAL MODELS	S; REVISED RAN
Transmission: Power Shu	ıttle 16x16/4				SS 40kph	PS 40kph	PS 50kph
6M 95	105/120	4T/4,530 E	V 80 or 114 M or E	4,350 or 5,700 E	n/a	n/a	£91,435
6M 105	116/130	4T/4,530 E	V 80 or 114 M or E	4,350 or 5,700 E	n/a	n/a	£93,630
6M 115	126/140	4T/4,530 E	V 80 or 114 M or E	4,350 or 5,700 E	n/a	n/a	£95,943
6M 125	138/150	4T/4,530 E	V 80 or 114 M or E	4,350 or 5,700 E	n/a	n/a	£98,982
John Deere 6M Short Fra	ame tractors have De	ere PowerTech EW	'S engines with DOC, DPF and S	CR to meet Euro Stage V em	issions.		
Transmission: Power Shu	ıttle 24x24/4				SS 40kph	PS 40kph	PS 50kph
6M 130	143/156	4T/4,530 E	V 80 or 114 M or E	5,700 or 6,400 E	n/a	£104,206	£104,919
6M 140	154/166	4T/4,530 E	V 80 or 114 M or E	5,700 or 6,400 E	n/a	£108,403	£106,919
John Deere 6M Small Fra	ame tractors have De	ere PowerTech PSS	S engines with EGR, DOC, DPF a	nd SCR to meet Euro Stage V	emissions.		
Transmission: Power Shu	ıttle 20x20/4				SS 40kph	PS 40kph	PS 50kph
6M 145 *	160/171	6T/6,788 E	V 114 M or E	7,600 E	n/a	n/a	£121,315
6M 155	171/182	6T/6,788 E	V 114 M or E	7,600 E	n/a	n/a	£127,105
6M 165 *	182/192	6T/6,788 E	V 114 M or E	7,600 E	n/a	n/a	£130,535
6M 180	198/208	6T/6,788 E	V 114 M or E	9,050 E	n/a	n/a	£146,738
6M 200	220/229	6T/6,788 E	V 114 M or E	9,050 E	n/a	n/a	£156,496
6M 220 *	242/249	6T/6,788 E	V 114 M or E	7,600 E	n/a	n/a	£165,108

John Deere 6M Mid Frame and Large Frame (6M 180 and 6M 200) tractors have Deere PowerTech PVS engines with VGT, EGR, DOC, DPF and SCR to meet Euro Stage V emissions



Transmission Synchro or power shuttle, ratios and powershift steps - the first configuration listed is standard	Max power/ boost power Maximum power for draft work/ maximum boost power available	Engine Cylinders/ volume; E - electronic fuel management	Hydraulics F - fixed-output gear pump; V - variable-output piston pump; main pump-output plus steering pump where fitted; M - mechanical spool valves; E - electric spool valves	Lift linkage Maximum lift (kg); M - mechanical draft control; E - electronic draft control	List price £ - synchro shuttle 30kph or 40kph	List price £ - power shuttle 40kph	List price £ - power shuttle 50kph, 60kph or 70kph
6M CommandQuad Plus	avaliable						
Transmission: Power Shuttle 24	x24/4				SS 40kph	PS 40kph	PS 50kph
6M 95	105/120	4T/4,530 E	V 80 or 114 M or E	4,350 or 5,700 E	n/a	n/a	£96,242
6M 105	116/130	4T/4,530 E	V 80 or 114 M or E	4,350 or 5,700 E	n/a	n/a	£98,437
6M 115	126/140	4T/4,530 E	V 80 or 114 M or E	4,350 or 5,700 E	n/a	n/a	£100,750
6M 125	138/150	4T/4,530 E	V 80 or 114 M or E	4,350 or 5,700 E	n/a	n/a	£103,789
6M 130	143/156	4T/4,530 E	V 80 or 114 M or E	5,700 or 6,400 E	n/a	n/a	£105,726
6M 140	154/166	4T/4,530 E	V 80 or 114 M or E	5,700 or 6,400 E	n/a	n/a	£107,661
John Deere 6M Short Frame (61 and SCR to meet Euro Stage V		have Deere Power	Tech EWS and Small Frame (6M 130 a	nd 6M 140) tractors ha	ave Deere Power1	Fech PSS engine	s with DOC, DPF
Transmission: Power Shuttle 20)x20/4				SS 40kph	PS 40kph	PS 50kph
6M 145 *	160/171	6T/6,788 E	V 114 M or E	7,600 E	n/a	n/a	£125,070
6M 155	171/182	6T/6,788 E	V 114 M or E	7,600 E	n/a	n/a	£128,070
6M 165 *	182/192	6T/6,788 E	V 114 M or E	7,600 E	n/a	n/a	£131,500
	tors have Deere I	PowerTech PVS er	ngines with VGT, EGR, DOC, DPF and S	SCR to meet Euro Stag	e V emissions.		
6M AutoPowr IVT							
Transmission: Power Shuttle CV		.=/. == =			SS 40kph	PS 40kph	PS 50kph
6M 95	105/120	4T/4,530 E	V 80 or 114 M or E	4,350 or 5,650 E	n/a	n/a	£105,116
6M 105	116/130	4T/4,530 E	V 80 or 114 M or E	4,350 or 5,650 E	n/a	n/a	£107,311
6M 115 6M 125	126/140	4T/4,530 E 4T/4,530 E	V 80 or 114 M or E V 80 or 114 M or E	4,350 or 5,650 E	n/a	n/a	£109,624
6M 130	143/156	4T/4,530 E	V 80 or 114 M or E	4,350 or 5,650 E 5,650 or 6,400 E	n/a n/a	n/a n/a	£112,663 £118,600
6M 140	154/166	4T/4,530 E	V 80 or 114 M or E	5,650 or 6,400 E	n/a	n/a	£119,692
6M 150 *	165/177	4T/4,530 E	V 80 or 114 M or E	5,700 or 6,400 E	n/a	n/a	£113,721
			Tech EWS and Small Frame (6M 130 t				
SCR to meet Euro Stage V emis			Toom 2000 and omain traine (or the c				
6M 145 *	160/171	6T/6,788 E	V 114 M or E	7,600 E	n/a	n/a	£135,981
6M 155	171/182	6T/6,788 E	V 114 M or E	7,600 E	n/a	n/a	£138,981
6M 165 *	182/192	6T/6,788 E	V 114 M or E	7,600 E	n/a	n/a	£142,411
6M 185 *	204/213	6T/6,788 E	V 114 M or E	7,600 E	n/a	n/a	£149,491
6M 180 *	198/208	6T/6,788 E	V 114 or 155 M or E	9,050 E	n/a	n/a	£158,614
6M 200 *	220/229	6T/6,788 E	V 114 or 155 M or E	9,050 E	n/a	n/a	£168,372
6M 220 *	242/249	6T/6,788 E	V 114 or 155 M or E	9,050 E	n/a	n/a	£176,984
6M 240 *	264/270	6T/6,788 E	V 114 or 155 M or E	9,050 E	n/a	n/a	£183,954
6M 230 *	253/260	6T/6,788 E	V 155 or 195 M or E	9,900 E	n/a	n/a	£197,692
6M 250 *	275/281	6T/6,788 E	V 155 or 195 M or E	9,900 E	n/a	n/a	£212,054
Stage V emissions.			plus 6M 240 tractors have Deere Pow ,225. Air trailer braking £4,430. 3,300k				
	ave Deere engine	s with VGT, SCR, L	OOC and DPF for Euro Stage V emission	ns compliance. Highest _l	power outputs are	e for pto and trai	nsport applications
Transmission: Power Shuttle 24	x24/4				SS 40kph	PS 40kph	PS 50kph
6R 110	121/135	4T/4,530 E	V 114 M or E	4,350 or 5,700 E	n/a	n/a	£122,580
6R 120	132/145	4T/4,530 E	V 114 M or E	4,350 or 5,700 E	n/a	n/a	£129,021
6R 130	143/156	4T/4,530 E	V 114 M or E	4,350 or 5,700 E	n/a	n/a	£134,426
6R 140	154/166	4T/4,530 E	V 114 or 155 M or E	4,350 or 5,700 E	n/a	n/a	£141,683
Transmission: Power Shuttle 20					SS 40kph	PS 40kph	PS 50kph
6R 145	160/192	6T/6,788 E	V 114 or 155 M or E	8,100 E	n/a	n/a	£155,516
6R 155	171/203	6T/6,788 E	V 114 or 155 M or E	8,100 E	n/a	n/a	£165,258
6R 175	193/223	6T/6,788 E	V 114 or 155 M or E	8,500 E	n/a	n/a	£182,759
6R 195	215/244	6T/6,788 E	V 114 or 155 M or E	8,500 E	n/a	n/a	£195,859
6R 215	237/259	6T/6,788 E	V 114 or 155 M or E	9,550 E	n/a	n/a	£208,193
6R DirectDrive							
Transmission: Power Shuttle 24	x24/8				SS 40kph	PS 40kph	PS 50kph
6R 145	160/192	6T/6,788 E	V 114 or 155 M or E	8,100 E	n/a	n/a	£173,009
6R 155	171/203	6T/6,788 E	V 114 or 155 M or E	8,100 E	n/a	n/a	£180,286
CD 1CE	182/213	6T/6,788 E	V 114 or 155 M or E	8,500 E	n/a	n/a	£181,946
6R 165	.02, 2.0	, -,		-,	.,,	,	
6R 175	193/223	6T/6,788 E	V 114 or 155 M or E	9,550 E	n/a	n/a	£193,512

Transmission: Power Shuttle CVT

215/244

237/259

6T/6,788 E

6T/6,788 E

V 114 or 155 M or E

V 114 or 155 M or E

9,550 E

9,550 E

n/a

n/a

SS 40kph

n/a

n/a

PS 40kph

£210,803

£218,946

PS 50kph

6R 195

6R 215

6R AutoPowr IVT

Transmission Synchro or power shuttle, ratios and powershift steps - the first configuration listed is standard	Max power/ boost power Maximum power for draft work/ maximum boost power available	Engine Cylinders/ volume; E - electronic fuel management	Hydraulics F - fixed-output gear pump; V - variable-output piston pump; main pump-output plus steering pump where fitted; M - mechanical spool valves; E - electric spool valves	Lift linkage Maximum lift (kg); M - mechanical draft control; E - electronic draft control	List price £ - synchro shuttle 30kph or 40kph	List price £ - power shuttle 40kph	List price £ - power shuttle 50kph, 60kph or 70kph
6R 110	121/135	4T/4,530 E	V 114 M or E	4,350 or 5,700 E	n/a	n/a	£138,013
6R 120	132/145	4T/4,530 E	V 114 M or E	4,350 or 5,700 E	n/a	n/a	£143,356
6R 130	143/156	4T/4,530 E	V 114 M or E	4,350 or 5,700 E	n/a	n/a	£148,761
6R 140	154/166	4T/4,530 E	V 114 or 155 M or E	4,350 or 5,700 E	n/a	n/a	£153,996
6R 145	160/192	6T/6,788 E	V 114 or 155 M or E	8,100 E	n/a	n/a	£175,359
6R 150	165/177	4T/4,530 E	V 114 or 155 M or E	4,350 or 5,700 E	n/a	n/a	£158,701
6R 155	171/203	6T/6,788 E	V 114 or 155 M or E	8,100 E	n/a	n/a	£185,101
6R 165	182/213	6T/6,788 E	V 114 or 155 M or E	8,500 E	n/a	n/a	£186,761
6R 175	193/223	6T/6,788 E	V 114 or 155 M or E	8,500 E	n/a	n/a	£198,327
6R 185	204/234	6T/6,788 E	V 114 or 155 M or E	8,500 E	n/a	n/a	£194,188
6R 195	215/244	6T/6,788 E	V 114 or 155 M or E	8,500 E	n/a	n/a	£215,797
6R 215	237/259	6T/6,788 E	V 114 or 155 M or E	9,550 E	n/a	n/a	£223,761
6R 230	253/280	6T/6,788 E	V 195 E	10,400 E	n/a	n/a	£242,295
6R 250	275/300	6T/6,788 E	V 195 E	10,400 E	n/a	n/a	£252,855

Note: Hydraulic cab suspension £3,068, front axle suspension standard. Air trailer braking £4,321. 6R 110 to 6R 215 - 4,000kg front linkage £4,053, with pto £8,293. 6R 230 to 6R 250 - 5,000kg front linkage £5,572, with pto £9,812.

John Deere 6R Series tractors have John Deere engines with VGT, SCR, DPF and DOC for Euro Stage V emissions compliance. Highest power outputs are for pto and high-demand hydraulic applications, and all operations above 15kph.

7R e23 Efficiency Mana	ager						
Transmission: Power SI	huttle 23x14/23				SS 40kph	PS 40kph	PS 50kph
7R 270	297/305	6T/6,788 E	V 162 or 227 E	13,010 E	n/a	n/a	£320,865
7R 290	319/332	6T/8,980 E	V 162 or 227 E	13,010 E	n/a	n/a	£324,970
7R 310	341/352	6T/8,980 E	V 162 or 227 E	13,010 E	n/a	n/a	£337,594
7R 330	363/373	6T/8,980 E	V 162 or 227 E	13,010 E	n/a	n/a	£349,986



Synchro or power shuttle, ratios and powershift steps - the first configuration listed is standard	boost power Maximum power for draft work/ maximum boost power available	Cylinders/ volume; E - electronic fuel management	Yeradics F - fixed-output gear pump; V - variable-output piston pump; main pump-output plus steering pump where fitted; M - mechanical spool valves; E - electric spool valves	Maximum lift (kg); M - mechanical draft control; E - electronic draft control	£ - synchro shuttle 30kph or 40kph	£ - power shuttle 40kph	£ - power shuttle 50kph, 60kph or 70kph
7R AutoPowr IVT							
Transmission: Power Shuttle CV	т				SS 40kph	PS 40kph	PS 50kph
7R 270	297/305	6T/6,788 E	V 162 or 227 E	13,010 E	n/a	n/a	£326,348
7R 290	319/332	6T/8,980 E	V 162 or 227 E	13,010 E	n/a	n/a	£332,345
7R 310	341/352	6T/8,980 E	V 162 or 227 E	13,010 E	n/a	n/a	£346,781
7R 330	363/373	6T/8,980 E	V 162 or 227 E	13,010 E	n/a	n/a	£357,361
7R 350	385/388	6T/8,980 E	V 162 or 227 E	13,010 E	n/a	n/a	£366,328
front linkage £8,998, with pto £1	4,199.		l. Air trailer braking £5,164. 50kph - pri				
	e John Deere er	ngines with EGR, V	GT, SCR, DOC and DPF for Euro Stage \	/ emissions compliance.	Highest power of	utputs are for pto	and above 23kph.
8R Powershift e16	- /so				00.401.1		50 501 1
Transmission: Power Shuttle 16x	· ·				SS 40kph	PS 40kph	PS 50kph
8R 280	308/326	6T/8,980 E	V 227 or 318 E	12,860 E	n/a	£303,630	n/a
8R 310	341/357	6T/8,980 E	V 227 or 318 E	12,860 E	n/a	£318,989	n/a
8R 340	374/388	6T/8,980 E	V 227 or 318 E	12,860 E	n/a	£334,499	n/a
8R e23 Efficiency Manager							
Transmission: Power Shuttle 23x					SS 40kph	PS 40kph	PS 50kph
8R 280	308/326	6T/8,980 E	V 227 or 318 E	12,860 E	n/a	n/a	£330,313
8R 310	341/357	6T/8,980 E	V 227 or 318 E	12,860 E	n/a	n/a	£334,153
8R 340	374/388	6T/8,980 E	V 227 or 318 E	12,860 E	n/a	n/a	£360,559
8R 370	407/420	6T/8,980 E	V 227 or 318 E	12,860 E	n/a	n/a	£378,881
8R 410	443/458	6T/8,980 E	V 227 or 318 E	12,860 E	n/a	n/a	£400,767
8R AutoPowr IVT							
Transmission: Power Shuttle CV	т				SS 40kph	PS 40kph	PS 50kph
8R 280	308/326	6T/8,980 E	V 227 or 318 E	12,860 E	n/a	n/a	£337,688
8R 310	341/357	6T/8,980 E	V 227 or 318 E	12,860 E	n/a	n/a	£354,439
8R 340	374/388	6T/8,980 E	V 227 or 318 E	12,860 E	n/a	n/a	£370,784
8R eAutoPowr EVT							
Transmission: Power Shuttle CV	Т				SS 40kph	PS 40kph	PS 50kph
8R 370	407/420	6T/8,980 E	V 227 or 318 E	12,860 E	n/a	n/a	£400,767
8R 410	443/458	6T/8,980 E	V 227 or 318 E	12,860 E	n/a	n/a	£523,033
8RT e23 Efficiency Manager							
Transmission: Power Shuttle 23x	14/23				SS 40kph	PS 40kph	PS 50kph
8RT 310	341/357	6T/8,980 E	V 227 or 318 E	11,870 E	n/a	£511,711	n/a
8RT 340	374/388	6T/8,980 E	V 227 or 318 E	11,870 E	n/a	£538,796	n/a
8RT 370	407/420	6T/8,980 E	V 227 or 318 E	11,870 E	n/a	£551,239	n/a
8RT 410	443/458	6T/8,980 E	V 227 or 318 E	11,870 E	n/a	£569,787	n/a
8RT AutoPowr IVT							
Transmission: Power Shuttle CV	Т				SS 40kph	PS 40kph	PS 50kph
8RT 310	341/357	6T/8,980 E	V 227 or 318 E	11,870 E	n/a	£520,996	n/a
8RT 340	374/388	6T/8,980 E	V 227 or 318 E	11,870 E	n/a	£548,081	n/a
8RT eAutoPowr EVT				<u> </u>		<u> </u>	
Transmission: Power Shuttle CV	Т				SS 40kph	PS 40kph	PS 50kph
8RX 370	407/420	6T/8,980 E	V 227 or 318 E	12,125 E	n/a	£575,035	n/a
8RX 410	443/458	6T/8,980 E	V 227 or 318 E	12,125 E	n/a	£593,583	n/a
8RX e23 Efficiency Manager	,				-,, -		., .
Transmission: Power Shuttle 23x	14/23				SS 40kph	PS 40kph	PS 50kph
8RX 310	341/357	6T/8,980 E	V 227 or 318 E	12,125 E	n/a	£589,994	n/a
8RX 340	374/388	6T/8,980 E	V 227 or 318 E	12,125 E	n/a	£606,428	n/a
8RX 370	407/420	6T/8,980 E	V 227 or 318 E	12,125 E	n/a	£613,488	n/a
	443/458				-		
8RX 410 8RX AutoPowr IVT	443/436	6T/8,980 E	V 227 or 318 E	12,125 E	n/a	£633,210	n/a
	-				SC 40kmb	DC 40kmh	DC EOLimb
Transmission: Power Shuttle CV		CT/0.000 F	V 227 av 710 F	12.125.5	SS 40kph	PS 40kph	PS 50kph
8RX 310	341/357	6T/8,980 E	V 227 or 318 E	12,125 E	n/a	£599,279	n/a
8RX 340	374/388	6T/8,980 E	V 227 or 318 E	12,125 E	n/a	£615,713	n/a
0DV - Aut-D EVE							
8RX eAutoPowr EVT					66.461.1	DC 101 :	DC ES! !
Transmission: Power Shuttle CV		a=/2.25 = =	V 007 - 710 F	10105 5	SS 40kph	PS 40kph	PS 50kph
	T 407/420 443/458	6T/8,980 E 6T/8,980 E	V 227 or 318 E V 227 or 318 E	12,125 E 12,125 E	SS 40kph n/a n/a	PS 40kph £637,284 £657,006	PS 50kph n/a n/a

List price

front axle and cab suspension. Air trailer braking £5,164. 7,050kg front linkage £10,085, with pto £17,755.

John Deere 8R, 8RT and 8RX Series tractors have John Deere engines with EGR, VGT, SCR, DOC and DPF for Euro Stage V emissions compliance. Highest power outputs are for pto and transport above 15kph. eAutoPowr models have electric motor and mechanical power paths, plus 100kW for implement drives.

Transmission Synchro or power shuttle, ratios and powershift steps - the first configuration listed is standard	Max power/ boost power Maximum power for draft work/ maximum boost power available	Engine Cylinders/ volume; E - electronic fuel management	Hydraulics F - fixed-output gear pump; V - variable-output piston pump; main pump-output plus steering pump where fitted; M - mechanical spool valves; E - electric spool valves	Lift linkage Maximum lift (kg); M - mechanical draft control; E - electronic draft control	List price £ - synchro shuttle 30kph or 40kph	List price £ - power shuttle 40kph	List price £ - power shuttle 50kph, 60kph or 70kph
9R e18 Efficiency Manager							
Transmission: Power Shuttle 18x	c6/18				SS 40kph	PS 40kph	PS 50kph
9R 440	465/484	6T/13,600 E	V 220 or 435 E	6,804 or 9,072 E	n/a	£580,147	n/a
9R 490	517/539	6T/13,600 E	V 220 or 435 E	6,804 or 9,072 E	n/a	£606,730	n/a
9R 540	570/594	6T/13,600 E	V 220 or 435 E	6,804 or 9,072 E	n/a	£634,230	n/a
9R 590	623/649	6T/13,600 E	V 220 or 435 E	6,804 or 9,072 E	n/a	£666,239	n/a
9R 640	664/691	6T/14,900 E	V 220 or 435 E	6,804 or 9,072 E	n/a	£692,651	n/a
9RT e18 Efficiency Manager							
Transmission: Power Shuttle 18x	k6/18				SS 40kph	PS 40kph	PS 50kph
9RT 490	496/517	6T/13,600 E	V 220 or 435 E	6,804 or 9,072 E	n/a	£574,815	n/a
9RT 540	549/572	6T/13,600 E	V 220 or 435 E	6,804 or 9,072 E	n/a	£611,964	n/a
9RT 590	602/627	6T/13,600 E	V 220 or 435 E	6,804 or 9,072 E	n/a	£647,358	n/a
9RX e18 Efficiency Manager							
Transmission: Power Shuttle 19x	x4/19 or 23x6 ci	reep			SS 40kph	PS 40kph	PS 50kph
9RX 490	517/539	6T/13,600 E	V 220 or 435 E	6,804 or 9,072 E	n/a	£613,263	n/a
9RX 540	570/594	6T/13,600 E	V 220 or 435 E	6,804 or 9,072 E	n/a	£648,250	n/a
9RX 590	623/649	6T/13,600 E	V 220 or 435 E	6,804 or 9,072 E	n/a	£680,767	n/a
9RX 640	664/691	6T/14,900 E	V 220 or 435 E	6,804 or 9,072 E	n/a	£701,782	n/a
9RX e21 PowerShift							
Transmission: Power Shuttle 21x	c11/21				SS 40kph	PS 40kph	PS 50kph
9RX 710	710/781	6T/18,000 E	V 212, 424 or 636 E	n/a	n/a	£807,866	n/a
9RX 770	770/847	6T/18,000 E	V 212, 424 or 636 E	n/a	n/a	£832,990	n/a
9RX 830	830/913	6T/18,000 E	V 212, 424 or 636 E	n/a	n/a	£858,291	n/a

Note: 9R - articulated chassis 4WD, 9RT - two full-length rubber tracks, 9RX and 9RX XXL - four rubber tracks. Cab suspension - 9R and 9RT n/a, 9RX air cab suspension standard, 9RX XXL mechanical cab suspension standard. Front axle suspension - 9R 640 standard, other 9R £23,033, 9RT, 9RX and 9RX XXL n/a. Front linkage n/a. 9R, 9RT and 9RX prices include activated GreenStar AutoTrac and one year JDLink telematics; 9R prices also include rear three-point linkage, with rear pto £15,833.

John Deere 9R 440 to 9R 590 have John Deere JD14 engines, 9R 640 and 9RX 640 have Cummins X15 engines, both with EGR, VGT, DOC, SCR and DPF for Euro Stage V emissions compliance; 9RX XXL tractors have JD18X engines with EGR, VGT and DOC for Euro Stage V emissions compliance. Highest power outputs are for high-demand hydraulic applications.

КІОТІ							
СК							
Transmission: Hydraulic	Shuttle three-range	SS 30kph	PS 40kph	PS 50kph			
CK 5030CH	50/ -	£30,420	n/a	n/a			
Note: ROPS open platfor	rm model also availa	ble. Cab suspensior	n/a, front axle suspens	ion n/a. 800kg front linkage £2,300), with pto £4,900.		
DK							
Transmission: Synchro S	huttle 16x16 creep				SS 30kph	PS 40kph	PS 50kph
DK 5020C	50/ -	3T/1,826 M	F 43 M	1,030 M	£32,500	n/a	n/a
DK 6020C	58/ -	3T/1,826 M	F 55+18 M	1,700 M	£33,480	n/a	n/a
Transmission: Hydraulic	Shuttle three-range	hydrostatic			SS 30kph	PS 40kph	PS 50kph
DK 5020CH	50/ -	£34,380	n/a	n/a			
DK 6020CH	58/ -	£36,000	n/a	n/a			
Note: ROPS open platform models also available. Cab suspension n/a, front axle suspension n/a. 1,000kg front linkage with recommended reinforcement bar £2,721, with pto £5,280.							

Kioti DK tractors have Daedong engines with EGR for Euro Stage V emissions compliance.

RX Series							* NEW MODEL		
RX 7330 PC							DISCONTINUED		
Transmission: Power Shutt	le 20x20 creep				SS 40kph	PS 40kph	PS 50kph		
RX 8040 PC-GE * 73/- 4T/2,435 M F 47+31 M 3,075 M n/a £67,200 n/a									
Note: PODS open platform versions also available. Cab suspension p./a. front avia suspension p./a. Erent linkage 57.750 with pto 56.950. Hydraulic trailer braking 51600. Air									

Note: ROPS open platform versions also available. Cab suspension n/a, front axle suspension n/a. Front linkage £3,250, with pto £6,850. Hydraulic trailer braking £1,600. Air conditioning standard.

Kioti RX tractors have Daedong engines with EGR and DPF for Euro Stage V emissions compliance.

HX 01 PC						* A	DDITIONAL MODEL	
Transmission: Power Shut	tle 32x32/2 creep				SS 40kph	PS 40kph	PS 50kph	
HX 9010 PC *	91/100	4T/3,800 E	F 74+46 M	4,410 E	n/a	£81,900	n/a	
HX 1001 PC	101/111	4T/3,800 E	F 74+46 M	4,410 E	n/a	£84,000	n/a	
HX 1201 PC	117/127	4T/3,800 E	F 74+46 M	4,410 E	n/a	£88,200	n/a	
Note: Cab suspension n/a,	front axle suspens	ion n/a. Front linka	ge n/a, with pto n/a. Hy	rdraulic trailer braking £2,400, air trai	ler braking £poa.	Air conditioning	standard.	
HX 02 ATC						*A	DDITIONAL MODEL	
Transmission: Power Shuttle 32x32/8 creep SS 40kph							PS 50kph	
HX 1202 ATC *	125/ -	4T/3,800 E	F 74+46 M	4,410 M	n/a	£95,000	n/a	
HX 1302 ATC	130/ -	4T/3,800 E	F 74+46 M	4,410 M	n/a	£108,255	n/a	

HX 1402 ATC 140/ - 4T/3,800 E F 74+46 M 4,410 M

Note: Cab suspension standard, front axle suspension n/a. Front linkage and pto n/a. Hydraulic trailer braking £2,400.

Kioti HX tractors have Daedong engines with EGR for Euro Stage V emissions compliance. Maximum power outputs are for mobile pto applications. Air conditioning standard.

n/a

£112,350

n/a

Synchro or power shuttle, ratios and powershift steps
- the first configuration listed
is standard Maximum power for draft work

maximum

Cylinders/ volume; E - electronic management

- fixed-output gear pump; V - variable-output piston pump; main pump-output plus steering pump where fitted; M - mechanical spool valves; E - electric spool valves

Maximum lift (kg); M - mechanical draft control; E - electronic draft

control

£ - synchro shuttle 30kph or 40kph

shuttle 40kph

£ - power shuttle 50kph, 60kph or 70kph

RUBUIA								
M4003								
Transmission: Power Shuttl	e 18x18				SS 40kph	PS 40kph	PS 50kph	
M4063	66/ -	4T/3,331 E	F 63 M	2,500 M or E	n/a	£49,284	n/a	
Transmission: Power Shuttl	e 18x18 or 36x36/2	2			SS 30kph	PS 40kph	PS 50kph	
M4073	74/ -	4T/3,331 E	F 63 M	2,500 M or E	n/a	£52,156	n/a	

Note: Cab suspension n/a, front axle suspension n/a. Front linkage n/a. Air conditioning standard. Electronic lift control £2,203. M4073 36x36/2 transmission £1,170.

Kubota M4003 tractors have Kubota V3307 engines with EGR, DOC and DPF for Euro Stage V emissions compliance.

M5002 Transmission: Power Shuttle 36x36/2 SS 40kph PS 40kph PS 50kph M5092 96/-4T/3,769 E F 64 M 4,100 M or E £62,134 F 64 M M5112 115/ -4T/3,769 E 4,100 M or E £65,969 n/a n/a

Note: Cab suspension n/a, front axle suspension n/a. Front linkage n/a. Air conditioning standard. Electronic lift control £2,203.

Kubota M5002 tractors have Kubota V3800 engines with EGR, SCR, DOC and DPF for Euro Stage V emissions compliance.

M6001 Utility Intelli-Shift Transmission: Power Shuttle 24x24/8, 32x32/8 creep SS 40kph PS 40kph PS 50kph M6-101U 104/ 4T/3,769 E F 71 M 5,000 E £65,645 n/a n/a M6-111U 111/ -4T/3,769 E F 71 M 5,000 E £70,346 n/a n/a M6-121U 123/ -4T/6,124 E F 77 M 6,100 E n/a £75,631 n/a 133/ -M6-131U F 77 M n/a n/a 4T/6,124 E 6,100 E £80,523 M6-141U 143/ -4T/6,124 E F 77 M 6,100 E n/a £92,981 n/a

Note: Cab suspension n/a, front axle suspension £4,338. 2,600kg front linkage £3,846, with pto £6,810. Air conditioning standard.

Kubota M6001 Series tractors have Kubota engines with EGR, DPF, DOC and SCR for Euro Stage V emissions compliance.

M6002 Intelli-Shift Transmission: Power Shuttle 24x24/8, 32x32/8 creep SS 40kph PS 40kph PS 50kph M6-122 123/143 4T/6,124 E V 115 M 7.000 E n/a £94,408 n/a M6-132 133/153 4T/6.124 E V 115 M 7.000 E £98.787 n/a n/a M6-142 143/163 4T/6,124 E V 115 M 7,000 E n/a £102,269 n/a

Note: Cab suspension standard, portal front axle with Bi-Speed drive for reduced turning radius - suspension standard. 3,260kg front linkage £3,002, with pto £5,346.

Kubota M6002 tractors have Kubota V6108 engines with EGR, SCR, DPF and DOC for Euro Stage V emissions compliance. Highest power outputs are for transport applications.

M7004 Transmission: Power Shuttle 30x15/6 SS 40kph PS 40kph PS 50kph M7154 Standard 150/170 4T/6,124 E V 110 E 9,400 E n/a n/a £125,276 170/175 4T/6.124 E V 110 E 9.400 E n/a £131.968 M7174 Standard n/a



Synchro or power shuttle, ratios and powershift steps - the first configuration listed is standard	Max power/ boost power Maximum power for draft work/ maximum boost power available	Engine Cylinders/ volume; E - electronic fuel management	Hydraulics F - fixed-output gear pump; V - variable-output piston pump; main pump-output plus steering pump where fitted; M - mechanical spool valves; E - electric spool valves	Lift linkage Maximum lift (kg); M - mechanical draft control; E - electronic draft control	List price £ - synchro shuttle 30kph or 40kph	List price £ - power shuttle 40kph	List price £ - power shuttle 50kpi 60kph or 70kph
Transmission: Power Shuttle 54	x27/6 creep				SS 40kph	PS 40kph	PS 50kph
M7154 Premium	150/170	4T/6,124 E	V 110 E	9,400 E	n/a	n/a	£141,507
M7174 Premium	170/175	4T/6,124 E	V 110 E	9,400 E	n/a	n/a	£148,652
Note: Standard models - cab su suspension standard. 3,900kg f M7004 K-VT			pension standard. 3,900kg front linkag ,800.	ge £3,516, with pto £6,3	16. Premium mod	lels - cab susper	nsion and front ax
Transmission: Power Shuttle CV	/T				SS 40kph	PS 40kph	PS 50kph
		AT/C 12.4 F	V 110 F	0.400 F			
M7154 K-VT Premium	150/170	4T/6,124 E	V 110 E	9,400 E	n/a	n/a /-	£160,478
M7174 K-VT Premium	170/175	4T/6,124 E	V 110 E	9,400 E	n/a	n/a	£170,567
· · · · · · · · · · · · · · · · · · ·			ront linkage standard, with pto £2,800			·	
	bota V6108 eng	ines with DOC, SC	R and DPF for Euro Stage V emissions	compliance. Highest po	wer outputs are i	for pto and trans	sport applications
LANDINI							
Mistral 2 Series							
Transmission: Synchro Shuttle 1	16x16 creep, 12x	12			SS 30kph	PS 40kph	PS 50kph
2-060	57/ -	3T/1,900	F 35+20 M	1,200 M	£38,450	n/a	n/a
Note: Cab suspension n/a, front	t axle suspension	n n/a; 400kg front	linkage £1,420, with pto n/a. Open pl	atform standard and lov	w profile ROPS ve	ersion also availa	able.
Landini Mistral 2 Series tractors							
4 Series		20,000					
Transmission: Synchro Shuttle 2	24×24 or Power	Shuttle 12v12			SS 40kph	PS 40kph	PS 50kph
4-060	61/ -	4T/2,482 E	F 52+30 M	3,000 M	£49,534	£51,602	n/a
4-070							
	68/ -	4T/2,482 E	F 52+30 M	3,000 M	£50,643	£52,728	n/a
4-080	75/ -	4T/2,482 E	F 52+30 M	3,000 M	£51,790	£53,906	n/a
	onier KDI engin	es with EGR, DOC	and DPF for Euro Stage V emissions	compliance.			
5 Series Transmission: Synchro Shuttle 1 48x16/3 creep	12x12, 24x24 cre	eep or Power Shut	tle 12x12, 24x24 creep, 24x24/2, 32x3	32/2 creep, 36x12/3,	SS 40kph	PS 40kph	PS 50kph
5 Series Transmission: Synchro Shuttle 1 48x16/3 creep 5-085	12x12, 24x24 cre	eep or Power Shut 4T/3,400 E	tle 12x12, 24x24 creep, 24x24/2, 32x3		£62,250	£63,700	n/a
5 Series	12x12, 24x24 cre	eep or Power Shut 4T/3,400 E	tle 12x12, 24x24 creep, 24x24/2, 32x3	32/2 creep, 36x12/3,			
5 Series Transmission: Synchro Shuttle 1 48x16/3 creep 5-085	12x12, 24x24 cre	eep or Power Shut 4T/3,400 E	tle 12x12, 24x24 creep, 24x24/2, 32x3	32/2 creep, 36x12/3,	£62,250	£63,700	n/a
5 Series Transmission: Synchro Shuttle 1 48x16/3 creep 5-085 Transmission: Synchro Shuttle 1 5-100 Active	12x12, 24x24 cre 75/ - 12x12 or Power !	eep or Power Shut 4T/3,400 E Shuttle 12x12, 24x	tle 12x12, 24x24 creep, 24x24/2, 32x3 F 56+30 M 24/2	32/2 creep, 36x12/3, 3,900 M or E	£62,250 SS 40kph	£63,700 PS 40kph	n/a PS 50kph
5 Series Transmission: Synchro Shuttle 1 48x16/3 creep 5-085 Transmission: Synchro Shuttle 1 5-100 Active 5-110 Active	75/ - 12x12 or Power 5 95/ -	eep or Power Shut 4T/3,400 E Shuttle 12x12, 24x: 4T/3,600 E	tle 12x12, 24x24 creep, 24x24/2, 32x3 F 56+30 M 24/2 F 62+32 M	32/2 creep, 36x12/3, 3,900 M or E 4,500 M	£62,250 SS 40kph £75,450	£63,700 PS 40kph £76,900	n/a PS 50kph n/a
5 Series Transmission: Synchro Shuttle 1 48x16/3 creep 5-085 Transmission: Synchro Shuttle 1	75/ - 12x12 or Power \$ 95/ - 102/- 114/ -	4T/3,400 E Shuttle 12x12, 24x: 4T/3,600 E 4T/3,600 E 4T/3,600 E	tle 12x12, 24x24 creep, 24x24/2, 32x3 F 56+30 M 24/2 F 62+32 M F 62+32 M	32/2 creep, 36x12/3, 3,900 M or E 4,500 M 4,500 M	£62,250 SS 40kph £75,450 £77,750	£63,700 PS 40kph £76,900 £79,400	n/a PS 50kph n/a n/a
5 Series Transmission: Synchro Shuttle 1 48x16/3 creep 5-085 Transmission: Synchro Shuttle 1 5-100 Active 5-110 Active 5-120 Active Transmission: Power Shuttle 12:	75/ - 12x12 or Power \$ 95/ - 102/- 114/ -	4T/3,400 E Shuttle 12x12, 24x: 4T/3,600 E 4T/3,600 E 4T/3,600 E	tle 12x12, 24x24 creep, 24x24/2, 32x3 F 56+30 M 24/2 F 62+32 M F 62+32 M	32/2 creep, 36x12/3, 3,900 M or E 4,500 M 4,500 M	£62,250 SS 40kph £75,450 £77,750 £79,100	£63,700 PS 40kph £76,900 £79,400 £81,800	n/a PS 50kph n/a n/a n/a
5 Series Transmission: Synchro Shuttle 1 48x16/3 creep 5-085 Transmission: Synchro Shuttle 1 5-100 Active 5-110 Active 5-120 Active Transmission: Power Shuttle 12: 5-100 Dynamic	75/ - 12x12 or Power 5 95/ - 102/- 114/ - x12, 24x24/2, 36	4T/3,400 E Shuttle 12x12, 24x: 4T/3,600 E 4T/3,600 E 4T/3,600 E 5x12/3	tle 12x12, 24x24 creep, 24x24/2, 32x3 F 56+30 M 24/2 F 62+32 M F 62+32 M F 62+32 M	32/2 creep, 36x12/3, 3,900 M or E 4,500 M 4,500 M 4,500 M	£62,250 SS 40kph £75,450 £77,750 £79,100 SS 40kph	£63,700 PS 40kph £76,900 £79,400 £81,800 PS 40kph	n/a PS 50kph n/a n/a n/a PS 50kph
5 Series Transmission: Synchro Shuttle 1 48x16/3 creep 5-085 Transmission: Synchro Shuttle 1 5-100 Active 5-110 Active 5-120 Active Transmission: Power Shuttle 12: 5-100 Dynamic 5-110 Dynamic	75/ - 75/ - 12x12 or Power S 95/ - 102/- 114/ - x12, 24x24/2, 36 95/ -	4T/3,400 E Shuttle 12x12, 24x3 4T/3,600 E 4T/3,600 E 4T/3,600 E 5x12/3 4T/3,600 E	tle 12x12, 24x24 creep, 24x24/2, 32x3 F 56+30 M 24/2 F 62+32 M F 62+32 M F 62+32 M F 62+32 M	32/2 creep, 36x12/3, 3,900 M or E 4,500 M 4,500 M 4,500 M	£62,250 SS 40kph £75,450 £77,750 £79,100 SS 40kph n/a	£63,700 PS 40kph £76,900 £79,400 £81,800 PS 40kph £78,800	n/a PS 50kph n/a n/a n/a PS 50kph n/a
5 Series Transmission: Synchro Shuttle 1 48x16/3 creep 5-085 Transmission: Synchro Shuttle 1 5-100 Active 5-110 Active 5-120 Active Transmission: Power Shuttle 12: 5-100 Dynamic 5-110 Dynamic 5-120 Dynamic	75/ - 12x12, 24x24 cre 75/ - 12x12 or Power 9 95/ - 102/- 114/ - x12, 24x24/2, 36 95/ - 102/- 114/ -	eep or Power Shut 4T/3,400 E Shuttle 12x12, 24x: 4T/3,600 E 4T/3,600 E 4T/3,600 E 5x12/3 4T/3,600 E 4T/3,600 E 4T/3,600 E	tle 12x12, 24x24 creep, 24x24/2, 32x3 F 56+30 M 24/2 F 62+32 M F 62+32 Or F 82+32 M Or M+E F 62+32 Or F 82+32 M Or M+E	32/2 creep, 36x12/3, 3,900 M or E 4,500 M 4,500 M 4,500 M 4,500 M or E 4,500 M or E	£62,250 SS 40kph £75,450 £77,750 £79,100 SS 40kph n/a	£63,700 PS 40kph £76,900 £79,400 £81,800 PS 40kph £78,800 £80,500 £82,800	n/a PS 50kph n/a n/a n/a PS 50kph n/a n/a PS 50kph n/a n/a
5 Series Transmission: Synchro Shuttle 1 48x16/3 creep 5-085 Transmission: Synchro Shuttle 1 5-100 Active 5-110 Active 5-120 Active Transmission: Power Shuttle 12: 5-100 Dynamic 5-110 Dynamic 5-120 Dynamic Transmission: Power Shuttle 36	75/ - 12x12, 24x24 cre 75/ - 12x12 or Power 9 95/ - 102/- 114/ - x12, 24x24/2, 36 95/ - 102/- 114/ -	eep or Power Shut 4T/3,400 E Shuttle 12x12, 24x: 4T/3,600 E 4T/3,600 E 4T/3,600 E 5x12/3 4T/3,600 E 4T/3,600 E 4T/3,600 E	tle 12x12, 24x24 creep, 24x24/2, 32x3 F 56+30 M 24/2 F 62+32 M or M+E F 62+32 or F 82+32 M or M+E F 62+32 or F 82+32 M or M+E	32/2 creep, 36x12/3, 3,900 M or E 4,500 M 4,500 M 4,500 M 4,500 M or E 4,500 M or E	£62,250 SS 40kph £75,450 £77,750 £79,100 SS 40kph n/a n/a	£63,700 PS 40kph £76,900 £79,400 £81,800 PS 40kph £78,800 £80,500	n/a PS 50kph n/a n/a n/a PS 50kph n/a n/a PS 50kph n/a n/a n/a PS 50kph
5 Series Transmission: Synchro Shuttle 148x16/3 creep 5-085 Transmission: Synchro Shuttle 15-100 Active 5-110 Active 5-120 Active Transmission: Power Shuttle 12: 5-100 Dynamic 5-120 Dynamic Transmission: Power Shuttle 36: 5-100 Dynamic	75/ - 12x12, 24x24 cre 75/ - 12x12 or Power 5 95/ - 102/- 114/ - x12, 24x24/2, 36 95/ - 102/- 114/ - x12/3 or 48x16/ 95/ -	eep or Power Shut 4T/3,400 E Shuttle 12x12, 24x: 4T/3,600 E 4T/3,600 E 5x12/3 4T/3,600 E 4T/3,600 E 4T/3,600 E	tle 12x12, 24x24 creep, 24x24/2, 32x3 F 56+30 M 24/2 F 62+32 M F 62+32 M F 62+32 M F 62+32 M F 62+32 or F 82+32 M or M+E F 62+32 or F 82+32 M or M+E F 62+32 or F 82+32 M or M+E	32/2 creep, 36x12/3, 3,900 M or E 4,500 M 4,500 M 4,500 M or E 4,500 M or E 4,500 M or E	£62,250 SS 40kph £75,450 £77,750 £79,100 SS 40kph n/a n/a SS 40kph n/a	£63,700 PS 40kph £76,900 £79,400 £81,800 PS 40kph £78,800 £80,500 £82,800 PS 40kph £83,417	n/a PS 50kph n/a n/a n/a PS 50kph n/a n/a PS 50kph n/a n/a n/a PS 50kph n/a
5 Series Transmission: Synchro Shuttle 148x16/3 creep 5-085 Transmission: Synchro Shuttle 15-100 Active 5-110 Active 5-120 Active Transmission: Power Shuttle 12: 5-100 Dynamic 5-110 Dynamic 5-120 Dynamic Transmission: Power Shuttle 36: 5-100 Dynamic 5-100 Dynamic 5-110 Dynamic 5-110 Dynamic	75/ - 12x12, 24x24 cre 75/ - 12x12 or Power 5 95/ - 102/- 114/ - x12, 24x24/2, 36 95/ - 102/- 114/ - ix12/3 or 48x16/ 95/ - 102/ -	eep or Power Shut 4T/3,400 E Shuttle 12x12, 24x: 4T/3,600 E 4T/3,600 E 5x12/3 4T/3,600 E 4T/3,600 E 4T/3,600 E 4T/3,600 E 4T/3,600 E	tle 12x12, 24x24 creep, 24x24/2, 32x3 F 56+30 M 24/2 F 62+32 M F 62+32 M F 62+32 M F 62+32 OF 82+32 M OF M+E	32/2 creep, 36x12/3, 3,900 M or E 4,500 M 4,500 M 4,500 M or E 4,500 M or E 4,500 M or E 4,500 M or E	£62,250 SS 40kph £75,450 £77,750 £79,100 SS 40kph n/a n/a SS 40kph n/a	£63,700 PS 40kph £76,900 £79,400 £81,800 PS 40kph £78,800 £80,500 £82,800 PS 40kph £83,417	n/a PS 50kph n/a n/a n/a PS 50kph n/a n/a PS 50kph n/a n/a n/a PS 50kph n/a
5 Series Transmission: Synchro Shuttle 1 48x16/3 creep 5-085 Transmission: Synchro Shuttle 1 5-100 Active 5-110 Active 5-120 Active Transmission: Power Shuttle 12: 5-100 Dynamic 5-110 Dynamic 5-120 Dynamic Transmission: Power Shuttle 36 5-100 Dynamic 5-110 Dynamic 5-110 Dynamic 5-110 Dynamic 5-110 Dynamic 5-120 Dynamic 5-120 Dynamic 5-120 Dynamic 5-120 Dynamic 5-120 Dynamic	75/ - 12x12 or Power \$ 95/ - 102/- 114/ - x12, 24x24/2, 36 95/ - 102/- 114/ - xx12/3 or 48x16/ 95/ - 102/ - 114/ - xx12/3 or 48x16/ 95/ - 102/ - 114/ - xx12/3 or 48x16/	eep or Power Shut 4T/3,400 E Shuttle 12x12, 24x: 4T/3,600 E	tle 12x12, 24x24 creep, 24x24/2, 32x3 F 56+30 M 24/2 F 62+32 M F 62+32 M F 62+32 M F 62+32 M F 62+32 or F 82+32 M or M+E F 62+32 or F 82+32 M or M+E F 62+32 or F 82+32 M or M+E	3,900 M or E 4,500 M 4,500 M 4,500 M 4,500 M or E	£62,250 SS 40kph £75,450 £77,750 £79,100 SS 40kph n/a n/a sS 40kph n/a n/a n/a n/a 1,760 1,76	£63,700 PS 40kph £76,900 £79,400 £81,800 PS 40kph £78,800 £80,500 £82,800 PS 40kph £83,417 £85,117 £87,417	n/a PS 50kph n/a n/a n/a PS 50kph n/a n/a PS 50kph n/a n/a n/a n/a n/a n/a n/a n/a n/a
5 Series Transmission: Synchro Shuttle 1 48x16/3 creep 5-085 Transmission: Synchro Shuttle 1 5-100 Active 5-110 Active 5-120 Active Transmission: Power Shuttle 12: 5-100 Dynamic 5-110 Dynamic 5-120 Dynamic Transmission: Power Shuttle 36 5-100 Dynamic 5-110 Dynamic 5-110 Dynamic 5-110 Dynamic 5-110 Dynamic 5-120 Dynamic	75/ - 12x12 or Power \$ 95/ - 102/- 114/ - x12, 24x24/2, 36 95/ - 102/- 114/ - 112/3 or 48x16/ 95/ - 102/- 114/ - 1x12/3 or 48x16/ 95/ - 102/ - 114/ - 1x12/3 or 48x16/ 95/ - 102/ - 114/ - 1x12/3 or 48x16/ 95/ - 102/ - 1x14/ - 1x12/3 or 48x16/ 95/ - 1x12/3 or 48x16/	eep or Power Shut 4T/3,400 E Shuttle 12x12, 24x: 4T/3,600 E	tle 12x12, 24x24 creep, 24x24/2, 32x3 F 56+30 M 24/2 F 62+32 M F 62+32 M F 62+32 M F 62+32 or F 82+32 M or M+E	3,900 M or E 4,500 M 4,500 M 4,500 M 4,500 M or E	£62,250 SS 40kph £75,450 £77,750 £79,100 SS 40kph n/a n/a sS 40kph n/a n/a n/a n/a 1,00	£63,700 PS 40kph £76,900 £79,400 £81,800 PS 40kph £78,800 £80,500 £82,800 PS 40kph £83,417 £85,117 £87,417 front linkage £3, road.	n/a PS 50kph n/a n/a n/a PS 50kph n/a n/a PS 50kph n/a n/a n/a n/a PS 50kph n/a n/a pS 50kph n/a n/a pS 50kph
5 Series Transmission: Synchro Shuttle 1 48x16/3 creep 5-085 Transmission: Synchro Shuttle 1 5-100 Active 5-110 Active 5-120 Active Transmission: Power Shuttle 12: 5-100 Dynamic 5-110 Dynamic 5-120 Dynamic Transmission: Power Shuttle 36 5-100 Dynamic 5-110 Dynamic 5-110 Dynamic 5-110 Dynamic 5-110 Dynamic 5-120 Dynamic 5-120 Dynamic Note: Cab suspension standard, 67,105. Latest 5 Series 36x12/3 t Landini 5 Series tractors have FF	75/ - 12x12 or Power \$ 95/ - 102/- 114/ - x12, 24x24/2, 36 95/ - 102/- 114/ - 112/3 or 48x16/ 95/ - 102/- 114/ - 1x12/3 or 48x16/ 95/ - 102/ - 114/ - 1x12/3 or 48x16/ 95/ - 102/ - 114/ - 1x12/3 or 48x16/ 95/ - 102/ - 1x14/ - 1x12/3 or 48x16/ 95/ - 1x12/3 or 48x16/	eep or Power Shut 4T/3,400 E Shuttle 12x12, 24x: 4T/3,600 E	tle 12x12, 24x24 creep, 24x24/2, 32x3 F 56+30 M 24/2 F 62+32 M F 62+32 M F 62+32 M F 62+32 Or F 82+32 M Or M+E D85 - 1,600kg front linkage £4,380, with addition to three powershift speed	3,900 M or E 4,500 M 4,500 M 4,500 M 4,500 M or E	£62,250 SS 40kph £75,450 £77,750 £79,100 SS 40kph n/a n/a sS 40kph n/a n/a n/a n/a 1,00	£63,700 PS 40kph £76,900 £79,400 £81,800 PS 40kph £78,800 £80,500 £82,800 PS 40kph £83,417 £85,117 £87,417 front linkage £3, road.	n/a PS 50kph n/a n/a n/a PS 50kph n/a n/a PS 50kph n/a n/a n/a n/a PS 50kph n/a n/a pS 50kph n/a n/a pS 50kph
5 Series Transmission: Synchro Shuttle 1 48x16/3 creep 5-085 Transmission: Synchro Shuttle 1 5-100 Active 5-110 Active 5-120 Active Transmission: Power Shuttle 12: 5-100 Dynamic 5-110 Dynamic 5-120 Dynamic Transmission: Power Shuttle 36 5-100 Dynamic 5-110 Dynamic 5-110 Dynamic 5-110 Dynamic 5-110 Dynamic 5-120 Dynamic Note: Cab suspension standard, 67,105. Latest 5 Series 36x12/3 thanking 5 Series tractors have FF 6-H T-Tronic	75/ - 12x12 or Power S 95/ - 102/- 114/ - x12, 24x24/2, 36 95/ - 102/- 114/ - ix12/3 or 48x16/ 95/ - 102/- 114/ - ix12/3 or 48x16/ 95/ - 102/ - 114/ - ix12/3 or 5 experiments of the susperments of the su	4T/3,400 E Shuttle 12x12, 24x: 4T/3,600 E	tle 12x12, 24x24 creep, 24x24/2, 32x3 F 56+30 M 24/2 F 62+32 M F 62+32 M F 62+32 M F 62+32 or F 82+32 M or M+E F 6	3,900 M or E 4,500 M 4,500 M 4,500 M 4,500 M or E	£62,250 SS 40kph £75,450 £77,750 £79,100 SS 40kph n/a n/a sS 40kph n/a n/a n/a n/a 1,00	£63,700 PS 40kph £76,900 £79,400 £81,800 PS 40kph £78,800 £80,500 £82,800 PS 40kph £83,417 £85,117 £87,417 front linkage £3, road.	n/a PS 50kph n/a n/a n/a PS 50kph n/a n/a n/a pS 50kph n/a n/a n/a n/a pS 50kph n/a n/a pS 50kph n/a n/a pS 50kph
5 Series Transmission: Synchro Shuttle 1 48x16/3 creep 5-085 Transmission: Synchro Shuttle 1 5-100 Active 5-110 Active 5-120 Active Transmission: Power Shuttle 12: 5-100 Dynamic 5-110 Dynamic 5-120 Dynamic Transmission: Power Shuttle 36 5-100 Dynamic 5-110 Dynamic 5-110 Dynamic 5-110 Dynamic 5-120 Dynamic 5-120 Dynamic 5-120 Dynamic 5-120 Dynamic 5-120 Dynamic 5-120 Series Sacyley 36 6-7,705, Latest 5 Series 36x12/3 than 15 Series tractors have FF 6-H T-Tronic Transmission: Power Shuttle 36	75/ - 12x12 or Power S 95/ - 102/- 114/ - x12, 24x24/2, 36 95/ - 102/- 114/ - ix12/3 or 48x16/ 95/ - 102/- 114/ - ix12/3 or 48x16/ 95/ - 102/ - 114/ - ix12/3 or 5 experiments of the susperments of the su	4T/3,400 E Shuttle 12x12, 24x: 4T/3,600 E	tle 12x12, 24x24 creep, 24x24/2, 32x3 F 56+30 M 24/2 F 62+32 M F 62+32 M F 62+32 M F 62+32 or F 82+32 M or M+E F 6	3,900 M or E 4,500 M 4,500 M 4,500 M 4,500 M or E	£62,250 SS 40kph £75,450 £77,750 £79,100 SS 40kph n/a n/a sS 40kph n/a n/a n/a 1,0 1,0 1,0 1,0 1,0 1,0 1,0 1,0	£63,700 PS 40kph £76,900 £79,400 £81,800 PS 40kph £78,800 £80,500 £82,800 PS 40kph £83,417 £85,117 £87,417 front linkage £3, road.	n/a PS 50kph n/a n/a pS 50kph n/a n/a pS 50kph n/a
5 Series Transmission: Synchro Shuttle 1 48x16/3 creep 5-085 Transmission: Synchro Shuttle 1 5-100 Active 5-110 Active 5-120 Active Transmission: Power Shuttle 12: 5-100 Dynamic 5-110 Dynamic 5-120 Dynamic Transmission: Power Shuttle 36 5-100 Dynamic 5-110 Dynamic 5-110 Dynamic 5-110 Dynamic 5-120 Dynamic Note: Cab suspension standard, E7,105, Latest 5 Series 36x12/3 thanking 5 Series tractors have FF6-H T-Tronic Transmission: Power Shuttle 36 6-125H	75/ - 12x12 or Power \$ 95/ - 102/- 114/ - x12, 24x24/2, 36 95/ - 102/- 114/ - ix12/3 or 48x16/ 95/ - 102/- 114/ - ix12/3 or 48x16/ 95/ - 102/ - 114/ - ix12/3 or 5 experiments of the susperansmission has per answission has per answing has per answission has per answission has per answission has per answing has per a	eep or Power Shut 4T/3,400 E Shuttle 12x12, 24x: 4T/3,600 E 4T/3,600 E	tle 12x12, 24x24 creep, 24x24/2, 32x3 F 56+30 M 24/2 F 62+32 M F 62+32 M F 62+32 M F 62+32 M F 62+32 or F 82+32 M or M+E F 62+32 or F 82+32 M	3,900 M or E 4,500 M 4,500 M 4,500 M 4,500 M 4,500 M or E	£62,250 SS 40kph £75,450 £77,750 £79,100 SS 40kph n/a n/a sS 40kph n/a n/a sS 40kph n/a n/a SS 40kph SS 40kph SS 40kph SS 40kph SS 40kph	£63,700 PS 40kph £76,900 £79,400 £81,800 PS 40kph £78,800 £80,500 £82,800 PS 40kph £83,417 £85,117 £87,417 front linkage £3, road.	n/a PS 50kph n/a n/a n/a PS 50kph n/a n/a n/a n/a PS 50kph n/a n/a pS 50kph n/a n/a pS 50kph n/a pS 50kph
5 Series Transmission: Synchro Shuttle 1 48x16/3 creep 5-085 Transmission: Synchro Shuttle 1 5-100 Active 5-110 Active 5-120 Active Transmission: Power Shuttle 12: 5-100 Dynamic 5-110 Dynamic 5-120 Dynamic Transmission: Power Shuttle 36 5-100 Dynamic 5-110 Dynamic 5-110 Dynamic 5-110 Dynamic 5-110 Dynamic 5-120 Dynamic Note: Cab suspension standard, E7,105, Latest 5 Series 36x12/3 than 15 Series tractors have FF 6-H T-Tronic Transmission: Power Shuttle 36 6-125H 6-135H	75/ - 12x12 or Power \$ 95/ - 102/- 114/ - x12, 24x24/2, 36 95/ - 102/- 114/ - ix12/3 or 48x16/ 95/ - 102/- 114/ - ix12/3 or 48x16/ 95/ - 102/ - 114/ - ix12/3 or 48x16/ 95/ - 102/ - 114/ - ix12/3, 48x16/3 119/ - 126/ -	eep or Power Shut 4T/3,400 E Shuttle 12x12, 24x: 4T/3,600 E creep, 12x12, 16x16 4T/3,600 E 4T/3,600 E	tle 12x12, 24x24 creep, 24x24/2, 32x3 F 56+30 M 24/2 F 62+32 M F 62+32 M F 62+32 M F 62+32 M F 62+32 or F 82+32 M or M+E D85 - 1,600kg front linkage £4,380, wi in addition to three powershift speed with EGR, DOC and DPF; 5-100 to 5-120 G creep V 110+38 M or M+E or E	3,900 M or E 4,500 M 4,500 M 4,500 M 4,500 M 4,500 M or E 6,000 E 6,000 E	£62,250 SS 40kph £75,450 £77,750 £79,100 SS 40kph n/a n/a sS 40kph n/a n/a sS 40kph n/a n/a SS 40kph solution for field and opproximates for field and september of the septembe	£63,700 PS 40kph £76,900 £79,400 £81,800 PS 40kph £78,800 £80,500 £82,800 PS 40kph £83,417 £85,117 £87,417 front linkage £3, road. Euro Stage V em PS 40kph £90,050	n/a PS 50kph n/a n/a n/a PS 50kph n/a n/a n/a pS 50kph n/a n/a pS 50kph n/a n/a pS 50kph n/a pS 50kph n/a pS 50kph n/a n/a
5 Series Transmission: Synchro Shuttle 1 48x16/3 creep 5-085 Transmission: Synchro Shuttle 1 5-100 Active 5-110 Active 5-120 Active Transmission: Power Shuttle 12: 5-100 Dynamic 5-110 Dynamic 5-120 Dynamic Transmission: Power Shuttle 36 5-100 Dynamic 5-110 Dynamic 5-110 Dynamic 5-110 Dynamic 5-110 Dynamic 5-120 Dynamic Note: Cab suspension standard, E7,105. Latest 5 Series 36x12/3 than the suspension of the suspension standard of the suspension of the suspension standard of the suspension of the suspension standard of the suspen	75/ - 12x12 or Power \$ 95/ - 102/- 114/ - x12, 24x24/2, 36 95/ - 102/- 114/ - ix12/3 or 48x16/ 95/ - 102/- 114/ - ix12/3 or 48x16/ 95/ - 102/ - 114/ - front axle susp transmission has pt F5 Series enginerations ix12/3, 48x16/3 119/ - 126/ - £1,053, front ax	eep or Power Shut 4T/3,400 E Shuttle 12x12, 24x: 4T/3,600 E	tle 12x12, 24x24 creep, 24x24/2, 32x3 F 56+30 M 24/2 F 62+32 M F 62+32 M F 62+32 M F 62+32 M F 62+32 or F 82+32 M or M+E D85 - 1,600kg front linkage £4,380, wi in addition to three powershift speed with EGR, DOC and DPF; 5-100 to 5-120 G creep V 110+38 M or M+E or E V 110+38 M or M+E or E	3,900 M or E 4,500 M 4,500 M 4,500 M 4,500 M or E 6,000 E 6,000 E 6,000 E	£62,250 SS 40kph £75,450 £77,750 £79,100 SS 40kph n/a n/a	£63,700 PS 40kph £76,900 £79,400 £81,800 PS 40kph £78,800 £80,500 £82,800 PS 40kph £83,417 £85,117 £87,417 front linkage £3, road. Euro Stage V em PS 40kph £90,050	n/a PS 50kph n/a n/a n/a PS 50kph n/a n/a n/a pS 50kph n/a n/a pS 50kph n/a n/a pS 50kph n/a pS 50kph n/a pS 50kph n/a pS 50kph
5 Series Transmission: Synchro Shuttle 1 48x16/3 creep 5-085 Transmission: Synchro Shuttle 1 5-100 Active 5-110 Active 5-120 Active Transmission: Power Shuttle 12: 5-100 Dynamic 5-110 Dynamic 5-120 Dynamic Transmission: Power Shuttle 36 5-100 Dynamic 5-110 Dynamic 5-110 Dynamic 5-110 Dynamic 5-110 Dynamic 5-120 Dynamic Note: Cab suspension standard, E7,105. Latest 5 Series 36x12/3 than 15 Series tractors have FF 6-H T-Tronic Transmission: Power Shuttle 36 6-125H 6-135H Note: Cab suspension standard Landini 6-H Series tractors have	75/ - 12x12 or Power \$ 95/ - 102/- 114/ - x12, 24x24/2, 36 95/ - 102/- 114/ - ix12/3 or 48x16/ 95/ - 102/- 114/ - ix12/3 or 48x16/ 95/ - 102/ - 114/ - front axle susp transmission has pt F5 Series enginerations ix12/3, 48x16/3 119/ - 126/ - £1,053, front ax	eep or Power Shut 4T/3,400 E Shuttle 12x12, 24x: 4T/3,600 E	tle 12x12, 24x24 creep, 24x24/2, 32x3 F 56+30 M 24/2 F 62+32 M F 62+32 M F 62+32 M F 62+32 M F 62+32 or F 82+32 M or M+E D85 - 1,600kg front linkage £4,380, with addition to three powershift speed with EGR, DOC and DPF; 5-100 to 5-120 G creep V 110+38 M or M+E or E V 110+38 M or M+E or E S25, 2,250kg front linkage £4,470, with	3,900 M or E 4,500 M 4,500 M 4,500 M 4,500 M or E 6,000 E 6,000 E 6,000 E	£62,250 SS 40kph £75,450 £77,750 £79,100 SS 40kph n/a n/a	£63,700 PS 40kph £76,900 £79,400 £81,800 PS 40kph £78,800 £80,500 £82,800 PS 40kph £83,417 £85,117 £87,417 front linkage £3, road. Euro Stage V em PS 40kph £90,050	n/a PS 50kph n/a n/a n/a PS 50kph n/a n/a n/a pS 50kph n/a n/a pS 50kph n/a n/a pS 50kph n/a pS 50kph n/a pS 50kph n/a pS 50kph
5 Series Transmission: Synchro Shuttle 1 48x16/3 creep 5-085 Transmission: Synchro Shuttle 1 5-100 Active 5-110 Active 5-120 Active Transmission: Power Shuttle 12: 5-100 Dynamic 5-110 Dynamic 5-120 Dynamic Transmission: Power Shuttle 36 5-100 Dynamic 5-110 Dynamic 5-110 Dynamic 5-110 Dynamic 5-120 Dynamic Note: Cab suspension standard, £7,105. Latest 5 Series 36x12/3 t Landini 5 Series tractors have FF 6-H T-Tronic Transmission: Power Shuttle 36 6-125H 6-135H Note: Cab suspension standard Landini 6-H Series tractors have 6RS Robo-Six	75/ - 12x12 or Power \$ 95/ - 102/- 114/ - x12, 24x24/2, 36 95/ - 102/- 114/ - ix12/3 or 48x16/ 95/ - 102/- 114/ - ix12/3 or 48x16/ 95/ - 102/ - 114/ - front axle susp ixansmission has ix F5 Series engli ix12/3, 48x16/3 119/ - 126/ - £1,053, front ax ix FPT F5 Series ix	eep or Power Shut 4T/3,400 E Shuttle 12x12, 24x: 4T/3,600 E	tle 12x12, 24x24 creep, 24x24/2, 32x3 F 56+30 M 24/2 F 62+32 M F 62+32 M F 62+32 M F 62+32 M F 62+32 or F 82+32 M or M+E D85 - 1,600kg front linkage £4,380, with addition to three powershift speed with EGR, DOC and DPF; 5-100 to 5-120 G creep V 110+38 M or M+E or E V 110+38 M or M+E or E S25, 2,250kg front linkage £4,470, with	3,900 M or E 4,500 M 4,500 M 4,500 M 4,500 M or E 6,000 E 6,000 E 6,000 E	£62,250 SS 40kph £75,450 £77,750 £79,100 SS 40kph n/a n/a n/a sS 40kph n/a n/a sS 40kph n/a n/a sS 40kph n/a n/a sS 40kph n/a n/a n/a sS 40kph n/a n/a n/a	£63,700 PS 40kph £76,900 £79,400 £81,800 PS 40kph £78,800 £80,500 £82,800 PS 40kph £83,417 £85,117 £87,417 front linkage £3,road. Euro Stage V em PS 40kph £90,050 £92,045	n/a PS 50kph n/a n/a n/a PS 50kph n/a n/a n/a PS 50kph n/a n/a pS 50kph n/a n/a pS 50kph n/a pS 50kph n/a pS 50kph n/a n/a pS 50kph n/a n/a pS 50kph £99,850 £102,350
5 Series Transmission: Synchro Shuttle 1 48x16/3 creep 5-085 Transmission: Synchro Shuttle 1 5-100 Active 5-110 Active 5-120 Active Transmission: Power Shuttle 12: 5-100 Dynamic 5-110 Dynamic 5-120 Dynamic Transmission: Power Shuttle 36 5-100 Dynamic 5-110 Dynamic 5-110 Dynamic 5-110 Dynamic 5-110 Dynamic 5-120 Dynamic Note: Cab suspension standard, £7,105. Latest 5 Series 36x12/3 t Landini 5 Series tractors have FF 6-H T-Tronic Transmission: Power Shuttle 36 6-125H 6-135H Note: Cab suspension standard Landini 6-H Series tractors have 6RS Robo-Six Transmission: 24x24/6 or 40x4	75/ - 12x12 or Power \$ 95/ - 102/- 114/ - x12, 24x24/2, 36 95/ - 102/- 114/ - ix12/3 or 48x16/ 95/ - 102/- 114/ - ix12/3 or 48x16/ 95/ - 102/ - 114/ - front axle susp ixansmission has ix F5 Series engli ix12/3, 48x16/3 119/ - 126/ - £1,053, front ax ix FPT F5 Series (c) 0/6 creep	eep or Power Shut 4T/3,400 E Shuttle 12x12, 24x: 4T/3,600 E ension £5,200. 5-0; robotised ranges ines; 5-085 - F34 w creep, 12x12, 16x16 4T/3,600 E 4T/3,600 E 4T/3,600 E 4T/3,600 E	tle 12x12, 24x24 creep, 24x24/2, 32x3 F 56+30 M 24/2 F 62+32 M F 62+32 M F 62+32 M F 62+32 M F 62+32 or F 82+32 M or M+E D85 - 1,600kg front linkage £4,380, with addition to three powershift speed with EGR, DOC and DPF; 5-100 to 5-120 G creep V 110+38 M or M+E or E V 110+38 M or M+E or E V 110+38 M or M+E or E EGR, DOC, DPF and SCR for Euro Sta	3,900 M or E 4,500 M 4,500 M 4,500 M 4,500 M or E 6,000 E	£62,250 SS 40kph £75,450 £77,750 £79,100 SS 40kph n/a n/a SS 40kph	£63,700 PS 40kph £76,900 £79,400 £81,800 PS 40kph £78,800 £80,500 £82,800 PS 40kph £83,417 £85,117 £87,417 front linkage £3,road. Euro Stage V em PS 40kph £90,050 £92,045	n/a PS 50kph n/a n/a pS 50kph n/a n/a pS 50kph n/a n/a pS 50kph eg9,850 £102,350
5 Series Transmission: Synchro Shuttle 1 48x16/3 creep 5-085 Transmission: Synchro Shuttle 1 5-100 Active 5-110 Active 5-120 Active Transmission: Power Shuttle 12: 5-100 Dynamic 5-110 Dynamic 5-120 Dynamic Transmission: Power Shuttle 36 5-100 Dynamic 5-110 Dynamic 5-110 Dynamic 5-110 Dynamic 5-110 Dynamic 5-120 Dynamic Note: Cab suspension standard, £7/105. Latest 5 Series 36x12/3 telephological formula in the series tractors have FF 6-H T-Tronic Transmission: Power Shuttle 36 6-125H 6-135H Note: Cab suspension standard Landini 6-H Series tractors have 6RS Robo-Six Transmission: 24x24/6 or 40x4 6-135 RS	75/ - 12x12, 24x24 cre 75/ - 12x12 or Power \$ 95/ - 102/- 114/ - x12, 24x24/2, 36 95/ - 102/- 114/ - ix12/3 or 48x16/ 95/ - 102/ - 114/ - front axle susp iransmission has ir F5 Series engli x12/3, 48x16/3 119/ - 126/ - £1,053, front ax ir FFT F5 Series (ir FT F5	eep or Power Shut 4T/3,400 E Shuttle 12x12, 24x: 4T/3,600 E ension £5,200. 5-0; robotised ranges ines; 5-085 - F34 w creep, 12x12, 16x16 4T/3,600 E 4T/3,600 E 4T/3,600 E 4T/3,600 E 4T/3,600 E	tle 12x12, 24x24 creep, 24x24/2, 32x3 F 56+30 M 24/2 F 62+32 M F 62+32 M F 62+32 M F 62+32 M F 62+32 or F 82+32 M or M+E D85 - 1,600kg front linkage £4,380, with addition to three powershift speed with EGR, DOC and DPF; 5-100 to 5-120 G creep V 110+38 M or M+E or E V 125 Z,250kg front linkage £4,470, with EGR, DOC, DPF and SCR for Euro Sta	3,900 M or E 4,500 M 4,500 M 4,500 M 4,500 M or E 6,000 E 6,000 E 6,000 E 10 pto £7,450. 17,200 E	£62,250 SS 40kph £75,450 £77,750 £79,100 SS 40kph n/a n/a n/a SS 40kph n/a sS 40kph n/a sS 40kph n/a sS 40kph n/a n/a	£63,700 PS 40kph £76,900 £79,400 £81,800 PS 40kph £78,800 £80,500 £82,800 PS 40kph £83,417 £85,117 £87,417 Front linkage £3,road. Euro Stage V em PS 40kph £90,050 £92,045 PS 40kph	n/a PS 50kph n/a n/a n/a PS 50kph n/a pS 50kph £118,050
5 Series Transmission: Synchro Shuttle 1 48x16/3 creep 5-085 Transmission: Synchro Shuttle 1 5-100 Active 5-110 Active 5-120 Active Transmission: Power Shuttle 12: 5-100 Dynamic 5-110 Dynamic 5-120 Dynamic Transmission: Power Shuttle 36 5-100 Dynamic 5-110 Dynamic 5-110 Dynamic 5-120 Dynamic 5-110 Dynamic 5-120 Dynamic Note: Cab suspension standard, E7/105, Latest 5 Series 36x12/3 telephology and the suspension of the suspension standard candin 6-H Series tractors have 6RS Robo-Six Transmission: 24x24/6 or 40x4	75/ - 12x12 or Power \$ 95/ - 102/- 114/ - x12, 24x24/2, 36 95/ - 102/- 114/ - ix12/3 or 48x16/ 95/ - 102/- 114/ - ix12/3 or 48x16/ 95/ - 102/ - 114/ - front axle susp ixansmission has ix F5 Series engli ix12/3, 48x16/3 119/ - 126/ - £1,053, front ax ix FPT F5 Series (c) 0/6 creep	eep or Power Shut 4T/3,400 E Shuttle 12x12, 24x: 4T/3,600 E ension £5,200. 5-0; robotised ranges ines; 5-085 - F34 w creep, 12x12, 16x16 4T/3,600 E 4T/3,600 E 4T/3,600 E 4T/3,600 E	tle 12x12, 24x24 creep, 24x24/2, 32x3 F 56+30 M 24/2 F 62+32 M F 62+32 M F 62+32 M F 62+32 M F 62+32 or F 82+32 M or M+E D85 - 1,600kg front linkage £4,380, with addition to three powershift speed with EGR, DOC and DPF; 5-100 to 5-120 G creep V 110+38 M or M+E or E V 110+38 M or M+E or E V 110+38 M or M+E or E EGR, DOC, DPF and SCR for Euro Sta	3,900 M or E 4,500 M 4,500 M 4,500 M 4,500 M or E 6,000 E	£62,250 SS 40kph £75,450 £77,750 £79,100 SS 40kph n/a n/a SS 40kph	£63,700 PS 40kph £76,900 £79,400 £81,800 PS 40kph £78,800 £80,500 £82,800 PS 40kph £83,417 £85,117 £87,417 front linkage £3,road. Euro Stage V em PS 40kph £90,050 £92,045	n/a PS 50kph n/a n/a n/a n/a PS 50kph n/a n/a n/a n/a PS 50kph n/a n/a n/a n/a pS 50kph n/a sissions compliance PS 50kph £99,850 £102,350 PS 50kph

PS 50kph

£130,900

£133,450

£139,300

£141,800

PS 40kph

£125,200

£127,700

£133,500

£136,050

SS 40kph

n/a

n/a

n/a

n/a

9,300 E

9,300 E

9,300 E

9,300 E

Transmission: Power Shuttle 30x15/6, 54x27/6 creep

155/165

155/165

166/175

166/175

4T/4,500 E

6T/6,700 E

4T/4,500 E

6T/6,700 E

V 123+44 E or V 160+44 E

all pto applications.

7 Series SWB Robo-Six

7-165

7-170

7-175

7-180

Synchro or power shuttle, ratios and powershift steps
- the first configuration listed
is standard Maximum power for draft work/ maximum

Cylinders/ volume; E - electronic management

Hydrauns
F - fixed-output gear pump;
V - variable-output piston pump;
main pump-output plus steering
pump where fitted;
M - mechanical spool valves;
E - electric spool valves

Maximum lift (kg); M - mechanical draft control; E - electronic draft control

List price £ - power £ - synchro shuttle 30kph or 40kph shuttle 40kph

£ - power shuttle 50kph, 60kph or 70kph

Note: 40kph - cab suspension standard, front axle suspension £8,700. Air trailer braking £4,480. 50kph - cab and front axle suspension standard. Air trailer braking standard. 3,200kg front linkage £3,920, with pto £7,350.

7 Series SWB V-Shift

Transmission: Power Shuttle C	SS 40kph	PS 40kph	PS 50kph				
7-175	166/175	4T/4,500 E	V 123+44 E or V 160+44 E	9,300 E	n/a	£146,650	£152,450
7-180	166/175	6T/6,700 E	V 123+44 E or V 160+44 E	9,300 E	n/a	£154,900	£160,750

Note: 40kph - cab suspension standard, front axle suspension £6,330. 50kph - cab and front axle suspension standard. Air trailer braking £4,480. 3,500kg front linkage £4,360, with pto £7,775.

7 Series LWB Robo-Six

Transmission: Power Shuttle 54	SS 40kph	PS 40kph	PS 50kph				
7-200 Active	180/190	6T/6,700 E	V 123+44 E or V 160+44 E	9,300 E	n/a	£150,750	£156,650
7-200 Dynamic	180/190	6T/6,700 E	V 123+44 E or V 160+44 E	9,300 E	n/a	£160,900	£171,450
7-210 Active	200/210	6T/6,700 E	V 123+44 E or V 160+44 E	9,300 E	n/a	£155,800	£161,600
7-210 Dynamic	200/210	6T/6,700 E	V 123+44 E or V 160+44 E	9,300 E	n/a	£166,025	£176,550
7-230 Active	215/225	6T/6,700 E	V 123+44 E or V 160+44 E	9,300 E	n/a	£160,950	£166,850
7-230 Dynamic	215/225	6T/6,700 E	V 123+44 E or V 160+44 E	9,300 E	n/a	£171,200	£181,995

Note: Active 40kph - mechanical cab suspension standard, semi-active hydraulic £2,880, front axle suspension £6,330. Air trailer braking £4,480. Active 50kph - mechanical cab suspension standard, semi-active hydraulic £2,880, front axle suspension standard. Air trailer braking standard, Dynamic 40kph and 50kph - mechanical cab suspension standard. semi active hydraulic £2,679, front axle suspension standard. Air trailer braking standard. 3,500kg front linkage £5,840, with pto £9,180. Dynamic specification includes armrest controls and display

7 Series LWB V-Shift

Transmission: Power Shuttle CVT						PS 40kph	PS 50kph
7-210 Dynamic	200/210	6T/6,700 E	V 123+44 E or V 160+44 E	9,300 E	n/a	n/a	£177,750
7-230 Dynamic	215/225	6T/6,700 E	V 123+44 E or V 160+44 E	9,300 E	n/a	n/a	£182,150
7-240 Dynamic	230/240	6T/6,700 E	V 123+44 E or V 160+44 E	9,300 E	n/a	n/a	£186,650

Note: Mechanical cab suspension standard, semi-active hydraulic £2,880, front axle suspension standard. Air trailer braking standard. 3,500kg front linkage £5,840, with pto £9.180, Dynamic specification includes seat-mounted armrest controls and display.

Landini 7 Series tractors have FPT NEF N45 and N67 engines (structural on SWB models, installed in a cast-iron chassis on LWB models) with DOC and SCRoF for Euro Stage V emissions compliance. Highest power outputs are for transport above 12.5kph and both mobile and static pto applications

LOVOL

M Series							
Transmission: Synchro Shuttle	12x12				SS 40kph	PS 40kph	PS 50kph
M504C	50/ -	3T/1,794 E	F 43 M	1,820 M	£22,750	n/a	n/a
M754C	75/ -	4T/2,392 E	F 57 M	1,820 M	£25,000	n/a	n/a

Note: M504C also available with four-cylinder engine and as open platform ROPS version. Cab suspension n/a, front axle suspension n/a, front linkage and pto n/a. Distributed by Severn Farm Machinery.

Lovol M-series tractors have Doosan engines with DPF for Euro Stage V emissions compliance.

P Series							*NEW RANGE	
Transmission: Synchro	Shuttle 18x18	SS 40kph	PS 40kph	PS 50kph				
P4110C *	110/ -	4T/4,600 E	F 65 M	2,750 M	£50,000	n/a	n/a	
Note: Cab suspension n/a, front axle suspension n/a, front linkage and pto n/a. Distributed by Severn Farm Machinery.								

Lovol P-series tractor has a Weichai engine with SCR for Euro Stage V emissions compliance





Synchro or power shuttle, ratios and powershift steps - the first configuration listed

Maximum power for draft work, maximum boost power Cylinders/ E - electronic management

Hydraulics
F - fixed-output gear pump;
V - variable-output piston pump;
main pump-output plus steering
pump where fitted;
M - mechanical spool valves;

E - electric spool valves

Maximum lift (kg); M - mechanical draft control; E - electronic draft control

£ - synchro shuttle 30kph or 40kph

£ - power shuttle

£ - power shuttle 50kph, 60kph or 70kph

MASSET FERGU	SUN						
3S AL							
Transmission: Power	Shuttle 30x15/2 Eco 40	Okph			SS 40kph	PS 40kph	PS 50kph
3S.85	85/ -	4T/3,600 E	F 65+30+30 E	3,100 E	n/a	£90,270	n/a
3S.85 LP	85/ -	4T/3,600 E	F 65+30+30 E	3,000 E	n/a	£91,360	n/a
3S.95	95/ -	4T/3,600 E	F 65+30+30 E	3,100 E	n/a	£94,950	n/a
3S.95 LP	95/ -	4T/3,600 E	F 65+30+30 E	3,000 E	n/a	£96,030	n/a
3S.105	105/ -	4T/3,600 E	F 65+30+30 E	3,100 E	n/a	£98,060	n/a

Note: Cab suspension n/a, front axle suspension £4,280. 1,700kg front linkage £4,030, with pto £7,580. LP versions have a flat floored low profile cab. Cab air conditioning standard. Massey Ferguson 3S AL series tractors have FPT F36 engines with EGR, DOC, DPF and SCR for Euro Stage V emissions compliance.

					1		
4700 M							
Transmission: Synchro Sh	uttle 12x12 or Power S	Shuttle 12x12			SS 40kph	PS 40kph	PS 50kph
4708 M Essential	85/ - 82/ -	3T/3,300 E	F 65+33 M	3,200 E	£59,260	£64,610	n/a
4709 M Essential	95/ - 92/ -	3T/3,300 E	F 65+33 M	3,200 E	£61,820	£67,170	n/a
4710 M Essential	105/ - 100/ -	3T/3,300 E	F 65+33 M	3,200 E	£63,870	£69,220	n/a
4700 M Dyna-2							
Transmission: Power Shut	ttle 24x24/2				SS 40kph	PS 40kph	PS 50kph
4708 M Essential	85/ - 82/ -	3T/3,300 E	F 65+33 M	3,200 E	n/a	£66,170	n/a
4709 M Essential	95/ - 92/ -	3T/3,300 E	F 65+33 M	3,200 E	n/a	£68,730	n/a
4710 M Essential	105/ - 100/ -	3T/3,300 E	F 65+33 M	3,200 E	n/a	£70,780	n/a
		_					

Note: Cab suspension n/a, front axle suspension n/a. Cab air conditioning £1,660. Visio transparent cab roof £1,030. Advanced Electronic three-point linkage with draft control £920. Open platform ROPS variants available - 4708 M Essential £55,400 and Dyna-2 Essential £58,710; 4709 M Essential £58,270 and Dyna-2 Essential £61,580; 2wd versions also available.

Massey Ferguson 4700 M Series tractors have Agco Power engines with DOC, SCR and SC for Euro Stage V emissions compliance

5700 M **DISCONTINUED** 5M Dyna-4 **UPDATED AND EXTENDED RANGE**

Strong Skills, Safer Farms.

Your farm's machinery is only as safe as the person operating it.

Lantra offers trusted, hands-on training for tractors, trailers, attachments, and ATVs—all built around practical, real-world safety and performance.

Whether you're new to the cab or refreshing your knowledge, our vehicle courses give you and your team the confidence and competence to work safely and efficiently.

Prioritise safety. Protect your team. Train with Lantra.

Scan the QR code to find out more:



T 02476 696996 E awards@lantra.co.uk

LANTRA











Lantra, Lantra House, Stoneleigh Park, Coventry, CV8 2LG

Transmission Synchro or power shuttle, ratios and powershift steps - the first configuration listed is standard	Max power/ boost power Maximum power for draft work/ maximum boost power available	Engine Cylinders/ volume; E - electronic fuel management	Hydraulics F - fixed-output gear pump; V - variable-output piston pump; main pump-output plus steering pump where fitted; M - mechanical spool valves; E - electric spool valves	Lift linkage Maximum lift (kg); M - mechanical draft control; E - electronic draft control	List price £ - synchro shuttle 30kph or 40kph	List price £ - power shuttle 40kph	List price £ - power shuttle 50kph, 60kph or 70kph
Transmission: Power Shuttle 16x	<16/4 Eco 40kpl	า			SS 40kph	PS 40kph	PS 50kph
5M.95	95/ -	4T/4,400 E	F 58+32 M or F 58+42+32 M	4,300 E	n/a	£80,110	n/a
5M.105	105/ -	4T/4,400 E	F 58+32 M or F 58+42+32 M	4,300 E	n/a	£82,670	n/a
5M.115	115/ -	4T/4,400 E	F 58+32 M or F 58+42+32 M	4,300 E	n/a	£85,240	n/a
5M.125	125/ -	4T/4,400 E	F 58+32 M or F 58+42+32 M	5,200 E	n/a	£90,710	n/a
5M.135	135/ -	4T/4,400 E	F 58+32 M or F 58+42+32 M	5,200 E	n/a	£93,270	n/a
5M.145	145/ -	4T/4,400 E	F 58+32 M or F 58+42+32 M	5,200 E	n/a	£95,840	n/a

Note: Cab suspension £1,470, front axle suspension n/a. 2,500kg front linkage £2,700 (high-flow hydraulics required), with pto optional. Cab air conditioning £1,660. High-flow hydraulics option £1,080 - 58-litre/min supply can be diverted to spool valves for combined 100-litre/min flow; 32-litre/min pump dedicated to steering and ancillaries.

Massey Ferguson 5M Series tractors have Agco Power engines with DOC, SC and SCR for Euro Stage V emissions compliance.

5S Dyna-4 Transmission: Power Shut	tle 16x16/4, 32x32	/4 creep			SS 40kph	PS 40kph	PS 50kph
5S.105 Essential	105/ -	4T/4,400 E	F 57+32 M or F 100+32 M or V 110+32 M	6,000 E	n/a	£98,650	n/a
5S.105 Efficient	105/ -	4T/4,400 E	V 110+32 M + E or F 100+32 M+E	6,000 E	n/a	£104,990	n/a
5S.105 Exclusive	105/ -	4T/4,400 E	V 110+32 E	6,000 E	n/a	£109,640	n/a
5S.115 Essential	115/ -	4T/4,400 E	F 57+32 M or F 100+32 M or V 110+32 M	6,000 E	n/a	£101,220	n/a
5S.115 Efficient	115/ -	4T/4,400 E	V 110+32 M+E or F 100+32 M+E	6,000 E	n/a	£107,550	n/a
5S.115 Exclusive	115/ -	4T/4,400 E	V 110+32 E	6,000 E	n/a	£112,200	n/a
5S.125 Essential	125/ -	4T/4,400 E	F 57+32 M or F 100+32 M or V 110+32 M	6,000 E	n/a	£104,580	n/a
5S.125 Efficient	125/ -	4T/4,400 E	V 110+32 M+E or F 100+32 M+E	6,000 E	n/a	£110,920	n/a
5S.125 Exclusive	125/ -	4T/4,400 E	V 110+32 E	6,000 E	n/a	£115,570	n/a
5S.135 Essential	135/ -	4T/4,400 E	F 57+32 M or F 100+32 M or V 110+32 M	6,000 E	n/a	£107,150	n/a
5S.135 Efficient	135/ -	4T/4,400 E	V 110+32 M+E or F 100+32 M+E	6,000 E	n/a	£113,480	n/a
5S.135 Exclusive	135/ -	4T/4,400 E	V 110+32 E	6,000 E	n/a	£118,140	n/a
5S.145 Essential	145/ -	4T/4,400 E	F 57+32 M or F 100+32 M or V 110+32 M	6,000 E	n/a	£109,710	n/a
5S.145 Efficient	145/ -	4T/4,400 E	V 110+32 M+E or F 100+32 M+E	6,000 E	n/a	£116,050	n/a
5S.145 Exclusive	145/ -	4T/4,400 E	V 110+32 E	6,000 E	n/a	£120,700	n/a
5S Dyna-6							
Transmission: Power Shut	tle 24x24/6, 48x4	3/6 creep			SS 40kph	PS 40kph	PS 50kph
5S.105 Essential	105/ -	4T/4,400 E	F 57+32 M or F 100+32 M or V 110+32 M	6,000 E	n/a	£101,980	n/a
5S.105 Efficient	105/ -	4T/4,400 E	V 110+32 M+E or F 100+32 M+E	6,000 E	n/a	£107,510	n/a
5S.105 Exclusive	105/ -	4T/4,400 E	V 110+32 E	6,000 E	n/a	£112,160	n/a
5S.115 Essential	115/ -	4T/4,400 E	F 57+32 M or F 100+32 M or V 110+32 M	6,000 E	n/a	£104,550	n/a
5S.115 Efficient	115/ -	4T/4,400 E	V 110+32 M+E or F 100+32 M+E	6,000 E	n/a	£110,070	n/a
5S.115 Exclusive	115/ -	4T/4,400 E	V 110+32 E	6,000 E	n/a	£114,720	n/a
5S.125 Essential	125/ -	4T/4,400 E	F 57+32 M or F 100+32 M or V 110+32 M	6,000 E	n/a	£107,910	n/a
5S.125 Efficient	125/ -	4T/4,400 E	V 110+32 M+E or F 100+32 M+E	6,000 E	n/a	£113,440	n/a
5S.125 Exclusive	125/ -	4T/4,400 E	V 110+32 E	6,000 E	n/a	£118,090	n/a
5S.135 Essential	135/ -	4T/4,400 E	F 57+32 M or F 100+32 M or V 110+32 M	6,000 E	n/a	£110,480	n/a
5S.135 Efficient	135/ -	4T/4,400 E	V 110+32 M+E or F 100+32 M+E	6,000 E	n/a	£116,000	n/a
5S.135 Exclusive	135/ -	4T/4,400 E	V 110+32 E	6,000 E	n/a	£120,660	n/a
5S.145 Essential	145/ -	4T/4,400 E	F 57+32 M or F 100+32 M or V 110+32 M	6,000 E	n/a	£113,030	n/a
5S.145 Efficient	145/ -	4T/4,400 E	V 110+32 M+E or F 100+32 M+E	6,000 E	n/a	£118,570	n/a
	145/ -			6,000 E			

Note: * Hydraulic pump options deliver 58-litre/min to rear linkage and spools or 58-litre/min to rear linkage plus 42-litre/min to spools or combined 100-litre/min to spools alone. Essential - cab suspension £1,470, front axle suspension £4,710. Air conditioning standard. Panoramic Essential cab option (-£60 to -£1,130 dependent upon model) deletes right-hand pillar, adds polycarbonate side window with wash/wipe and can have mountings for hazard warning lights and signs. Efficient and Exclusive - cab suspension and air conditioning standard, front axle suspension £4,710. 3,000kg front linkage £4,630, with pto £7,540. Efficient adds armrest control console with Multipad controller, auto power shift for Dyna-4, seat upgrade, audio upgrades, etc. Exclusive adds auto air conditioning, seat upgrade, electrically-adjusted heated mirrors, radar and traction control, Datatronic 5 terminal with isobus.

Massey Ferguson 5S Series tractors have Agco Power four-cylinder engines with DOC, SCR and DPF for Euro Stage V emissions compliance.

6S Dyna-6 Super Eco							
Transmission: Power Shut	tle 24x24/6	SS 40kph	PS 40kph	PS 50kph			
6S.135 Essential	135/150	4T/4,900 E	F 100 M or V 110 M+E	7,100 E or 8,100 E	n/a	£121,580	£123,920
6S.135 Efficient	135/150	4T/4,900 E	V 110 M+E or V 150 M+E	7,100 E or 8,100 E	n/a	£138,060	£134,580
6S.135 Exclusive	135/150	4T/4,900 E	V 110 M+E or V 150 M+E	7,100 E or 8,100 E	n/a	£143,540	£143,540
6S.145 Essential	145/160	4T/4,900 E	F 100 M or V 110 M+E	7,100 E or 8,100 E	n/a	£124,140	£124,140

Transmission Synchro or power shuttle, ratios and powershift steps - the first configuration listed is standard	Max power/ boost power Maximum power for draft work/ maximum boost power available	Engine Cylinders/ volume; E - electronic fuel management	Hydraulics F - fixed-output gear pump; V - variable-output piston pump; main pump-output plus steering pump where fitted; M - mechanical spool valves; E - electric spool valves	Lift linkage Maximum lift (kg); M - mechanical draft control; E - electronic draft control	List price £ - synchro shuttle 30kph or 40kph	List price £ - power shuttle 40kph	List price £ - power shuttle 50kph, 60kph or 70kph
6S.145 Efficient	145/160	4T/4,900 E	V 110 M+E or V 150 M+E	7,100 E or 8,100 E	n/a	£140,630	£140,630
6S.145 Exclusive	145/160	4T/4,900 E	V 110 M+E or V 150 M+E	7,100 E or 8,100 E	n/a	£146,110	£146,110
6S.155 Essential	155/175	4T/4,900 E	F 100 M or V 110 M+E	7,100 E or 8,100 E	n/a	£127,830	£127,830
6S.155 Efficient	155/175	4T/4,900 E	V 110 M+E or V 150 M+E	7,100 E or 8,100 E	n/a	£144,320	£144,320
6S.155 Exclusive	155/175	4T/4,900 E	V 110 E or V 150 E	7,100 E or 8,100 E	n/a	£149,800	£149,800
6S.165 Essential	165/185	4T/4,900 E	F 100 M or V 110 M+E	7,100 E or 8,100 E	n/a	£131,980	£131,980
6S.165 Efficient	165/185	4T/4,900 E	V 110 M+E or V 150 M+E	7,100 E or 8,100 E	n/a	£148,470	£148,470
6S.165 Exclusive	165/185	4T/4,900 E	V 110 E or V 150 E	7,100 E or 8,100 E	n/a	£153,950	£153,950
6S.180 Essential	180/200	4T/4,900 E	F 100 M or V 110 M+E	8,100 E	n/a	£144,420	£144,420
6S.180 Efficient	180/200	4T/4,900 E	V 110 M+E or V 150 M+E	8,100 E	n/a	£152,860	£152,860
6S.180 Exclusive	180/200	4T/4,900 E	V 110 E or V 150 E	8,100 E	n/a	£158,340	£158,340

Note: Panoramic Essential cab option (-£580 to -£1,820 dependent upon model) deletes right-hand pillar, adds polycarbonate side window with wash/wipe and can have

mountings for hazard was	rning lights and sign:	S.					
6S Dyna-VT							
Transmission: Power Shu	ttle CVT				SS 40kph	PS 40kph	PS 50kph
6S.135 Efficient	135/150	4T/4,900 E	V 110 M+E or V 190 M+E	9,600 E	n/a	£153,990	£153,990
6S.135 Exclusive	135/150	4T/4,900 E	V 110 E or V 190 E	9,600 E	n/a	£159,470	£159,470
6S.145 Efficient	145/160	4T/4,900 E	V 110 M+E or V 190 M+E	9,600 E	n/a	£156,560	£156,560
6S.145 Exclusive	145/160	4T/4,900 E	V 110 E or V 190 E	9,600 E	n/a	£162,040	£162,040
6S.155 Efficient	155/175	4T/4,900 E	V 110 M+E or V 190 M+E	9,600 E	n/a	£159,840	£159,840
6S.155 Exclusive	155/175	4T/4,900 E	V 110 E or V 190 E	9,600 E	n/a	£165,320	£165,320
6S.165 Efficient	165/185	4T/4,900 E	V 110 M+E or V 190 M+E	9,600 E	n/a	£163,990	£163,990
6S.165 Exclusive	165/185	4T/4,900 E	V 110 E or V 190 E	9,600 E	n/a	£169,470	£169,470
6S.180 Efficient	180/200	4T/4,900 E	V 110 M+E or V 190 M+E	9,600 E	n/a	£167,840	£167,840
6S.180 Exclusive	180/200	4T/4,900 E	V 110 E or V 190 E	9,600 E	n/a	£173,320	£173,320

Note: Essential - cab suspension £1,470; front axle suspension £4,710, trailer air brakes £5,830. Efficient - cab suspension standard, Exclusive - active mechanical cab suspension standard. Front axle suspension standard on Dyna-VT models. Air trailer braking standard on Efficient and Exclusive. 50kph pricing includes cab and front axle suspension and air trailer braking. 3,200kg front linkage £4,510, with pto £7,870. Efficient adds electric pto speed selection, fender switch remote valve control, etc. Exclusive adds 9in Datatronic terminal with isobus, Multipad switches with assignable isobus functions, power beyond hydraulics, pivoting front mudguards, etc. Datatronic 5 Terminal optional on Efficient £2,510. Additional Terminal (Fieldstar 5, isobus/guidance/camera) £2,210 - Available on all three spec levels.

Massey Ferguson 6S tractors have Agco Power engines with DOC, SCR and SC for Euro Stage V emissions compliance. Highest power outputs are for pto, field operations above 6kph and transport with full power from 18kph.

7S Dyna-6							
Transmission: Power Shut	tle 24x24/6	SS 40kph	PS 40kph	PS 50kph			
7S.155 Essential	155/175	6T/6,600 E	V 110 M	7,100 E or 8,100 E	n/a	£139,480	£139,480
7S.155 Efficient	155/175	6T/6,600 E	V 110 M+E or V 150 M+E	7,100 E or 8,100 E	n/a	£148,980	£148,980
7S.155 Exclusive	155/175	6T/6,600 E	V 110 E or V 150 E	7,100 E or 8,100 E	n/a	£154,410	£154,410
7S.165 Essential	165/185	6T/6,600 E	V 110 M	7,100 E or 8,100 E	n/a	£143,890	£143,890
7S.165 Efficient	165/185	6T/6,600 E	V 110 M+E or V 150 M+E	7,100 E or 8,100 E	n/a	£153,390	£153,390
7S.165 Exclusive	165/185	6T/6,600 E	V 110 E or V 150 E	7,100 E or 8,100 E	n/a	£158,820	£158,820
7S.180 Essential	180/210	6T/6,600 E	V 110 M	7,100 E or 8,100 E	n/a	£151,160	£151,160
7S.180 Efficient	180/210	6T/6,600 E	V 110 M+E or V 150 M+E	7,100 E or 8,100 E	n/a	£160,670	£160,670
7S.180 Exclusive	180/210	6T/6,600 E	V 110 E or V 150 E	7,100 E or 8,100 E	n/a	£166,090	£166,090

Note: Paparamic Essential cab option (-£550) deletes right-hand pillar adds polycarbonate side window with wash/wine and can have mountings for bazard warning lights and significant

Note: Panoramic Essential	cab option (-£580)	deletes right-hand	pillar, adds polycarbonate side wind	dow with wash/wipe ar	nd can have mounting	gs for nazard warn	ing lights and signs.
7S Dyna-VT							
Transmission: Power Shut	ttle CVT				SS 40kph	PS 40kph	PS 50kph
7S.155 Efficient	155/175	6T/6,600 E	V 110 M+E or V 190 M+E	9,600 E	n/a	£164,510	£164,510
7S.155 Exclusive	155/175	6T/6,600 E	V 110 E or V 190 E	9,600 E	n/a	£169,940	£169,940
7S.165 Efficient	165/185	6T/6,600 E	V 110 M+E or V 190 M+E	9,600 E	n/a	£168,920	£168,920
7S.165 Exclusive	165/185	6T/6,600 E	V 110 E or V 190 E	9,600 E	n/a	£174,350	£174,350
7S.180 Efficient	180/210	6T/6,600 E	V 110 M+E or V 190 M+E	9,600 E	n/a	£176,460	£176,460
7S.180 Exclusive	180/210	6T/6,600 E	V 110 E or V 190 E	9,600 E	n/a	£181,890	£181,890
7S.190 Efficient	190/220	6T/6,600 E	V 110 M+E or V 190 M+E	9,600 E	n/a	£179,030	£179,030
7S.190 Exclusive	190/220	6T/6,600 E	V 110 E or V 190 E	9,600 E	n/a	£184,450	£184,450
7S.210 Efficient	210/220	6T/6,600 E	V 110 M+E or V 190 M+E	9,600 E	n/a	£181,280	£181,280
7S.210 Exclusive	210/220	6T/6,600 E	V 110 E or V 190 E	9,600 E	n/a	£186,700	£186,700

Note: Mechanical cab suspension standard on Efficient, optional on Essential. Active mechanical cab suspension standard on Exclusive, optional on Efficient. Front suspension standard on Dyna-VT models. Air trailer braking standard. 75.155 to 75.210 - 3,200kg front linkage £4,090, with pto £7,450; 75.180 to 75.210 - 4,000kg front linkage £5,380, with pto £8,740. Efficient adds seat-mounted control console with Multipad controller, cruise speed memories, audio upgrades, etc. Exclusive adds auto air conditioning, seat upgrade, active cab suspension, electrically-adjusted heated mirrors, radar and traction control, etc.

Massey Ferguson 7S tractors have Agco Power engines with SCR, DOC and SC for Euro Stage V emissions compliance. Highest power outputs are for pto and hydraulic applications, and transport operations above 6kph with full power from 18kph.

8S Dyna-7							
Transmission: Power Shutt	le 28x28/7				SS 40kph	PS 40kph	PS 50kph
8S.205 Efficient	205/225	6T/7,400 E	V 150 M+E or V 110 M+E or V 205 M+E or F+V 205 Eco M+E	10,000 E	n/a	£186,740	£187,220

Transmission Synchro or power shuttle,	Max power/ boost power	Engine Cylinders/	Hydraulics F - fixed-output gear pump;	Lift linkage Maximum lift (kg);	List price £ - synchro	List price £ - power	List price £ - power
ratios and powershift steps - the first configuration listed is standard	Maximum power for draft work/ maximum boost power available	volume; E - electronic fuel management	V - variable-output piston pump; main pump-output plus steering pump where fitted; M - mechanical spool valves; E - electric spool valves	M - mechanical draft control; E - electronic draft control	shuttle 30kph or 40kph	shuttle 40kph	shuttle 50kph 60kph or 70kph
8S.205 Exclusive	205/225	6T/7,400 E	V 150 E or V 110 E or V 205 E or F+V 205 Eco E	10,000 E	n/a	£201,700	£202,180
8S.225 Efficient	225/245	6T/7,400 E	V 150 M+E or V 110 M+E or V 205 M+E or F+V 205 Eco M+E	10,000 E	n/a	£191,870	£192,350
8S.225 Exclusive	225/245	6T/7,400 E	V 150 E or V 110 E or V 205 E or F+V 205 Eco E	10,000 E	n/a	£206,830	£207,310
8S.245 Efficient	245/265	6T/7,400 E	V 150 M+E or V 110 M+E or V 205 M+E or F+V 205 Eco M+E	10,000 E	n/a	£200,060	£200,540
8S.245 Exclusive	245/265	6T/7,400 E	V 150 E or V 110 E or V 205 E or F+V 205 Eco E	10,000 E	n/a	£215,020	£215,500
8S.265 Efficient	265/285	6T/7,400 E	V 150 M+E or V 110 M+E or V 205 M+E or F+V 205 Eco M+E	10,000 E	n/a	£205,190	£205,670
8S.265 Exclusive	265/285	6T/7,400 E	V 150 E or V 110 E or V 205 E or F+V 205 Eco E	10,000 E	n/a	£220,150	£220,630
Note: 150-litre/min hydraulic pu	ımp standard; 110	O-litre/min pump	optional -£780.				
8S Dyna E-Power							
Transmission: Power Shuttle 28	x28/28				SS 40kph	PS 40kph	PS 50kph
8S.205 Efficient	205/225	6T/7,400 E	V 150 M+E or V 110 M+E or V 205 M+E or V 205 Eco M+E	10,000 E	n/a	£190,410	£190,890
8S.205 Exclusive	205/225	6T/7,400 E	V 150 E or V 110 E or V 205 E or V 205 Eco E	10,000 E	n/a	£205,360	£205,840
8S.225 Efficient	225/245	6T/7,400 E	V 150 M+E or V 110 M+E or V 205 M+E or V 205 Eco M+E	10,000 E	n/a	£195,540	£196,020
8S.225 Exclusive	225/245	6T/7,400 E	V 150 E or V 110 E or V 205 E or V 205 Eco E	10,000 E	n/a	£210,490	£210,970
8S.245 Efficient	245/265	6T/7,400 E	V 150 M+E or V 110 M+E or V 205 M+E or V 205 Eco M+E	10,000 E	n/a	£203,730	£204,210
8S.245 Exclusive	245/265	6T/7,400 E	V 150 E or V 110 E or V 205 E or V 205 Eco E	10,000 E	n/a	£218,680	£219,160
8S.265 Efficient	265/285	6T/7,400 E	V 150 M+E or V 110 M+E or V 205 M+E or V 205 Eco M+E	10,000 E	n/a	£208,860	£209,340
8S.265 Exclusive	265/285	6T/7,400 E	V 150 E or V 110 E or V 205 E or V 205 Eco E	10,000 E	n/a	£223,810	£224,290
Note: 150-litre/min hydraulic pu	ımp standard; 110	O-litre/min pump	optional -£780.				
8S Dyna-VT Eco							
Transmission: Power Shuttle CV	/T				SS 40kph	PS 40kph	PS 50kph
8S.205 Exclusive	205/225	6T/7,400 E	V 205 E or F+V 205 Eco E	10,000 E	n/a	£220,740	£221,220
8S.225 Exclusive	225/245	6T/7,400 E	V 205 E or F+V 205 Eco E	10,000 E	n/a	£225,870	£226,350
8S.245 Exclusive	245/265	6T/7,400 E	V 205 E or F+V 205 Eco E	10,000 E	n/a	£234,060	£234,540
8S.265 Exclusive	265/285	6T/7,400 E	V 205 E or F+V 205 Eco E	10,000 E	n/a	£239,190	£239,670
8S.285 Exclusive	285/305	6T/7,400 E	V 205 E or F+V 205 Eco E	10,000 E	n/a	£244,320	£244,800
8S.305 Exclusive	305/ -	6T/7,400 E	V 205 E or F+V 205 Eco E	10,000 E	n/a	£246,570	£247,050
standard. Air trailer braking star SpeedSteer low ratio steering, r	ndard. 4,800kg f adar and tractio	fficient, optional c ront linkage £4,13 n control. Datatroi	on Exclusive. Active mechanical cab sus, 0, with pto £7,490. Exclusive adds auto nic 5 optional on Efficient £2,510, stand	air conditioning, seat ard on Exclusive. Fiels	exclusive, optional upgrade, electrica tar 5 terminal opt	ally-adjusted hea ional on all spec	ont axle suspension ated mirrors, at levels £2,210.
applications, and transport appl			, DOC, SCR and SC for Euro Stage V er t power from 18kph.	missions compliance. F	Highest power ou	tputs are for pto	and hydraulic
9 S Dyna-VT							
Transmission: Power Shuttle CV	/T				SS 30kph	PS 40kph	PS 50kph

9 S Dyna-VT							
Transmission: Power Shuttl	e CVT	SS 30kph	PS 40kph	PS 50kph			
9S.285 Exclusive	285/315	6T/8,400 E	F+V 205 E or V 340 E *	12,000 E	n/a	£267,060	£267,060
9S.310 Exclusive	310/340	6T/8,400 E	F+V 205 E or V 340 E *	12,000 E	n/a	£273,480	£273,480
9S.340 Exclusive	340/370	6T/8,400 E	F+V 205 E or V 340 E *	12,000 E	n/a	£281,170	£281,170
9S.370 Exclusive	370/400	6T/8,400 E	F+V 205 E or V 340 E *	12,000 E	n/a	£293,200	£293,200
9S.400 Exclusive	400/420	6T/8,400 E	F+V 205 E or V 340 E *	12,000 E	n/a	£299,450	£299,450
9S.425 Exclusive	425/ -	6T/8,400 E	F+V 205 E or V 340 E *	12,000 E	n/a	£302,980	£302,980

Note: Active mechanical cab suspension standard, Standard mechanical cab suspension optional. Front axle suspension standard. Air trailer braking standard. 5,000kg front linkage £6,130, with pto £9,490. Datatronic 5 terminal standard. Twin terminals (Datatronic 5 and Fieldstar 5) £4,030. * Hydraulic flow at 1,650rpm engine speed.

Massey Ferguson 9S tractors have Agco Power engines with EGR, DOC, SCR and SC for Euro Stage V emissions compliance. Highest power outputs for pto and hydraulic applications, and transport applications over 15kph, with full power available from 22kph.

MCCORMICK										
X2										
Transmission: Synchro Shuttle 16x16 creep, 12x12 SS 30kph PS 40kph PS 50kph										
X2.060	57/ -	3T/1,900	F 35+20 M	1,200 M	£38,450	n/a	n/a			
Note: Cab suspension	n/a, front axle suspens	sion n/a. 400kg fro	nt linkage £1,420, with pto r	a/a. Open platform ROPS versi	on available.					
McCormick X2 tractor	rs have Kohler KDI engi	ines with EGR, DOC	and DPF for Euro Stage V	emissions compliance.						
X4										
Transmission: Synchro	o Shuttle 24x24 or Pow	ver Shuttle 12x12			SS 40kph	PS 40kph	PS 50kph			
X4.060	61/ -	4T/2,482 E	F 52+30 M	3,000 M	£49,534	£51,602	n/a			
X4.070	68/ -	4T/2,482 E	F 52+30 M	3,000 M	£50,643	£52,728	n/a			

Transmission Synchro or power shuttle, ratios and powershift steps - the first configuration listed is standard	Max power/ boost power Maximum power for draft work/ maximum boost power available	Engine Cylinders/ volume; E - electronic fuel management	Hydraulics F - fixed-output gear pump; V - variable-output piston pump; main pump-output plus steering pump where fitted; M - mechanical spool valves; E - electric spool valves	Lift linkage Maximum lift (kg); M - mechanical draft control; E - electronic draft control	List price £ - synchro shuttle 30kph or 40kph	List price £ - power shuttle 40kph	List price £ - power shuttle 50kph, 60kph or 70kph
X4.080	75/ -	4T/2,482 E	F 52+30 M	3,000 M	£51,790	£53,906	n/a
	·	/ = . !! !	1 1 / 6 6 1 1 1 1 1				

Note: Cab suspension n/a, front axle suspension n/a. Front linkage and pto n/a (after-market options available). Open platform ROPS versions also available.

McCormick X4 Series tractors have Kohler KDI engines with EGR, DOC and DPF for Euro Stage V emissions compliance.

X4T							*NEW RANGE
Transmission: Synchro Shu	ıttle 16x8/2 or 16x	SS 40kph	PS 40kph	PS 50kph			
X4.085T	75/ -	4T/2,900 E	F 42+28 M or F 56+28+28 M	3,150 or 4,500 M	£poa	n/a	n/a
X4.095T	90/ -	4T/2,900 E	F 42+28 M or F 56+28+28 M	3,150 or 4,500 M	£poa	n/a	n/a
X4.105T	95/ -	4T/2,900 E	F 42+28 M or F 56+28+28 M	3,150 or 4,500 M	£poa	n/a	n/a
X4.110T	102/ -	4T/2,900 E	F 42+28 M or F 56+28+28 M	3,150 or 4,500 M	£poa	n/a	n/a
X4.120T	112/ -	4T/2,900 E	F 42+28 M or F 56+28+28 M	3,150 or 4,500 M	£poa	n/a	n/a

Note: McCormick X4T tractors run on two steel tracks. Cab suspension n/a, front axle transverse leaf spring suspension standard. Front linkage n/a. Open platform ROPS versions also available.

McCormick X4 T tractors have Deutz TCD 2.9 L4 HT engines with EGR, DOC and DPF for Euro Stage V emissions compliance.

X5							
Transmission: Synchro Shu 32x32/2 creep, 36x12/3 or		SS 40kph	PS 40kph	PS 50kph			
X5.085	75/ -	4T/3,400 E	F 56+32 M	3,900 M or E	£62,250	£63,700	n/a
Transmission: Synchro Shu	nsmission: Synchro Shuttle 12x12 or Power Shuttle 12x12, 24x24/2						PS 50kph
X5.100 Efficient	95/ -	4T/3,600 E	F 62+32 M	4,500 M	£75,450	£76,900	n/a
X5.110 Efficient	102/ -	4T/3,600 E	F 62+32 M	4,500 M	£77,750	£79,400	n/a
X5.120 Efficient	114/ -	4T/3,600 E	F 62+32 M	4,500 M	£79,100	£81,800	n/a
Transmission: Power Shutt	le 12x12, 24x24/2	or 36x12/3			SS 40kph	PS 40kph	PS 50kph
X5.100 Premium	95/ -	4T/3,600 E	F 62+32 or F 82+32 M or M+E	4,500 M or E	n/a	£78,800	n/a
X5.110 Premium	102/ -	4T/3,600 E	F 62+32 or F 82+32 M or M+E	4,500 M or E	n/a	£80,500	n/a
X5.120 Premium	114/ -	4T/3,600 E	F 62+32 or F 82+32 M or M+E	4,500 M or E	n/a	£82,800	n/a

When you need a contractor













- the first configuration listed is standard	Maximum power for	Engine Cylinders/ volume; E - electronic	Hydraulics F - fixed-output gear pump; V - variable-output piston pump; main pump-output plus steering	Lift linkage Maximum lift (kg); M - mechanical draft control:	£ - synchro shuttle 30kph or 40kph	List price £ - power shuttle 40kph	£ - power shuttle 50kph, 60kph or
	draft work/ maximum boost power available	fuel management	pump where fitted; M - mechanical spool valves; E - electric spool valves	E - electronic draft control	от 40крп	40крп	70kph
X5 P3-Drive							
Transmission: Power Shuttle 36x	12/3 or 48x16/	3 creep			SS 40kph	PS 40kph	PS 50kph
X5.100 Premium	95/ -	4T/3,600 E	F 62+32 or F 82+32 M or M+E	4,500 M or E	n/a	£83,417	n/a
X5.110 Premium	102/ -	4T/3,600 E	F 62+32 or F 82+32 M or M+E	4,500 M or E	n/a	£85,117	n/a
X5.120 Premium	114/ -	4T/3,600 E	F 62+32 or F 82+32 M or M+E	4,500 M or E	n/a	£87,417	n/a
£7,105. X5 P3-Drive transmission McCormick X5 Series tractors have	has robotised r	anges in addition i	085 - 1,600kg front linkage £4,380, wi to three powershift speeds, plus auto - F34 with EGR, DOC and DPF; X5.100	shifting modes for field	d and road.		
emissions compliance.							
Transmission: Power Shuttle 36x	12/3 //8×16/3 /	reen 12v12 16v16	creen		SS 40kph	PS 40kph	PS 50kph
X6.125	119/ -	4T/3,600 E	V 110+38 M or M+E or E	6,000 E	n/a	£90,050	£99,850
X6.135	126/ -	4T/3,600 E	V 110+38 M or M+E or E	6,000 E	n/a	£92,045	£102,350
			Okg front linkage £4,470, with pto £7,		1,74	132,043	2102,330
·			R, DOC, DPF and SCR for Euro Stage				
X6.4 P6-Drive			.,, ,				
Transmission: 24x24/6 or 40x40)/6 creep				SS 40kph	PS 40kph	PS 50kph
X6.413	125/135	4T/4,500 E	V 123 M or M+E or E	7,200 E	n/a	£105,845	£118,050
X6.414	135/145	4T/4,500 E	V 123 M or M+E or E	7,200 E	n/a	£107,650	£119,950
X6.415	145/155	4T/4,500 E	V 123 M or M+E or E	7,200 E	n/a	£109,450	£121,850
Note: 40kph - cab suspension sta	andard, front ax	xle suspension £8,	700; 50kph - cab and front axle suspe	nsion standard. 3,200k	kg front linkage £	3,920, with pto	£7,350.
and all pto applications.	rs have FPT NEP	F engines with DO	C, DPF and SCR for Euro Stage V emi	ssions compliance. Hig	hest power outpu	ıts are for transı	
X7 SWB Clever Cab P6-Drive	15/0 54 07/0				00.401.1		UPDATED RANGI
Transmission: Power Shuttle 30x			V 100 : F2 M == M : F	0.700 F	SS 40kph	PS 40kph	PS 50kph
X7.417 Premium	155/165	4T/4,500 E	V 160+52 M or M+E	9,300 E	n/a	£poa	£poa
X7.418 Premium X7.617 Premium	165/175	4T/4,500 E	V 160+52 M or M+E	9,300 E	n/a	£poa	£poa
	155/165	6T/6,700 E	V 160+52 M or M+E	9,300 E	n/a	£poa	£poa
	165/175				n/a	fnoa	fnoa
X7.618 Premium	165/175	6T/6,700 E	V 160+52 M or M+E 700 Air trailer braking £4.480, 50kph	9,300 E	n/a Ispension standar	£poa	£poa
X7.618 Premium	andard, front ax		V 160+52 M or M+E 700. Air trailer braking £4,480. 50kph	· ·			
X7.618 Premium Note: 40kph - cab suspension sta	andard, front ax			· ·			king standard.
X7.618 Premium Note: 40kph - cab suspension sta 3,200kg front linkage £3,920, wit	andard, front ax th pto £7,350.			· ·			king standard.
X7.618 Premium Note: 40kph - cab suspension sta 3,200kg front linkage £3,920, wit X7 SWB Clever Cab VT-Drive	andard, front ax th pto £7,350.			· ·	ispension standar	rd. Air trailer bra	king standard. UPDATED RANG
X7.618 Premium Note: 40kph - cab suspension sta 3,200kg front linkage £3,920, wit X7 SWB Clever Cab VT-Drive Transmission: Power Shuttle CVT	andard, front ax th pto £7,350.	xle suspension £8,7	700. Air trailer braking £4,480. 50kph	- cab and front axle su	ss 40kph	rd. Air trailer bra	uppated RANG PS 50kph
X7.618 Premium Note: 40kph - cab suspension sta 3,200kg front linkage £3,920, wit X7 SWB Clever Cab VT-Drive Transmission: Power Shuttle CV1 X7.418 Premium X7.618 Premium Note: 40kph - cab suspension sta	andard, front a) th pto £7,350. T 165/175	4T/4,500 E 6T/6,700 E	700. Air trailer braking £4,480. 50kph V 160+52 E	- cab and front axle su 9,300 E 9,300 E	SS 40kph n/a n/a	PS 40kph £poa	UPDATED RANG PS 50kph £poa £poa
X7.618 Premium Note: 40kph - cab suspension sta 3,200kg front linkage £3,920, wit X7 SWB Clever Cab VT-Drive Transmission: Power Shuttle CV1 X7.418 Premium X7.618 Premium Note: 40kph - cab suspension sta with pto £7,775.	andard, front a) th pto £7,350. T 165/175	4T/4,500 E 6T/6,700 E	700. Air trailer braking £4,480. 50kph V 160+52 E V 160+52 E	- cab and front axle su 9,300 E 9,300 E	SS 40kph n/a n/a	PS 40kph £poa	UPDATED RANG PS 50kph £poa £poa
X7.618 Premium Note: 40kph - cab suspension sta 3,200kg front linkage £3,920, wit X7 SWB Clever Cab VT-Drive Transmission: Power Shuttle CV1 X7.418 Premium X7.618 Premium Note: 40kph - cab suspension sta with pto £7,775.	andard, front a) th pto £7,350. T 165/175 165/175 andard, front a)	4T/4,500 E 6T/6,700 E xle suspension £6,	700. Air trailer braking £4,480. 50kph V 160+52 E V 160+52 E	- cab and front axle su 9,300 E 9,300 E	SS 40kph n/a n/a iler braking £4,48	PS 40kph £poa £poa £0. 3,500kg from	UPDATED RANG PS 50kph £poa £poa t linkage £4,360,
X7.618 Premium Note: 40kph - cab suspension sta 3,200kg front linkage £3,920, wit X7 SWB Clever Cab VT-Drive Transmission: Power Shuttle CV1 X7.418 Premium X7.618 Premium Note: 40kph - cab suspension sta with pto £7,775.	andard, front a) th pto £7,350. T 165/175 165/175 andard, front a)	4T/4,500 E 6T/6,700 E xle suspension £6,	700. Air trailer braking £4,480. 50kph V 160+52 E V 160+52 E 330. 50kph - cab and front axle suspe	9,300 E 9,300 E nsion standard. Air tra	SS 40kph n/a n/a iller braking £4,48	PS 40kph £poa £poa 0. 3,500kg from	uppated Rang PS 50kph £poa £poa t linkage £4,360, PS 50kph
X7.618 Premium Note: 40kph - cab suspension sta 3,200kg front linkage £3,920, wit X7 SWB Clever Cab VT-Drive Transmission: Power Shuttle CV1 X7.418 Premium X7.618 Premium Note: 40kph - cab suspension sta with pto £7,775. X7.6 LWB P6-Drive Transmission: Power Shuttle 30x	andard, front a) th pto £7,350. T 165/175 165/175 andard, front a)	4T/4,500 E 6T/6,700 E xle suspension £6,	700. Air trailer braking £4,480. 50kph V 160+52 E V 160+52 E	- cab and front axle su 9,300 E 9,300 E	SS 40kph n/a n/a iler braking £4,48	PS 40kph £poa £poa £0. 3,500kg from	UPDATED RANG PS 50kph £poa £poa t linkage £4,360,
X7.618 Premium Note: 40kph - cab suspension sta 3,200kg front linkage £3,920, wit X7 SWB Clever Cab VT-Drive Transmission: Power Shuttle CV1 X7.418 Premium X7.618 Premium Note: 40kph - cab suspension sta with pto £7,775. X7.6 LWB P6-Drive Transmission: Power Shuttle 30x X7.620 Efficient	andard, front a) th pto £7,350. T 165/175 165/175 andard, front a)	4T/4,500 E 6T/6,700 E x/e suspension £6,	V 160+52 E V 160+52 E 330. 50kph - cab and front axle suspe	9,300 E 9,300 E nsion standard. Air tra	SS 40kph n/a n/a iler braking £4,48 SS 40kph n/a	PS 40kph £poa £poa 0. 3,500kg from PS 40kph	uppated Rang PS 50kph £poa £poa t linkage £4,360, PS 50kph £56,650
X7.618 Premium Note: 40kph - cab suspension sta 3,200kg front linkage £3,920, wit X7 SWB Clever Cab VT-Drive Transmission: Power Shuttle CV1 X7.418 Premium X7.618 Premium Note: 40kph - cab suspension sta with pto £7,775. X7.6 LWB P6-Drive Transmission: Power Shuttle 30x X7.620 Efficient X7.620 Premium	andard, front a) th pto £7,350. T 165/175 165/175 andard, front a) (15/6, 54x27/6 o 180/190	4T/4,500 E 6T/6,700 E x/e suspension £6,500 Creep 6T/6,700 E 6T/6,700 E	V 160+52 E V 160+52 E 330. 50kph - cab and front axle suspe	9,300 E 9,300 E nsion standard. Air trai	SS 40kph n/a n/a iller braking £4,48 SS 40kph n/a n/a	PS 40kph £poa £poa 20. 3,500kg from PS 40kph £150,750 £160,900	PS 50kph £156,650 £171,450
X7.618 Premium Note: 40kph - cab suspension sta 3,200kg front linkage £3,920, wit X7 SWB Clever Cab VT-Drive Transmission: Power Shuttle CV1 X7.418 Premium X7.618 Premium Note: 40kph - cab suspension sta with pto £7,775. X7.6 LWB P6-Drive Transmission: Power Shuttle 30x X7.620 Efficient X7.621 Efficient	andard, front a) th pto £7,350. T 165/175 165/175 andard, front a) (15/6, 54x27/6 of 180/190 180/190 200/210	4T/4,500 E 6T/6,700 E x/e suspension £6,500 Creep 6T/6,700 E 6T/6,700 E 6T/6,700 E	V 160+52 E V 160+52 E V 160+52 E V 160+54 E V 123+44 M+E or V 160+44 M+E V 123+44 M+E or V 160+44 M+E	9,300 E 9,300 E nsion standard. Air trai	SS 40kph n/a n/a iller braking £4,48 SS 40kph n/a n/a n/a n/a	PS 40kph £poa £poa 20. 3,500kg from PS 40kph £150,750 £160,900 £155,800	PS 50kph £156,650 £171,450
X7.618 Premium Note: 40kph - cab suspension sta 3,200kg front linkage £3,920, wit X7 SWB Clever Cab VT-Drive Transmission: Power Shuttle CV1 X7.418 Premium X7.618 Premium Note: 40kph - cab suspension sta with pto £7,775. X7.6 LWB P6-Drive Transmission: Power Shuttle 30x X7.620 Efficient X7.621 Efficient X7.621 Premium	andard, front a) th pto £7,350. T 165/175 165/175 andard, front a) (15/6, 54x27/6 of 180/190 180/190 200/210 200/210	4T/4,500 E 6T/6,700 E x/e suspension £6,500 Creep 6T/6,700 E 6T/6,700 E 6T/6,700 E 6T/6,700 E	V 160+52 E V 160+52 E V 160+52 E 330. 50kph - cab and front axle suspe V 123+44 M+E or V 160+44 M+E V 160+44 E V 123+44 M+E or V 160+44 M+E	9,300 E 9,300 E 9,300 E nsion standard. Air train 6,300 or 9,300 E 9,300 E 6,300 or 9,300 E 9,300 E	SS 40kph n/a n/a iller braking £4,48 SS 40kph n/a n/a n/a n/a n/a n/a	PS 40kph £poa £poa 0. 3,500kg from PS 40kph £150,750 £160,900 £155,800 £166,025	PS 50kph £156,650 £176,550
X7.618 Premium Note: 40kph - cab suspension sta 3,200kg front linkage £3,920, wit X7 SWB Clever Cab VT-Drive Transmission: Power Shuttle CVT X7.418 Premium X7.618 Premium Note: 40kph - cab suspension sta with pto £7,775. X7.6 LWB P6-Drive Transmission: Power Shuttle 30x X7.620 Efficient X7.620 Premium X7.621 Efficient X7.623 Efficient X7.623 Premium Note: Efficient 40kph - mechanic cab suspension standard, semi-accab suspension stand	andard, front as th pto £7,350. T 165/175 165/175 andard, front as (15/6, 54x27/6 of 180/190 200/210 200/210 215/225 215/225 cal cab suspensactive hydraulic	4T/4,500 E 6T/6,700 E	V 160+52 E V 160+52 E V 160+52 E V 160+54 E V 123+44 M+E or V 160+44 M+E V 160+44 E V 160+44 E V 160+44 E V 123+44 M+E or V 160+44 M+E	9,300 E 9,300 E 9,300 E nsion standard. Air trai 6,300 or 9,300 E 9,300 E 6,300 Air tra	SS 40kph n/a n/a iller braking £4,48 SS 40kph n/a	PS 40kph £poa £poa 60. 3,500kg from PS 40kph £150,750 £160,900 £155,800 £166,025 £160,950 £171,200 80. Efficient 50k-mechanical ca	PS 50kph £poa £poa £ linkage £4,360, PS 50kph £156,650 £171,450 £161,600 £176,550 £181,995 £kph - mechanical
X7.618 Premium Note: 40kph - cab suspension sta 3,200kg front linkage £3,920, wit X7 SWB Clever Cab VT-Drive Transmission: Power Shuttle CVT X7.418 Premium X7.618 Premium Note: 40kph - cab suspension sta with pto £7,775. X7.6 LWB P6-Drive Transmission: Power Shuttle 30x X7.620 Efficient X7.620 Premium X7.621 Efficient X7.623 Fficient X7.623 Premium Note: Efficient 40kph - mechanic cab suspension standard, semi-active hydraulic £ standa	andard, front as th pto £7,350. T 165/175 165/175 andard, front as (15/6, 54x27/6 of 180/190 200/210 200/210 215/225 215/225 cal cab suspensactive hydraulic	4T/4,500 E 6T/6,700 E	V 160+52 E V 160+52 E V 160+52 E V 160+52 E 330. 50kph - cab and front axle suspe V 123+44 M+E or V 160+44 M+E V 160+44 E V 123+44 M+E or V 160+44 M+E V 160+44 E V 123+44 M+E or V 160+44 M+E V 160+44 E V 160+44 E -active hydraulic £2,679, front axle suspension standard. Air trailer brakin	9,300 E 9,300 E 9,300 E nsion standard. Air trai 6,300 or 9,300 E 9,300 E 6,300 Air tra	SS 40kph n/a n/a iller braking £4,48 SS 40kph n/a	PS 40kph £poa £poa 60. 3,500kg from PS 40kph £150,750 £160,900 £155,800 £166,025 £160,950 £171,200 80. Efficient 50k-mechanical ca	PS 50kph £156,650 £171,450 £166,850 £181,995 £ph we supersion cification includes
X7.618 Premium Note: 40kph - cab suspension sta 3,200kg front linkage £3,920, wit X7 SWB Clever Cab VT-Drive Transmission: Power Shuttle CVT X7.418 Premium X7.618 Premium Note: 40kph - cab suspension sta with pto £7,775. X7.6 LWB P6-Drive Transmission: Power Shuttle 30x X7.620 Efficient X7.620 Premium X7.621 Efficient X7.623 Ferenium Note: Efficient 40kph - mechanic cab suspension standard, semi-active hydraulic £ armrest controls and display.	andard, front as th pto £7,350. T 165/175 165/175 andard, front as (15/6, 54x27/6 of 180/190 200/210 200/210 215/225 215/225 cal cab suspensactive hydraulic	4T/4,500 E 6T/6,700 E	V 160+52 E V 160+52 E V 160+52 E V 160+52 E 330. 50kph - cab and front axle suspe V 123+44 M+E or V 160+44 M+E V 160+44 E V 123+44 M+E or V 160+44 M+E V 160+44 E V 123+44 M+E or V 160+44 M+E V 160+44 E V 160+44 E -active hydraulic £2,679, front axle suspension standard. Air trailer brakin	9,300 E 9,300 E 9,300 E nsion standard. Air trai 6,300 or 9,300 E 9,300 E 6,300 Air tra	SS 40kph n/a n/a iller braking £4,48 SS 40kph n/a	PS 40kph £poa £poa 60. 3,500kg from PS 40kph £150,750 £160,900 £155,800 £166,025 £160,950 £171,200 80. Efficient 50k-mechanical ca	PS 50kph £156,650 £171,450 £166,850 £181,995 £qph - mechanical ob suspension cification includes
X7.618 Premium Note: 40kph - cab suspension sta 3,200kg front linkage £3,920, wit X7 SWB Clever Cab VT-Drive Transmission: Power Shuttle CVT X7.418 Premium X7.618 Premium Note: 40kph - cab suspension sta with pto £7,775. X7.6 LWB P6-Drive Transmission: Power Shuttle 30x X7.620 Efficient X7.620 Premium X7.621 Efficient X7.623 Feficient X7.623 Fremium Note: Efficient 40kph - mechanic cab suspension standard, semi-ac standard, semi-ac standard, semi-ac standard, semi-active hydraulic £ armrest controls and display.	andard, front as th pto £7,350. T 165/175 165/175 andard, front as (15/6, 54x27/6 of 180/190 200/210 200/210 200/210 215/225 215/225 2215/225 2215/225 2216/29, front axis	4T/4,500 E 6T/6,700 E	V 160+52 E V 160+52 E V 160+52 E V 160+52 E 330. 50kph - cab and front axle suspe V 123+44 M+E or V 160+44 M+E V 160+44 E V 123+44 M+E or V 160+44 M+E V 160+44 E V 123+44 M+E or V 160+44 M+E V 160+44 E V 160+44 E -active hydraulic £2,679, front axle suspension standard. Air trailer brakin	9,300 E 9,300 E 9,300 E nsion standard. Air trai 6,300 or 9,300 E 9,300 E 6,300 Air tra	SS 40kph n/a n/a iller braking £4,48 SS 40kph n/a	PS 40kph £poa £poa 60. 3,500kg from PS 40kph £150,750 £160,900 £155,800 £166,025 £160,950 £171,200 80. Efficient 50k-mechanical ca	PS 50kph £156,650 £171,450 £166,850 £181,995 £qph - mechanical ob suspension cification includes
X7.618 Premium Note: 40kph - cab suspension sta 3,200kg front linkage £3,920, wit X7 SWB Clever Cab VT-Drive Transmission: Power Shuttle CVT X7.418 Premium X7.618 Premium Note: 40kph - cab suspension sta with pto £7,775. X7.6 LWB P6-Drive Transmission: Power Shuttle 30x X7.620 Efficient X7.620 Premium X7.621 Efficient X7.623 Fremium Note: Efficient 40kph - mechanic cab suspension standard, semi-active hydraulic £ armrest controls and display. X7.62 LWB Clever Cab VT-Drive X7.623	andard, front as th pto £7,350. T 165/175 165/175 andard, front as (15/6, 54x27/6 of 180/190 200/210 200/210 200/210 215/225 215/225 2215/225 2215/225 2216/29, front axis	4T/4,500 E 6T/6,700 E	V 160+52 E V 160+52 E V 160+52 E V 160+52 E 330. 50kph - cab and front axle suspe V 123+44 M+E or V 160+44 M+E V 160+44 E V 123+44 M+E or V 160+44 M+E V 160+44 E V 123+44 M+E or V 160+44 M+E V 160+44 E V 160+44 E -active hydraulic £2,679, front axle suspension standard. Air trailer brakin	9,300 E 9,300 E 9,300 E nsion standard. Air trai 6,300 or 9,300 E 9,300 E 6,300 Air tra	SS 40kph n/a n/a iller braking £4,48 SS 40kph n/a	PS 40kph £poa £poa 0. 3,500kg from PS 40kph £150,750 £160,900 £155,800 £166,025 £160,950 £171,200 8- mechanical cao 0. Premium spec	PS 50kph £poa £poa t linkage £4,360, PS 50kph £156,650 £171,450 £161,600 £176,550 £166,850 £181,995 ckph - mechanical bis suspension cification includes UPDATED RANGI
X7.618 Premium Note: 40kph - cab suspension sta 3,200kg front linkage £3,920, wit X7 SWB Clever Cab VT-Drive Transmission: Power Shuttle CVT X7.418 Premium X7.618 Premium Note: 40kph - cab suspension sta with pto £7,775. X7.6 LWB P6-Drive Transmission: Power Shuttle 30x X7.620 Efficient X7.620 Premium X7.621 Efficient X7.621 Premium X7.623 Fremium Note: Efficient 40kph - mechanic cab suspension standard, semi-ac standard, semi-ac standard, semi-ac standard, semi-active hydraulic £ armrest controls and display. X7.623 Transmission: Power Shuttle CVT	andard, front as th pto £7,350. T 165/175 165/175 andard, front as (15/6, 54x27/6 of 180/190 180/190 200/210 200/210 200/210 215/225 215/225 cal cab suspens, ctive hydraulic at 2,679, front axis	4T/4,500 E 6T/6,700 E	V 160+52 E V 160+52 E V 160+52 E 330. 50kph - cab and front axle suspe V 123+44 M+E or V 160+44 M+E V 160+44 E V 123+44 M+E or V 160+44 M+E V 160+44 E V 123+44 M+E or V 160+44 M+E V 160+44 E	9,300 E 9,300 E 9,300 E nsion standard. Air train 6,300 or 9,300 E 9,300 E 6,300 or 9,300 E 9,300 E 6,300 or 9,300 E 9,300 E 9,300 E spension £6,330. Air train Okg front linkage £5,84	SS 40kph n/a n/a iller braking £4,48 SS 40kph n/a	PS 40kph £poa £poa 0. 3,500kg from PS 40kph £150,750 £160,900 £155,800 £166,025 £160,950 £171,200 80. Premium spec	PS 50kph £156,650 £171,450 £166,850 £181,995 £cph - mechanical ab suspension cification includes UPDATED RANG DISCONTINUEL PS 50kph
X7.618 Premium Note: 40kph - cab suspension sta 3,200kg front linkage £3,920, wit X7 SWB Clever Cab VT-Drive Transmission: Power Shuttle CV1 X7.418 Premium X7.618 Premium Note: 40kph - cab suspension sta with pto £7,775. X7.6 LWB P6-Drive Transmission: Power Shuttle 30x X7.620 Efficient X7.620 Premium X7.621 Efficient X7.623 Premium Note: Efficient 40kph - mechanic cab suspension standard, semi-active hydraulic £ armrest controls and display. X7.623 Transmission: Power Shuttle CV1 X7.621 Premium X7.624 Premium X7.624 Premium Note: Mechanical cab suspension £9,180. Premium specification inc.	andard, front a) th pto £7,350. T 165/175 165/175 165/175 andard, front a) (15/6, 54x27/6 o 180/190 180/190 200/210 200/210 200/210 215/225 215/225 2al cab suspensictive hydraulic a 2,679, front axis T 200/210 230/240 a standard, semicludes seat-modules seat-modules and standard, semicludes and standard, semicludes seat-modules and standard, semicludes and standard, semicludes seat-modules and standard semicludes and semicludes and semicludes and semicludes and semi	4T/4,500 E 6T/6,700 E	V 160+52 E V 160+52 E V 160+52 E V 160+52 E 330. 50kph - cab and front axle suspections V 123+44 M+E or V 160+44 M+E V 160+44 E V 123+44 M+E or V 160+44 M+E V 160+44 E V 160+44 E	9,300 E 9,300 E 9,300 E nsion standard. Air trai 6,300 or 9,300 E 9,300 E spension £6,330. Air tra g standard. Premium 4 Okg front linkage £5,84	SS 40kph n/a n/a n/a iller braking £4,48 SS 40kph n/a	PS 40kph £poa £poa 0. 3,500kg from PS 40kph £150,750 £160,900 £155,800 £166,025 £160,950 £171,200 80. Efficient 50k - mechanical ca 0. Premium spec	PS 50kph £poa £poa t linkage £4,360, PS 50kph £156,650 £171,450 £161,600 £176,550 £166,850 £181,995 kph - mechanical b suspension cification includes UPDATED RANG DISCONTINUEL PS 50kph £poa £poa 840, with pto
X7.618 Premium Note: 40kph - cab suspension sta 3,200kg front linkage £3,920, wit X7 SWB Clever Cab VT-Drive Transmission: Power Shuttle CVT X7.418 Premium X7.618 Premium Note: 40kph - cab suspension sta with pto £7,775. X7.6 LWB P6-Drive Transmission: Power Shuttle 30x X7.620 Efficient X7.620 Premium X7.621 Efficient X7.623 Premium Note: Efficient 40kph - mechanic cab suspension standard, semi-as standard, semi-as standard, semi-active hydraulic £ armrest controls and display. X7.6 LWB Clever Cab VT-Drive X7.623 Transmission: Power Shuttle CVT X7.621 Premium X7.624 Premium Note: Mechanical cab suspension £9,180. Premium specification ince McCormick X7.4 and X7.6 tractors emissions compliance. Highest potential in the suspension of the suspension compliance. Highest potential in the suspension of the suspension compliance. Highest potential in the suspension of the suspension compliance. Highest potential in the suspension of the suspension compliance. Highest potential in the suspension compliance.	andard, front a) th pto £7,350. T 165/175 165/175 andard, front a) 180/190 180/190 200/210 200/210 2015/225 215/225 2al cab suspensictive hydraulic a; 2,679, front axis	4T/4,500 E 6T/6,700 E ion standard, semi£2,880, front axle e suspension stander standard. 6T/6,700 E	V 160+52 E V 160+52 E V 160+52 E V 160+52 E 330. 50kph - cab and front axle suspe V 123+44 M+E or V 160+44 M+E V 160+44 E V 123+44 M+E or V 160+44 M+E V 160+44 E V 160+44 E V 160+44 E -active hydraulic £2,679, front axle suspension standard. Air trailer brakin dard. Air trailer brakin glard. Air trailer brakin glard. Air trailer braking standard. 3,50 V 160+44 E V 160+44 E V 160+44 E V 160+44 E	9,300 E 9,300 E 9,300 E nsion standard. Air trai 6,300 or 9,300 E 9,300 E spension £6,330. Air trai g standard. Premium 4 Okg front linkage £5,84	SS 40kph n/a n/a n/a iller braking £4,48 SS 40kph n/a	PS 40kph £poa £poa 0. 3,500kg from PS 40kph £150,750 £160,900 £155,800 £166,025 £160,950 £171,200 80. Efficient 50k - mechanical ca 0. Premium spec	PS 50kph £poa £poa t linkage £4,360, PS 50kph £156,650 £171,450 £161,600 £176,550 £166,850 £181,995 kph - mechanical b suspension cification includes UPDATED RANG DISCONTINUEL PS 50kph £poa £poa 840, with pto
X7.618 Premium Note: 40kph - cab suspension sta 3,200kg front linkage £3,920, wit X7 SWB Clever Cab VT-Drive Transmission: Power Shuttle CVT X7.418 Premium X7.618 Premium Note: 40kph - cab suspension sta with pto £7,775. X7.6 LWB P6-Drive Transmission: Power Shuttle 30x X7.620 Efficient X7.620 Premium X7.621 Efficient X7.623 Premium Note: Efficient 40kph - mechanic cab suspension standard, semi-austandard, semi-austandard, semi-austandard, semi-austandard, semi-austandard, semi-austandard, semi-austandard, semi-sustandard, semi-sustanda	andard, front as th pto £7,350. T 165/175 165/175 andard, front as th pto £7,350. A 15/6, 54x27/6 of 180/190 180/190 200/210 200/210 200/210 215/225 215/225 215/225 216/29, front asked the hydraulic as the hy	4T/4,500 E 6T/6,700 E ion standard, semi£2,880, front axle e suspension stander standard. 6T/6,700 E	V 160+52 E V 160+52 E V 160+52 E V 160+52 E 330. 50kph - cab and front axle suspections V 123+44 M+E or V 160+44 M+E V 160+44 E V 123+44 M+E or V 160+44 M+E V 160+44 E V 123+44 M+E or V 160+44 M+E V 160+44 E C-active hydraulic £2,679, front axle suspension standard. Air trailer brakin slard. Air trailer braking standard. 3,50 V 160+44 E O 160+44 E V 160+44 E	9,300 E 9,300 E 9,300 E nsion standard. Air trai 6,300 or 9,300 E 9,300 E spension £6,330. Air trai g standard. Premium 4 Okg front linkage £5,84	SS 40kph n/a n/a n/a siler braking £4,48 SS 40kph n/a	PS 40kph £poa £poa 60. 3,500kg from PS 40kph £150,750 £160,900 £155,800 £166,025 £160,950 £171,200 80. Efficient 50k - mechanical ca 0. Premium spec	PS 50kph £poa £poa £linkage £4,360, PS 50kph £156,650 £171,450 £161,600 £176,550 £166,850 £181,995 kph - mechanical ab suspension cification includes UPDATED RANG DISCONTINUEL PS 50kph £poa £poa £40, with pto
X7.618 Premium Note: 40kph - cab suspension sta 3,200kg front linkage £3,920, wit X7 SWB Clever Cab VT-Drive Transmission: Power Shuttle CV1 X7.418 Premium X7.618 Premium Note: 40kph - cab suspension sta with pto £7,775. X7.6 LWB P6-Drive Transmission: Power Shuttle 30x X7.620 Efficient X7.620 Premium X7.621 Efficient X7.623 Premium Note: Efficient 40kph - mechanic cab suspension standard, semi-austandard, semi-austandard, semi-austandard, semi-austandard, semi-austandard, semi-sustandard, semi-sustanda	andard, front as th pto £7,350. T 165/175 165/175 andard, front as th pto £7,350. Also, 190 180/190 200/210 200/210 2015/225 215/225 215/225 216/29, front ask T 200/210 230/240 a standard, semulated seat-moust have FPT NEFower outputs as the pto £1,000 as the power outputs as the pto £1,000 as the power outputs as the pto £1,000 as the power outputs as the pto £1,000	4T/4,500 E 6T/6,700 E ion standard, semi £2,880, front axle e suspension stander \$\frac{2}{2}\$\$ (\$\frac{1}{2}\$\$), \$\frac{1}{2}\$\$ (\$\frac{1}\$\$), \$\frac{1}{2}\$\$), \$\frac{1}{2}\$\$ (\$\frac{1}{2}\$\$), \$\frac{1}{2}\$\$), \$\frac{1}{2}\$\$ (\$\frac{1}{2}\$\$), \$\frac{1}{2}\$\$), \$\frac{1}{2}\$\$ (\$\frac{1}{2}\$\$), \$\frac{1}{2}\$\$), \$\frac{1}{2}\$\$ (\$\f	V 160+52 E V 160+52 E V 160+52 E V 160+52 E 330. 50kph - cab and front axle suspension standard. Air trailer braking £4,480. 50kph V 123+44 M+E or V 160+44 M+E V 160+44 E V 123+44 M+E or V 160+44 M+E V 160+44 E V-active hydraulic £2,679, front axle suspension standard. Air trailer braking standard. 3,50 V 160+44 E	9,300 E 9,300 E 9,300 E 6,300 or 9,300 E 9,300 E Spension £6,330. Air trages transported to the second se	SS 40kph n/a n/a n/a siler braking £4,48 SS 40kph n/a	PS 40kph £poa £poa 60. 3,500kg from PS 40kph £150,750 £160,900 £155,800 £166,025 £160,950 £171,200 80. Efficient 50k - mechanical ca 00. Premium spec PS 40kph n/a n/a ront linkage £5,8 and SCRoF for E	PS 50kph £poa £poa £poa £linkage £4,360, PS 50kph £156,650 £171,450 £161,600 £176,550 £166,850 £181,995 £ph - mechanical ab suspension cification includes UPDATED RANG DISCONTINUEL PS 50kph £poa £poa £40, with pto Euro Stage V PS 50kph
X7.618 Premium Note: 40kph - cab suspension sta 3,200kg front linkage £3,920, wit X7 SWB Clever Cab VT-Drive Transmission: Power Shuttle CVT X7.418 Premium X7.618 Premium Note: 40kph - cab suspension sta with pto £7,775. X7.6 LWB P6-Drive Transmission: Power Shuttle 30x X7.620 Efficient X7.620 Premium X7.621 Efficient X7.623 Premium Note: Efficient 40kph - mechanic cab suspension standard, semi-austandard, semi-austandard, semi-austandard, semi-austandard, semi-austandard, semi-austandard, semi-austandard, semi-sustandard, semi-sustanda	andard, front as th pto £7,350. T 165/175 165/175 andard, front as th pto £7,350. A 15/6, 54x27/6 of 180/190 180/190 200/210 200/210 200/210 215/225 215/225 215/225 216/29, front asked the hydraulic as the hy	4T/4,500 E 6T/6,700 E ion standard, semi£2,880, front axle e suspension stander standard. 6T/6,700 E	V 160+52 E V 160+52 E V 160+52 E V 160+52 E 330. 50kph - cab and front axle suspections V 123+44 M+E or V 160+44 M+E V 160+44 E V 123+44 M+E or V 160+44 M+E V 160+44 E V 123+44 M+E or V 160+44 M+E V 160+44 E C-active hydraulic £2,679, front axle suspension standard. Air trailer brakin slard. Air trailer braking standard. 3,50 V 160+44 E O 160+44 E V 160+44 E	9,300 E 9,300 E 9,300 E nsion standard. Air trai 6,300 or 9,300 E 9,300 E spension £6,330. Air trai g standard. Premium 4 Okg front linkage £5,84	SS 40kph n/a n/a n/a siler braking £4,48 SS 40kph n/a	PS 40kph £poa £poa 60. 3,500kg from PS 40kph £150,750 £160,900 £155,800 £166,025 £160,950 £171,200 80. Efficient 50k - mechanical ca 0. Premium spec	PS 50kph £poa £poa £linkage £4,360, PS 50kph £156,650 £171,450 £161,600 £176,550 £166,850 £181,995 kph - mechanical ab suspension cification includes UPDATED RANG DISCONTINUEL PS 50kph £poa £poa £40, with pto

Transmission
Synchro or power shuttle,
ratios and powershift steps
- the first configuration listed
is standard

Max power/ boost powe Maximum power for draft work/ maximum boost powe available Engine
Cylinders/
volume;
E - electronic
fuel
management

Hydraulics
F - fixed-output gear pump;
V - variable-output piston pump;
main pump-output plus steering
pump where fitted;
M - mechanical spool valves;
E - electric spool valves

Lift linkage
Maximum lift (kg);
M - mechanical
draft control;
E - electronic draft
control

List price £ - synchro shuttle 30kph or 40kph

List price £ - power shuttle 40kph List price £ - power shuttle 50kph, 60kph or 70kph

NEW HOLLAND

T4s							
Transmission: Synchro	o Shuttle 8x8, 12x12, 20	0x20 creep or Powe	er Shuttle 12x12, 20x20 cre	eep	SS 40kph	PS 40kph	PS 50kph
T4s.55	55/ -	3T/2,930 E	F 48+29 M	3,000 M	£45,938	£48,440	n/a
T4s.65	65/ -	3T/2,930 E	F 48+29 M	3,000 M	£46,792	£49,294	n/a
T4s.75	75/ -	3T/2,930 E	F 48+29 M	3,000 M	£47,836	£50,338	n/a
Note: Cab suspension	n/a front aylo suspon	sion n/a Front linka	go n/a Hydraulic trailor br	sking standard. Air conditioning	C1 977 2wd vorsion	ac (SS 8v8 anly) a	also available

Note: Cab suspension n/a, front axle suspension n/a. Front linkage n/a. Hydraulic trailer braking standard. Air conditioning £1,877. 2wd versions (SS 8x8 only) also available.

New Holland T4 S tractors have FPT S8000 engines with DOC and SCRoF for Euro Stage V emissions compliance.

T4							
Transmission: Synchro Sh	uttle 12x12, 20x20	or Power Shuttle 12	x12, 20x20		SS 40kph	PS 40kph	PS 50kph
T4.55	58/ -	4T/3,400 E	F 49+27 M	2,760 M	£52,896	£55,398	n/a
T4.65	65/ -	4T/3,400 E	F 49+27 M	2,760 M	£54,298	£56,800	n/a
T4.75	75/ -	4T/3,400 E	F 49+27 M	2,760 M	£55,342	£57,844	n/a

Note: Cab suspension n/a, front axle suspension n/a. Front linkage n/a. Hydraulic trailer braking standard. Air conditioning £2,093. 2wd (SS 12x12 / PS 12x12) and open platform ROPS versions also available.

New Holland T4 tractors have FPT F5C engines with DOC and DPF for Euro Stage V emissions compliance.

T5 S							
Transmission: Synchro S	huttle 12x12, 20x20	creep or Power Shu	uttle 12x12, 20x20 creep		SS 40kph	PS 40kph	PS 50kph
T5.90S	90/ -	4T/3,600 E	F 82+37 M	4,400 M	£60,659	£63,866	n/a
T5.100S	100/ -	4T/3,600 E	F 82+37 M	4,400 M	£63,570	£66,777	n/a

Note: Cab suspension n/a, front axle suspension n/a. Hydraulic trailer braking standard. 1,700kg front linkage £3,723, with pto £6,396. Air conditioning £1,403. 2wd and open platform ROPS versions available.

T5 Utility Powershuttle	e						DISCONTINUED
T5 Dual Command							UPGRADED SERIES
Transmission: Power S	huttle 24x24/2 or 40x	40/2 creep			SS 40kph	PS 40kph	PS 50kph
T5.80	80/ -	4T/3,600 E	F 82+37 M	4,700 M or E	n/a	£76,058	n/a
T5.90	90/ -	4T/3,600 E	F 82+37 M	4,700 M or E	£tbc	£78,876	n/a
T5.100	100/ -	4T/3,600 E	F 82+37 M	4,700 M or E	£tbc	£81,876	n/a



Transmission Synchro or power shuttle, ratios and powershift steps - the first configuration listed s standard	Max power/ boost power Maximum power for draft work/ maximum	Engine Cylinders/ volume; E - electronic fuel management	Hydraulics F - fixed-output gear pump; V - variable-output piston pump; main pump-output plus steering pump where fitted; M - mechanical spool valves;	Lift linkage Maximum lift (kg); M - mechanical draft control; E - electronic draft control	List price £ - synchro shuttle 30kph or 40kph	List price £ - power shuttle 40kph	List price £ - power shuttle 50kp 60kph or 70kph
	boost power available		E - electric spool valves				
Γ5.100 1.5	100/ -	4T/3,600 E	F 82+37 M	4,700 M or E	n/a	£83,038	n/a
5.110	110/ -	4T/3,600 E	F 82+37 M	4,700 M or E	£tbc	£84,783	n/a
5.110 1.5	110/ -	4T/3,600 E	F 82+37 M	4,700 M or E	n/a	£85,945	n/a
5.120	117/ -	4T/3,600 E	F 82+37 M	4.700 M or E	n/a	£87.690	n/a
5.120 1.5	117/ -	4T/3,600 E	F 82+37 M	4,700 M or E	n/a	£88,852	n/a
Steer front axle and open platfo permitted gross vehicle weight.	orm ROPS versio	ns of standard mo	rning SuperSteer axle available. 2,250, odels available; '1.5' versions have heav, with EGR, DOC, DPF and SCR for Euro	y duty front axle with l	ocking differentia		
5 Electro Command	nave FFT F5 Ser	les F30 erigiries W	itil Edk, DOC, DFF and SCK for Editor	Stage v emissions com	рнансе.		
ransmission: Power Shuttle 16:	v16/4 72v72/4				SS 40kph	PS 40kph	PS 50kph
		4T/7 600 F	F 90 147 M ov F	F 420 F	•		
5.100	101/ -	4T/3,600 E	F 80+43 M or E	5,420 E	n/a	£89,053	n/a
5.110	110/ -	4T/3,600 E	F 80+43 M or E	5,420 E	n/a	£91,528	n/a
5.120	117/ -	4T/3,600 E	F 80+43 M or E	5,420 E	n/a	£94,833	n/a
	-		front linkage with mid-mount valves #	-			
	and tractors have	e FPT F5 Series F3	66 engines with EGR, DOC, DPF and S	CR for Euro Stage V en	nissions compliar	nce.	
5 Dynamic Command							
ransmission: Power Shuttle 24	x24/8				SS 40kph	PS 40kph	PS 50kph
5.110 SideWinder II	110/ -	4T/4,500 E	V 110+36 M or E	5,500 E	n/a	£103,067	n/a
5.120 SideWinder II	120/ -	4T/4,500 E	V 110+36 M or E	5,500 E	n/a	£105,656	n/a
5.130 SideWinder II	130/ -	4T/4,500 E	V 110+36 M or E	5,500 E	n/a	£109,706	n/a
5.140 SideWinder II	140/ -	4T/4,500 E	V 110+36 M or E	5,500 E	n/a	£113,248	n/a
lote: Cab suspension standard,	front axle suspe	ension £4,940. 2,2	50kg front linkage £3,253, with pto £6	5,631.			
5 Auto Command							
ransmission: Power Shuttle CV	/T				SS 40kph	PS 40kph	PS 50kph
5.140 SideWinder II	140/ -	4T/4,500 E	V 110+36 M or E	5,500 E	n/a	£122,015	n/a
Note: Cab suspension standard.	front axle susp	ension £4.940, 2.2.	50kg front linkage £3,253, with pto £6	5.6.31.		·	· · ·
New Holland T5 Dvnamic Comn	nand and AutoC	ommand tractors	have FPT NEF engines with SCR for E	uro Stage V emissions	compliance.		
6 Electro Command	Traine arrain late o		nave , , , , , , , , enginee , , , a, , ee, , , et	are etage r ermeerene	oorn,pilarroe.		
	v16 /4 40kmh 73	v72 /4 avaam 40km	oh, 17x16/4 40kph Eco, 17x16/4 50kph		SS 40kph	PS 40kph	PS 50kph
6.155	135/155	4T/4,500 E	V 113+47 M	7,864 E	n/a	£109,199	n/a
						-	<u>:</u>
6.160	135/165	6T/6,728 E	V 113+67 M	7,864 E	n/a	£114,244	n/a
6.180	158/175	6T/6,728 E	V 113+67 M	7,864 E	n/a	£117,107	n/a
6.180 Methane Power	158/175	6T/6,728 E	V 113+67 M	7,864 E	n/a	£152,947	£155,643
Note: 40kph - cab suspension a 7,499. 6 Dynamic Command	and front axle su	spension standard	l. 50kph - cab and front axle suspension	on, and air trailer brakir	ng, standard. 3,20	00kg front linkag	e £3,844, with p
			Eco 40kph, 24x24/8 Eco 50kph,		SS 40kph	PS 40kph	PS 50kph
3x23/8 40kph, 47x47/8 creep			\/ 117 . 47 M	7004 5	-/-	C120.140	C171 740
6.155	135/155	4T/4,500 E	V 113+47 M	7,864 E	n/a	£120,149	£131,742
6.160	147/162	6T/6,728 E	V 113+67 M	7,864 E	n/a	£125,940	£137,533
6.175	155/175	4T/4,500 E	V 113+47 M	7,864 E	n/a	£125,644	£137,237
6.180	158/175	6T/6,728 E	V 113+67 M	7,864 E	n/a	£129,113	£140,706
6.180 Methane Power	158/175	6T/6,728 E	V 113+67 M	7,864 E	n/a	£167,362	£170,317
	and front axle su	spension standard	l. 50kph - cab and front axle suspension	on, and air trailer brakir	g, standard. 3,20	00kg front linkag	e £3,844, with
7,499.							
6 Auto Command	<i>(</i> -				66.461.1	DC 101 :	DC 50: :
ransmission: Power Shuttle CV					SS 40kph	PS 40kph	PS 50kph
6.155 SideWinder II	135/155	4T/4,500 E	V 125+47 E	7,864 E	n/a	£129,535	£141,128
6.175 SideWinder II	155/175	4T/4,500 E	V 125+47 E	7,864 E	n/a	£134,478	£146,071
6.180 SideWinder II	158/175	6T/6,728 E	V 113+67 M	7,864 E	n/a	£137,983	£149,576
ote: 40kph - cab suspension an	nd front axle susp	ension standard. 5	Okph - cab and front axle suspension, a	and air trailer braking, sta	andard. 3,200kg f	ront linkage £3,84	44, with pto £7,4
			R for Euro Stage V emissions complia ic Command and Auto Command high				pto and
	v6/6 20v12/6	roon			SS 40kmb	DS 40kgh	DC FOLCE
ransmission: Power Shuttle 19:			V 117 : CE M	0.057.5	SS 40kph	PS 40kph	PS 50kph
7.165 S	165/ -	6T/6,728 E	V 113+65 M	8,257 E	n/a	£124,795	n/a
<u> </u>	ont axle suspens	on £4,569. 3,568k	g front linkage £4,223, with pto £8,35	4.			
7 S Power Command							
ransmission: Power Shuttle 19:	x6/18, 29x12/18	creep			SS 40kph	PS 40kph	PS 50kph
7.195 S	190/ -	6T/6,728 E	V 120+65 M	10,465 E	n/a	£173,717	n/a
				10 107 -	/-		,
Г7.215 S	210/ -	6T/6,728 E	V 120+65 M	10,463 E	n/a	£181,462	n/a

Note: Cab and front axle suspension standard. 5,925kg front linkage standard, with pto £4,040.

Transmission	Max power/	Engine Cylinders /	Hydraulics	Lift linkage	List price	List price	List price
Synchro or power shuttle, ratios and powershift steps - the first configuration listed is standard	Maximum power for draft work/ maximum boost power	Cylinders/ volume; E - electronic fuel management	F - fixed-output gear pump; V - variable-output piston pump; main pump-output plus steering pump where fitted; M - mechanical spool valves; E - electric spool valves	Maximum lift (kg); M - mechanical draft control; E - electronic draft control	£ - synchro shuttle 30kph or 40kph	£ - power shuttle 40kph	£ - power shuttle 50kph 60kph or 70kph
T7 Dawn Cannand	available						
T7 Range Command					CC 40lb	DC 401	DC FOL: h
Transmission: Power Shuttle 19		-	V 113+65 M	0.257.5	SS 40kph	PS 40kph	PS 50kph
T7.190 Classic T7.190 SideWinder II	165/190	6T/6,728 E		8,257 E	n/a	£136,229	£148,887
		6T/6,728 E	V 113+65 E V 113+65 M	8,257 E	n/a	£142,040	£154,698
T7.210 Classic T7.210 SideWinder II	180/210	6T/6,728 E	V 113+65 M V 113+65 E	8,257 E 8,257 E	n/a	£140,479 £146,662	£153,137
	180/210	6T/6,728 E	ab and front axle suspension, and air t		n/a	· · · · · · · · · · · · · · · · · · ·	£158,215
£4,336, with pto £8,566.	ie suspension sta	апаага. Эокріт - сі	ab and front axie suspension, and air ti	raner braking, standard	. 3,300kg HOIR III	ikage and mid-m	Juntea vaives
T7 Power Command						*ADI	DITIONAL MODI
Transmission: Power Shuttle 19	x6/18, 29x12/18	creep.			SS 40kph	PS 40kph	PS 50kph
T7.190 Classic	165/190	6T/6,728 E	V 113+65 M	8,257 E	n/a	£140,894	£152,447
T7.190 SideWinder II	165/190	6T/6,728 E	V 113+65 E	8,257 E	n/a	£145,599	£158,258
T7.210 Classic	180/210	6T/6,728 E	V 113+65 M	8,257 E	n/a	£145,144	£156,697
T7.210 SideWinder II	180/210	6T/6,728 E	V 113+65 E	8,257 E	n/a	£149,113	£161,771
Γ7.230 Classic	200/225	6T/6,728 E	V 120+60 or 150+60 M	8,257 E	n/a	£177,661	£178,766
Γ7.230 SideWinder II	200/225	6T/6,728 E	V 120+60 or 150+60 E	8,257 E	n/a	£186,561	£187,666
Γ7.245 Classic	220/245	6T/6,728 E	V 120+60 or 150+60 M	8,257 E	n/a	£185,431	£186,536
Γ7.245 SideWinder II	220/245	6T/6,728 E	V 120+60 or 150+60 E	8,257 E	n/a	£194,328	£195,433
Г7.260 Classic	240/260	6T/6,728 E	V 120+60 or 150+60 M	8,257 E	n/a	£193,201	£194,306
Γ7.260 SideWinder II	240/260	6T/6,728 E	V 120+60 or 150+60 E	8,257 E	n/a	£202,100	£203,205
T7.270 Classic *	260/270	6T/6,728 E	V 120+60 or 150+60 M	8,257 E	n/a	£200,359	£201,464
			ab and front axle suspension, and air t			3,568kg front lin	kage and mid-
mounted valves £4,336, with pt	o £8,566; T7.230	to T7.270 5,925k	g front linkage and mid-mounted valve	es £4,171, with pto £8,41	13.		
T7 SWB Auto Command						* ADDITIONAL	MODELS
Transmission: Power Shuttle C	/T				SS 40kph	PS 40kph	PS 50kph
T7.190 SideWinder II	165/190	6T/6,728 E	V 140+65 or 160+65 E	8,257 E	n/a	£163,543	£163,543
Γ7.210 SideWinder II	180/210	6T/6,728 E	V 140+65 or 160+65 E	8,257 E	n/a	£168,820	£168,820
T7.225 SideWinder II	200/225	6T/6,728 E	V 140+65 or 160+65 E	8,257 E	n/a	£175,143	£175,143
Note: 40kph - cab and front ax. £4,336, with pto £8,566	le suspension sta	andard. 50kph - c	ab and front axle suspension, and air t	railer braking, standard	l. 3,568kg front lir	nkage and mid-m	ounted valves
T7 LWB Auto Command							
Transmission: Power Shuttle C\	/T						
T7.230 SideWinder II *	200/225	6T/6,728 E	V 150+60 or 170+60 E	8,257 E	n/a	£205,241	£205,241
T7.245 SideWinder II *	220/245	6T/6,728 E	V 150+60 or 170+60 E	8,257 E	n/a	£213,019	£213,019
T7.260 SideWinder II *	240/260	6T/6,728 E	V 150+60 or 170+60 E	8,257 E	n/a	£222,331	£222,331
T7.270 SideWinder II *	260/270	6T/6,728 E	V 150+60 or 170+60 E	8,257 E	n/a	£230,108	£230,108
			ab and front axle suspension, and air t				
oto £8,413	ie suspension st	aridard. Sokpri Ci	ab and from axie suspension, and air a	railer braking, standard	. I Tork lirikage ar	ia mila modifica i	aives L4,171, Wit
77 LWB PLM Intelligence Powe	r Command					NEW RANGE	
Fransmission: Power Shuttle 19	x6/18, 29x12/18	creep.			SS 40kph	PS 40kph	PS 50kph
Γ7.230 SideWinder Ultra	200/225	6T/6,728 E	V 150+60 or 170+60 E	10,465 E	n/a	£212,646	£213,751
Γ7.245 SideWinder Ultra	220/245	6T/6,728 E	V 150+60 or 170+60 E	10,463 E	n/a	£220,413	£221,518
Γ7.260 SideWinder Ultra	240/260	6T/6,728 E	V 150+60 or 170+60 E	10,465 E	n/a	£228,184	£229,289
Γ7.270 SideWinder Ultra	260/270	6T/6,728 E	V 150+60 or 170+60 E	10,463 E	n/a	£235,954	£237,059
			trailer braking, standard. 5,925kg front				
77 LWB PLM Intelligence Auto	Command						
Fransmission: Power Shuttle C\					SS 40kph	PS 40kph	PS 50kph
T7.230 SideWinder Ultra	200/225	6T/6,728 E	V 150+60 or 170+60 E	10,465 E	n/a	£232,350	£233,455
Γ7.245 SideWinder Ultra	220/245	6T/6,728 E	V 150+60 or 170+60 E	10,463 E	n/a	£240,128	£241,233
77.260 SideWinder Ultra	240/260	6T/6,728 E	V 150+60 or 170+60 E	10,465 E	n/a	£247,901	£249,006
7.270 SideWinder Ultra	260/270	6T/6,728 E	V 150+60 or 170+60 E	10,463 E	n/a	£256,053	£257,158
77.300 SideWinder Ultra	280/300	6T/6,728 E	V 150+60 or 170+60 E	10,463 E	n/a	£273,570	£274,675
			trailer braking, standard. 5,925kg front				
						hydraulics and tra	nsport
		with DOC and SC		icc. riigilest power out	pais are for più, i	yaraanes ana tra	naport.
New Holland T7 tractors have F							
New Holland T7 tractors have F T7 HD PLM Connect Auto Com							
New Holland T7 tractors have F T7 HD PLM Connect Auto Com Transmission: Power Shuttle CV	/Т	07/0765	V405 V 000 F		SS 40kph	PS 40kph	PS 50kph
New Holland T7 tractors have F T7 HD PLM Connect Auto Com Transmission: Power Shuttle C\ T7.290 SideWinder Ultra	/T 288/ -	6T/6,728 E	V 165 or V 220 E	11,058 E	n/a	n/a	£291,167
New Holland T7 tractors have F T7 HD PLM Connect Auto Com Transmission: Power Shuttle CV	/Т	6T/6,728 E 6T/6,728 E 6T/6,728 E	V 165 or V 220 E V 165 or V 220 E V 165 or V 220 E	11,058 E 11,058 E 11,058 E			

*ADDITIONAL MODEL

T8 Genesis PLM Connect Ultra Command

New Holland T7 HD tractors have FPT NEF engines with DOC and SCR for Euro Stage V emissions compliance

Transmission Synchro or power shuttle, ratios and powershift steps - the first configuration listed is standard	Max power/boost power Maximum power for draft work/maximum boost power available	Engine Cylinders/ volume; E - electronic fuel management	Hydraulics F - fixed-output gear pump; V - variable-output piston pump; main pump-output plus steering pump where fitted; M - mechanical spool valves; E - electric spool valves	Lift linkage Maximum lift (kg); M - mechanical draft control; E - electronic draft control	List price £ - synchro shuttle 30kph or 40kph	List price £ - power shuttle 40kph	List price £ - power shuttle 50kph 60kph or 70kph
Transmission: Power Shuttle 21x	x5/21				SS 40kph	PS 40kph	PS 50kph
T8.410 SideWinder Ultra *	415/435	6T/8,700 E	V 166 or 282 E	10,927 E	n/a	£361,383	£361,383
T8.435 SideWinder Ultra	415/435	6T/8,700 E	V 166 or 282 E	10,927 E	n/a	£328,446	£328,449
T8.435 SideWinder Ultra SmartTrax	415/435	6T/8,700 E	V 166 or 282 E	10,927 E	n/a	£438,726	n/a
T8 Genesis PLM Connect Auto	Command						
Transmission: Power Shuttle CV					SS 40kph	PS 40kph	PS 50kph
T8.410 SideWinder Ultra	415/435	6T/8,700 E	V 166 or 282 E	10,927 E	n/a	£346,832	£346,832
T8.435 SideWinder Ultra T8.435 SideWinder Ultra SmartTrax	415/435 415/435	6T/8,700 E 6T/8,700 E	V 166 or 282 E V 166 or 282 E	10,927 E 10,927 E	n/a n/a	£380,934 £451,785	£380,934 n/a
		iler braking, stanc	dard. 5,810kg front linkage with pto £8,0	11. SmartTrax versions	; have rear track a	essemblies with	61cm or 76cm
· · · · · · · · · · · · · · · · · · ·		or engines with D(OC and SCR for Euro Stage V emissions	compliance. Highest p	oower outputs are	e for pto, hydrau	lics and transport.
SAME							
Delfino							
Transmission: Synchro shuttle 12	2x12 or 16x16				SS 30kph	PS 40kph	PS 50kph
Delfino 50 Basso	51/ -	4T/2,200	F30+15 M	1,200 M	£37,247	n/a	n/a
Delfino 50	51/ -	4T/2,200	F30+15 M	1,200 M	£37,470	n/a	n/a
Delfino 60	60/ -	4T/2,200	F30+15 M	1,200 M	£39,336	n/a	n/a
Note: Cab suspension n/a, front	axle suspension	n/a; 600kg front	linkage £1,491, with pto £3,277.				
SAME Delfino tractors are powe	ered by Perkins 4	104-22 engines wi	ith EGR, DOC and DPF for Euro Stage V	emissions complianc	e		
Dorado Natural							
Transmission: Synchro Shuttle 1	5x15 or 30x15 o	r Power Shuttle 15	5x15 or 30x30		SS 40kph	PS 40kph	PS 50kph
70 Natural LS/GS	66/-	3T/2,887 E	F 50+17 M	2,500 or 3,500 M	£53,053	£62,536	n/a
80 Natural LS/GS	76/-	3T/2,887 E	F 50+17 M	2,500 or 3,500 M	£55,017	£64,492	n/a
90 Natural LS/GS	91/-	3T/2,887 E	F 50+17 M	2,500 or 3,500 M	£60,447	£69,921	n/a
100 Natural LS/GS	102/-	3T/2,887 E	F 50+17 M	2,500 or 3,500 M	£62,393	£71,877	n/a
Note: Cab suspension n/a, front	axle suspension	n n/a. Front linkag	e n/a.				
Dorado						*AD	DITIONAL MODE
Transmission: Synchro Shuttle 3	30x15 creep or P	ower Shuttle 45x	45 creep 40kph		SS 40kph	PS 40kph	PS 50kph
75 LS / GS *	75/-	4T/3,849 E	F 54+35 M	3,600 M or E	£68,662	£71,582	n/a
95 LS / GS	95/ -	4T/3,849 E	F 54+35 M	3,600 M or E	£73,217	£76,137	n/a
105 LS / GS	106/ -	4T/3,849 E	F 54+35 M	3,600 M or E	£76,137	£79,066	n/a
<u> </u>		_	nt linkage £3,402, with pto £5,277.				
	- FARMotion eng	gines with EGR, D	OC, DPF and SCR for Euro Stage V emis	ssions compliance.			
Explorer Natural	- all		20/2 12 12/2		00.401.1	20 101 1	NEW RANG
Transmission: Synchro Shuttle o				4.505.14	SS 40kph	PS 40kph	PS 50kph
75 LS / GS		4T/3,849 E	F 55+35 M	4,525 M	£66,278		
DE LC / CC	75/ -	4T/7.040.F			CCO 4CC	£69,484	n/a
95 LS / GS	95/ -	4T/3,849 E	F 55+35 M	4,525 M	£69,466	£72,672	n/a
105 LS / GS	95/ - 106/ -	4T/3,849 E	F 55+35 M F 55+35 M	4,525 M 4,525 M	£72,672	£72,672 £75,878	n/a n/a
105 LS / GS 105 HD LS / GS	95/ - 106/ - 106/ -	4T/3,849 E 4T/3,849 E	F 55+35 M F 55+35 M F 55+35 M	4,525 M		£72,672	n/a
105 LS / GS 105 HD LS / GS Note: Cab suspension n/a, front	95/ - 106/ - 106/ - t axle suspension	4T/3,849 E 4T/3,849 E n n/a. front linkage	F 55+35 M F 55+35 M F 55+35 M e and pto n/a.	4,525 M 4,525 M 4,525 M	£72,672 £74,806	£72,672 £75,878	n/a n/a
105 LS / GS 105 HD LS / GS Note: Cab suspension n/a, front SAME Explorer Natural tractors	95/ - 106/ - 106/ - t axle suspension	4T/3,849 E 4T/3,849 E n n/a. front linkage	F 55+35 M F 55+35 M F 55+35 M	4,525 M 4,525 M 4,525 M	£72,672 £74,806	£72,672 £75,878	n/a n/a
105 LS / GS 105 HD LS / GS Note: Cab suspension n/a, front SAME Explorer Natural tractors Explorer	95/ - 106/ - 106/ - t axle suspension have SDF FARM	4T/3,849 E 4T/3,849 E n n/a. front linkage flotion engines with	F 55+35 M F 55+35 M F 55+35 M e and pto n/a. h EGR, DOC, DPF and SCR for Euro Stag	4,525 M 4,525 M 4,525 M ge V emissions compl	£72,672 £74,806	£72,672 £75,878 £78,012	n/a n/a n/a
105 LS / GS 105 HD LS / GS Note: Cab suspension n/a, front SAME Explorer Natural tractors Explorer Transmission: Synchro Shuttle o	95/ - 106/ - 106/ - t axle suspension have SDF FARM	4T/3,849 E 4T/3,849 E n n/a. front linkage flotion engines with	F 55+35 M F 55+35 M F 55+35 M e and pto n/a.	4,525 M 4,525 M 4,525 M ge V emissions compl	£72,672 £74,806	£72,672 £75,878	n/a n/a
105 LS / GS 105 HD LS / GS Note: Cab suspension n/a, front SAME Explorer Natural tractors Explorer Transmission: Synchro Shuttle o	95/ - 106/ - 106/ - t axle suspension have SDF FARM or Power Shuttle	4T/3,849 E 4T/3,849 E on n/a. front linkage flotion engines with a 10x10, 20x20 crea	F 55+35 M F 55+35 M F 55+35 M e and pto n/a. h EGR, DOC, DPF and SCR for Euro Stag eep, 20x20/2, 40x40/2 creep, 30x30/3	4,525 M 4,525 M 4,525 M ge V emissions compl 5, 60x60/3 creep 3,600 or 4,525	£72,672 £74,806 liance.	£72,672 £75,878 £78,012	n/a n/a n/a
105 LS / GS 105 HD LS / GS Note: Cab suspension n/a, front SAME Explorer Natural tractors Explorer Transmission: Synchro Shuttle of 95 LS / GS 100 LS / GS	95/ - 106/ - 106/ - t axle suspension have SDF FARM or Power Shuttle 95/ - 102/ -	4T/3,849 E 4T/3,849 E on n/a. front linkage flotion engines with e 10x10, 20x20 cre 4T/3,849 E 3T/2,887 E 4T/3,849 E	F 55+35 M F 55+35 M F 55+35 M e and pto n/a. h EGR, DOC, DPF and SCR for Euro Stage, 20x20/2, 40x40/2 creep, 30x30/3 F 55+35 M or F90+35 M F 55+35 M or F90+35 M	4,525 M 4,525 M 4,525 M ge V emissions compl 3,600 or 4,525 M or E 3,600 or 4,525 M or E 3,600 or 4,525 M or E	£72,672 £74,806 liance. SS 40kph £81,254 £82,834 £84,692	£72,672 £75,878 £78,012 PS 40kph £86,576 £88,192 £89,755	n/a n/a n/a n/a PS 50kph n/a n/a
105 LS / GS 105 HD LS / GS Note: Cab suspension n/a, front SAME Explorer Natural tractors Explorer Transmission: Synchro Shuttle of 95 LS / GS 100 LS / GS 115 LS / GS	95/ - 106/ - 106/ - t axle suspension have SDF FARM or Power Shuttle 95/ - 102/ - 106/ -	4T/3,849 E 4T/3,849 E n n/a. front linkage fotion engines with e 10x10, 20x20 cre 4T/3,849 E 4T/3,849 E 4T/3,849 E	F 55+35 M F 55+35 M F 55+35 M e and pto n/a. h EGR, DOC, DPF and SCR for Euro Stage, 20x20/2, 40x40/2 creep, 30x30/3 F 55+35 M or F90+35 M F 55+35 M or F90+35 M F 55+35 M or F90+35 M	4,525 M 4,525 M 4,525 M 4,525 M ge V emissions compl 3,600 or 4,525 M or E 3,600 or 4,525 M or E 3,600 or 4,525 M or E 3,600 or 4,525 M or E 3,600 or 4,525 M or E	£72,672 £74,806 liance. SS 40kph £81,254 £82,834 £84,692 £85,745	£72,672 £75,878 £78,012 PS 40kph £86,576 £88,192 £89,755	n/a n/a n/a n/a PS 50kph n/a n/a n/a n/a
105 LS / GS 105 HD LS / GS Note: Cab suspension n/a, front SAME Explorer Natural tractors Explorer Transmission: Synchro Shuttle of 95 LS / GS 100 LS / GS	95/ - 106/ - 106/ - t axle suspension have SDF FARM or Power Shuttle 95/ - 102/ -	4T/3,849 E 4T/3,849 E on n/a. front linkage flotion engines with e 10x10, 20x20 cre 4T/3,849 E 3T/2,887 E 4T/3,849 E	F 55+35 M F 55+35 M F 55+35 M e and pto n/a. h EGR, DOC, DPF and SCR for Euro Stage, 20x20/2, 40x40/2 creep, 30x30/3 F 55+35 M or F90+35 M F 55+35 M or F90+35 M	4,525 M 4,525 M 4,525 M 4,525 M ge V emissions compl 3,600 or 4,525 M or E 3,600 or 4,525 M or E 3,600 or 4,525 M or E 3,600 or 4,525 M or E 3,600 or 4,525	£72,672 £74,806 liance. SS 40kph £81,254 £82,834 £84,692	£72,672 £75,878 £78,012 PS 40kph £86,576 £88,192 £89,755	n/a n/a n/a n/a PS 50kph n/a n/a
105 LS / GS 105 HD LS / GS Note: Cab suspension n/a, front SAME Explorer Natural tractors Explorer Transmission: Synchro Shuttle of 95 LS / GS 100 LS / GS 115 LS / GS 125 LS / GS	95/ - 106/ - 106/ - t axle suspension have SDF FARM or Power Shuttle 95/ - 102/ - 106/ - 116/ -	4T/3,849 E 4T/3,849 E n n/a. front linkage flotion engines with e 10x10, 20x20 cre 4T/3,849 E 4T/3,849 E 4T/3,849 E 4T/3,849 E	F 55+35 M F 55+35 M F 55+35 M e and pto n/a. h EGR, DOC, DPF and SCR for Euro Stage, 20x20/2, 40x40/2 creep, 30x30/3 F 55+35 M or F90+35 M F 55+35 M or F90+35 M F 55+35 M or F90+35 M	4,525 M 4,525 M 4,525 M 4,525 M ge V emissions compl 3,600 or 4,525 M or E 3,600 or 4,525 M or E 3,600 or 4,525 M or E 3,600 or 4,525 M or E 3,600 or 4,855 M or E 4,855 or 5,410	£72,672 £74,806 liance. SS 40kph £81,254 £82,834 £84,692 £85,745	£72,672 £75,878 £78,012 PS 40kph £86,576 £88,192 £89,755	n/a n/a n/a n/a PS 50kph n/a n/a n/a n/a
105 LS / GS 105 HD LS / GS Note: Cab suspension n/a, front SAME Explorer Natural tractors Explorer Transmission: Synchro Shuttle of 105 LS / GS 105 LS / GS 115 LS / GS 125 LS / GS Note: Cab suspension n/a, front	95/ - 106/ - 106/ - 106/ - 106/ - 106/ - 106/ - 106/ - 106/ - 116/ - 126/ - 128/ - 128/ - 128/ - 128/ - 128/ - 128/ - 128/ - 128/ - 128/ - 128/ - 128/ - 128/ - 128/ -	4T/3,849 E 4T/3,849 E n n/a. front linkage flotion engines with 2 10x10, 20x20 cre 4T/3,849 E 4T/3,849 E 4T/3,849 E 4T/3,849 E 4T/3,849 E	F 55+35 M F 55+35 M F 55+35 M e and pto n/a. h EGR, DOC, DPF and SCR for Euro Stagep, 20x20/2, 40x40/2 creep, 30x30/3 F 55+35 M or F90+35 M	4,525 M 4,525 M 4,525 M 4,525 M ge V emissions compl 3,600 or 4,525 M or E 3,600 or 4,525 M or E 3,600 or 4,525 M or E 3,600 or 4,525 M or E 4,855 or 5,410 M or E	£72,672 £74,806 liance. SS 40kph £81,254 £82,834 £84,692 £85,745	£72,672 £75,878 £78,012 PS 40kph £86,576 £88,192 £89,755	n/a n/a n/a n/a PS 50kph n/a n/a n/a n/a
105 LS / GS 105 HD LS / GS Note: Cab suspension n/a, front SAME Explorer Natural tractors Explorer Transmission: Synchro Shuttle of 95 LS / GS 100 LS / GS 115 LS / GS 125 LS / GS Note: Cab suspension n/a, front	95/ - 106/ - 106/ - 106/ - 106/ - 106/ - 106/ - 106/ - 106/ - 116/ - 126/ - 128/ - 128/ - 128/ - 128/ - 128/ - 128/ - 128/ - 128/ - 128/ - 128/ - 128/ - 128/ - 128/ -	4T/3,849 E 4T/3,849 E n n/a. front linkage flotion engines with 2 10x10, 20x20 cre 4T/3,849 E 4T/3,849 E 4T/3,849 E 4T/3,849 E 4T/3,849 E	F 55+35 M F 55+35 M F 55+35 M e and pto n/a. h EGR, DOC, DPF and SCR for Euro Stagep, 20x20/2, 40x40/2 creep, 30x30/3 F 55+35 M or F90+35 M ent linkage £3,768, with pto £5,688.	4,525 M 4,525 M 4,525 M 4,525 M ge V emissions compl 3,600 or 4,525 M or E 3,600 or 4,525 M or E 3,600 or 4,525 M or E 3,600 or 4,525 M or E 4,855 or 5,410 M or E	£72,672 £74,806 liance. SS 40kph £81,254 £82,834 £84,692 £85,745	£72,672 £75,878 £78,012 PS 40kph £86,576 £88,192 £89,755	n/a n/a n/a n/a PS 50kph n/a n/a n/a n/a
105 LS / GS 105 HD LS / GS 100 LS / GS 105 LS / GS	95/ - 106/ - 106/ - t axle suspension have SDF FARM or Power Shuttle 95/ - 102/ - 106/ - 116/ - 126/ - t axle suspension DF FARMotion en	4T/3,849 E 4T/3,849 E n n/a. front linkage flotion engines with e 10x10, 20x20 cre 4T/3,849 E 3T/2,887 E 4T/3,849 E 4T/3,849 E 4T/3,849 E n n/a. 2,100kg frongines with EGR, L	F 55+35 M F 55+35 M F 55+35 M e and pto n/a. h EGR, DOC, DPF and SCR for Euro Stagep, 20x20/2, 40x40/2 creep, 30x30/3 F 55+35 M or F90+35 M ent linkage £3,768, with pto £5,688.	4,525 M 4,525 M 4,525 M 4,525 M ge V emissions compl 3,600 or 4,525 M or E 3,600 or 4,525 M or E 3,600 or 4,525 M or E 3,600 or 4,525 M or E 4,855 or 5,410 M or E	£72,672 £74,806 liance. SS 40kph £81,254 £82,834 £84,692 £85,745	£72,672 £75,878 £78,012 PS 40kph £86,576 £88,192 £89,755	n/a n/a n/a n/a PS 50kph n/a n/a n/a n/a
IOS LS / GS IOS HD LS / GS Note: Cab suspension n/a, front SAME Explorer Natural tractors Explorer Transmission: Synchro Shuttle of IOS LS / GS	95/ - 106/ - 106/ - t axle suspension have SDF FARM or Power Shuttle 95/ - 102/ - 106/ - 116/ - 126/ - t axle suspension DF FARMotion en	4T/3,849 E 4T/3,849 E n n/a. front linkage flotion engines with e 10x10, 20x20 cre 4T/3,849 E 3T/2,887 E 4T/3,849 E 4T/3,849 E 4T/3,849 E n n/a. 2,100kg frongines with EGR, L	F 55+35 M F 55+35 M F 55+35 M e and pto n/a. h EGR, DOC, DPF and SCR for Euro Stagep, 20x20/2, 40x40/2 creep, 30x30/3 F 55+35 M or F90+35 M ent linkage £3,768, with pto £5,688.	4,525 M 4,525 M 4,525 M 4,525 M ge V emissions compl 3,600 or 4,525 M or E 3,600 or 4,525 M or E 3,600 or 4,525 M or E 3,600 or 4,525 M or E 4,855 or 5,410 M or E	£72,672 £74,806 liance. SS 40kph £81,254 £82,834 £84,692 £85,745 £88,326	£72,672 £75,878 £78,012 PS 40kph £86,576 £88,192 £89,755 £91,094 £93,684	n/a n/a n/a n/a PS 50kph n/a n/a n/a n/a n/a
105 LS / GS 105 HD LS / GS 105 LS / GS 100 LS / GS 105 LS / GS	95/ - 106/ - 106/ - 1 axle suspension have SDF FARM or Power Shuttle 95/ - 102/ - 106/ - 116/ - 126/ - t axle suspension DF FARMotion en	4T/3,849 E 4T/3,849 E n n/a. front linkage flotion engines with e 10x10, 20x20 cre 4T/3,849 E 3T/2,887 E 4T/3,849 E 4T/3,849 E 4T/3,849 E n n/a. 2,100kg frongines with EGR, L	F 55+35 M F 55+35 M F 55+35 M e and pto n/a. h EGR, DOC, DPF and SCR for Euro Stage, 20x20/2, 40x40/2 creep, 30x30/3 F 55+35 M or F90+35 M or F90+35 M F 55+36 M or F90+35 M F 55+37 M or F90+37 M F 55+38 M or F90+38 M F 55+39 M or F90+39 M F 55+39 M or F90+39 M	4,525 M 4,525 M 4,525 M 4,525 M ge V emissions compl 3,600 or 4,525 M or E 3,600 or 4,525 M or E 3,600 or 4,525 M or E 3,600 or 4,855 M or E 4,855 or 5,410 M or E	£72,672 £74,806 liance. SS 40kph £81,254 £82,834 £84,692 £85,745 £88,326	£72,672 £75,878 £78,012 PS 40kph £86,576 £88,192 £89,755 £91,094 £93,684	n/a n/a n/a n/a PS 50kph n/a n/a n/a n/a n/a PS 50kph
105 LS / GS 105 HD LS / GS 106 HD LS / GS 107 HD LS / GS 108 HD LS / GS 109 LS /	95/ - 106/ - 106/ - 1 axle suspension have SDF FARM or Power Shuttle 95/ - 102/ - 106/ - 116/ - 126/ - 1 axle suspension DF FARMotion en (x30/3, 60x60/3) 116/126	4T/3,849 E 4T/3,849 E n n/a. front linkage flotion engines with e 10x10, 20x20 cre 4T/3,849 E 3T/2,887 E 4T/3,849 E 4T/3,849 E 4T/3,849 E n n/a. 2,100kg fron ngines with EGR, L	F 55+35 M F 55+35 M F 55+35 M e and pto n/a. h EGR, DOC, DPF and SCR for Euro Stage, 20x20/2, 40x40/2 creep, 30x30/3 F 55+35 M or F90+35 M F 55+36 M or F90+36 M F 55+37 M or F90+37 M et linkage £3,768, with pto £5,688. DOC, DPF and SCR for Euro Stage V em	4,525 M 4,525 M 4,525 M 4,525 M ge V emissions compl 3,600 or 4,525 M or E 3,600 or 4,525 M or E 3,600 or 4,525 M or E 4,855 or 5,410 M or E 5,410 E	£72,672 £74,806 liance. SS 40kph £81,254 £82,834 £84,692 £85,745 £88,326 SS 40kph n/a	£72,672 £75,878 £78,012 PS 40kph £86,576 £88,192 £89,755 £91,094 £93,684	n/a n/a n/a n/a PS 50kph n/a n/a n/a n/a n/a n/a n/a n/a
105 LS / GS 105 HD LS / GS 106 HD LS / GS 107 HD LS / GS 107 HD LS / GS 108 HD LS / GS 109 LS	95/ - 106/ - 106/ - 1 axle suspension have SDF FARM or Power Shuttle 95/ - 102/ - 106/ - 116/ - 126/ - 1 axle suspension DF FARMotion en (x30/3, 60x60/3) 116/126 126/136	4T/3,849 E 4T/3,849 E n n/a. front linkage fotion engines with e 10x10, 20x20 cre 4T/3,849 E 3T/2,887 E 4T/3,849 E 4T/3,849 E 4T/3,849 E n n/a. 2,100kg fron ngines with EGR, L 5 creep 4T/3,849 E 4T/3,849 E	F 55+35 M F 55+35 M F 55+35 M e and pto n/a. h EGR, DOC, DPF and SCR for Euro Stage, 20x20/2, 40x40/2 creep, 30x30/3 F 55+35 M or F90+35 M F 55+36 M or F90+36 M F 55+37 M or F90+37 M F 55+38 M or F90+38 M F 55+39 M or F90+39 M F 55+30 M or F90+30 M F 55+30 M or F90+40 M or E	4,525 M 4,525 M 4,525 M 4,525 M ge V emissions compl 3,600 or 4,525 M or E 3,600 or 4,525 M or E 3,600 or 4,525 M or E 4,855 or 5,410 M or E 5,410 E 7,000 E	£72,672 £74,806 liance. \$\$ 40kph £81,254 £82,834 £84,692 £85,745 £88,326 \$	£72,672 £75,878 £78,012 PS 40kph £86,576 £88,192 £89,755 £91,094 £93,684 PS 40kph £105,106 £117,411	n/a n/a n/a n/a PS 50kph n/a
105 LS / GS 105 HD LS / GS 106 HD LS / GS 107 HD LS / GS 108 HD LS / GS 109 LS /	95/ - 106/ - 106/ - 106/ - 1 axle suspension have SDF FARM or Power Shuttle 95/ - 102/ - 106/ - 116/ - 126/ - 1 axle suspension DF FARMotion en 0x30/3, 60x60/3 116/126 126/136 136/143	4T/3,849 E 4T/3,849 E n n/a. front linkage flotion engines with e 10x10, 20x20 cre 4T/3,849 E 3T/2,887 E 4T/3,849 E 4T/3,849 E 4T/3,849 E n n/a. 2,100kg fron ngines with EGR, L 6 creep 4T/3,849 E 4T/3,849 E 4T/3,849 E	F 55+35 M F 55+35 M F 55+35 M e and pto n/a. h EGR, DOC, DPF and SCR for Euro Stage, 20x20/2, 40x40/2 creep, 30x30/3 F 55+35 M or F90+35 M F 55+36 M or F90+36 M F 55+37 M or F90+37 M F 55+38 M or F90+38 M F 55+39 M or F90+39 M F 55+30 M or F90+30 M F 55+30 M or F90+40 M or E	4,525 M 4,525 M 4,525 M 4,525 M 4,525 M ge V emissions compl 3,600 or 4,525 M or E 3,600 or 4,525 M or E 3,600 or 4,525 M or E 4,855 or 5,410 M or E 4,855 or 5,410 M or E 5,410 E 7,000 E 7,000 E	£72,672 £74,806 liance. \$\$ 40kph £81,254 £82,834 £84,692 £85,745 £88,326 \$	£72,672 £75,878 £78,012 PS 40kph £86,576 £88,192 £89,755 £91,094 £93,684 PS 40kph £105,106 £117,411	n/a n/a n/a n/a PS 50kph n/a

Transmission Synchro or power shuttle, ratios and powershift steps - the first configuration listed is standard	Max power/ boost power Maximum power for draft work/ maximum boost power available	Engine Cylinders/ volume; E - electronic fuel management	Hydraulics F - fixed-output gear pump; V - variable-output piston pump; main pump-output plus steering pump where fitted; M - mechanical spool valves; E - electric spool valves	Lift linkage Maximum lift (kg); M - mechanical draft control; E - electronic draft control	List price £ - synchro shuttle 30kph or 40kph	List price £ - power shuttle 40kph	List price £ - power shuttle 50kph, 60kph or 70kph
125	126/136	4T/3,849 E	F 90+40 M or V 120+40 M or E	7,000 E	n/a	£124,877	£129,779
135	136/143	4T/3,849 E	F 90+40 M or V 120+40 M or E	7,000 E	n/a	£129,136	£134,039

Note: Virtus 115 Powershift - Cab suspension n/a. All other models - Cab suspension £1,527; front axle suspension £4,804. 3,000kg front linkage £3,732, with pto £5,634.

SAME Virtus tractors have SDF FARMotion engines with EGR, DOC and SCR for Euro Stage V emissions compliance. Highest power outputs are for pto and all operations from 15kph.

SIROMER MK series Transmission: Synchro Shuttle 12x12 SS 40kph PS 40kph PS 50kph F 30 M **504MK ROPS** 4T/ no info 1,700 M 50/ -£17,500 n/a n/a 504MK Cab 50/ -4T/ no info F 30 M 1,700 M £19,000 n/a n/a Ti series 804Ti * 80/-4T/ no info F 30 M 2,000 M £30,100 n/a n/a Note: Cab suspension n/a, front axle suspension n/a. Air trailer braking standard. Air conditioning standard. Front linkage and pto n/a.

Siromer MK tractors - no information on engine make or emissions compliance.

SOLIS										
Solis										
Transmission: 12x12					SS 30kph	PS 40kph	PS 50kph			
50 Rops	50/ -	3/2,893	G 26+26 M	1,600 M	£19,995	n/a	n/a			
50 Cab	50/ -	3/2,893	G 26+26 M	1,600 M	£22,995	n/a	n/a			
Transmission: Synchro Shu	ttle 12x12 35kph (or 20x20 creep 40	kph		SS 30kph	PS 40kph	PS 50kph			
75 Shuttle XL	75/ -	4T/4,087	G 48+26 M	2,500 M or 3,000 M	£29,995	n/a	n/a			
90 Shuttle XL	90/ -	4T/4,087	G 65+26 M	3,000 M	£28,995	n/a	n/a			
Note: Cab suspension n/a,	Note: Cab suspension n/a, front axle suspension n/a. Front linkage n/a. Air conditioning standard. Solis 50 ROPS and 50 CAB also available with two-wheel drive.									

Solis Shuttle XL tractors have ITL engines with 75 - DOC and DPF, 90 - DOC, DPF and SCR for Euro Stage V emissions compliance.

TAFE							
45 DI / TDI							DISCONTINUED
15 Series *							*NEW RANGE
Transmission: Mechanical Shuttle 12x12 SS 37kph PS 40kph P						PS 50kph	
6515 HVAC	65/ -	3T/2,600 E	n/a	2,400 M	£37,961	n/a	n/a
7515 HVAC	74/ -	3T/2,600 E	n/a	2,400 M	£38,349	n/a	n/a
Note: Cah suspension r	/a front avla susnan	sion n/a Front linka	re ontional	Air conditioning standard. Open station	30kph versions of the	5hn 5515 65hn 6	515 and 74hn 7515

also available. Distributed by TAFE Tractors UK & Ireland.

TAFE tractors have Simpson engines with DOC and DPF for Euro Stage V emissions compliance

TYM							NEW LISTING		
Series 3									
Transmission: Synchro	Shuttle 16x16				SS 30kph	PS 40kph	PS 50kph		
T555C	55/ -	4T/2,091 E	n/a	1,503 M	£34,605	n/a	n/a		
Transmission: Power S	Shuttle 3-range Hydro	static			SS 30kph	PS 40kph	PS 50kph		
T555CH	55/ -	4T/2,091 E	n/a	1,503 M	£36,735	n/a	n/a		
Note: Cab suspension	late: Cab suspension n/a front axle suspension n/a Front linkage n/a Distributed by TYM UK								

TYM Series 3 tractors have Yanmar engines with EGR, DOC and DPF for Euro Stage V emissions compliance





Transmission Synchro or power shuttle, ratios and powershift steps - the first configuration listed is standard	Max power/ boost power Maximum power for draft work/ maximum boost power available	Engine Cylinders/ volume; E - electronic fuel management	Hydraulics F - fixed-output gear pump; V - variable-output piston pump; main pump-output plus steering pump where fitted; M - mechanical spool valves; E - electric spool valves	Maximum lift (kg); M - mechanical draft control; E - electronic draft control	£ - synchro shuttle 30kph or 40kph	List price £ - power shuttle 40kph	List price £ - power shuttle 50kph 60kph or 70kph
VALTRA							
A5 HiTech							
Transmission: Power Shuttle 12	x12, 24x24 creep)			SS 40kph	PS 40kph	PS 50kph
A75SH	75/ -	3T/3,300 E	F 65 M	3,000 E	n/a	£60,490	n/a
A85SH	85/ -	3T/3,300 E	F 65 M	3,000 E	n/a	£63,053	n/a
A95SH	95/ -	4T/4,400 E	F 65 M	3,000 E	n/a	£65,615	n/a
A105MH	105/ -	4T/4,400 E	F 98 M	4,300 E	n/a	£69,076	n/a
A115MH	115/ -	4T/4,400 E	F 98 M	4,300 E	n/a	£71,638	n/a
A125LH	125/ -	4T/4,400 E	F 98 M	5,200 E	n/a	£74,200	n/a
A135LH	135/ -	4T/4,400 E	F 98 M	5,200 E	n/a	£76,763	n/a

Note: HiTech/HiTech 2 - cab suspension n/a, front axle suspension n/a. Front linkage n/a. Air conditioning £1,864.

F 65 M

F 65 M

F 65 M

3T/3,300 E

3T/3,300 E

3T/3,300 E

Α5	НίΤ	ech	4	

A5 HiTech 2

A75SH2

A85SH2

A95SH2

Transmission: Power Shuttle 24x24/2

85/ -

95/ -

Transmission: Power Shutt	le 16x16/4, 32x32/	4 creep			SS 40kph	PS 40kph	PS 50kph
A105MH4	105/ -	4T/4,400 E	F 98 M	4,300 E	n/a	£72,717	n/a
A115MH4	115/ -	4T/4,400 E	F 98 M	4,300 E	n/a	£75,279	n/a

SS 40kph

n/a

n/a

n/a

3,000 E

3,000 E

3,000 E

PS 40kph

£61,968

£64,531

£67,093

PS 50kph

n/a

n/a

n/a

Note: Cab suspension £1,093, front axle suspension n/a. Air conditioning £1,864. 2,800kg front linkage £2,925, with pto £5,680.

Valtra A5 Series tractors have Agco Power engines with DOC, SCR and DPF for Euro Stage V emissions compliance.



available							
G5 HiTech							
Transmission: Power Shuttle 24x24/6, 48x48/6 creep SS 40kph PS 40kph PS 50kph							
G105H 105/110 4T/4,400 E F 100 M 6,000 E n/a £93,259 n/a							
G115H 115/120 4T/4,400 E F 100 M 6,000 E n/a £95,599 n/a							
G125eH 125/130 4T/4,400 E F 100 M 6,000 E n/a £97,940 n/a							
G135H 135/145 4T/4,400 E F 100 M 6,000 E n/a £99,627 n/a							
G5 Active							
Transmission: Power Shuttle 24x24/6, 48x48/6 creep SS 40kph PS 40kph PS 50kph	n						
G105A 105/110 4T/4,400 E V 110 M 6,000 E n/a £94,434 n/a							
G115A 115/120 4T/4,400 E V 110 M 6,000 E n/a £96,774 n/a							
G125eA 125/130 4T/4,400 E V 110 M 6,000 E n/a £99,114 n/a							
G135A 135/145 4T/4,400 E V 110 M 6,000 E n/a £101,455 n/a							
G5 Versu							
Transmission: Power Shuttle 24x24/6, 48x48/6 creep SS 40kph PS 40kph PS 50kph	n						
G105V 105/110 4T/4,400 E V 110 M 6,000 E n/a £99,121 n/a							
G115V 115/120 4T/4,400 E V 110 M 6,000 E n/a £101,461 n/a							
G125eV 125/130 4T/4,400 E V 110 M 6,000 E n/a £103,801 n/a							
G135V 135/145 4T/4,400 E V 110 M 6,000 E n/a £105,488 n/a							

Note: Mechanical cab suspension £1,093, front axle suspension £3,983. Versu models have SmartTouch terminal as standard. 3,000kg front linkage £3,415, with pto £7,800.

Valtra G Series tractors have Agco Power engines with DOC, DPF and SCR for Euro Stage V emissions compliance. Highest power outputs are for 1,000rpm pto applications. Eco Power 'e' models - Eco mode 115/125hp at 1,750rpm, Power mode 125/130hp at 1,900rpm.

N5 HiTech							
Transmission: Power Shut	tle 30x30/5 creep or	SS 40kph	PS 40kph	PS 50kph			
N135H	135/145	4T/4,900 E	F 75 or F 90 M	7,800 E	n/a	£133,200	£138,816
N155eH	155/165	4T/4,900 E	F 75 or F 90 M	7,800 E	n/a	£139,474	£140,484
N175H	165/185/201	4T/4,900 E	F 75 or F 90 M	7,800 E	n/a	£142,643	£143,653

Note: 40kph - mechanical cab suspension £1,093, Aires+ front axle suspension £4,606. 50kph - mechanical cab suspension and heavy duty suspension front axle standard. 3,500kg front linkage £4,456, with pto £8,850. Air trailer braking standard. Highest power outputs are for transport and pto (Sigma power boost). Hi-Speed 57kph option available for model N175H. Five years' Connect telematics standard.

N5 Active							
Transmission: Power Shuttle 30	SS 40kph	PS 40kph PS 50k					
N135A	135/145	4T/4,900 E	V 115, 160 or 200 M	7,800 E	n/a	£139,171	£140,181
N155eA	155/165	4T/4,900 E	V 115, 160 or 200 M	7,800 E	n/a	£141,866	£142,876
N175A	165/185/201	4T/4,900 E	V 115, 160 or 200 M	7,800 E	n/a	£144,008	£145,018

Note: 40kph - mechanical cab suspension £1,093, Aires+ front axle suspension £4,606. 50kph - mechanical cab suspension and heavy duty suspension front axle standard. 3,500kg front linkage £4,456, with pto £8,850. Air trailer braking standard. Highest power outputs are for transport and pto (Sigma power boost). Hi-Speed 57kph option available for model N175H. Five years' Connect telematics standard.

N5 Versu							
Transmission: Power Shuttle 30x	(30/5 creep				SS 40kph	PS 40kph	PS 50kph
N135V	135/145	4T/4,900 E	V 115, 160 or 200 E	7,800 E	n/a	£142,757	£143,767
N155eV	155/165	4T/4,900 E	V 115, 160 or 200 E	7,800 E	n/a	£145,452	£146,642
N175V	165/185/201	4T/4,900 E	V 115, 160 or 200 E	7,800 E	n/a	£147,594	£148,604

Note: 40kph - mechanical cab suspension £1,093, Aires+ front axle suspension £4,606. 50kph - mechanical cab suspension and heavy duty suspension front axle standard. 3,500kg front linkage £4,456, with pto £8,850. Air trailer braking standard. Highest power outputs are for transport and pto (Sigma power boost). Hi-Speed 57kph option available for model N175V. Five years' Connect telematics standard.

N5 Direct							
Transmission: Power Shuttle CV	Shuttle CVT SS 40kph PS 40kph PS 50kph	PS 50kph					
N135D	135/145	4T/4,900 E	V 115, 160 or 200 E	7,800 E	n/a	£140,623	£148,239
N155eD	155/165	4T/4,900 E	V 115, 160 or 200 E	7,800 E	n/a	£145,423	£153,039
N175D	165/185/201	4T/4,900 E	V 115, 160 or 200 E	7,800 E	n/a	£154,171	£155,181

Note: 40kph - mechanical cab suspension £1,093, Aires+ front axle suspension £4,606. 50kph - mechanical cab suspension and heavy duty suspension front axle standard. 3,500kg front linkage £4,456, with pto £8,850. Air trailer braking standard. Highest power outputs are for transport and pto (Sigma power boost). Hi-Speed 57kph option available for model N175H. Five years' Connect telematics standard.

Valtra N Series tractors have Agco Power engines with DOC, DPF and SCR for Euro Stage V emissions compliance. Highest power outputs are for pto applications. Eco Power 'e' models - maximum draft and transport power at 1,750rpm, Eco 1,900rpm.

T5 HiTech										
Transmission: Power S	Shuttle 30x30/5 creep				SS 40kph	PS 40kph	PS 50kph			
T145H	155/170	6T/6,600 E	F 73 or 90 M	8,100 E	n/a	£135,010	£145,938			
T155H	165/180	6T/6,600 E	F 73 or 90 M	8,100 E	n/a	£138,571	£149,499			
T175eH	175/190	6T/7,400 E	F 73 or 90 M	8,100 E	n/a	£145,148	£156,076			
T195H	195/210	6T/7,400 E	F 73 or 90 M	8,100 E	n/a	£157,591	£164,923			
T215H	215/230	6T/7,400 E	F 73 or 90 M	8,100 E	n/a	£166,755	£174,087			
T235H	235/250	6T/7,400 E	F 73 or 90 M	8,100 E	n/a	£176,432	£183,764			
T255H	235/271	6T/7,400 E	F 73 or 90 M	8,100 E	n/a	£185,899	£193,231			

Note: 40kph - mechanical cab suspension £1,093, front axle suspension £4,606, with brakes £6,377. Air trailer braking standard. 50kph - includes mechanical cab suspension and front axle suspension, with brakes £1,771. 5,100kg front linkage £5,656, with pto £10,041. Hi-Speed 57kph option available for models T175 to T255. Five years' Connect telematics standard.

Transmission Synchro or power shuttle, ratios and powershift steps - the first configuration listed is standard	Max power/ boost power Maximum power for draft work/ maximum boost power available	Engine Cylinders/ volume; E - electronic fuel management	Hydraulics F - fixed-output gear pump; V - variable-output piston pump; main pump-output plus steering pump where fitted; M - mechanical spool valves; E - electric spool valves	Lift linkage Maximum lift (kg); M - mechanical draft control; E - electronic draft control	List price £ - synchro shuttle 30kph or 40kph	List price £ - power shuttle 40kph	List price £ - power shuttle 50kph, 60kph or 70kph
T5 Active							
Transmission: Power Shuttle 30	x30/5 creep				SS 40kph	PS 40kph	PS 50kph
T145A	155/170	6T/6,600 E	V 115, 160 or 200 M	8,100 or 9,500 E	n/a	£143,595	£163,056
T155A	165/180	6T/6,600 E	V 115, 160 or 200 M	8,100 or 9,500 E	n/a	£147,157	£166,618
T175eA	175/190	6T/7,400 E	V 115, 160 or 200 M	9,500 E	n/a	£153,733	£173,194
T195A	195/210	6T/7,400 E	V 115, 160 or 200 M	9,500 E	n/a	£162,580	£182,041
T215A	215/230	6T/7,400 E	V 115, 160 or 200 M	9,500 E	n/a	£184,835	£191,205
T235A	235/250	6T/7,400 E	V 115, 160 or 200 M	9,500 E	n/a	£194,512	£200,882
T255A	235/271	6T/7,400 E	V 115, 160 or 200 M	9,500 E	n/a	£203,979	£210,349

Note: 40kph - mechanical cab suspension £1,093, front axle suspension £4,606, with brakes £6,337. Air trailer braking standard. 50kph - includes mechanical cab suspension and front axle suspension, with brakes £1,771. 5,100kg front linkage £5,656, with pto £10,041. Hi-Speed 57kph option available for models T175 to T255. Five years' Connect telematics standard.

T5 Versu										
Transmission: Power Shu	Transmission: Power Shuttle 30x30/5 creep SS 40kph PS 40kph PS 5									
T145V	155/170	6T/6,600 E	V 115, 160 or 200 E	8,100 or 9,500 E	n/a	£160,486	£166,643			
T155V	165/180	6T/6,600 E	V 115, 160 or 200 E	8,100 or 9,500 E	n/a	£164,047	£170,204			
T175eV	175/190	6T/7,400 E	V 115, 160 or 200 E	9,500 E	n/a	£170,624	£176,781			
T195V	195/210	6T/7,400 E	V 115, 160 or 200 E	9,500 E	n/a	£179,471	£185,628			
T215V	215/230	6T/7,400 E	V 115, 160 or 200 E	9,500 E	n/a	£188,635	£194,792			
T235V	235/250	6T/7,400 E	V 115, 160 or 200 E	9,500 E	n/a	£198,312	£204,469			
T255V	235/271	6T/7,400 E	V 115, 160 or 200 E	9,500 E	n/a	£207,779	£213,936			

Note: 40kph - mechanical cab suspension £1,093, front axle suspension £4,606, with brakes £6,337. Air trailer braking standard. 50kph - includes mechanical cab suspension and front axle suspension, with brakes £1,771. 5,100kg front linkage £5,656, with pto £10,041. Hi-Speed 57kph option available for models T175 to T255. Versu models standard with SmartTouch terminal. Five years' Connect telematics standard.

T5 Direct							
Transmission: Power Shuttle	CVT	SS 40kph	PS 40kph	PS 50kph			
T145D	155/170	6T/6,600 E	V 115, 160 or 200 E	8,100 or 9,500 E	n/a	£168,173	£173,789
T155D	165/180	6T/6,600 E	V 115, 160 or 200 E	8,100 or 9,500 E	n/a	£171,734	£177,350
T175eD	175/190	6T/7,400 E	V 115, 160 or 200 E	9,500 E	n/a	£178,311	£183,927
T195D	195/210	6T/7,400 E	V 115, 160 or 200 E	9,500 E	n/a	£187,158	£192,774
T215D	215/230	6T/7,400 E	V 115, 160 or 200 E	9,500 E	n/a	£196,322	£201,938
T235D	235/250	6T/7,400 E	V 115, 160 or 200 E	9,500 E	n/a	£205,999	£211,615

Note: 40kph - mechanical cab suspension £1,093, front axle suspension £4,606, with brakes £6,337. Air trailer braking standard. 50kph - includes mechanical cab suspension and front axle suspension, with brakes £1,771. 5,100kg front linkage £5,656, with pto £10,041. Hi-Speed 57kph option available for models T175 to T255. Direct models standard with SmartTouch terminal. Five years' Connect telematics standard.

Valtra T Series tractors have Agco Power engines with DOC, DPF and SCR for Euro Stage V emissions compliance. Highest outputs are for pto applications. Eco Power T175eD model - maximum draft and transport power at 1,750rpm; Eco 1,900rpm.

Q5							
Transmission: Power Shuttle C	SS 40kph	PS 40kph	PS 50kph				
Q225	230/250	6T/7,400 E	V 200 or 200 Eco E	10,000 E	n/a	£229,992	£231,002
Q245	245/265	6T/7,400 E	V 200 or 200 Eco E	10,000 E	n/a	£234,732	£235,742
Q265	265/290	6T/7,400 E	V 200 or 200 Eco E	10,000 E	n/a	£241,052	£242,062
Q285	285/305	6T/7,400 E	V 200 or 200 Eco E	10,000 E	n/a	£246,070	£247,080
Q305	305/ -	6T/7,400 E	V 200 or 200 Eco E	10,000 E	n/a	£252,390	£253,400

Note: Semi-active cab suspension, front axle suspension and air trailer braking standard. 4,800kg front linkage £5,656, with pto £10,041. Hydraulics - standard version delivers full flow at engine rated speed, Eco option at 1,650rpm.

Valtra Q5 Series tractors have Agco Power engines with EGR, DOC, DPF and SCR for Euro Stage V emissions compliance. Highest power outputs are for pto and transport applications.

S6							
Transmission: Power Shuttle C	√ T	SS 40kph	PS 40kph	PS 50kph			
S286	280/310	6T/8,400 E	V+F 205 E or V 200 + 200 E	12,000 E	n/a	£292,457	£293,467
S316	310/340	6T/8,400 E	V+F 205 E or V 200 + 200 E	12,000 E	n/a	£300,998	£302,008
S346	340/370	6T/8,400 E	V+F 205 E or V 200 + 200 E	12,000 E	n/a	£312,955	£313,965
S376	370/400	6T/8,400 E	V+F 205 E or V 200 + 200 E	12,000 E	n/a	£321,496	£322,506
S396	400/420	6T/8,400 E	V+F 205 E or V 200 + 200 E	12,000 E	n/a	£331,745	£332,755
S416	420/ -	6T/8,400 E	V+F 205 E or V 200 + 200 E	12,000 E	n/a	£340,286	£341,296

Note: Semi-active cab suspension, front axle suspension, and air trailer braking standard. 5,800kg front linkage standard, with pto £4,277.

Valtra S Series tractors have Agco Power engines with EGR, DOC, DPF and SCR for Euro Stage V emissions compliance. S286 to S396 - highest power outputs are for transport speeds beyond 18kph and on-the-move pto and hydraulics applications. S416 - full power available at field speeds and for both mobile and stationary pto applications.

VERSATILE										
4WD Series										
Transmission: Power Shuttle	e 16x4/16	SS 40kph	PS 40kph	PS 50kph						
430	475 / -	6T/11,800 E	V 201 E or 401 E	tbc	n/a	£poa	n/a			
460	512 / -	6T/11,800 E	V 201 E or 401 E	tbc	n/a	£poa	n/a			

Transmission Synchro or power shuttle, ratios and powershift steps - the first configuration listed is standard	Max power/ boost power Maximum power for draft work/ maximum	Engine Cylinders/ volume; E - electronic fuel management	Hydraulics F - fixed-output gear pump; V - variable-output piston pump; main pump-output plus steering pump where fitted; M - mechanical spool valves;	Lift linkage Maximum lift (kg); M - mechanical draft control; E - electronic draft control	List price £ - synchro shuttle 30kph or 40kph	List price £ - power shuttle 40kph	List price £ - power shuttle 50kp 60kph or 70kph
	boost power available		E - electric spool valves				
DeltaTrack							
Transmission: Power Shuttle 16	(4/16				SS 40kph	PS 40kph	PS 50kph
520DT	572 / -	6T/14,945 E	V 201 E or 401 E	n/a	n/a	£poa	n/a
570DT	626 / -	6T/14,945 E	V 201 E or 401 E	n/a	n/a	£poa	n/a
510DT	650 / -	6T/14,945 E	V 201 E or 401 E	n/a	n/a	£poa	n/a
Note: DeltaTrack models run on	four rubber trac	ks. Cab suspension	on n/a, front axle suspension n/a. Front	t linkage n/a.			
Versatile 4WD tractors have Cui	mmins QSG12 wi	th EGR, VGT and	DPF, DeltaTrack models QSX15 engine.	s with EGR, VGT, DPF a	and SCR for Euro	Stage IV / US T	ier 4 Final
emissions compliance.							
YANMAR							
/M							
Fransmission: Synchro Shuttle 1	2x12 creep				SS 26kph	PS 40kph	PS 50kph
/M359 Rops	60/ -	4T/3,319 E	F 38+21 M	1,430 M	£poa	n/a	n/a
·		.,,,,,,,,		,	PS 30kph		<u> </u>
Fransmission: Power Shuttle CV		4=/====				PS 40kph	PS 50kph
YT359 Q i-HMT	60/ -	4T/3,319 E	F 55+21 M	1,660 M	£poa	n/a	n/a
Vote: Open platform ROPS vers	ion of YT359 als	o available. Distrii	buted by Boss Off-Road Vehicles.				
Yanmar YM3 and YT3 tractors h	ave Yanmar TNV	engines.					
ZETOR							
Major CL Lux							
Fransmission: Synchro Shuttle 1	2v12				SS 30kph	PS 40kph	PS 50kph
30 CL Lux	76/ -	4T/2,900 E	F 50+22 M	2,400 M	£47,188	n/a	n/a
Note: Cab suspension n/a, front	· ·			2,40011	247,100	11,4	11/4
•	· · · · · · · · · · · · · · · · · · ·		uro Stage V emissions compliance.				
Proxima CL	erigines with LC	ok and DOC 101 L	uro stage v errissions compliance.				
Fransmission: Synchro Shuttle 1	2v12				SS 40kph	PS 40kph	PS 50kph
100	99/ -	4T/4,156 E	F 50+22 M	4,200 M	£63,744	n/a	n/a
10	109/ -	4T/4,156 E	F 50+22 M	4,200 M	£64,453	n/a	n/a
Proxima GP Plus	103/	41/4,130 E	1 30 22 14	4,20011	104,433	11/4	11/4
Transmission: Synchro Shuttle 1	6×16/2				SS 40kph	PS 40kph	PS 50kph
100	99/ -	4T/4,156 E	F 50+22 M	4,200 M	£49,904	n/a	n/a
110	109/ -	4T/4,156 E	F 50+22 M	4,200 M	£50,845	n/a	n/a
Proxima HS Power	,	, .,		.,200	200,010	, u	.,, a
Transmission: Power Shuttle 24	×24/3				SS 40kph	PS 40kph	PS 50kph
100	99/-	4T/4,156 E	F 50+22 M	4,200 M	n/a	£68,784	n/a
120	117/ -	4T/4,156 E	F 50+22 M	4,200 M	n/a	£69,795	n/a
20 Premium	117/ -	4T/4,156 E	F 50+22 M	4,200 M	n/a	£73,578	n/a
			e £2,721, with pto £5,614. Proxima HS F				
conditioning and air seat.	uxie susperision	Tiya. TTOITE IIIIKag	e 12,721, with pto 13,014. I Toxima 113 1	ower 120 i reinium nas	s electronic timee	point men con	uoi, aii
Zetor Proxima tractors have Del	ıtz engines with	EGR, DOC, SCR &	and DPF for Euro Stage V emissions co	mpliance.			
Forterra CL							
Transmission: Synchro Shuttle 2	24x18/3 Eco 40k	ph			SS 40kph	PS 40kph	PS 50kph
20	117/ -	4T/4,156 E	F 70+22 M	7,700 E	£79,409	n/a	n/a
40	136/ -	4T/4,156 E	F 70+22 M	7,700 E	£82,046	n/a	n/a
Vote: Cab suspension £1,072, fro	ont axle suspens	ion n/a. 3,500kg	front linkage £3,127, with pto £6,588.				
Forterra HSX							
Transmission: Power Shuttle 30	x30/3 Eco 40kp	h			SS 40kph	PS 40kph	PS 50kph
20	117/ -	4T/4,156 E	F 70+22 M	8,500 E	n/a	£83,162	n/a
40	136/ -	4T/4,156 E	F 70+22 M	8,500 E	n/a	£88,610	n/a
Note: Cab suspension £1,072, fro	ont axle suspens	ion n/a. 3,500kg i	front linkage £3,127, with pto £6,588.				
Forterra HD							
ransmission: Power Shuttle 30	x30/3 Eco 40kp	oh .			SS 40kph	PS 40kph	PS 50kph
50	147/ -	4T/4,156 E	F 85 M or V 120 M	8,500 E	n/a	£103,198	n/a
			g front linkage standard, with pto £3,4		·		
· · · · · · · · · · · · · · · · · · ·			R for Euro Stage V emissions compliar		l order onlv - For	terra 107hp 110 (CL, 130hp 130 Cl
96hp 100 HSX, 107hp 110 HSX, 1			3			. ,	. ,
Crystal HD							
	70 /7 F 40l	,h			SS 40kph	PS 40kph	PS 50kph
ransmission: Power Shuttle 30	X30/3 ECO 40KP	,,,,					