

Round baler prices and specifications

ROUND BALERS

Make/model	Bale diameter	Feed-in mechanism	Drop floor	Bale formation	Bale density control	Isobus electronics	Weight – single axle/twin axle	List price ex-VAT
------------	---------------	-------------------	------------	----------------	----------------------	--------------------	--------------------------------	-------------------

Note: no – feature not available; std – feature fitted as standard; opt – feature optional; na – information unavailable.

CASE IH

*UPDATED MODELS

RB344 Rotor Feeder	1.25m	Stub augers, spiral rotor	no	Base roller, two chains + slats	Three-stage, springs, tailgate pressure	no	2,775kg/-	£40,072
RB344 Rotor Cutter	1.25m	Stub augers, spiral rotor + 15 knives	no	Base roller, two chains + slats	Three-stage, springs, tailgate pressure	no	4,810kg/-	£43,804
RB545 Rotor Cutter	1.25m	Stub augers, spiral rotor + 20 knives	opt	18 rollers	Hydraulic, springs, tailgate pressure	std	3,060kg/-	£62,261
RB545 Rotor Cutter Silage Pack	1.25m + wrap	Stub augers, spiral rotor + 20 knives	std	18 rollers	Hydraulic, springs, tailgate pressure	std	-/4,500kg	£110,787
RB456 Overshot Feeder*	0.9-1.5m	Overshot spiral rotor/auger	no	Four rollers, four belts	One hydraulic cylinder, spring	opt	3,080kg/-	£49,229
RB456 Rotor Feeder*	0.9-1.5m	Stub augers, optional paddle feeder/auger, spiral rotor	std	Four rollers, four belts	Two hydraulic cylinders, spring	opt	3,561kg/-	£57,828
RB456 Rotor Cutter*	0.9-1.5m	Stub augers, optional paddle feeder/auger, spiral rotor + 15 knives	std	Four rollers, four belts	Two hydraulic cylinders, spring	opt	3,401kg/-	£66,155
RB466 Overshot Feeder*	0.9-1.8m	Overshot spiral rotor/auger	std	Four rollers, four belts	Two hydraulic cylinders, spring	opt	3,300kg/-	£55,094
RB466 Rotor Feeder*	0.9-1.8m	Stub augers, optional paddle feeder/auger, spiral rotor	std	Four rollers, four belts	Two hydraulic cylinders, spring	opt	3,775kg/-	£63,278
RB466 Rotor Cutter*	0.9-1.8m	Stub augers, optional paddle feeder/auger, spiral rotor + 15 knives	std	Four rollers, four belts	Two hydraulic cylinders, spring	opt	3,615kg/-	£70,869
RB456 HD Pro Rotor Feeder	0.9-1.65m	Stub augers, optional paddle feeder/auger, 520mm spiral rotor	std	Two rollers, four belts	Two hydraulic cylinders, two springs	std	4,400kg/-	£68,464
RB456 HD Pro Rotor Cutter 13	0.9-1.65m	Stub augers, optional paddle feeder/auger, 520mm spiral rotor + 13 knives	std	Two rollers, four belts	Two hydraulic cylinders, two springs	std	4,870kg/-	£72,738
RB456 HD Pro Rotor Cutter 25	0.9-1.65m	Stub augers, optional paddle feeder/auger, 520mm spiral rotor + 25 knives	std	Two rollers, four belts	Two hydraulic cylinders, two springs	std	4,900kg/-	£77,062
RB466 HD Pro Rotor Feeder	0.9-1.9m	Stub augers, optional paddle feeder/auger, 520mm spiral rotor	std	Two rollers, four belts	Two hydraulic cylinders, two springs	std	4,700kg/-	£77,215
RB466 HD Pro Rotor Cutter 13	0.9-1.9m	Stub augers, optional paddle feeder/auger, 520mm spiral rotor + 13 knives	std	Two rollers, four belts	Two hydraulic cylinders, two springs	std	4,900kg/-	£81,497
RB466 HD Pro Rotor Cutter 25	0.9-1.9m	Stub augers, optional paddle feeder/auger, 520mm spiral rotor + 25 knives	std	Two rollers, four belts	Two hydraulic cylinders, two springs	std	5,100kg/-	£85,821

Note: RB6 HD Pro – compatible with CNH's compostable bale net. Model-year 2027 machines gain enhanced FieldOps connectivity, including bale tracking and mapping, a wider choice of cab displays and integrated Tractor and Baler Automation for automatic tractor stopping, bale binding and discharge.

CLAAS

*NEW MODELS

Rollant 540 Roto Feed, Rollant 540 Roto Cut, Rollant 540 Roto Cut Comfort

DISCONTINUED

Rollant 520 Roto Feed	1.25m	Stub augers, spiral rotor	no	16 rollers	Hydraulic tailgate pressure	no	2,700kg/-	£37,320
Rollant 630 Roto Feed*	1.25m	Stub augers, spiral rotor	std	16 rollers	Hydraulic tailgate pressure	std	3,500kg/-	£50,160
Rollant 630 Roto Cut*	1.25m	Stub augers, spiral rotor + 17 knives	std	16 rollers	Hydraulic tailgate pressure	std	3,500kg/-	£58,860
Rollant 630 Roto Cut Comfort*	1.25m	Stub augers, spiral rotor + 25 knives	std	16 rollers	Hydraulic tailgate pressure	std	3,500kg/-	£65,070
Rollant 630 Roto Cut Uniwrap	1.25-1.35m + wrap	Stub augers, four-star spiral rotor + 25 knives	std	16 rollers	Hydraulic tailgate pressure	std	7,400kg/-	£110,570
Rollant 630 Roto Cut MPS Uniwrap	1.25-1.35m + wrap	Stub augers, four-star spiral rotor + 25 knives	std	16 rollers	Hydraulic tailgate pressure, inner pivoting top three rollers	std	7,400kg/-	£115,765
Variant 560 Roto Feed Pro	0.9-1.6m	Stub augers, spiral rotor	std	Four belts	Dual tensioning arms with individual pressure control, two hydraulic cylinders	std	3,005-3,880kg/-	£58,090

ROUND BALERS (continued)								
Make/model	Bale diameter	Feed-in mechanism	Drop floor	Bale formation	Bale density control	Isobus electronics	Weight - single axle/twin axle	List price (ex-VAT)
Variant 565 Roto Cut HD Pro	0.9-1.6m	Stub augers, spiral rotor + 17 knives	std	Four belts	Dual tensioning arms with individual pressure control, two hydraulic cylinders	std	3,285-3,970kg/-	£61,110
Variant 580 Roto Feed Pro	0.9-1.8m	Stub augers, spiral rotor	std	Four belts	Dual tensioning arms with individual pressure control, two hydraulic cylinders	std	3,060-3,935kg/-	£63,430
Variant 585 Roto Cut HD Pro	0.9-1.8m	Stub augers, spiral rotor + 17 knives	std	Four belts	Dual tensioning arms with individual pressure control, two hydraulic cylinders	std	3,340-4,025kg/-	£66,330
Cerex 760 Roto Feed*	0.9-1.6m	Stub augers, spiral rotor	std	Two belts	Dual tensioning arms with individual pressure control, two hydraulic cylinders	std	5,100kg/-	£69,960
Cerex 760 Roto Cut*	0.9-1.6m	Stub augers, spiral rotor + 25 knives	std	Two belts	Dual tensioning arms with individual pressure control, two hydraulic cylinders	std	5,100kg/-	£77,780
Cerex 780 Roto Feed*	0.9-1.83m	Stub augers, spiral rotor	std	Two belts	Dual tensioning arms with individual pressure control, two hydraulic cylinders	std	5,100kg/-	£74,500
Cerex 780 Roto Cut*	0.9-1.83m	Stub augers, spiral rotor + 25 knives	std	Two belts	Dual tensioning arms with individual pressure control, two hydraulic cylinders	std	5,100kg/-	£82,670

Note: Variant 500 - Covered XW net binding extends over bale shoulders. Rollant 630 RC Comfort - automatic tailgate opening and closing; optional net/film binding. Uniwrap - optional film binding; two horizontal orbital arms carry 750mm wrapping-film dispensers with 67% or 82% pre-stretch. Cerex 700 Roto Cut - selectable Q/12/13/25 knives; hydraulic net tensioning and storage for two spare rolls. Available equipment includes moisture sensing, bale-monitoring camera and work lights.

FENDT								
Rotana 130 F	1.25m	Stub augers, spiral rotor	no	18 rollers	Latched tailgate	no	3,000kg/-	£42,625
Rotana 130 F XtraCut 0	1.25m	Stub augers, spiral rotor + 0 knives	std	18 rollers	Latched tailgate	opt	3,400kg/-	£52,917
Rotana 130 F XtraCut 13	1.25m	Stub augers, spiral rotor + 13 knives	std	18 rollers	Latched tailgate	opt	3,400kg/-	£55,391
Rotana 130 F XtraCut 17	1.25m	Stub augers, spiral rotor + 17 knives	std	18 rollers	Latched tailgate	opt	3,400kg/-	£59,089
Rotana 130 F XtraCut 25	1.25m	Stub augers, spiral rotor + 25 knives	std	18 rollers	Latched tailgate	opt	3,400kg/-	£61,101
Rotana 130 F Combi XtraCut 13	1.25m + wrap	Stub augers, spiral rotor + 13 knives	std	18 rollers	Latched tailgate	std	6,450kg/-	£117,019
Rotana 130 F Combi XtraCut 17	1.25m + wrap	Stub augers, spiral rotor + 17 knives	std	18 rollers	Latched tailgate	std	6,450kg/-	£120,717
Rotana 130 F Combi XtraCut 25	1.25m + wrap	Stub augers, spiral rotor + 25 knives	std	18 rollers	Latched tailgate	std	6,450kg/-	£122,729
Rotana 160 V	0.7-1.6m	Stub augers, spiral rotor	no	Three rollers, four belts	Springs then hydraulic, latched tailgate	no	3,950kg/-	£47,893
Rotana 160 V XtraCut 0	0.7-1.6m	Stub augers, spiral rotor + 0 knives	std	Three rollers, four belts	Springs then hydraulic, latched tailgate	opt	4,120kg/-	£57,741
Rotana 160 V XtraCut 13	0.7-1.6m	Stub augers, spiral rotor + 13 knives	std	Three rollers, four belts	Springs then hydraulic, latched tailgate	opt	4,120kg/-	£60,215
Rotana 160 V XtraCut 17	0.7-1.6m	Stub augers, spiral rotor + 17 knives	std	Three rollers, four belts	Springs then hydraulic, latched tailgate	opt	4,120kg/-	£63,913
Rotana 160 V XtraCut 25	0.7-1.6m	Stub augers, spiral rotor + 25 knives	std	Three rollers, four belts	Springs then hydraulic, latched tailgate	opt	4,120kg/-	£68,885
Rotana 160 V XtraCut 13 Combi	0.7-1.6m + wrap	Stub augers, spiral rotor + 13 knives	std	Three rollers, four belts	Springs then hydraulic, latched tailgate	std	6,550kg/-	£125,950
Rotana 160 V XtraCut 17 Combi	0.7-1.6m + wrap	Stub augers, spiral rotor + 17 knives	std	Three rollers, four belts	Springs then hydraulic, latched tailgate	std	6,550kg/-	£129,648
Rotana 160 V XtraCut 25 Combi	0.7-1.6m + wrap	Stub augers, spiral rotor + 25 knives	std	Three rollers, four belts	Springs then hydraulic, latched tailgate	std	6,550kg/-	£131,660
Rotana 180 V	0.7-1.8m	Stub augers, spiral rotor	no	Three rollers, four belts	Springs then hydraulic, latched tailgate	no	4,200kg/-	£60,377
Rotana 160 V XtraCut 25 Combi	0.7-1.8m	Stub augers, spiral rotor + 13 knives	std	Three rollers, four belts	Springs then hydraulic, latched tailgate	opt	4,200kg/-	£65,934
Rotana 180 V XtraCut 13	0.7-1.8m	Stub augers, spiral rotor + 13 knives	std	Three rollers, four belts	Springs then hydraulic, latched tailgate	opt	4,200kg/-	£68,408
Rotana 180 V XtraCut 17	0.7-1.8m	Stub augers, spiral rotor + 17 knives	std	Three rollers, four belts	Springs then hydraulic, latched tailgate	opt	4,200kg/-	£72,106
Rotana 180 V XtraCut 25	0.7-1.8m	Stub augers, spiral rotor + 25 knives	std	Three rollers, four belts	Springs then hydraulic, latched tailgate	opt	4,200kg/-	£74,118

Note: Combi models have a horizontal wrapping ring carrying two 500mm or 750mm film dispensers, with film-on-net or film-on-film capability. Optional cab-controlled net/film roll selection on Combi models; threading remains manual. Rotana Xtra and Combi models offer Load Sensing Pro or TIM Pro packages with bale weighing, moisture measurement, automatic tailgate operation, knife-slot cleaning, LED lighting and knife retraction to leave an uncut outer layer for improved bale stability. TIM adds automatic tractor stopping with a compatible tractor. Weighing and moisture measurement are also available separately on Combi models. Other options include a rear camera and automatic bearing lubrication on variable-chamber balers.

ROUND BALERS (continued)								
Make/model	Bale diameter	Feed-in mechanism	Drop floor	Bale formation	Bale density control	Isobus electronics	Weight - single axle/twin axle	List price (ex-VAT)
GOWEIL								
G-1 F125	1.25m	Paddle feed roller, 57cm overshot six-star V rotor + 30 knives	std	18 rollers	Hydraulic, tailgate pressure	std	5,580kg/-	£53,500
G-1 F125 Kombi	1.25m + wrap	Paddle feed roller, 57cm overshot six-star V rotor + 30 knives	std	18 rollers	Hydraulic, tailgate pressure	std	-/8,980kg	£115,000

Note: Distributed by GCB Agricultural Machinery. Incoming material passes over rather than under the intake rotor with crop slicing knives positioned accordingly. Automation - gearbox and rotor sensors trigger progressive knife withdrawal illustrated on in-cab display as a potential overload warning. Optional dual binding applies two layers of net or wide film simultaneously. Kombi wrapper applies film from two orbital dispensers. Standard equipment includes air brakes and automatic grease and oil lubrication.

JOHN DEERE						*UPDATED MODELS		
V451G RotoFlow HC, V451R MaxiCut HC 25 Premium						DISCONTINUED		
F442M MultiCrop RotoFlow HC*	1.25-1.35m	Spiral rotor with auger flights	opt	Seven rollers, two chains + slats	Hydraulic, tailgate pressure	opt	4,200kg/-	£52,390
F442M MultiCrop Maxicut HC 13*	1.25-1.35m	Spiral rotor with auger flights + 13 knives	std	Seven rollers, two chains + slats	Hydraulic, tailgate pressure	opt	4,200kg/-	£58,291
F442M Silage Special RotoFlow HC*	1.25-1.35m	Spiral rotor with auger flights	std	17 rollers	Hydraulic, tailgate pressure	opt	4,200kg/-	£52,390
F442M Silage Special MaxiCut HC 13*	1.25-1.35m	Spiral rotor with auger flights + 13 knives	std	17 rollers	Hydraulic, tailgate pressure	opt	4,200kg/-	£58,291
F442R MaxiCut HC 13*	1.25-1.35m	Spiral rotor with auger flights + 13 knives	std	18 rollers	Hydraulic, tailgate pressure	std	4,200kg/-	£71,913
F442R MaxiCut HC 25*	1.25-1.35m	Spiral rotor with auger flights + 25 knives	std	18 rollers	Hydraulic, tailgate pressure	std	4,200kg/-	£75,989
C442R MaxiCut HC 13*	1.25-1.35m + wrap	Spiral rotor with auger flights + 13 knives	std	18 rollers	Hydraulic, tailgate pressure	std	-/6,500kg	£129,682
C442R MaxiCut HC 25*	1.25-1.35m + wrap	Spiral rotor with auger flights + 25 knives	std	18 rollers	Hydraulic, tailgate pressure	std	-/6,500kg	£132,543
V452M RotoFlow HC*	0.9-1.65m	Spiral rotor with auger flights	std	Six belts, three rollers	Hydraulic cylinders	opt	4,000kg/-	£60,846
V452M MaxiCut HC 68 Premium*	0.9-1.65m	Spiral rotor with auger flights + 13 knives	std	Six belts, three rollers	Hydraulic cylinders	opt	4,000kg/-	£69,437
V462M RotoFlow HC*	0.9-1.85m	Spiral rotor with auger flights	std	Six belts, three rollers	Hydraulic cylinders	opt	4,200kg/-	£67,724
V462M MaxiCut HC 68 Premium*	1-1.85m	Spiral rotor with auger flights + 13 knives	std	Six belts, three rollers	Hydraulic cylinders	opt	4,200kg/-	£76,265
V452R RotoFlow HC Premium*	0.8-1.6m	Spiral rotor with auger flights	std	Two belts, three rollers	Hydraulic cylinders, springs	std	4,440kg/-	£88,864
V452R MaxiCut HC 68 Premium*	0.8-1.6m	Spiral rotor with auger flights + 13 knives	std	Two belts, three rollers	Hydraulic cylinders, springs	std	4,440kg/-	£97,604
V462R RotoFlow HC Premium*	0.8-1.85m	Spiral rotor with auger flights	std	Two belts, three rollers	Hydraulic cylinders, springs	std	4,740kg/-	£95,809
V462R MaxiCut HC 68 Premium*	0.8-1.85m	Spiral rotor with auger flights + 13 knives	std	Two belts, three rollers	Hydraulic cylinders, springs	std	4,740kg/-	£104,549
V462R MaxiCut HC 40 Premium*	0.8-1.85m	Spiral rotor with auger flights + 13 knives	std	Two belts, three rollers	Hydraulic cylinders, springs	std	4,740kg/-	£104,549
C442R Maxicut HC 68 Premium*	1-1.6m + wrap	Spiral rotor with auger flights + 13 knives	std	Two belts, three rollers	Hydraulic cylinders, springs	std	-/8,500kg	£136,633
C442R MaxiCut HC 40 Premium*	1-1.6m + wrap	Spiral rotor with auger flights + 13 knives	std	Two belts, three rollers	Hydraulic cylinders, springs	std	-/8,500kg	£141,416
C452R MaxiCut HC 68 Premium*	1-1.6m + wrap	Spiral rotor with auger flights + 13 knives	std	Two belts, three rollers	Hydraulic cylinders, springs	std	-/8,500kg	£153,869
C452R MaxiCut HC 40 Premium*	1-1.6m + wrap	Spiral rotor with auger flights + 25 knives	std	Two belts, three rollers	Hydraulic cylinders, springs	std	-/8,500kg	£156,086
C462R MaxiCut HC 68 Premium*	1-1.7m + wrap	Spiral rotor with auger flights + 13 knives	std	Two belts, three rollers	Hydraulic cylinders, springs	std	-/9,000kg	£162,193
C462R MaxiCut HC 40 Premium*	1-1.7m + wrap	Spiral rotor with auger flights + 25 knives	std	Two belts, three rollers	Hydraulic cylinders, springs	std	-/9,000kg	£164,410

Note: C-series baler-wrappers have twin 750mm film dispensers on horizontal orbital arms; optional bale weighing on C442R, C452R and C462R. **F442R** - optional film binding. **V452R/V462R** - curtain bale release; optional Weave Automation uses a pivoting drawbar to move the baler across the swath for even chamber filling. Baler Automation provides automatic tailgate operation and tractor stopping for binding with compatible tractor equipment. Optional moisture monitoring measures average moisture per bale; bale size, drop location and moisture data can be recorded in John Deere Operations Center.

ROUND BALERS (continued)								
Make/model	Bale diameter	Feed-in mechanism	Drop floor	Bale formation	Bale density control	Isobus electronics	Weight - single axle/twin axle	List price (ex-VAT)
KRONE						*UPDATED MODELS		
Bellima F 130	1.2m	Stub augers, underfloor feeding tines	no	One roller, two chains + slats	Latched tailgate	no	1,730kg/-	£32,410
Comprima F 125 XC	1.25m	Stub augers, spiral rotor + 17 knives	std	Three rollers, two belts + slats	Coil springs	std	3,200kg/3,400kg	£52,740
Comprima F 155 XC	1.25-1.5m	Stub augers, spiral rotor + 17 knives	std	Three rollers, two belts + slats	Coil springs	std	3,450kg/3,650kg	£57,115
Comprima CF 155 XC	1.25-1.5m + wrap	Stub augers, spiral rotor + 17 knives	std	Three rollers, two belts + slats	Coil springs	std	-/7,100kg	£100,805
ComPack CF 155 XC Pro*	1.25-1.5m + wrap	Stub augers, spiral rotor + 26 knives	std	Three rollers, two belts + slats	Coil springs	std	-/7,195kg	£111,230
ComPack V 150 XC*	0.9-1.5m	Stub augers, spiral rotor + 26 knives	std	Three rollers, two belts + slats	Hydraulic tensioning arms	std	4,500kg/4,700kg	£70,700
ComPack CV 150 XC Pro*	0.9-1.5m + wrap	Stub augers, spiral rotor + 26 knives	std	Three rollers, two belts + slats	Hydraulic tensioning arms	std	-/7,595kg	£118,575
VariPack V 165 XC*	0.8-1.65m	Spiral rotor with auger flights + 17 knives	std	Three rollers, four belts	Hydraulic tensioning arms	std	3,950kg/-	£67,330
VariPack V 165 XC Pro*	0.8-1.65m	Spiral rotor with auger flights + 17/26 knives	std	Three rollers, three belts	Hydraulic tensioning arms	std	4,500kg/-	£75,465
VariPack V 190 XC Pro*	0.8-1.9m	Spiral rotor with auger flights + 17 knives	std	Three rollers, three belts	Hydraulic tensioning arms	std	4,700kg/-	£83,360

Note: F155 and CF155 - bale diameter adjustable to six diameters in 5cm steps from 1.25m to 1.5m. CF/CV baler-wrappers use twin orbital wrapping arms. **VariPack Pro** - automatic tailgate operation and lubrication; optional moisture sensing, camera system and LED work lights. Optional Isobus TIM, with a compatible tractor, automatically stops the tractor for binding and opens/closes the tailgate for bale discharge. XC cutter groups allow selection of 0/8/9/17 or 0/13/13/26 knives, according to the fitted cutter. SmartBale can display bale locations and, depending on equipment, moisture and other bale data.

KUBOTA						*UPDATED OPTIONS/FEATURES		**NEW MODEL
BV 5160 Plus PowerFeed Iso, BV 5160 Plus SuperCut 14 Iso, BV 5200 Plus PowerFeed Iso, BV 5200 Plus SuperCut Iso						DISCONTINUED		
BF 3500 PF*	1.23-1.25m	Stub augers, spiral rotor	std	18 rollers	Two hydraulic cylinders	opt	3,600kg/-	£52,961
BF 3500 CF15*	1.23-1.25m	Stub augers, spiral rotor + 15 knives	std	18 rollers	Two hydraulic cylinders	opt	3,600kg/-	£55,431
FB 1000	1.25m + wrap	Stub augers, spiral rotor + 25 knives	std	14 rollers, 17 rollers	Hydraulic, tailgate pressure	std	7,500kg/-	£118,664
BV6160 PF**	0.7-1.65m	Stub augers, spiral rotor	std	Four belts	Four hydraulic cylinders	opt	3,600kg/-	£55,871
BV6160 CF15**	0.7-1.65m	Stub augers, spiral rotor + 15 knives	std	Four belts	Four hydraulic cylinders	opt	3,850kg/-	£62,295
BV6190 PF**	0.7-1.85m	Stub augers, spiral rotor	std	Four belts	Four hydraulic cylinders	opt	3,800kg/-	£62,362
BV6190 CF15**	0.7-1.85m	Stub augers, spiral rotor + 15 knives	std	Four belts	Four hydraulic cylinders	opt	4,050kg/-	£66,407

Note: FB 1000 - grass accumulated in 14-roller pre-chamber during net application is transferred to 17-roller (three rollers shared) main chamber for completion during non-stop operation; wrapping by two 750mm pre-stretch film dispensers mounted on hydraulically driven overhead vertical orbital arms. **BF 3500** - capable of binding with net or plastic. **Automation: BF 3500 and BV 6000** - optional TIM provides pre-programmed tractor deceleration and stop, initiating net binding, and tailgate open/close with slope detection to avoid unsafe bale release; plus operator-triggered baling start-up with pre-programmed tractor rate of acceleration; optional Techno-Pack for BV 6000 with TIM adds moisture content measurement. All machine drop floors are parallel drop so lower at the front and back.

KUHN						*UPDATED MODELS		
FB 3130 OptiFeed	1.25m	Spiral rotor with auger flights	std	18 rollers	Hydraulic, tailgate pressure	no	3,300kg/-	£48,385
FB 3130 OptiCut 14	1.25m	Spiral rotor with auger flights each end + 14 knives	std	18 rollers	Hydraulic, tailgate pressure	no	3,300kg/-	£52,350
FB 3135 OptiCut 14	1.25m	Spiral rotor with auger flights each end + 14 knives	std	18 rollers	Hydraulic, tailgate pressure	std	3,300kg/-	£56,525
FB 3135 OptiCut 23	1.25m	Spiral rotor with auger flights each end + 23 knives	std	18 rollers	Hydraulic, tailgate pressure	std	3,400kg/-	£58,840
FBP 3135 BalePack OptiCut 14	1.25m + wrap	Spiral rotor with auger flights each end + 14 knives	std	18 rollers	Hydraulic, tailgate pressure	std	-/5,600kg	£103,240
FBP 3135 BalePack OptiCut 23	1.25m + wrap	Spiral rotor with auger flights each end + 23 knives	std	18 rollers	Hydraulic, tailgate pressure	std	-/5,600kg	£106,205
i-BIO+ OptiCut 14	1.25m + wrap	Spiral rotor with auger flights each end + 14 knives	std	18 rollers	Hydraulic, tailgate pressure	std	3,700kg/-	£83,125
i-BIO+ OptiCut 23	1.25m + wrap	Spiral rotor with auger flights each end + 23 knives	std	18 rollers	Hydraulic, tailgate pressure	std	3,800kg/-	£87,075
VB 3260 OptiFeed	0.8-1.6m	Spiral rotor with auger flights each end	std	One starter roller, two chamber rollers, five belts	Hydraulic via belt tensioning arm	std	2,800-3,700kg/-	£54,100
VB 3260 OptiCut 14	0.8-1.6m	Spiral rotor with auger flights each end + 14 knives	std	One starter roller, two chamber rollers, five belts	Hydraulic via belt tensioning arm	std	2,800-3,700kg/-	£59,040
VBP 3260 OptiCut 14	0.8-1.6m + wrap	Spiral rotor with auger flights each end + 14 knives	std	One starter roller, two chamber rollers, five belts	Hydraulic via belt tensioning arm	std	5,400-6,300kg	£114,425
VBP 3260 OptiCut 23	0.8-1.6m + wrap	Spiral rotor with auger flights each end + 23 knives	std	One starter roller, two chamber rollers, five belts	Hydraulic via belt tensioning arm	std	5,400-6,300kg	£118,375

ROUND BALERS (continued)								
Make/model	Bale diameter	Feed-in mechanism	Drop floor	Bale formation	Bale density control	Isobus electronics	Weight - single axle/twin axle	List price (ex-VAT)
VB 3290 OptiFeed	0.8-1.85m	Spiral rotor with auger flights each end	std	One starter roller, two chamber rollers, five belts	Hydraulic via belt tensioning arm	std	2,800-3,700kg/-	£62,040
VB 3290 OptiCut 14	0.8-1.85m	Spiral rotor with auger flights each end + 14 knives	std	One starter roller, two chamber rollers, five belts	Hydraulic via belt tensioning arm	std	2,800-3,700kg/-	£67,000
VBP 3290 OptiCut 14	0.8-1.85m + wrap	Spiral rotor with auger flights each end + 14 knives	std	One starter roller, two chamber rollers, five belts	Hydraulic via belt tensioning arm	std	5,400-6,300kg	£117,120
VBP 3290 OptiCut 23	0.8-1.85m + wrap	Spiral rotor with auger flights each end + 23 knives	std	One starter roller, two chamber rollers, five belts	Hydraulic via belt tensioning arm	std	5,400-6,300kg	£121,070
VB 7160 i-Dense OptiFeed	0.8-1.6m	Spiral rotor with auger flights each end	std	One starter roller, two chamber rollers, four belts	Two tensioning arms, each with two hydraulic cylinders plus moisture-sensing auto adjustment	std	4,200kg/-	£76,810
VB 7160 i-Dense OptiCut 14	0.8-1.6m	Spiral rotor with auger flights each end + 14 knives	std	One starter roller, two chamber rollers, four belts	Two tensioning arms, each with two hydraulic cylinders plus moisture-sensing auto adjustment	std	4,200kg/-	£82,255
VB 7160 i-Dense OptiCut 23	0.8-1.6m	Spiral rotor with auger flights each end + 23 knives	std	One starter roller, two chamber rollers, four belts	Two tensioning arms, each with two hydraulic cylinders plus moisture-sensing auto adjustment	std	4,200kg/-	£87,125
VBP 7160 i-Dense OptiCut 15*	0.8-1.6m + wrap	Spiral rotor with auger flights each end + 15 knives	std	One starter roller, two chamber rollers, four belts	Two tensioning arms, each with two hydraulic cylinders plus in-cab moisture-sensing auto adjustment	std	6,875-7,900kg	£130,465
VBP 7160 i-Dense OptiCut 33*	0.8-1.6m + wrap	Spiral rotor with auger flights each end + 33 knives	std	One starter roller, two chamber rollers, four belts	Two tensioning arms, each with two hydraulic cylinders plus in-cab moisture-sensing auto adjustment	std	6,875-7,900kg	£140,135
VB 7190 i-Dense OptiFeed	0.8-1.85m	Spiral rotor with auger flights each end	std	One starter roller, two chamber rollers, four belts	Two tensioning arms, each with two hydraulic cylinders plus moisture-sensing auto adjustment	std	5,200kg/-	£86,370
VB 7190 i-Dense OptiCut 14	0.8-1.85m	Spiral rotor with auger flights each end + 14 knives	std	One starter roller, two chamber rollers, four belts	Two tensioning arms, each with two hydraulic cylinders plus moisture-sensing auto adjustment	std	5,200kg/-	£91,815
VB 7190 i-Dense OptiCut 23	0.8-1.85m	Spiral rotor with auger flights each end + 23 knives	std	One starter roller, two chamber rollers, four belts	Two tensioning arms, each with two hydraulic cylinders plus moisture-sensing auto adjustment	std	5,200kg/-	£96,685
VBP 7190 i-Dense OptiCut 15*	0.8-1.85m + wrap	Spiral rotor with auger flights each end + 15 knives	std	One starter roller, two chambers rollers, five belts	Two tensioning arms, each with two hydraulic cylinders plus in-cab moisture-sensing auto adjustment	std	6,875-7,900kg	£133,590
VBP 7190 i-Dense OptiCut 33*	0.8-1.85m + wrap	Spiral rotor with auger flights each end + 33 knives	std	One starter roller, two chambers rollers, five belts	Two tensioning arms, each with two hydraulic cylinders plus in-cab moisture-sensing auto adjustment	std	6,875-7,900kg	£143,260

Note: FBP/VBP BalePack baler-wrappers use twin 750mm film dispensers on overhead orbital arms; i-BIO+ uses a wrapping ring within the bale chamber. Optional film binding uses two standard stretch-film rolls. VBP7100 - OptiCut 15/33 cutters provide theoretical chop lengths of 70/34mm, with selectable knife groups, automatic knife cleaning and a sliding cassette for tool-free removal. i-Dense automatically adjusts baling pressure to crop moisture. Moisture sensing is standard on VB/VBP7100 i-Dense, optional on other listed VB/VBP models. Bale weighing is available for BalePack models; optional 3D wrapping distributes film over bale shoulders. Film-binding options: FB3100 £10,875; FBP3100, VBP3200 and VBP7100 £8,560; i-BIO+ £7,430. FBP/VBP 3D wrapping £5,195.

KVERNELAND						NEW LISTING		
6500F PF	1.23-1.25m	Stub augers, spiral rotor	std	18 rollers	Two hydraulic cylinders	opt	3,600kg/-	£52,961
6500F CF15	1.23-1.25m	Stub augers, spiral rotor + 15 knives	std	18 rollers	Two hydraulic cylinders	opt	3,600kg/-	£55,431
Fastbale Premium	1.25m + wrap	Stub augers, spiral rotor + 25 knives	std	14 rollers, 17 rollers**	Hydraulic, tailgate pressure	std	7,500kg/-	£118,664
Densus 7060 PF	0.7-1.65m	Stub augers, spiral rotor	std	Four belts	Four hydraulic cylinders	opt	3,600kg/-	£55,871
Densus 7060 CF15	0.7-1.65m	Stub augers, spiral rotor + 15 knives	std	Four belts	Four hydraulic cylinders	opt	3,850kg/-	£62,295
Densus 7090 PF	0.7-1.85m	Stub augers, spiral rotor	std	Four belts	Four hydraulic cylinders	opt	3,800kg/-	£62,362
Densus 7090 CF15	0.7-1.85m	Stub augers, spiral rotor + 15 knives	std	Four belts	Four hydraulic cylinders	opt	4,050kg/-	£66,407

Note: **Fastbale Premium - grass accumulated in 14-roller pre-chamber during net application is transferred to 17-roller (three rollers shared) main chamber for completion during non-stop operation; wrapping by two 750mm pre-stretch film dispensers mounted on hydraulically driven overhead vertical orbital arms. 6500F - capable of binding with net or plastic. **Automation: 6500F and Densus 7000** - optional TIM provides pre-programmed tractor deceleration and stop, initiating net binding, and tailgate open/close with slope detection to avoid unsafe bale release; plus operator-triggered baling start-up with pre-programmed tractor rate of acceleration; optional Techno-Pack for Densus 7000 with TIM adds moisture content measurement. All machine drop floors are parallel drop so lower at the front and back.

MASSEY FERGUSON								
RB 3130F Classic	1.25m	Stub augers, spiral rotor	no	18 rollers	Latched tailgate	std	3,000kg/-	£42,506
RB 3130F Xtra	1.25m	Stub augers, spiral rotor	std	18 rollers	Latched tailgate	std	3,500kg/-	£53,368
RB 3130F XtraCut 13	1.25m	Stub augers, spiral rotor + 13 knives	std	18 rollers	Latched tailgate	std	3,500kg/-	£53,842
RB 3130F XtraCut 17	1.25m	Stub augers, spiral rotor + 17 knives	std	18 rollers	Latched tailgate	std	3,500kg/-	£59,540

ROUND BALERS (continued)								
Make/model	Bale diameter	Feed-in mechanism	Drop floor	Bale formation	Bale density control	Isobus electronics	Weight - single axle/twin axle	List price (ex-VAT)
RB 3130F XtraCut 25	1.25m	Stub augers, spiral rotor + 25 knives	std	18 rollers	Latched tailgate	std	3,500kg/-	£61,552
RBC 3130F XtraCut 13 Protec	1.25m + wrap	Stub augers, spiral rotor + 13 knives	std	18 rollers	Latched tailgate	std	6,450kg/-	£116,900
RBC 3130F XtraCut 17 Protec	1.25m + wrap	Stub augers, spiral rotor + 17 knives	std	18 rollers	Latched tailgate	std	6,450kg/-	£120,598
RBC 3130F XtraCut 25 Protec	1.25m + wrap	Stub augers, spiral rotor + 25 knives	std	18 rollers	Latched tailgate	std	6,450kg/-	£122,610
RB 4160V Classic	0.9-1.6m	Stub augers, spiral rotor	no	Three rollers, four belts	Springs, then hydraulic, latched tailgate	std	3,820kg/-	£47,774
RB 4160V Xtra	0.9-1.6m	Stub augers, spiral rotor	std	Three rollers, four belts	Springs, then hydraulic, latched tailgate	std	4,240kg/-	£58,192
RB 4160V XtraCut 13	0.9-1.6m	Stub augers, spiral rotor + 13 knives	std	Three rollers, four belts	Springs, then hydraulic, latched tailgate	std	4,240kg/-	£60,666
RB 4160V XtraCut 17	0.9-1.6m	Stub augers, spiral rotor + 17 knives	std	Three rollers, four belts	Springs, then hydraulic, latched tailgate	std	4,240kg/-	£64,364
RB 4160V XtraCut 25	0.9-1.6m	Stub augers, spiral rotor + 25 knives	std	Three rollers, four belts	Springs, then hydraulic, latched tailgate	std	4,240kg/-	£66,376
RBC 4160V Protec XtraCut 13	0.9-1.6m + wrap	Stub augers, spiral rotor + 13 knives	std	Three rollers, four belts	Springs, then hydraulic, latched tailgate	std	6,550kg/-	£125,831
RBC 4160V Protec XtraCut 17	0.9-1.6m + wrap	Stub augers, spiral rotor + 17 knives	std	Three rollers, four belts	Springs, then hydraulic, latched tailgate	std	6,550kg/-	£129,529
RBC 4160V Protec XtraCut 25	0.9-1.6m + wrap	Stub augers, spiral rotor + 25 knives	std	Three rollers, four belts	Springs, then hydraulic, latched tailgate	std	6,550kg/-	£131,541
RB 4180V Classic	0.9-1.8m	Stub augers, spiral rotor	no	Three rollers, four belts	Springs, then hydraulic, latched tailgate	std	3,900kg/-	£52,995
RB 4180V Xtra	0.9-1.8m	Stub augers, spiral rotor	std	Three rollers, four belts	Springs, then hydraulic, latched tailgate	std	4,320kg/-	£63,425
RB 4180V XtraCut 13	0.9-1.8m	Stub augers, spiral rotor + 13 knives	std	Three rollers, four belts	Springs, then hydraulic, latched tailgate	std	4,320kg/-	£65,899
RB 4180V XtraCut 17	0.9-1.8m	Stub augers, spiral rotor + 17 knives	std	Three rollers, four belts	Springs, then hydraulic, latched tailgate	std	4,320kg/-	£72,557
RB 4180V XtraCut 25	0.9-1.8m	Stub augers, spiral rotor + 25 knives	std	Three rollers, four belts	Springs, then hydraulic, latched tailgate	std	4,320kg/-	£74,569

Note: Protec baler-wrappers have two 750mm pre-stretch film dispensers on a horizontal wrapping ring. **RBC3130F/RBC4160V Protec** - optional film binding with Rapid Reload three-roll storage. **XtraCut 17/25** - independently selectable knife banks allow operation with all, some or no knives. Depending on model and equipment package, automation includes pick-up lifting for reversing or weighing, tailgate opening/closing and knife-slot cleaning. Bale Finisher retracts the knives to leave an uncut outer layer for improved bale stability. Options include bale weighing, moisture measurement, LED maintenance lighting and folding pick-up guide wheels. TIM automation requires a compatible tractor.

MCHALE						*UPDATED MODELS		
F5-540*	1.25m	Stub augers, twin finger, spiral rotor (no chopper unit)	std	18 rollers	Hydraulic, tailgate pressure	no	3,260kg/-	£44,172
F5-550*	1.25m	Stub augers, twin finger, spiral rotor + 15 knives	std	18 rollers	Hydraulic, tailgate pressure	opt	3,500kg/-	£53,277
F5-560	1.25m	Stub augers, spiral rotor + 25 knives	std	18 rollers	Hydraulic, tailgate pressure	std	3,700kg/-	£60,913
F5-560 Plus	1.25m	Stub augers, spiral rotor + 25 knives	std	18 rollers	Hydraulic, tailgate pressure	std	3,850kg/-	£69,968
Fusion 4*	1.25m + wrap	Stub augers, spiral rotor + 25 knives	std	18 rollers	Hydraulic, tailgate pressure	no	5,800kg/-	£87,381
Fusion 4 Pro*	1.25m + wrap	Stub augers, spiral rotor + 25 knives	std	18 rollers	Hydraulic, tailgate pressure	std	5,850kg/-	£95,023
Fusion 4 Plus*	1.25m + wrap	Stub augers, spiral rotor + 25 knives	std	18 rollers	Hydraulic, tailgate pressure	std	5,950kg/-	£97,863
V6740-II*	0.6-1.68m	Stub augers, twin finger, spiral rotor	std	Three rollers, three belts or one belt	Springs, then hydraulic, latched tailgate	no	4,430kg/-	£51,103
V6750-II*	0.6-1.68m	Stub augers, twin finger, spiral rotor + 15 knives	std	Three rollers, three belts or one belt	Springs, then hydraulic, latched tailgate	std	4,540kg/-	£57,490
V6760-II*	0.6-1.68m	Stub augers, twin finger, spiral rotor + 15 knives	std	Three rollers, three belts or one belt	Springs, then hydraulic, latched tailgate	std	4,580kg/-	£62,212
Fusion Vario Plus*	0.6-1.68m or 1-1.45m + wrap	Stub augers, twin finger, spiral rotor + 15 knives	std	Three rollers, one belt	Springs, then hydraulic, latched tailgate	std	6,500kg/-	£103,008
V8940-II*	0.6-1.9m	Stub augers, twin finger, spiral rotor	std	Three rollers, three belts	Springs, then hydraulic, latched tailgate	no	4,740kg/-	£57,196
V8950-II*	0.6-1.9m	Stub augers, twin finger, spiral rotor + 15 knives	std	Three rollers, three belts	Springs, then hydraulic, latched tailgate	std	4,850kg/-	£63,814
V8960-II*	0.6-1.9m	Stub augers, twin finger, spiral rotor + 15 knives	std	Three rollers, three belts	Springs, then hydraulic, latched tailgate	std	4,890kg/-	£70,574

Note: Plus models can bind bales with stretch film instead of net. Fusion baler-wrappers use two 750mm pre-stretch film dispensers on a vertical wrapping ring. Pick-up choices include 2.1m five-tine-bar cam-operated or six-tine-bar camless units. F5-560/F5-560 Plus and V6760-II/V8960-II provide automatic tailgate operation. Fusion 4 Plus and Fusion Vario Plus options include selectable knives, 1,000rpm gearbox, net/film-loading device, bale side tipper and bale weighing/moisture measurement. Fusion 4 Plus also offers TerraDrive. V6-II/V8-II models allow net-tension adjustment from the cab; V8960-II offers optional selectable knives.

ROUND BALERS (continued)								
Make/model	Bale diameter	Feed-in mechanism	Drop floor	Bale formation	Bale density control	Isobus electronics	Weight – single axle/twin axle	List price (ex-VAT)
METAL-FACH								
Z 562 R, Z 562 RN								DISCONTINUED
Z 562	1.2m	Stub augers, feed-in forks	no	16 rollers	Latched tailgate	no	2,350kg/-	£18,700

Note: Distributed by Zetor UK. Standard equipment includes twine binding, central lubrication for bearings. Options include net binding, silage preservative applicator and central lubrication for drive chains.

NEW HOLLAND								*UPDATED MODELS
Roll-Bar 125 Rotor Feeder	1.25m	Stub augers, W spiral rotor	no	Two rollers, two chains + slats	Hydraulic, tailgate pressure	no	2,775kg/-	£41,764
Roll-Bar 125 Rotor Cutter	1.25m	Stub augers, W spiral rotor + 15 knives	no	Two rollers, two chains + slats	Hydraulic, tailgate pressure	no	2,775kg/-	£45,496
Roll Baler 125 CropCutter	1.25m	Stub augers, 47cm spiral rotor + 20 knives	std	18 rollers	Latched tailgate	std	3,060kg/-	£65,274
Roll Baler 125 CropCutter Combi	1.25m + wrap	Stub augers, 47cm spiral rotor + 20 knives	std	18 rollers	Latched tailgate	std	-/4,800kg	£111,083
Roll-Belt 150 Plus SuperFeed*	0.9-1.5m	Stub augers, optional paddle feeder/auger, 455mm spiral rotor	opt	Three rollers, four belts	Two hydraulic cylinders, two springs	opt	3,715kg/-	£57,828
Roll-Belt 150 Plus CropCutter*	0.9-1.5m	Stub augers, optional paddle feeder/auger, 455mm spiral rotor + 15 knives	std	Three rollers, four belts	Two hydraulic cylinders, two springs	opt	3,715kg/-	£66,155
Roll-Belt 180 Plus SuperFeed*	0.9-1.8m	Stub augers, optional paddle feeder/auger, 455mm spiral rotor	opt	Three rollers, four belts	Two hydraulic cylinders, two springs	opt	3,815kg/-	£63,278
Roll-Belt 180 Plus CropCutter*	0.9-1.8m	Stub augers, optional paddle feeder/auger, 455mm spiral rotor + 15 knives	std	Three rollers, four belts	Two hydraulic cylinders, two springs	opt	3,815kg/-	£70,869
Pro-Belt 165 SuperFeed	0.9-1.65m	Stub augers, optional paddle feeder/auger, 520mm spiral rotor	std	Two rollers, four belts	Two hydraulic cylinders, two springs	std	4,400kg/-	£70,310
Pro-Belt 165 CropCutter 13	0.9-1.65m	Stub augers, optional paddle feeder/auger, 520mm spiral rotor + 13 knives	std	Two rollers, four belts	Two hydraulic cylinders, two springs	std	4,870kg/-	£73,983
Pro-Belt 165 CropCutter 25	0.9-1.65m	Stub augers, optional paddle feeder/auger, 520mm spiral rotor + 25 knives	std	Two rollers, four belts	Two hydraulic cylinders, two springs	std	4,900kg/-	£78,307
Pro-Belt 190 SuperFeed	0.9-1.9m	Stub augers, optional paddle feeder/auger, 520mm spiral rotor	std	Two rollers, four belts	Two hydraulic cylinders, two springs	std	4,700kg/-	£79,061
Pro-Belt 190 CropCutter 13	0.9-1.9m	Stub augers, optional paddle feeder/auger, 520mm spiral rotor + 13 knives	std	Two rollers, four belts	Two hydraulic cylinders, two springs	std	4,900kg/-	£82,742
Pro-Belt 190 CropCutter 25	0.9-1.9m	Stub augers, optional paddle feeder/auger, 520mm spiral rotor + 25 knives	std	Two rollers, four belts	Two hydraulic cylinders, two springs	std	5,100kg/-	£87,066

Note: **Roll Baler 125 Combi** – film or net binding; twin 750mm pre-stretch film dispensers on hydraulically driven overhead wrapping arms. Automation includes knife retraction for an uncut outer layer and knife cleaning/reset during the tailgate cycle. **Roll-Belt Plus** – net-only or net/twine binding, with FieldOps connectivity available. **Roll-Belt and Pro-Belt** – optional moisture-sensing displays crop moisture during baling. IntelliBale automation, with a compatible tractor and the required equipment, stops the tractor for binding and operates the tailgate for bale discharge. Pro-Belt also provides in-cab bale-density adjustment.

POTTINGER								
Impress 3130 F Master	1.3m	Twin stub augers, 65cm overshot double V rotor + 16 knives	std	18 rollers	Hydraulic, tailgate pressure	std	4,600kg/-	£68,852
Impress 3130 F Pro	1.3m	Twin stub augers, 65cm overshot double V rotor + 32 knives	std	18 rollers	Hydraulic, tailgate pressure	std	4,850kg/-	£81,400
Impress 3130 FC Pro	1.3m + wrap	Twin stub augers, 65cm overshot double V rotor + 32 knives	std	18 rollers	Hydraulic, tailgate pressure	std	-/7,600kg	£137,877
Impress 3160 V	0.8-1.55m	Twin stub augers, 65cm overshot double V rotor	std	Four rollers, three belts	Hydraulic via belt tensioning arm	std	4,500kg/-	£72,941
Impress 3160 V Master	0.8-1.55m	Twin stub augers, 65cm overshot double V rotor + 16 knives	std	Four rollers, three belts	Hydraulic via belt tensioning arm	std	4,750kg/-	£78,138
Impress 3160 V Pro	0.8-1.55m	Twin stub augers, 65cm overshot double V rotor + 32 knives	std	Four rollers, three belts	Hydraulic via belt tensioning arm	std	5,000kg/-	£92,415
Impress 3160 VC Pro	0.8-1.55m + wrap	Twin stub augers, 65cm overshot double V rotor + 32 knives	std	Four rollers, three belts	Hydraulic via belt tensioning arm	std	-/7,700kg	£148,997
Impress 3190 V	0.9-1.85m	Twin stub augers, 65cm overshot double V rotor	std	Four rollers, three belts	Hydraulic via belt tensioning arm	std	4,600kg/-	£77,931

ROUND BALERS (continued)								
Make/model	Bale diameter	Feed-in mechanism	Drop floor	Bale formation	Bale density control	Isobus electronics	Weight - single axle/twin axle	List price (ex-VAT)
Impress 3190 V Master	0.9-1.85m	Twin stub augers, 65cm overshot double V rotor + 16 knives	std	Four rollers, three belts	Hydraulic via belt tensioning arm	std	4,850kg/-	£83,125
Impress 3190 V Pro	0.9-1.85m	Twin stub augers, 65cm overshot double V rotor + 32 knives	std	Four rollers, three belts	Hydraulic via belt tensioning arm	std	5,100kg/-	£96,546
Impress 3190 VC Pro	0.9-1.85m + wrap	Twin stub augers, 65cm overshot double V rotor + 32 knives	std	Four rollers, three belts	Hydraulic via belt tensioning arm	std	-/7,900kg	£155,194

Note: Incoming material passes over rather than under the double V intake rotor; crop slicing knives where fitted are positioned accordingly. FC Pro and VC Pro wrapping models have 750mm pre-stretch film dispensers on hydraulically driven underside orbital arms; all Pro models available with film-on-film binding. 1,000rpm driveline standard on Pro models, optional on others. Pro model automation comprises pick-up reel lift with chamber full signal, tailgate open, and tailgate close with optional bale kicker installed.

SIROMER								
PT10 - Twine Binding	0.7m (x0.8m)	None	no	10 aluminium rollers	Manual, 9-step setting	no	440kg/-	£5,950
PT10N - net binding	0.7m (x0.8m)	None	no	10 aluminium rollers	Manual, 9-step setting	no	440kg/-	£5,950

Note: Baler has own hydraulic pump to operate rear door, so no tractor spool valve required. 3P Cat I. Power 24-50hp.

VICON						*UPDATED MODELS		
RV 5216 Plus PowerFeed Iso, RV 5216 Plus SuperCut Iso, RV 5220 Plus PowerFeed Iso, RV 5220 Plus SuperCut Iso						DISCONTINUED		
FixBale 500 PF*	1.25m	Stub augers, spiral rotor	std	18 rollers	Hydraulic, tailgate pressure	opt	3,600kg/-	£52,961
FixBale 500 CF15*	1.25m	Stub augers, spiral rotor + 15 knives	std	18 rollers	Hydraulic, tailgate pressure	opt	3,600kg/-	£55,431
FastBale Premium Non-Stop Baler-Wrapper*	1.25m + wrap	Stub augers, spiral rotor + 25 knives	std	14 rollers, 17 rollers	Hydraulic, tailgate pressure	std	7,500kg/-	£118,664
VariBale 160 PF	0.7-1.65m	Stub augers, spiral rotor	std	Four belts	Four hydraulic cylinders	opt	3,600kg/-	£55,871
VariBale 160 CF15	0.7-1.65m	Stub augers, spiral rotor + 15 knives	std	Four belts	Four hydraulic cylinders	opt	3,850kg/-	£62,295
VariBale 190 PF	0.7-1.85m	Stub augers, spiral rotor	std	Four belts	Four hydraulic cylinders	opt	3,800kg/-	£62,362
VariBale 190 CF15	0.7-1.85m	Stub augers, spiral rotor + 15 knives	std	Four belts	Four hydraulic cylinders	opt	4,050kg/-	£66,407

Note: **FastBale Premium** - twin chambers allow non-stop baling during binding and wrapping; twin 750mm film dispensers on overhead orbital arms. Optional film-on-film binding; switching between net and film requires a roll change and terminal adjustment. **FixBale 500** - net or optional film binding. **FixBale/VariBale** - optional Isobus TIM automates tractor deceleration and stopping, binding and tailgate operation, with slope detection to prevent unsafe bale release; restarting requires operator input. **VariBale TechnoPack** provides live crop-moisture readings and average moisture per completed bale. Parallel-action drop floors lower at both front and rear to clear blockages.

WOLAGRI								
R500	0.57m (x 0.63m)	None	no	19 aluminium rollers	Hydraulic tailgate pressure	no	520kg/-	£15,500
R500 Super	0.57m (x 0.63m)	Rotor	no	19 aluminium rollers	Hydraulic tailgate pressure	no	540kg/-	£16,200
R500 Combi	0.57m (x 0.63m) + wrap	None	no	19 aluminium rollers	Hydraulic tailgate pressure	no	950kg/-	£29,500

Note: Distributed by Marrs of Methlick. R500 Combi applies stretch film from dispensers on two orbital arms.

The Round Baler Ultimate Guide is published by Farmers Weekly.
Farmers Weekly is published every Friday by MA Agriculture, 1st Floor Chancery House,
St Nicholas Way, Sutton SM1 1JB for the proprietors. © MA Agriculture 2026.