Disc coulter direct drill specifications

DISC COULTER DIRECT DRILLS

Note n/a = feature not available; na = information not available; tbc = to be confirmed; poa = price on application; std = standard. *See **fwi.co.uk** for updated and new drills review.*

Model	Mounted or trailed	Width	Seed rows/spacing	Coulter rows	Hopper capacity	Seed/fertiliser	Weight	Price
AERWORX								
Viper and Cobra **Format:** linkage-mounted, full-width hopper over coulter frame with gravity feed to disc coulters. **Pre-coulter tools:** None. **Seed coulters:** Viper – spring-mounted 330mm double-discs in staggered row; Cobra – spring-mounted 330mm diameter single discs in staggered row. **Depth control:** Hydraulic adjustment of coulter parallel linkage. **After coulters:** Spring/pigtail tine levelling harrows or press wheels. **Fertiliser:** Optional proportion split between seed and fertiliser in main hopper; separate metering then mixed with seed in seed delivery tubes.								
Viper DT19	Mounted	2.5m	19 x 125mm	Two separate rows	950 litres	Seed and fertiliser	1,375kg	£23,200
Viper DT21	Mounted	2.7m	21 x 125mm	Two separate rows	1,050 litres	Seed and fertiliser	1,475kg	£23,600
Viper DT23	Mounted	3m	23 x 125mm	Two separate rows	1,050 litres	Seed and fertiliser	1,550kg	£24,000
Viper DT19T	Trailed	2.5m	19 x 125mm	Two separate rows	950 litres	Seed and fertiliser	1,900kg	£24,200
Viper DT21T	Trailed	2.7m	21 x 125mm	Two separate rows	1,050 litres	Seed and fertiliser	2,000kg	£27,400
Viper DT23T	Trailed	3m	23 x 125mm	Two separate rows	1,050 litres	Seed and fertiliser	2,080kg	£27,800
Cobra DT19	Mounted	2.5m	19 x 125mm	Two separate rows	540 litres	Seed	700kg	£19,000
Cobra DT21	Mounted	2.7m	21 x 125mm	Two separate rows	590 litres	Seed	750kg	£19,400
Cobra DT23	Mounted	3m	23 x 125mm	Two separate rows	650 litres	Seed	800kg	£19,800
AGRISEM **NEW ENTRY**								
Boss HD **Format:** Mounted single- or double-toolbar drills with front hopper; mounted double-toolbar versions can have an integral hopper. Trailed single- or double-toolbar drills carry hoppers on the chassis, with pneumatic seed distribution. **Pre-coulter tools:** Optional cab-controlled row cleaners. **Seed coulters:** Double-angled single discs with seed boots behind the discs; individual parallelogram linkages with 370mm travel and hydraulic downforce. Boss compact units suit direct drilling and worked ground; Boss HD units are designed for demanding no-till and cover-crop conditions. **Depth control:** Side gauge wheel or rear closing wheel with individual adjustment; Boss EasyDepth synchronises both wheels. **After coulters:** Individual closing wheels, with pressure adjustment. **Fertiliser:** Multi-product hopper arrangements and optional separate liquid delivery adjacent to the seed furrow.								
Boss mounted single-row	Mounted	3m (rigid)	12 x 250mm	One row	Front-mounted hopper	Seed or seed and fertiliser	1,670kg	£29,835
Boss mounted single-row	Mounted	4m (rigid)	16 x 250mm	One row	Front-mounted hopper	Seed or seed and fertiliser	2,010kg	£35,000
Boss mounted single-row	Mounted	4m	16 x 250mm	One row	Front-mounted hopper	Seed or seed and fertiliser	2,410kg	£39,675
Boss mounted single-row	Mounted	6m	24 x 250mm	One row	Front-mounted hopper	Seed or seed and fertiliser	3,390kg	£56,175
Boss mounted single-row	Mounted	8m	32 x 250mm	One row	Front-mounted hopper	Seed or seed and fertiliser	4,270kg	£73,300
Boss mounted single-row	Mounted	9m	36 x 250mm	One row	Front-mounted hopper	Seed or seed and fertiliser	4,660kg	£79,775
Boss mounted double-row	Mounted	3m (rigid)	20 x 150mm or 16 x 187.5mm or 12 x 250mm	Two separate rows	Front-mounted hopper or 1,500-litre single or twin-compartment hopper*	Seed or seed and fertiliser	2,950kg	£31,800
Boss mounted double-row	Mounted	4m (rigid)	20 x 200mm or 16 x 250mm	Two separate rows	Front-mounted hopper or 1,500-litre single or twin-compartment hopper*	Seed or seed and fertiliser	3,800kg	£36,000
Boss mounted double-row	Mounted	4m	20 x 200mm or 16 x 250mm	Two separate rows	Front-mounted hopper or 1,500-litre single or twin-compartment hopper*	Seed or seed and fertiliser	4,300kg	£39,225
Boss mounted double-row	Mounted	6m	30 x 200mm or 24 x 250mm	Two separate rows	Front-mounted hopper or 1,500-litre single or twin compartment hopper*	Seed or seed and fertiliser	6,000kg	£50,795
Boss compact trailed double-row	Trailed	3m (rigid)	20 x 150mm or 16 x 187.5mm or 12 x 250mm	Two separate rows	1,600/2,200/3,200 litres (50:50 split)	Seed or seed and fertiliser	4,800kg	£52,390
Boss compact trailed double-row	Trailed	4m (rigid)	20 x 200mm or 16 x 250mm	Two separate rows	1,600/2,200/3,200 litres (50:50 split)	Seed or seed and fertiliser	5,240kg	£57,065
Boss modular trailed double-row	Trailed	3m (rigid)	16 x 187.5mm or 12 x 250mm	Two separate rows	One to three hoppers, each 1,200/2,000 litres	Seed or seed and fertiliser	4,800kg	£56,800
Boss modular trailed double-row	Trailed	4m	20 x 200mm or 16 x 250mm	Two separate rows	One to three hoppers, each 1,200/2,000 litres	Seed or seed and fertiliser	5,240kg	£63,000
Boss modular trailed double-row	Trailed	6m	40 x 150mm or 32 x 187.5mm or 30 x 200mm or 24 x 250mm	Two separate rows	One to three hoppers, each 1,200/2,000 litres	Seed or seed and fertiliser	6,680kg	£109,635
Boss large trailed single-row	Trailed	9m	36 x 250mm	One row	6,400 litres + 4,300 litres	Seed or seed and fertiliser	11,500kg	£149,900

© MA AGRICULTURE 2026

Model	Mounted or trailed	Width	Seed rows/spacing	Coulter rows	Hopper capacity	Seed/fertiliser	Weight	Price
Boss large trailed single-row	Trailed	12m	48 x 250mm	One row	6,400 litres + 4,300 litres	Seed or seed and fertiliser	14,500kg	£162,000

Note: *Agrisem drills are distributed in the UK by VSM Grow Tech. All drills are hydraulic folding unless otherwise stated. Equipment: Standard air-release devices and internal scrapers available. Optional cab-controlled row cleaners, closing-wheel choices and liquid-fertiliser equipment. Mounted double-row versions offer front or integral hoppers. Compact trailed versions have divided hoppers, electric metering and pneumatic distribution, with optional DS200/DS500 (200/500 litre) small seed hoppers and/or 22-litre microgranular applicator. Modular trailed versions offer additional solid/liquid hoppers; small-seed capacity requires confirmation. All drills have half-section shutoff. Prices are based on drill only with 250mm spacings. *Single compartment hopper adds £7,750 to list price.*

BEDNAR

Directo Format: Double hopper mounted over coulter frame with 710/50 R26.5 transport wheels behind. **Pre-coulter tools:** None. **Seed coulters:** 450mm-diameter single disc with up to 300kg individual manually-adjusted down-pressure, mounted on arm with rubber inserts in frame clamp. **Depth control:** 400mm diameter spoked wheel alongside coulter disc. **After coulters:** Integral smooth or toothed closing wheel with individual manual pressure and angle adjustment. **Fertiliser:** Serrated disc mounted separately ahead of coulter disc placing fertiliser below and to one side of seed row.

NO 6000	Trailed	6m	36 x 167mm	Two separate rows	5,000 litres	Seed and fertiliser	7,500kg	£117,570
NO 8000	Trailed	8m	48 x 167mm	Two separate rows	5,000 litres	Seed and fertiliser	9,800kg	£134,905
NE 12000	Trailed	12m	48 x 250mm	Single row	6,000 litres	Seed and fertiliser	tbc	tbc

DUNCAN

Enviro Format: Trailed frame with overhead hopper and hydraulic fan with heat exchanger; metering roller drive by jockey wheel or electric motor. **Pre-coulter tools:** None. **Seed coulters:** Double-disc openers formed from 380mm diameter scalloped and offset plain discs, with down pressure and obstacle deflection provided by coil spring. **Depth control:** Adjustable turnbuckle stops on two-way hydraulic cylinders for transport wheels at each end of the drill. **After coulters:** Depth/press wheels (standard) or covering harrow. **Fertiliser:** Divided hopper and separate metering and air distribution to coulter outlets.

Enviro DD30	Trailed	3m	23 x 125mm	Two separate rows	2 x 700 litres	Seed and fertiliser	2,700kg	£52,630
Enviro DD35	Trailed	3.5m	27 x 125mm	Two separate rows	2 x 700 litres	Seed and fertiliser	3,000kg	£70,170
Enviro DD45 32	Trailed	4.5m	32 x 150mm	Two separate rows	2 x 1,200 litres	Seed and fertiliser	4,960kg	£120,370
Enviro DD45 38	Trailed	4.5m	38 x 125mm	Two separate rows	2 x 1,200 litres	Seed and fertiliser	5,172kg	£125,060
Enviro DD55 36	Trailed	5.5m	36 x 150mm	Two separate rows	2 x 1,200 litres	Seed and fertiliser	4,950kg	£125,400
Enviro DD55 44	Trailed	5.5m	44 x 125mm	Two separate rows	2 x 1,200 litres	Seed and fertiliser	5,200kg	£140,340

Note: *Distributed by Duncan Ag.*

ERTH *NEW MODELS

Agriseeder Format: Three-point linkage mounted galvanised frame with overhead central hopper. **Pre-coulter tools:** Optional front harrow for sowing into cultivated seed-bed. **Seed coulters:** Notched angled single discs in eight sections on pivoting frames with interconnected hydraulic cylinders for even down force pressure distribution and seeding depth. **Depth control:** Manual with constant hydraulic pressure control. **After coulters:** 35cm steel barrel packer standard; optional rear spring tine rake and alternative roller packers. **Fertiliser:** E-series none. Pro-series and folding models have 70-litre secondary hopper for small seeds, micro-fertilisers and slug pellets with distribution mixed down the spout, broadcast on the surface or via twin outlet coulters. E-series has basic 170-litre plastic hopper with Erth ground-drive micro metering system with electric fan seed delivery. Folding models – steel hopper, Pro-series models – plastic or steel hoppers plus secondary hopper for single product sowing in combination through venturi and seed tubes or on the surface. Kverneland metering with two speeds. Folding models have standard 7in E-drive touchscreen.

E-Series	Mounted	3m	24 x 125mm	Two separate rows	170 litres	Seed	1,450kg	£20,500
Pro-Series (3m/24 row)	Mounted	3m	24 x 125mm	Two separate rows	400 or 1,000 litres	Seed	1,700kg	£25,500
Pro-Series (3m/24 row)	Mounted	3m	24 x 125mm	Two separate rows	400 or 1,000 litres	Seed and fertiliser	1,800kg	£29,250
Pro-Series (3m/32 row)	Mounted	3m	32 x 94mm	Two separate rows	400 or 1,000 litres	Seed	2,050kg	£29,500
Pro-Series (3m/32 row)	Mounted	3m	32 x 94mm	Two separate rows	400 or 1,000 litres	Seed and fertiliser	2,150kg	£33,250
Folding (4m/32 row)	Mounted	4m	32 x 125mm	Two separate rows	1,000 litres	Seed	2,950kg	£42,000
Folding (4m/32 row)	Mounted	4m	32 x 125mm	Two separate rows	1,000 litres	Seed and fertiliser	3,050kg	£46,000
Folding (6m/48 row)	Mounted	6m	48 x 125mm	Two separate rows	1,000 litres	Seed	3,950kg	£55,000
Folding (6m/48 row)	Mounted	6m	48 x 125mm	Two separate rows	1,000 litres	Seed and fertiliser	4,050kg	£59,100

Panbuster Drill Format: Linkage-mounted modular frame with overhead 1,000-, 1,200- or 1,500-litre hopper, electric metering drive and hydraulic fan for air distribution. Pre-coulter tools: optional front opening discs; Panbuster soil-loosening legs with auto-reset protection and quick-change wearing parts. **Seed coulters:** Choice of Simple Disc or Precision Disc assemblies; 20 coulters at 150mm spacing. **Depth control:** roller sets working height; hydraulic Panbuster depth adjustment with indicator and drill chassis compensation allows loosening depth to be altered on the move without affecting seeding. **After coulters:** covering harrow; choice of optional rear rollers.

Panbuster*	Mounted	3m	20 x 150mm	Two separate rows	1,000 litres-1,500 litres	Seed or seed and fertiliser	2,000kg	£58,800

Note: *Choice of radar or metering wheel speed sensing; prices are with 400-litre hopper, 1,000-litre hopper optional unless otherwise stated. Panbuster: Optional secondary hopper allows two products to be sown together, or one applied to the surface and the other placed in the slot. Optional bout markers and tramlining. Stated power requirement 150hp-plus. Erth is distributed by Dales Agri Sales Agency*

HE-VA NEW LISTING

G-Drill Format: Three-point linkage mounted frame with overhead hopper. **Pre-coulter tools:** Optional levelling board and leading harrow. **Seed coulters:** Rubber-mounted Vector disc coulters, each 400mm in diameter and set at a 4deg angle to the direction of travel. **Depth control:** Turnbuckle adjustment via the rear roller with hydraulic option. **After coulters:** Star Ring roller (450/500mm) or flat roller (600mm), optional following harrow.

G-Drill-300 Grassland – 400L	Mounted	3m	32 x 94mm	Two separate rows	400 litres	Seed	2,520kg	£31,662
G-Drill-300 Arable – 400L	Mounted	3m	24 x 125mm	Two separate rows	400 litres	Seed	tbc	£29,207
G-Drill-300 Grassland – 1,000L	Mounted	3m	32 x 94mm	Two separate rows	1,000 litres	Seed	tbc	£35,432
G-Drill-300 Arable – 1,000L	Mounted	3m	24 x 125mm	Two separate rows	1,000 litres	Seed	tbc	£32,977

HORIZON AGRICULTURE *NEW MODELS

MDSX Format: Modular rear-mounted frame extendable on farm from 3m to 6m in combination with front-mounted seed tank. **Pre-coulter tools:** Optional in-cab controlled, pneumatic row-cleaning finger discs with 250mm row spacing. **Seed coulters:** Angled single-disc opener on parallelogram linkage with depth control at point of seeding and hydraulic pressure control; optional frame weights, up to 800kg from tractor weight transfer kit; coulter arm lock-up for wide row sowing and ability to sow inter-row companion crop. **After coulters**: In-cab controlled pressure on closing wheels with angle adjustment and options of steel fingered or rubber wheels. **Fertiliser:** Optional frame-mounted 400-litre liquid and granular hopper for fertiliser or companion crop seed delivering to front and/or rear coulters.

MDSX 30	Mounted	3m	13 x 220mm or 12 x 250mm	Single row	2,200 litres	Seed and fertiliser	1,550kg	£51,765
MDSX 40	Mounted	4m	18 x 220mm or 16 x 250mm	Single row	2,200 litres	Seed and fertiliser	2,500kg	£61,800
MDSX 50	Mounted	5m	22 x 220mm or 20 x 250mm	Single row	2,200 litres	Seed and fertiliser	2,820kg	£68,915
MDSX 60	Mounted	6m	27 x 220mm or 24 x 250mm	Single row	2,200 litres	Seed and fertiliser	3,500kg	£76,035

© MA AGRICULTURE 2026

Model	Mounted or trailed	Width	Seed rows/spacing	Coulter rows	Hopper capacity	Seed/fertiliser	Weight	Price
MDSX 75	Mounted	7.5m	32 x 220mm or 28 x 250mm	Single row	2,200 litres	Seed and fertiliser	4,060kg	£91,875
MDSX 80	Mounted	8m	36 x 220mm or 32 x 250mm	Single row	2,200 litres	Seed and fertiliser	4,228kg	£96,095
MDSX 90	Mounted	9m	41 x 220mm or 36 x 250mm	Single row	2,200 litres	Seed and fertiliser	4,564kg	£103,625

Note: *Prices include Horizon FT2200 pressurised front hopper; weights for disc sowing unit only.*

DSX Format: Modular frame extendable on-farm from 3m to 4m rigid, 4-7.2m folding and 7.5-9m folding three section toolbar. 3-4m offers 560mm or 710mm transport wheels, 4-7.2m offers 710mm, 750mm and 850mm transport wheels, and the 7.5-9m offers either 750mm or 850mm. **Pre-coulter tools:** Optional in-cab controlled, pneumatic row-cleaning finger discs. **Seed coulters:** Angled single-disc opener on parallelogram linkage with depth control at point of seeding and hydraulic pressure control, coulter arm lock-up for wide row sowing and ability to sow inter-row companion crop. **After coulters:** In-cab controlled pressure on closing wheels with angle adjustment and options of steel fingered or rubber wheels. **Fertiliser:** Dry fertiliser (or seed for companion cropping) delivered to front and/or rear coulters; liquid fertiliser tank optional and optional hopper for small seeds or slug pellets.

DSX 30 Rigid	Trailed	3m	18 x 167mm, 16 x 187mm, 15 x 200mm, 12 x 250mm	Two separate rows	4,050 litres	Seed and fertiliser	4,500kg	£59,240
DSX 40 Rigid	Trailed	4m	24 x 167mm, 22 x 187mm, 20 x 200mm, 16 x 250mm	Two separate rows	4,050 litres	Seed and fertiliser	5,200kg	£71,475
DSX 40	Trailed	4m	24 x 167mm, 22 x 187mm, 20 x 200mm, 16 x 250mm	Two separate rows	4,700 litres	Seed and fertiliser	5,012-5,868kg	£85,035
DSX 48	Trailed	4.8m	28 x 167mm, 26 x 187mm, 24 x 200mm, 19 x 250mm	Two separate rows	4,700 litres	Seed and fertiliser	5,465-6,428kg	£94,410
DSX 60	Trailed	6m	36 x 167mm, 32 x 187mm, 30 x 200mm, 24 x 250mm	Two separate rows	4,700 litres	Seed and fertiliser	6,310-7,594kg	£113,535
DSX 64	Trailed	6.4m	38 x 167mm, 34 x 187mm, 32 x 200mm, 26 x 250mm	Two separate rows	4,700 litres	Seed and fertiliser	6,594-7,664kg	£125,055
DSX 72	Trailed	7.2m	43 x 167mm, 38 x 187mm, 36 x 200mm, 29 x 250mm	Two separate rows	4,700 litres	Seed and fertiliser	7,191-8,689kg	£130,955
DSX 75	Trailed	7.5m	45 x 167mm, 40 x 187mm, 38 x 200mm, 30 x 250mm	Two separate rows	5,700 litres	Seed and fertiliser	7,290-8,895kg	£141,525
DSX 80	Trailed	8m	48 x 167mm, 43 x 187mm, 40 x 200mm, 32 x 250mm	Two separate rows	5,700 litres	Seed and fertiliser	7,900-9,500kg	£148,650
DSX 90	Trailed	9m	54 x 167mm, 48 x 187mm, 45 x 200mm, 36 x 250mm	Two separate rows	5,700 litres	Seed and fertiliser	8,400-9,900kg	£162,900
DSX 120*	Trailed	12m	54 x 220mm or 48 x 250mm	Single row	9,500 litres granular or 8,500 litres granular + 3,000 litres liquid	Seed and fertiliser	11,500kg-13,000kg	£190,000

Note: *Prices are for widest row spacing, base spec machine. Weights are given as a range or as a base spec unladen weight.*

HORSCH

Avatar SL Format: Rear-mounted frame with 800-litre hopper or in combination with tractor front-mounted hopper. **Pre-coulter tools:** Optional row-clearing trash wheels to move vegetation, stones and clods. **Seed coulters:** Single-disc opener on trailing arm clamped to frame with rubber inserts for deflection. **Depth control:** Rubber wheel alongside disc opener; up to 240kg pressure per coulter using weight transfer from tractor. Optional double-row sowing; individual coulter settings also allow sowing of two different crops at different depths. **After coulters**: Integral press wheel and covering disc. **Fertiliser:** Metered into seed flow.

Avatar 4 SL FT	Mounted	4m	16 x 250mm	Two separate rows	1,600 or 2,000 litres	Seed and fertiliser	3,130kg	£34,450
Avatar 6 SL FT	Mounted	6m	20 x 300mm or 24 x 250mm	Two separate rows	1,600 or 2,000 litres	Seed and fertiliser	3,600kg	£54,750

Avatar SD Format: 6 SD to 8 SD – hopper on frame, rear wheels; 8.25 SD to 12.25 SD and 18 M – coulter frame on seed cart. **Pre-coulter tools:** Optional row-clearing trash wheels to move vegetation, stones and clods. **Seed coulters:** Single-disc opener on trailing arm clamped to frame with rubber inserts for deflection. **Depth control:** Rubber wheel alongside disc opener. **After coulters**: Integral press wheel and covering disc. **Fertiliser:** Metered into seed flow.

Avatar 3.16 SD Fert	Trailed	3m	18 x 167mm	Two separate rows	3,800 litres	Seed and fertiliser	4,820kg	£76,340
Avatar 4.16 SD Fert	Trailed	4m	24 x 167mm	Two separate rows	3,800 litres	Seed and fertiliser	6,000kg	£91,470
Avatar 6.16 SD Fert	Trailed	6m	36 x 167mm	Two separate rows	5,000 litres	Seed and fertiliser	7,100kg	£120,900
Avatar 8.16 SD Fert	Trailed	8m	48 x 167mm	Two separate rows	5,000 litres	Seed and fertiliser	9,400kg	£158,130
Avatar 8.25 SD Fert	Trailed	8m	32 x 250mm	One in-line row	6,400 litres	Seed and fertiliser	10,200kg	£157,000
Avatar 9.25 SD Fert	Trailed	9m	36 x 250mm	One in-line row	6,400 litres	Seed and fertiliser	10,800kg	£161,235
Avatar 10.25 SD Fert	Trailed	10m	40 x 250mm	One in-line row	6,400 litres	Seed and fertiliser	12,000kg	£165,430
Avatar 12.25 SD Fert	Trailed	12m	48 x 250mm	One in-line row	6,500 litres	Seed and fertiliser	13,000kg	£169,050
Avatar 18.25 SD M	Trailed	18m	72 x 250mm	One in-line row	12,600 litres	Seed and fertiliser	15,000kg	£245,000

Note: *Avatar 3.16 to 8.16 seed and fertiliser models have dual compartment hopper; Avatar 8.25 to 12.25 and 18 M have a triple compartment hopper as standard, dual compartment optional.*

JOHN DEERE

750A All-Till Format: Hopper on frame, rear wheels. **Pre-coulter tool:** None. **Seed coulters:** Single-disc 457mm diameter openers set at 7deg with coil spring and hydraulic pressure system plus optional 500kg ballast giving up to 250kg loading. **Depth control:** Wheel close-coupled to disc opener. **After coulters:** Seed row press wheel and angled covering disc on coulter arm, plus cast iron closing wheel. **Fertiliser**: None.

750A All-Till	Trailed	3m	18 x 166mm	Two separate rows	1,750 litres	Seed	2,710kg	£82,650
750A All-Till	Trailed	4m	24 x 166mm	Two separate rows	1,750 litres	Seed	4,640kg	£105,459
750A All-Till	Trailed	6m	36 x 166mm	Two separate rows	2,300 litres	Seed	6,800kg	£147,876

KRM SOLA

Sola Grass Seed (GS) Format: Linkage-mounted frame with close-coupled, overhead centrally mounted hopper, primarily for direct-drilling into grassland but also suitable for cereals. **Pre-coulter tools:** None. **Seed coulters:** Two rows of rubber-mounted 400mm diameter notched single disc openers mounted at shallow 5deg working angle for minimum disturbance. **Depth control:** Manual shim adjustment, +3 to -13cm in 5mm increments. **After coulters:** Full-width prism roller with 450mm fixed wheels and floating 500mm wheels for self-cleaning. **Fertiliser:** Split hopper with individual metering for simultaneous application of seed and fertiliser or two types of seed. Optional second 300-litre hopper allows second or third product to be applied through spreader plates behind roller. Optional hydraulic weight transfer system applies up to 650kg of tractor weight to the drill to assist penetration while maintaining a light weight for use with smaller tractors. Performa control box for 300-litre and 2,000-litre single-product hoppers. Isobus control to regulate up to three metering units, variable rate and auto switching.

GS300/32	Mounted	3m	32 x 94mm	Two separate rows	300 litres	Seed	2,740kg	£46,770
GS300/32	Mounted	3m	32 x 94mm	Two separate rows	2,000 litres	Seed	2,940kg	£49,890
GS300/33	Mounted	3m	32 x 94mm	Two separate rows	2,000 litres	Seed and fertiliser	3,140kg	£53,570
GS300/24	Mounted	3m	24 x 125mm	Two separate rows	300 litres	Seed	2,250kg	£41,240

© MA AGRICULTURE 2026

Model	Mounted or trailed	Width	Seed rows/spacing	Coulter rows	Hopper capacity	Seed/fertiliser	Weight	Price
GS300/24	Mounted	3m	24 x 125mm	Two separate rows	2,000 litres	Seed	2,450kg	£44,360
GS300/24	Mounted	3m	24 x 125mm	Two separate rows	2,000 litres	Seed and fertiliser	2,650kg	£48,040

Note: *Distributed by Keith Rennie Machinery.*

LEMKEN

Lemken NT **Format:** Frame-mounted hopper, rear wheels and optional hydraulic axle lift. **Pre-coulter tools:** Active row cleaner (front and back row of coulters) with tool-free parking position. **Seed coulters:** Single disc ProDisc swing-guided 480mm-diameter, 340kg coulter pressure, 120mm cutting depth, 7deg angle of attack, 10deg undercut with integrated rubber tyre slot closing press wheel – airless optional. **After coulters:** Steel closing wheel with adjustable pressure and angle. **Fertiliser:** Dry fertiliser in either double- or single-shot options to run front and back rows of coulters at different depths with different seed types. Optional 200-litre Lemken Multihub for small seeds, slug pellets or Avadex. Lemken iQblue compatible for full isobus control and documentation.

NT 600	Trailed	6m	167mm	Two separate rows	4,400 litres	Seed	9,000kg	£125,227
NT 600	Trailed	6m	167mm	Two separate rows	5,100 litres	Seed and fertiliser	9,270kg	£135,284

MASCHIO GASPARDO

Diretta **Format:** Mechanical, gravity fed, semi-mounted. **Pre-coulter tools:** None. **Seed coulters:** Same 475mm plain, serrated or notched discs as Gigante Pressure, angled 2deg both vertically and longitudinally with up to 260kg down pressure available; seed delivered through height-adjustable angled shoe at coulter base. **Depth control:** Cast or rubber gauge wheel alongside disc opener. **After coulters:** Integral coulter-mounted angled press wheel followed by liftable seed covering harrow. Hopper capacity options 830-2,090 litres and mechanical metering allows rates from 2-500kg/ha. **Fertiliser:** Supplied from split hopper through two-section metering system with independent rate control to each side. Seed and fertiliser delivered into common seed tubes.

300S/17	Trailed	3.06m	17 x 180mm	Two separate rows	2,090 litres	Seed	4,115kg	£55,524
300S/19	Trailed	2.96m	19 x 156mm	Two separate rows	2,090 litres	Seed	4,100kg	£60,258
300SC/17	Trailed	3.2m	17 x 180mm	Two separate rows	1,260 and 830 litres	Seed and fertiliser	3,860kg	£59,224
300SC/19	Trailed	3.2m	19 x 156mm	Two separate rows	1,260 and 830 litres	Seed and fertiliser	4,100kg	£64,010

Note: *Prices based on rubber depth wheel configuration.*

Gigante Pressure **Format:** Pressurised hopper with air seed distribution mounted on drawbar ahead of seed coulters; DP models have non-folding coulter frames. **Pre-coulter tools:** None. **Seed coulters**: 475mm-diameter plain, serrated or notched discs slightly angled in both planes with seed boot alongside, mounted on trailing arm with double coil spring providing up to 200kg down pressure. **Depth control:** Cast or rubber gauge wheel located alongside disc opener. **After coulters:** steel conical press wheel mounted on coulter assembly by independent rocker arm with adjustable coil spring pressure; optional flexible tine covering harrow. **Fertiliser:** Metered separately into seed tube.

300/17 DP	Trailed	3.2m	17 x 180mm	Two separate rows	1,860 litres / 980 litres	Seed and fertiliser	4,202kg	£75,103
300/19 DP	Trailed	3m	19 x 150mm	Two separate rows	1,860 litres / 980 litres	Seed and fertiliser	4,383kg	£79,082
400/22 DP	Trailed	3.96m	22 x 180mm	Two separate rows	1,860 litres / 980 litres	Seed and fertiliser	4,855kg	£84,791
400/22	Trailed	3.96m	22 x 180mm	Two separate rows	1,860 litres / 980 litres	Seed and fertiliser	5,315kg	£104,230
400/26	Trailed	3.9m	26 x 150mm	Two separate rows	1,860 litres / 980 litres	Seed and fertiliser	5,756kg	£115,457
500/28	Trailed	5.04m	28 x 180mm	Two separate rows	2,240 litres / 1,170 litres	Seed and fertiliser	6,320kg	£129,478
600/33	Trailed	5.94m	33 x 180mm	Two separate rows	2,240 litres / 1,170 litres	Seed and fertiliser	6,962kg	£138,358
600/40	Trailed	6m	40 x 150mm	Two separate rows	2,240 litres / 1,170 litres	Seed and fertiliser	7,706kg	£153,198

Note: *Prices based on rubber depth wheel configuration c/w air brakes.*

MOORE *NEW MODELS

Unidrill **Format:** Base models are without Accord hopper and metering system for buyer to install their own or use tractor front-mounted hopper system; mounted models – hopper with Accord metering and air distribution mounted on frame; trailed models – as mounted, plus rear wheels and drawbar. **Pre-coulter tools:** None. **Seed coulters:** 410mm notched disc opener with tungsten seed coulter alongside mounted in pairs on trailing arm with rubber suspension inserts in frame clamp; ballast and hydraulic pressure adjustment to 120kg per opener. **Depth control:** Mounted – rear packer roller; trailed – hydraulic discs. **After coulters:** Guttler packer roller with alternating 450mm and 500mm diameter serrated cast rings or optional tyre packer with levelling paddles. **Fertiliser:** Available on Dual models.

Unidrill 24 Base	Mounted	3m	24 x 125mm	Two separate rows	na	Seed	1,700kg	£18,295
Unidrill 32 Base	Mounted	3m	32 x 90mm	Two separate rows	na	Seed	1,800kg	£21,580
Unidrill 24 Base	Trailed	3m	24 x 125mm	Two separate rows	na	Seed	2,300kg	£26,050
Unidrill 32 Base	Trailed	3m	32 x 90mm	Two separate rows	na	Seed	2,500kg	£29,325
Unidrill 20 Arable	Mounted	2.5m	20 x 125mm	Two separate rows	850 litres	Seed	1,900kg	£24,775
Unidrill 28 Grassland	Mounted	2.5m	28 x 90mm	Two separate rows	850 litres	Seed	2,000kg	£27,995
Unidrill 24 Arable	Mounted	3m	24 x 125mm	Two separate rows	850 litres	Seed	2,200kg	£27,850
Unidrill 24 Arable MDH-1700 Dual	Mounted	3m	24 x 125mm	Two separate rows	1,700 litres	Seed and fertiliser	2,500kg	£38,455
Unidrill 32 Grassland	Mounted	3m	32 x 90mm	Two separate rows	850 litres	Seed	2,300kg	£29,925
Unidrill 32 Grassland MDH-1700 Dual	Mounted	3m	32 x 90mm	Two separate rows	1,700 litres	Seed and fertiliser	2,700kg	£41,575
Unidrill 28 Arable	Mounted	3.4m	28 x 125mm	Two separate rows	850 litres	Seed	2,400kg	£30,975
Unidrill 36 Grassland	Mounted	3.4m	36 x 90mm	Two separate rows	850 litres	Seed	2,500kg	£34,245
Unidrill 24 Arable	Trailed	3m	24 x 125mm	Two separate rows	850 litres	Seed	2,800kg	£36,595
Unidrill 24 Arable MDH-1700 Dual	Trailed	3m	24 x 125mm	Two separate rows	1,700 litres	Seed and fertiliser	3,200kg	£47,405
Unidrill 32 Grassland	Trailed	3m	32 x 90mm	Two separate rows	850 litres	Seed	3,000kg	£39,650
Unidrill 32 Grassland MDH-1700 Dual	Trailed	3m	32 x 90mm	Two separate rows	1,700 litres	Seed and fertiliser	3,600kg	£50,525
Unidrill Classic 20 Arable*	Mounted	2.5m	20 x 125mm	Two separate rows	850 litres	Seed	n/a	£21,250
Unidrill Classic 28 Grassland*	Mounted	2.5m	28 x 90mm	Two separate rows	850 litres	Seed	2,000kg	£24,495
Unidrill Classic 24 Arable*	Mounted	3m	24 x 125mm	Two separate rows	850 litres	Seed	n/a	£24,525
Unidrill Classic 32 Arable*	Mounted	3m	32 x 90mm	Two separate rows	850 litres	Seed	n/a	£27,795
Unidrill 32 Arable Rigid*	Mounted	4m	32 x 125mm	Two separate rows	850 litres	Seed	n/a	£34,075

© MA AGRICULTURE 2026

Model	Mounted or trailed	Width	Seed rows/spacing	Coulter rows	Hopper capacity	Seed/fertiliser	Weight	Price
Unidrill 44 Grassland Rigid*	Mounted	4m	44 x 90mm	Two separate rows	850 litres	Seed	n/a	£38,375
Unidrill 28 Arable MDH-1700 Dual*	Mounted	3.4m	28 x 125mm	Two separate rows	1,700 litres	Seed and fertiliser	n/a	£43,660
Unidrill 36 Grassland MDH-1700 Dual*	Mounted	3.4m	36 x 90mm	Two separate rows	1,700 litres	Seed and fertiliser	n/a	£47,095

Note: *Options: hydraulic fan £1,365; tyre packer with levelling paddles £5,130 (125mm spacing mounted models only); following harrow tine kit £1,630; 500-litre hopper extension £1,260; ballasting weight kit £1,655; hydraulic bout markers £3,020. Mounted single-hopper models are priced with PTO fan. Classic models have standard (non-tungsten) coulters and a water-ballastable flat barrel packer with wire scraper and manual adjustment, instead of tungsten coulters and the Guttler-style packer.*

NOVAG

T-ForcePlus Format: Divided hopper with metering plus air distribution, mounted on mid-wheeled frame; tracks optional on larger models. **Pre-coulter tools:** None. **Seed coulters:** 575mm scalloped vertical disc opener with L-shaped blades either side forming an inverted 'T' slot with seed placed one side, fertiliser on the other; individual hydraulic cylinders provide 100-500kg pressure. **Depth control:** Automatic coulter pressure adjustment according to soil resistance and pair of 'V'-angled rubber press wheels behind the disc opener. **After coulters:** None. **Fertiliser:** Placed by L-shaped coulter blade.

T-ForcePlus 250	Trailed	2-3m	10 x 200mm, 9 x 250mm, 12 x 187mm, 10 x 250mm, 12 x 250mm, 15 x 200mm or 16 x 187mm	Two separate rows	2,400 litres	Seed and fertiliser	6,000kg	£85,000
T-ForcePlus 350	Trailed	3m	12 x 250mm, 15 x 200mm, 18 x 166mm or 16 x 187mm	Two separate rows	4,200 litres	Seed and fertiliser	6,500kg	£105,000
T-ForcePlus 450	Trailed	4m	16 x 250mm, 20 x 200mm, 21 x 190mm, 23 x 175mm or 24 x 166mm	Two separate rows	4,200 litres	Seed and fertiliser	8,500kg	£135,000
T-ForcePlus 450CT	Trailed	4m	18 x 250mm or 24 x 187mm	Two separate rows	4,200 litres	Seed and fertiliser	9,700kg	£145,000
T-ForcePlus 650	Trailed	6m	24 x 250mm, 32 x 187mm or 36 x 166mm	Two separate rows	5,400 litres	Seed and fertiliser	14,500kg	£175,000
T-ForcePlus 750	Trailed	7.2-7.5m	30 x 250mm, 30 x 240mm or 36 x 187mm	Two separate rows	5,400 litres	Seed and fertiliser	14,500kg	£190,000
T-ForcePlus 850	Trailed	8-8.4m	32 x 250mm, 40 x 200mm or 48 x 175mm	Two separate rows	7,700 litres	Seed and fertiliser	21,500kg	£260,000
T-ForcePlus 950	Trailed	9m	36 x 250mm or 48 x 187mm	Two separate rows	7,700 litres	Seed and fertiliser	21,500kg	£275,000
T-ForcePlus 950X	Trailed	10m	40 x 250mm	Two separate rows	7,700 litres	Seed and fertiliser	21,500kg	£280,000

Note: *Weights listed are maximum figures. Distributed by Primewest.*

SKY AGRICULTURE

EasyDrill Format: Full-width hopper with individual row metering and gravity distribution, on frame with rear transport wheels. **Pre-coulter tools:** Soft press wheel on coulter frame. **Seed coulters:** 435mm diameter notched disc opener with slot-cleaning skim coulter on tandem assembly with 250kg coulter pressure and rubber clamp insert suspension; twin seed tubes standard. **Depth control:** Leading press wheel. **After coulters:** Tapered smooth steel packer wheel with scrapers. **Fertiliser:** Placed by knife coulters behind seed openers with separate depth adjustment.

EasyDrill P250 Fertisem 3m	Trailed	3m	18 x 166mm	One staggered row	2,250 litres	Seed and fertiliser	3,500kg	£60,970
EasyDrill P250 Fertisem 4m	Trailed	4m	24 x 166mm	One staggered row	3,100 litres	Seed and fertiliser	4,450kg	£81,216

EasyDrill W Format: Hopper with air distribution on frame with rear transport wheels. **Pre-coulter tools:** Soft press wheel on coulter frame. **Seed coulters:** 435mm-diameter notched disc openers with slot-cleaning skim coulter on tandem assembly with 250kg coulter pressure and rubber mounting-clamp inserts for deflection; twin seed tubes standard; E Premium option for electronic individual row shut-off. **Depth control**: Leading press wheel. **After coulters:** Tapered smooth steel packer wheel. **Fertiliser:** Placed by knife coulters behind seed openers with separate depth adjustment; separate 120-litre hopper (one on Pro I, two on Pro II models) for micro-fertiliser, slug pellets or small seeds, mixes, companion plant seeds, feeding into seed or fertiliser placement pipes.

EasyDrill P250 4m W	Trailed	4m	24 x 166mm	One staggered row	3,000 litres	Seed and fertiliser	6,360kg	£100,341
EasyDrill P250 6m W	Trailed	6m	36 x 166mm	One staggered row	4,100 litres	Seed and fertiliser	7,780kg	£103,702
EasyDrill P250 8m W	Trailed	8m	48 x 166mm	One staggered row	5,220 litres	Seed and fertiliser	9,350kg	£168,087

SMS AGRO *NEW MODELS

Smart Format: Mounted and semi-mounted pneumatic direct seeders primarily for grassland establishment and overseeding, also for pre-cultivated ground. Smart 250, 300 – mounted, one-part fix frame, hopper over coulter frame; Smart 250 P, 300 P semi-mounted, one-part fix frame, hopper over coulter frame. Smart 400, 500 – semi-mounted, drawbar-mounted hopper and distribution system, central coulters on hydraulic-folding wings, large rear transport wheels with hydraulic lift transferring weight to working elements. **Pre-coulter tools:** Leading row of 12mm adjustable rake tines aligned with coulter discs cut and clear trash. **Seed coulters:** Two rows of maintenance-free, 410x5mm single discs at 125mm row spacing. Carbide-tipped seeding units drop seed in slots created by the angled coulters and keep discs clear of mud and trash. **Depth control:** Hydraulic. **After coulters:** Choice of several types of ductile iron packer rollers. **Options**: Electric or hydraulic fan drive, various types of control units and additional sensors, different hopper capacities.

Smart 250	Mounted	2.5m	16 x 125mm	Two separate rows	200-500 litres	Seed	1,900-2,500kg	£21,500
Smart 250 P*	Semi-mounted	3m	20 x 125mm	Two separate rows	200-500 litres	Seed	2,000-2,600kg	£25,500
Smart 300	Mounted	3m	24 x 125mm	Two separate rows	300-1,100 litres	Seed	2,100-2,700kg	£22,900
Smart 300 P*	Semi-mounted	3m	24 x 125mm	Two separate rows	300-1,100 litres	Seed	2,200-2,800kg	£26,900
Smart 400 N*	Mounted	4m	32 x 125mm	Two separate rows	300-1,100 litres	Seed	3,150kg**	£25,900
Smart 400	Semi-mounted	4m	32 x 125mm	Two separate rows	500-1,600 litres	Seed	4,400kg**	£44,900
Smart 500*	Semi-mounted	5m	40 x 125mm	Two separate rows	500-1,600 litres	Seed	4,800kg**	£49,900

Note: *UK distribution currently through four dealers. **Weight can vary depending on equipment specification.*

SUMO

DD Format: Mounted models – DD 3 hopper on frame, Toolbar versions hopper front-mounted on tractor. Trailed models – coulter frame on seed cart. **Pre-coulter tools:** None. Seed coulters: serrated 450mm single-disc coulters on parallel linkage with hydraulic coulter pressure providing up to 200kg down force and stone protection. **Depth control:** Angled rubber gauge wheel alongside opener and rear press wheel. **After coulters:** Fixed-angle steel finger seed row covering discs and rubber tyre press wheel. **Fertiliser:** Combined delivery of seed and fertiliser to the coulter boot.

DD 3 Toolbar	Mounted	3m	16 x 187mm	Two separate rows	Front-mounted hopper	Seed	2,670kg	£54,743
DD 3	Mounted	3m	16 x 187mm	Two separate rows	1,900 litres	Seed	2,700kg	£78,635

© MA AGRICULTURE 2026

Model	Mounted or trailed	Width	Seed rows/spacing	Coulter rows	Hopper capacity	Seed/fertiliser	Weight	Price
DD 4 Toolbar	Mounted	4m	20 x 200mm	Two separate rows	Front-mounted hopper	Seed	3,920kg	£66,973
DD 4	Trailed	4m	20 x 200mm	Two separate rows	3,000 litres	Seed	6,785kg	£118,718
DD 4 Grain & Fert	Trailed	4m	20 x 200mm	Two separate rows	3,000 litres	Seed and fertiliser	6,785kg	£134,993
DD 5	Trailed	5m	24 x 208mm	Two separate rows	3,000 litres	Seed	7,797kg	£147,160
DD 5 Grain & Fert	Trailed	5m	24 x 208mm	Two separate rows	3,000 litres	Seed and fertiliser	7,797kg	£163,435
DD 6	Trailed	6m	30 x 200mm	Two separate rows	3,600 litres	Seed	9,050kg	£164,766
DD 6 Grain & Fert	Trailed	6m	30 x 200mm	Two separate rows	3,600 litres	Seed and fertiliser	9,050kg	£181,041
DD 8	Trailed	8m	40 x 200mm	Two separate rows	3,600 litres	Seed	10,330kg	£197,374
DD 8 Grain & Fert	Trailed	8m	40 x 200mm	Two separate rows	3,600 litres	Seed and fertiliser	10,330kg	£213,649
DD 9	Trailed	9m	45 x 200mm	Two separate rows	3,600 litres	Seed	11,448kg	£208,038
DD 9 Grain & Fert	Trailed	9m	45 x 200mm	Two separate rows	3,600 litres	Seed and fertiliser	11,448kg	£224,313

VADERSTAD

Proceed Format: Trailed, with longitudinal frame and central hopper supplying seed to individual row units, with front-mounted press wheels and rear closing or press elements. **Pre-coulter tools:** Hydraulically operated pre-consolidation wheels, optional row cleaners. **Seed coulters:** Discs with adjacent wide rubber depth control wheels. Seed precision-metered and singled, propelled to base of seed slot by air pressure, secured and firmed into base of slot by rubber stop wheel. **Depth control:** Hydraulic, with two-dimensional working angle compensation. **After coulters:** Angled pairs of steel spider wheels close slots and consolidate. **Fertiliser:** Placed in row or between the rows, supplied from tractor-mounted front hopper. Wireless operation through Vaderstad e-Control.

Proceed V 24	Trailed	6m	24 x 225mm or 24 x 250mm	Two separate rows	2,200 litres	Seed and fertiliser*	10,000kg	£190,545

** Fert option only when combined with front hopper*

VIRKAR

Dynamic D Format: Hopper on frame, rear wheels with steering linked to semi-mounted drawbar for sowing in curves. **Pre-coulter tools:** None. **Seed coulters:** Single disc opener on trailing arms connected hydraulically to maintain up to 250kg downforce pressure and even depth over undulations. **Depth control:** Rubber wheel alongside disc opener with individual spring-loaded latch adjustment. **After coulters:** Vertical over-row and angled side slot press wheels attached to coulter arms. **Fertiliser:** Dry or liquid applied via seed coulters.

Dynamic D 4.5	Trailed	4.5m	24 x 190mm or 18 x 250mm	Two separate rows	5,300 or 6,800 litres	Seed	6,000kg	£84,700
Dynamic D 4.5 G&F	Trailed	4.5m	24 x 190mm or 18 x 250mm	Two separate rows	5,300 or 6,800 litres	Seed and fertiliser	6,000kg	£89,600
Dynamic D 5.0	Trailed	5m	26 x 190mm or 20 x 250mm	Two separate rows	5,300 or 6,800 litres	Seed	7,000kg	£88,800
Dynamic D 5.0 G&F	Trailed	5m	26 x 190mm or 20 x 250mm	Two separate rows	5,300 or 6,800 litres	Seed and fertiliser	7,000kg	£93,500
Dynamic D 6.0	Trailed	6m	32 x 190mm or 24 x 250mm	Two separate rows	5,300 or 6,800 litres	Seed	8,000kg	£98,500
Dynamic D 6.0 G&F	Trailed	6m	32 x 190mm or 24 x 250mm	Two separate rows	5,300 or 6,800 litres	Seed and fertiliser	8,000kg	£103,300
Dynamic D 7.0	Trailed	7m	28 x 250mm	Two separate rows	5,300 or 6,800 litres	Seed	8,500kg	£105,900
Dynamic D 7.0 G&F	Trailed	7m	28 x 250mm	Two separate rows	5,300 or 6,800 litres	Seed and fertiliser	8,500kg	£110,700

Note: *Prices are for 250mm row spacing. Distributed by Samagri.*

WEAVING

*NEW MODEL

IR Drill Format: Hopper on frame. **Pre-coulter tools:** None. **Seed coulters:** Twin-disc openers on spring-tensioned trailing arm mounted in pairs or triple sets for inter-row sowing of companion crops between maize rows. **Depth control:** Integral soft press wheel. **After coulters**: See depth control.

IR Drill	Mounted	6.4m	Flexible	One row	300 litres	Seed	2,250kg	£26,800

Fenix Drill Format: Hopper on frame. **Pre-coulter tools:** none. **Seed coulters:** Two rows of 405mm-diameter notched discs mounted at opposing 5deg angle on rubber cushioned torsion bars with a boron steel seeding shoe alongside. **Depth control:** Mechanical adjustment of coulter frame, fixed roller. **After coulters:** Self-cleaning 450mm and 500mm Prismatic roller rings. **Fertiliser:** None.

Fenix 3000M – 24	Mounted	3m	24 x 122mm	Two separate rows	1,000 litres	Seed	2,975kg	£29,800
Fenix 3000M – 32	Mounted	3m	32 x 92mm	Two separate rows	1,000 litres	Seed	3,135kg	£32,800

GD Format: Mounted models – hopper on frame; trailed models – hopper on frame, rear wheels; FT/Front Tank models – hopper on front linkage. **Pre-coulter tools:** None. **Seed coulters:** Twin-disc opener formed by 405mm serrated and 345mm close-coupled plain disc set 25deg from vertical and mounted on parallel linkage with hydraulic stone protection and coulter pressure control giving 300kg+ downforce. **Depth control:** Integrated rubber tyre slot closing press wheel – airless optional. **After coulters:** See depth control. **Fertiliser:** Dry fertiliser mixed in seed tube, optional liquid fertiliser dispensed from seed-tube mounted outlet. Optional 130-litre slug pellet, fertiliser, rapeseed applicator, 240-litre Avadex applicator.

GD 3001M	Mounted	3m	18 x 166mm	Two separate rows	2,000 litres	Seed	2,550kg	£39,800
GD 3001M G&F	Mounted	3m	18 x 166mm	Two separate rows	2,800 litres	Seed and fertiliser	2,750kg	£49,800
GD 4001M	Mounted	4m	24 x 166mm	Two separate rows	2,000 litres	Seed	3,100kg	£54,800
GD 4801M	Mounted	4.8m	29 x 172mm	Two separate rows	2,000 litres	Seed	3,400kg	£58,800
GD 6001M	Mounted	6m	36 x 166mm	Two separate rows	2,000 litres	Seed	3,600kg	£62,800
GD 6001FT	Mounted	6m	36 x 166mm	Two separate rows	2,400 litres	Seed	4,000kg + 950kg	£68,800
GD 6001FT G&F	Mounted	6m	36 x 166mm	Two separate rows	2,400 litres	Seed and fertiliser	4,000kg + 950kg	£74,800
GD 3001T G&F	Trailed	3m	18 x 166mm	Two separate rows	5,000 litres	Seed and fertiliser	5,000kg	£62,800
GD 4001T	Trailed	4m	24 x 166mm	Two separate rows	4,000 litres	Seed	7,460kg	£77,800
GD 4001T G&F	Trailed	4m	24 x 166mm	Two separate rows	5,000 litres	Seed and fertiliser	7,960kg	£84,800
GD 4801T	Trailed	4.8m	29 x 166mm	Two separate rows	5,000 litres	Seed	7,800kg	£82,800
GD 4801T G&F	Trailed	4.8m	29 x 166mm	Two separate rows	5,000 litres	Seed and fertiliser	8,300kg	£89,800
GD 6001T	Trailed	6m	36 x 166mm	Two separate rows	5,000 litres	Seed	8,470kg	£90,800
GD 6001T G&F	Trailed	6m	36 x 166mm	Two separate rows	5,000 litres	Seed and fertiliser	8,970kg	£97,800
GD 8001T	Trailed	8m	48 x 166mm	Two separate rows	5,000 litres	Seed	10,000kg	£110,800
GD 12.60*	Trailed	12m	60 x 200mm	Two separate rows	6,500 litres	Seed and fertiliser	13,500kg	£168,800

© MA AGRICULTURE 2026