

YOUR ULTIMATE GUIDE TO... BUYING A TELEHANDLER

TELESCOPIC HANDLERS GUIDE

Model	Max lift height	Max lift capacity	Lift to full height	Boom cushion	Hydraulics – litres/min F – gear pump; V – piston pump	Engine – output; make	Transmission – speeds and drive	List price – £ ex-VAT
-------	-----------------	-------------------	---------------------	--------------	---	-----------------------	---------------------------------	-----------------------

Hydraulics: F - Fixed output gear pump; V - Variable output piston pump. Transmissions: H - hydrostatic; PS - power shift; MS - manual shift; CVT - hydraulic continuously variable. Prices: tbc - new model price to be confirmed; poa - manufacturer has not provided a price. Imported machine prices subject to prevailing exchange rate.

AVANT



The Avant range of compact and highly manoeuvrable telescopic loaders now includes the unique e5 with battery-sourced electric power to the hydrostatic drive for least noise and zero emissions.

320S	2.40m	0.65t	0.65t	no	F 45	20hp Kubota	1 H	£11,350
320S+	2.40m	0.65t	0.65t	no	F 45	20hp Kubota	1 H	£13,420
419 Petrol	2.75m	0.65t	0.65t	no	F 31	20hp Kohler	1 H	£13,500
420	2.75m	0.65t	0.65t	no	F 31	20hp Kubota	1 H	£14,900
520	2.79m	0.80t	0.80t	no	F 31	20hp Kubota	1 H	£18,900
525 LPG	2.79m	0.80t	0.80t	no	F 36	23hp Kubota	1 H	£20,900
e5	2.79m	0.90t	0.90t	no	F 30	201Ah battery	2 H	£26,500
528	2.79m	0.95t	0.95t	no	F 36	28hp Kubota	1 H	£20,900
630	2.83m	1.1t	1.1t	no	F 44	28hp Kubota	1 H	£23,100
635	2.83m	1.1t	1.1t	no	F 66	37hp Kubota	1 H	£25,900
640	2.83m	1.1t	1.1t	no	F 66	37hp Kubota	2 H	£27,400
745	2.99m	1.4t	1.4t	no	F 70	49hp Kubota	1 H	£29,500
750	3.08m	1.4t	1.4t	std	F 70	49hp Kubota	2 H	£31,900
755	3.10m	1.4t	1.4t	no	F 80	57hp Kohler	1 H	£33,500
760i	3.10m	1.4t	1.4t	std	F 80	57hp Kohler	2 H	£35,900

Note: All have central cab and pivot chassis steering. Optional cab available on 400-700 Series; 640, 750 and 760i standard with 11-22kph and 12-25kph transmission speeds; 500-700 Series have attachment self-levelling.

BLANEY

TL1 10-33	3.30m	1.0t	1.0t	poa	F 50	50hp tbc	2 H	tbc
TH1 15-48	4.80m	1.5t	1.5t	poa	F 50	50hp tbc	2 H	tbc

Note: TL1 - central cab and pivot chassis steering; TH1 - offset cab, rigid chassis and permanent 4-wheel steering.

BOBCAT

TL358	5.89m	2.6t	2.0t	std	F 100	100hp Deutz	2 H	poa
TL26.60	5.89m	2.6t	2.0t	std	F 100	75hp Bobcat	2 H	poa
TL26.60	5.89m	2.6t	2.0t	std	F 100	100hp Bobcat	2 H	poa
TL358+	5.89m	3.0t	2.5t	std	F 100	100hp Deutz	2 H	poa
TL358+ Agri	5.89m	3.0t	2.5t	std	F 100	100hp Deutz	2 H	poa
TL30.60	5.89m	3.0t	2.5t	std	F 100	75hp Bobcat	2 H	poa
TL30.60	5.89m	3.0t	2.5t	std	F 100	100hp Bobcat	2 H	poa
TL30.60 Agri	5.89m	3.0t	2.5t	std	F 100	100hp Bobcat	2 H	poa
TL34.65 HF	6.41m	3.4t	3.4t	std	V 190	130hp Bobcat	2 H	poa
TL34.65 HF Agri	6.41m	3.4t	3.4t	std	V 190	130hp Bobcat	2 H	poa
TL38.70 HF	6.97m	3.8t	3.5t	std	V 190	130hp Bobcat	2 H	poa
TL38.70 HF Agri	6.97m	3.8t	3.5t	std	V 190	130hp Bobcat	2 H	poa
TL35.70	6.97m	3.5t	3.5t	std	F 100	100hp Bobcat	2 H	poa
TL35.70 Agri	6.97m	3.5t	3.5t	std	F 100	100hp Bobcat	2 H	poa

Note: All have offset cab, rigid chassis and selectable 2/4-wheel steering. All models have selectable separate ground and engine speed control; TL358, TL358+, TL26.60 and TL30.60 have choice of cab mounting positions for minimum height or maximum visibility; Bobcat engines are built by parent company Doosan.

CASE IH

Farmlift 525	5.78m	2.5t	2.5t	£1,023	F 80	74hp Kubota	1 H	£62,773
Farmlift 635	6.10m	3.5t	3.5t	std	V 140	143hp FPT	6 PS	£88,281
Farmlift 742	7.00m	4.2t	4.2t	std	V 140	143hp FPT	6 PS	£91,837
Farmlift 935	9.10m	3.5t	2.5t	£1,420	F 120	121hp FPT	4 PS	£85,169

Note: All have offset cab, rigid chassis and selectable 2/4-wheel steering.

TELESCOPIC HANDLERS GUIDE

Model	Max lift height	Max lift capacity	Lift to full height	Boom cushion	Hydraulics – litres/min F – gear pump; V – piston pump	Engine – output; make	Transmission – speeds and drive	List price – £ ex-VAT
CATERPILLAR								
TH306D AG Performance	5.8m	2.8t	2.0t	£2,134	F 95	101hp Deutz	2 H	£62,259
TH306D AG Exclusive	5.8m	2.8t	2.0t	£2,134	F 95	114hp Deutz	2 H	£64,450
TH356D	6.0m	3.5t	tbc	std	V 150	111hp Cat	6 PS	tbc
TH356D	6.0m	3.5t	tbc	std	V 150	124hp Cat	6 PS	tbc
TH356D	6.0m	3.5t	tbc	std	V 150	142hp Cat	6 PS	tbc
TH357D AG Hystat	7.0m	3.5t	tbc	std	V 150	111hp Cat	2 H	tbc
TH357D AG Hystat	7.0m	3.5t	tbc	std	V150	124hp Cat	2 H	tbc
TH357D AG	7.0m	3.5t	tbc	std	V 150	111hp Cat	6 PS	tbc
TH357D	7.0m	3.5t	tbc	std	V 150	124hp Cat	6 PS	tbc
TH407C AG Performance	7.3m	4.0t	2.0t	std	V 150	124hp Cat	6 PS	£68,760
TH407C AG Exclusive	7.3m	4.0t	2.0t	std	V 150	142hp Cat	6 PS	£72,617
TH408D	7.6m	4.0t	tbc	std	V 150	111hp Cat	6 PS	tbc
TH408D	7.6m	4.0t	tbc	std	V150	124hp Cat	6 PS	tbc
TH408D	7.6m	4.0t	tbc	std	V 150	142hp Cat	6 PS	tbc
TH3510D AG Performance	10.0m	3.5t	0.8t	std	V 150	124hp Cat	6 PS	£74,295
TH3510D AG Exclusive	10.0m	3.5t	0.8t	std	V 150	142hp Cat	6 PS	£78,107
Note: All have offset cab, rigid chassis and selectable 2/4-wheel steering.								

CLAAS



The Scorpion range received a number of control- and performance-enhancing improvements with the most recent round of changes that further improved the premium specification of these heavy-duty handlers.

TH306D AG Performance	5.8m	2.8t	2.0t	£2,134	F 95	101hp Deutz	2 H	£62,259
Scorpion 6030 Hydrostatic	6.15m	3.0t	2.5t	£910	F 100	136hp Deutz	3 H	£79,270
Scorpion 6030 Varipower	6.15m	3.0t	2.5t	std	V 140	136hp Deutz	3 H	£91,490
Scorpion 6035 Varipower	6.15m	3.5t	3.0t	std	V 140	136hp Deutz	3 H	£92,540
Scorpion 7030 Hydrostatic	7.0m	3.0t	2.0t	£910	F 100	136hp Deutz	3 H	£83,020
Scorpion 7030 Varipower	7.0m	3.0t	2.0t	std	V 140	136hp Deutz	3 H	£95,340
Scorpion 7035 Varipower	7.0m	3.5t	2.2t	std	V 140	136hp Deutz	3 H	£96,460
Scorpion 7044 Varipower	7.01m	4.3t	3.3t	std	V 140	122hp Deutz	3 H	£105,670
Scorpion 7050 Varipower Plus	7.01m	4.8t	3.5t	std	V 140	136hp Deutz	3 H	£109,410
Scorpion 7055 Varipower Plus	7.01m	5.5t	4.0t	std	V 187	156hp Deutz	3 H	£112,350
Scorpion 9055 Varipower Plus	8.75m	5.5t	5.5t	std	V 187	156hp Deutz	3 H	£118,150
Note: All have offset cab, rigid chassis and selectable 2/4-wheel steering. Scorpion 'Plus' models have transmission with fixed displacement motor in addition to variable displacement pump.								

DEUTZ-FAHR



With the introduction of new 2.8t and 3.5t Agrovector models, the Deutz-Fahr range has been expanded while introducing new cab and other features to enhance driver comfort and operating ease.

Agrovector 25.5	5.6m	2.5t	2.0t	no	F 72	74hp Deutz	1 H	£56,903
Agrovector 30.6 20in	5.8m	2.8t	2.45t	£1,475	F or V 100	101hp Deutz	2 H	£57,195
Agrovector 30.6 24in	5.8m	2.8t	2.45t	£1,475	F or V 100	115hp Deutz	2 H	£58,988
Agrovector 32.6	6.1m	3.7t	2.5t	£1,475	V 150	100hp Deutz	4 PS	£64,219
Agrovector 32.6	6.1m	3.7t	2.5t	£1,475	V 150	121hp Deutz	6 PS	£66,042
Agrovector 33.7	7.3m	3.3t	3.3t	£1,475	V 150	100hp Deutz	4 PS	£62,973
Agrovector 33.7	7.3m	3.3t	3.3t	£1,475	V 150	121hp Deutz	6 PS	£64,796
Agrovector 37.7	7.3m	3.7t	2.0t	£1,475	V 150	100hp Deutz	4 PS	£69,619
Agrovector 37.7	7.3m	3.7t	2.0t	£1,475	V 150	121hp Deutz	6 PS	£71,422
Agrovector 35.10	9.8m	3.5t	0.87t	£1,052	V 150	100hp Deutz	4 PS	£69,777
Agrovector 35.10	9.8m	3.5t	0.87t	£1,052	V 150	120hp Deutz	6 PS	£72,060
Agrovector 35.10	9.8m	3.5t	0.87t	£1,052	V 150	135hp Deutz	6 PS	£72,630
Note: All have offset cab, rigid chassis and selectable 2/4-wheel steering; 4-speed transmission - 32kph, 6-speed 40kph.								

DIECI

Agrovector 25.5	5.6m	2.5t	2.0t	no	F 72	74hp Deutz	1 H	£56,903
Agri Pivot T40	4.3m	2.0t	1.25t	no	F 72	50hp Kubota	2 H	£49,500
Agri Pivot T50	4.7m	2.2t	1.35t	£1,270	F 86	68hp Yanmar	2 H	£52,500
Agri Pivot T60	5.0m	2.3t	1.4t	£1,270	F 98	75hp Kubota	4 H	£54,500
Agri Pivot T70	5.0m	3.0t	1.95t	£1,270	F 114	115hp Kubota	4 H	£64,500

TELESCOPIC HANDLERS GUIDE

Model	Max lift height	Max lift capacity	Lift to full height	Boom cushion	Hydraulics – litres/min F – gear pump; V – piston pump	Engine – output; make	Transmission – speeds and drive	List price – £ ex-VAT
Agri Pivot T80	5.2m	3.5t	2.25t	£1,270	F 114	140hp FPT	4 H	£74,500
Mini Agri 25.6	5.78m	2.5t	1.7t	£1,270	F 88	49hp Kubota	4 H	£43,000
Mini Agri 25.6	5.78m	2.5t	1.7t	£1,270	F 88	75hp Kubota	4 H	£46,500
Agri Pivot T90 Plus	6.0m	5.7t	n/a	opt	V 140	175hp FPT	2 H	tbc
Agri Farmer 32.6	6.0m	3.2t	2.6t	£1,270	F 110	101hp Kubota	4 H	£52,607
Agri Farmer 28.7	6.35m	2.8t	2.0t	£1,270	F 110	101hp Kubota	4 H	£53,857
Agri Farmer 30.7	6.35m	3.0t	2.0t	£1,270	F 110	101hp Kubota	4 H	£53,857
Agri Pivot T90 Plus	7.0m	5.7t	n/a	opt	V 140	175hp FPT	2 H	tbc
Agri Tech 35.7 VS	7.0m	3.8t	2.5t	poa	F 110 or F 140	127hp FPT	4 H	poa
Agri Plus 40.7 PS6	7.1m	4.0t	2.6t	£1,270	F 180	121hp FPT	6 PS	£63,507
Agri Plus 40.7 VS Evo 2	7.1m	4.0t	2.6t	£1,270	F 210	143hp FPT	CVT	£72,507
Agri Plus 40.7 VS Evo 2	7.1m	4.0t	2.6t	£1,270	F 210	154hp FPT	CVT	£73,657
Agri Star 40.7 Evo 2	7.2m	4.0t	2.4t	£1,270	F 170	115hp Kubota	CVT	£59,657
Agri Star 37.7	7.35m	3.7t	3.5t	£1,270	F 110 or F 140	115hp Kubota	4 H	£58,357
Agri Star 38.8 Evo 2	7.6m	3.8t	1.8t	£1,270	F 170	115hp Kubota	CVT	tbc
Agri Max 65.8	7.7m	6.5t	4.2t	£1,270	F 170	143hp FPT	4 H	£72,507
Agri Max 65.8	7.7m	6.5t	4.2t	£1,270	F 170	154hp FPT	4 H	£73,657
Agri Max 65.8 VS Evo 2	7.7m	6.5t	4.2t	£1,270	F 210	143hp FPT	CVT	£77,572
Agri Max 65.8 VS Evo 2	7.7m	6.5t	4.2t	£1,270	F 210	154hp FPT	CVT	£78,572
Agri Max 45.8	7.9m	4.5t	2.7t	£1,270	F 110 or F 140	115hp Kubota	4 H	£63,507
Agri Max 60.9	8.6m	6.0t	3.5t	£1,270	F 170	143hp FPT	4 H	£56,357
Agri Max 60.9	8.6m	6.0t	3.5t	£1,270	F 170	154hp FPT	4 H	£73,572
Agri Max 60.9 VS Evo 2	8.6m	6.0t	3.5t	£1,270	F 210	143hp FPT	CVT	£80,554
Agri Max 60.9 VS Evo 2	8.6m	6.0t	3.5t	£1,270	F 210	154hp FPT	CVT	£81,030
Agri Farmer 28.9	8.7m	2.8t	1.2t	£1,270	F 110	101hp Kubota	4 H	£55,357
Agri Farmer 30.9	8.7m	3.0t	1.2t	£1,270	F 110	101hp Kubota	4 H	£55,357
Agri Tech 32.9 VS	9.0m	3.2t	2.0t	poa	F 110 or F 140	127hp FPT	4 H	poa
Agri Plus 38.9 PS6	9.0m	3.8t	1.9t	£1,270	F 180	121hp FPT	6 PS	tbc
Agri Plus 38.9 VS Evo 2	9.0m	3.8t	1.9t	£1,270	F 210	143hp FPT	CVT	£77,572
Agri Plus 38.9 VS Evo 2	9.0m	3.8t	1.9t	£1,270	F 210	154hp FPT	CVT	£78,572
Agri Star 38.10 Evo 2	9.6m	3.8t	0.75t	£1,270	F 170	115hp Kubota	CVT	£60,607
Agri Max 75.10	9.65m	7.0t	4.0t	£1,270	F 170	143hp FPT	4 H	£74,507
Agri Max 75.10	9.65m	7.0t	4.0t	£1,270	F 170	154hp FPT	4 H	£75,572

Note: Agri Pivot models have central cab and pivot chassis steering; all others have offset cab, rigid chassis and selectable 2/4-wheel steering. Agri Max VS models have four-mode hydro CVT drive; Agri Tech equipped with 4000kg lift three-point linkage, pto and up to three remote valves; multi-mode hydro CVT drive.

FARESIN

6.26	5.7m	2.6t	1.75t	£1,221	F 73	70hp Yanmar	1 CVT	£45,884
6.30 Compact Agritop	6.0m	3.0t	2.5t	£1,221	F 120	100hp Deutz	2 H	£58,831
6.30 Compact GLS	6.0m	3.0t	2.5t	£1,221	V 152	122hp Deutz	2 H	£62,652
6.30 Compact VPS	6.0m	3.0t	2.5t	£1,221	V 152	122hp Deutz	2 CVT	£65,905
7.30 Compact Agritop	7.1m	3.0t	2.0t	£1,221	F 120	100hp Deutz	2 H	£59,185
7.30 Compact GLS	7.1m	3.0t	2.0t	£1,221	V 152	122hp Deutz	2 H	£63,007
7.30 Compact VPS	7.1m	3.0t	2.0t	£1,221	V 152	122hp Deutz	2 CVT	£66,261
7.30 Agritop	7.1m	3.0t	2.0t	£1,221	F 120	100hp Deutz	2 H	£62,550
7.30 GLS	7.1m	3.0t	2.0t	£1,221	V 152	122hp Deutz	2 H	£66,300
7.30 VPSe	7.1m	3.0t	2.0t	£1,221	V 152	122hp Deutz	1 CVT	£69,872
7.30 VPSe TOP	7.1m	3.0t	2.0t	£1,221	V 185	156hp Deutz	1 CVT	£76,471
7.35 Agritop	7.1m	3.5t	2.5t	£1,221	F 120	100hp Deutz	2 H	£62,681
7.35 GLS	7.1m	3.5t	2.5t	£1,221	V 152	122hp Deutz	2 H	£66,431
7.35 VPSe	7.1m	3.5t	2.5t	£1,221	V 152	122hp Deutz	1 CVT	£70,056
7.35 VPSe TOP	7.1m	3.5t	2.5t	£1,221	V 185	156hp Deutz	1 CVT	£76,603
7.45 Agritop	7.1m	4.5t	3.0t	£1,221	F 120	100hp Deutz	2 H	£63,975
7.45 GLS	7.1m	4.5t	3.0t	£1,221	V 152	122hp Deutz	2 H	£67,724
7.45 VPSe	7.1m	4.5t	3.0t	£1,221	V 152	122hp Deutz	1 CVT	£71,349
7.45 VPSe TOP	7.1m	4.5t	3.0t	£1,221	V 185	156hp Deutz	1 CVT	£77,903
7.30 Compact VPS	7.1m	3.0t	2.0t	£1,221	V 152	122hp Deutz	2 CVT	£112,937
8.40 Agritop	8.0m	4.0t	2.0t	£1,221	F 120	100hp Deutz	2 H	£65,617
8.40 GLS	8.0m	4.0t	2.0t	£1,221	V 152	122hp Deutz	2 H	£69,367
8.40 VPSe	8.0m	4.0t	2.0t	£1,221	V 152	122hp Deutz	1 CVT	£71,420

TELESCOPIC HANDLERS GUIDE

Model	Max lift height	Max lift capacity	Lift to full height	Boom cushion	Hydraulics – litres/min F – gear pump; V – piston pump	Engine – output; make	Transmission – speeds and drive	List price – £ ex-VAT
8.40 VPSe TOP	8.0m	4.0t	2.0t	£1,221	V 185	156hp Deutz	1 CVT	£77,974
9.60 Heavy Duty GLS	8.8m	5.5t	3.0t	£1,221	V 145	120hp Deutz	2 H	£73,308
9.60 Heavy Duty VPSe	8.8m	5.5t	3.0t	£1,221	V 145	120hp Deutz	1 CVT	£77,349
9.60 Heavy Duty VPSe TOP	8.8m	5.5t	3.0t	£1,221	V 185	156hp Deutz	1 CVT	£83,913
9.70 Heavy Duty GLS	8.8m	7.0t	4.0t	£1,221	V 152	120hp Deutz	2 H	£76,032
9.70 Heavy Duty VPSe	8.8m	7.0t	4.0t	£1,221	V 152	120hp Deutz	1 CVT	£80,118
9.70 Heavy Duty VPSe TOP	8.8m	7.0t	4.0t	£1,221	V 185	156hp Deutz	1 CVT	£86,719
9.30 Compact Agritop	8.9m	3.0t	1.2t	£1,221	F 120	100hp Deutz	2 H	£61,990
9.30 Compact GLS	8.9m	3.0t	1.2t	£1,221	V 152	122hp Deutz	2 H	£65,812
9.30 Compact VPS	8.9m	3.0t	1.2t	£1,221	V 152	122hp Deutz	2 CVT	£69,080
9.30 Compact VPS	8.9m	3.0t	1.2t	£1,221	V 152	122hp Deutz	2 CVT	£117,274
9.30 Agritop	9.0m	3.0t	2.0t	£1,221	F 120	100hp Deutz	2 H	£64,046
9.30 GLS	9.0m	3.0t	2.0t	£1,221	V 152	122hp Deutz	2 H	£67,796
9.30 VPSe	9.0m	3.0t	2.0t	£1,221	V 152	122hp Deutz	1 CVT	£71,420
9.30 VPSe TOP	9.0m	3.0t	2.0t	£1,221	V 185	122hp Deutz	1 CVT	£77,974
10.65 Heavy Duty GLS	9.5m	6.5t	2.5t	£1,221	V 145	120hp Deutz	2 H	£77,815
10.65 Heavy Duty VPSe	9.5m	6.5t	2.5t	£1,221	V 145	120hp Deutz	1 CVT	£81,958
10.65 Heavy Duty VPSe TOP	9.5m	6.5t	2.5t	£1,221	V 185	156hp Deutz	1 CVT	£88,544
11.35 Agritop	10.0m	3.5t	1.5t	£1,221	F 120	100hp Deutz	2 H	£68,145
11.35 GLS	10.0m	3.5t	1.5t	£1,221	V 152	122hp Deutz	2 H	£71,895
11.35 VPSe	10.0m	3.5t	1.5t	£1,221	V 152	122hp Deutz	1 CVT	£75,519
11.35 VPSe TOP	10.0m	3.5t	1.5t	£1,221	V 185	156hp Deutz	1 CVT	£82,093

Note: All have offset cab, rigid chassis and selectable 2/4-wheel steering. VPS models have two-range CVT drive with independent ground speed and engine speed available using 'creeper' function; VPSe models have twin hydraulic motor CVT transmission with electronic engine/drive management giving variable top speed restriction, Eco engine mode and 'creeper' with independent ground speed and engine speed control. Compact VPS models are equipped with 3000kg rear linkage with float, and two-speed mechanical rear pto.

JCB

Loadall 516-40 Agri	4.05m	1.6t	1.6t	no	F 56	50hp JCB Kohler	2 H	£43,051
Loadall 520-40 Agri	4.05m	2.0t	2.0t	no	F 56	50hp JCB Kohler	2 H	£42,559
TeleMaster TM180	4.5m	1.8t	1.8t	£1,760	F 60	64hp JCB Kohler	2 H	£57,043
TeleMaster TM220	4.6m	2.2t	2.2t	£1,815	F 78	74hp JCB Kohler	2 H	£64,590
TeleMaster TM320	5.2m	3.2t	3.2t	std	V 140	125hp JCB	6 PS	£76,711
TeleMaster TM320S	5.2m	3.2t	3.2t	std	V 160	145hp JCB	6 PS	£82,582
Loadall 526-56 Agri Plus	5.6m	2.6t	2.6t	£1,725	F 80	109hp JCB	4 PS	£64,511
Loadall 527-58 Agri Plus	5.8m	2.7t	2.7t	£1,725	F 126	109hp JCB	2 H	£64,349
Loadall 527-58 Agri Plus PoultryMaster	5.8m	2.7t	2.7t	£1,725	F 126	109hp JCB	2 H	tbc
Loadall 525-60 Agri	6.0m	2.5t	1.7t	£1,760	F 80	74hp JCB	2 H	£51,071
Loadall 525-60 Agri Super	6.0m	2.5t	1.7t	£1,760	V 90	74hp JCB	2 H	£53,811
Loadall 525-60 Agri Super PoultryMaster	6.0m	2.5t	1.7t	£1,760	V 90	74hp JCB	2 H	tbc
Loadall 536-60 Agri Smart Power	6.2m	3.6t	3.6t	£1,776	V 140	74hp JCB	4 PS	tbc
Loadall 536-60 Agri	6.2m	3.6t	3.6t	£1,776	V 140	109hp JCB	4 PS	£73,160
Loadall 536-60 Agri Plus	6.2m	3.6t	3.6t	£1,776	V 140	125hp JCB	4 PS	£73,997
Loadall 536-60 Agri Plus	6.2m	3.6t	3.6t	£1,776	V 140	145hp JCB	4 PS	£74,846
Loadall 536-60 Agri Super	6.2m	3.6t	3.6t	std	V 140	125hp JCB	6 PS	£78,447
Loadall 536-60 Agri Super	6.2m	3.6t	3.6t	std	V 140	145hp JCB	6 PS	£79,296
Loadall 536-60 Agri Pro	6.2m	3.6t	3.6t	std	V 140	145hp JCB	1 H + 3 PS	tbc
Loadall 531-70 Agri Smart Power	7.0m	3.1t	2.4t	£1,776	V 140	74hp JCB	4 PS	tbc
Loadall 531-70 Agri	7.0m	3.1t	2.4t	£1,776	V 140	109hp JCB	4 PS	£74,779
Loadall 531-70 Agri Plus	7.0m	3.1t	2.4t	£1,776	V 140	125hp JCB	4 PS	£75,617
Loadall 531-70 Agri Plus	7.0m	3.1t	2.4t	£1,776	V 140	145hp JCB	4 PS	£76,466
Loadall 531-70 Agri Super	7.0m	3.1t	2.4t	std	V 140	125hp JCB	6 PS	£80,101
Loadall 531-70 Agri Super	7.0m	3.1t	2.4t	std	V 140	145hp JCB	6 PS	£80,950
Loadall 531-70 Agri Pro	7.0m	3.1t	2.4t	std	V 140	145hp JCB	1 H + 3 PS	£86,876
Loadall 536-70 Agri Smart Power	7.0m	3.6t	2.6t	£1,984	V 140	74hp JCB	4 PS	tbc
Loadall 536-70 Agri	7.0m	3.6t	2.6t	£1,984	V 140	109hp JCB	4 PS	£78,051
Loadall 536-70 LP Agri	7.0m	3.6t	2.6t	£1,984	V 140	109hp JCB	4 PS	£79,351
Loadall 536-70 Agri Plus	7.0m	3.6t	2.6t	£1,984	V 140	125hp JCB	4 PS	£78,441
Loadall 536-70 Agri Plus	7.0m	3.6t	2.6t	£1,984	V 140	145hp JCB	4 PS	£79,290
Loadall 536-70 LP Agri Plus	7.0m	3.6t	2.6t	£1,984	V 140	125hp JCB	4 PS	£79,741
Loadall 536-70 LP Agri Plus	7.0m	3.6t	2.6t	£1,984	V 140	145hp JCB	4 PS	£80,590

TELESCOPIC HANDLERS GUIDE

Model	Max lift height	Max lift capacity	Lift to full height	Boom cushion	Hydraulics – litres/min F – gear pump; V – piston pump	Engine – output; make	Transmission – speeds and drive	List price – £ ex-VAT
Loadall 536-70 Agri Super	7.0m	3.6t	2.6t	std	V 140	125hp JCB	6 PS	£82,925
Loadall 536-70 Agri Super	7.0m	3.6t	2.6t	std	V 140	145hp JCB	6 PS	£83,774
Loadall 536-70 LP Agri Super	7.0m	3.6t	2.6t	std	V 140	125hp JCB	6 PS	£84,225
Loadall 536-70 LP Agri Super	7.0m	3.6t	2.6t	std	V 140	145hp JCB	6 PS	£85,074
Loadall 536-70 LP Agri Pro	7.0m	3.6t	2.6t	std	V 140	145hp JCB	1 H + 3 PS	£89,700
Loadall 541-70 Agri Smart Power	7.0m	4.1t	2.5t	£1,984	V 140	74hp JCB	4 PS	tbc
Loadall 541-70 Agri	7.0m	4.1t	2.5t	£1,984	V 140	109hp JCB	4 PS	£79,915
Loadall 541-70 Agri Plus	7.0m	4.1t	2.5t	£1,984	V 140	125hp JCB	4 PS	£80,365
Loadall 541-70 Agri Plus	7.0m	4.1t	2.5t	£1,984	V 140	145hp JCB	4 PS	£81,214
Loadall 541-70 Agri Super	7.0m	4.1t	2.5t	std	V 140	125hp JCB	6 PS	£85,165
Loadall 541-70 Agri Super	7.0m	4.1t	2.5t	std	V 140	145hp JCB	6 PS	£86,014
Loadall 541-70 Agri Pro	7.0m	4.1t	2.5t	std	V 140	145hp JCB	1 H + 3 PS	£91,860
Loadall 560-80 Agri	8.1m	6.0t	2.8t	std	V 140	145hp JCB	4 PS	£95,862
Loadall 560-80 Agri Super	8.1m	6.0t	2.8t	std	V 140	145hp JCB	4 PS	£98,544
Loadall 535-95 Agri Smart Power	9.5m	3.5t	1.6t	£1,984	V 140	74hp JCB	4 PS	tbc
Loadall 535-95 Agri	9.5m	3.5t	1.6t	£1,984	V 140	109hp JCB	4 PS	£77,115
Loadall 535-95 Agri Plus	9.5m	3.5t	1.6t	£1,984	V 140	125hp JCB	4 PS	£79,103
Loadall 535-95 Agri Plus	9.5m	3.5t	1.6t	£1,984	V 140	145hp JCB	4 PS	£79,952
Loadall 535-95 Agri Super	9.5m	3.5t	1.6t	std	V 140	125hp JCB	6 PS	£83,334
Loadall 535-95 Agri Super	9.5m	3.5t	1.6t	std	V 140	145hp JCB	6 PS	£84,183
Loadall 535-95 Agri Pro	9.5m	3.5t	1.6t	std	V 140	145hp JCB	1 H + 3 PS	tbc

Note: TeleMaster models have central cab and pivot chassis steering; 516-40 has central cab, rigid chassis and permanent four-wheel steering; all others have offset cab, rigid chassis and selectable 2/4-wheel steering. Optional separate engine speed and ground speed control available on 516-40 and 525-60; Agri Pro models have separate engine and ground speed control as standard; Plus - optional seat-mounted servo joystick; Super - standard seat-mounted servo joystick.

KRAMER

804	4.0m	0.8t	0.8t	no	F 33	26hp Yanmar	2 H	£33,404
1245	4.3m	1.2t	1.2t	no	F 42 or F 75	30hp Yanmar	2 H	£37,210
1245 HP	4.3m	1.2t	1.2t	no	F 42 or F 75	40hp Yanmar	2 H	£38,472
5085T	4.48m	2.0t	2.0t	poa	F 70	75hp Kohler	2 H	£58,522
8085T	4.48m	2.0t	2.0t	poa	F 70	75hp Deutz	2 H	£61,235
8095T	4.5m	2.3t	2.3t	poa	F 84	75hp Deutz	2 H	£63,960
8095T	4.5m	2.3t	2.3t	poa	F 84	100hp Deutz	2 H	£66,575
2205	5.18m	2.2t	1.7t	poa	F 70 or F 106	49hp Perkins	2 H	£47,685
2706	5.73m	2.7t	2.5t	poa	F 90	75hp Kohler	2 H	poa

Note: 'T' models have central cab, rigid chassis and permanent four-wheel steering; others have offset cab, rigid chassis and permanent four-wheel steering. 5085T - 30kph optional; 8085T and 8095T - 40kph optional.

MANITOU

MLT 625 - 75 H	2.5t	5.90m	2.0t	Opt	F 90	75hp Kubota	2 H	£61,313
MLT 630 - 105 V Compact	3.0t	6.00m	2.7t	Opt	F 104 l/min	105hp Deutz	2 H	TBC
MLT 630 - 105 V	3.0t	6.10m	2.7t	Opt	F 104 l/min	105hp Deutz	2 H	TBC
MLT 630 - 105	3.0t	6.10m	2.7t	Opt	F 104 l/min	105hp Deutz	4 MS	TBC
MLT 635 - 140 V+	3.5t	6.08m	3.5t	Opt	V 170 l/min	136hp Deutz	Hydro CVT	TBC
MLT 635 - 130 PS +	3.5t	6.08m	3.5t	Opt	V 150 l/min	129hp Deutz	6 PS	£79,501
MLT 733 - 105	3.3t	6.90m	3.3t	Opt	F 104 l/min	101hp Deutz	4 MS	£70,675
MLT 737 - 130 PS +	3.7t	6.90m	2.7t	Opt	V 150 l/min	129hp Deutz	6 PS	£81,485
MLT 741 - 140 V +	4.1t	6.90m	2.7t	Opt	V 170 l/min	136hp Deutz	Hydro CVT	TBC
MLT 840 - 145 PS	4.0t	7.55m	2.0t	Opt	V 200 l/min	141hp Deutz	5 PS	£90,795
MLT 940 - 140 V+	4.0t	9.00m	1.5t	Opt	V 170 l/min	136hp Deutz	Hydro CVT	TBC
MLT 960	6.0t	9.00m	4.0t	Opt	V 180 l/min	141hp John Deere	Hydro CVT	£101,983
MLT 1040-145 PS L (chassis levelling)	4.0t	9.60m	2.5t	Opt	V 200 l/min	141hp John Deere	5 PS	£98,389

Note: Boom suspension standard on Elite Specification on all models. Air Conditioning and Easy Connect System standard on Elite and Premium Specification on all models.

MASSEY FERGUSON

TH.6030	5.89m	3.0t	2.5t	std	V 100	75hp Doosan	2 H	£54,680
TH.6534	6.41m	3.4t	3.4t	std	V 190	130hp Doosan	2 H	£64,900
TH.7035	6.97m	3.5t	3.5t	std	V 100	100hp Doosan	2 H	£62,917
TH.7038	6.97m	3.8t	3.5t	std	V 190	130hp Doosan	2 H	£68,088

Note: All have offset cab and selectable 2/4-wheel steering.

TELESCOPIC HANDLERS GUIDE

Model	Max lift height	Max lift capacity	Lift to full height	Boom cushion	Hydraulics – litres/min F – gear pump; V – piston pump	Engine – output; make	Transmission – speeds and drive	List price – £ ex-VAT
MERLO								
 The TurboFarmer II range roll-out continues with the 3.3t/6.7m TF33.7 being among the most recent to exhibit the new cab, improved fuel efficiency, boom suspension and Merlo's unique cab suspension.								
P27.6 Plus	6.0m	2.7t	1.75t	£1,530	F 84	75hp Kubota	1 H	£49,285
TF33.7-115	6.7m	3.3t	2.6t	£1,530	V 125	115hp Deutz	2 H	£63,800
TF35.7-115	6.7m	3.5t	3.5t	£1,530	V 125	115hp Deutz	2 H	£67,500
TF35.7-115 (CS)	6.7m	3.5t	3.5t	£1,530	V 125	115hp Deutz	2 H	£70,500
Multifarmer 40.7 CS	6.80m	4.0t	4.0t	std	F 152	156hp Deutz	CVT	£101,600
TF42.7-156 (CS)	7.1m	4.2t	3.5t	£1,530	V 130	156hp Deutz	2 H	£74,600
TF42.7-156-CVT CS	7.1m	4.2t	3.5t	£1,530	V 130	156hp Deutz	CVT	£84,300
TF42.7-156 (CS)	7.1m	4.2t	3.5t	£1,530	V 130	156hp Deutz	2 H	£74,600
TF42.7-156-CVT CS	7.1m	4.2t	3.5t	£1,530	V 130	156hp Deutz	CVT	£84,300
TF50.8 T-120 CS	7.8m	5.0t	5.0t	£1,530	V 122	122hp Deutz	2 H	£80,000
TF50.8 T-156-CVT CS	7.8m	5.0t	5.0t	£1,530	V 130	156hp Deutz	CVT	£89,700
TF50.8 T-120 CS	7.8m	5.0t	5.0t	£1,530	V 122	122hp Deutz	2 H	£80,000
TF50.8 T-156-CVT CS	7.8m	5.0t	5.0t	£1,530	V 130	156hp Deutz	CVT	£89,700
Panoramic P55.9 T CS	8.6m	5.5t	5.5t	£1,530	V 153	156hp Deutz	2 H	£88,310
Panoramic P60.9 T CS	8.6m	6.5t	6.5t	£1,530	V 153	156hp Deutz	2 H	£94,340
Panoramic P75.9 T CS	8.6m	7.5t	6.5t	£1,530	V 153	156hp Deutz	2 H	£98,770
Multifarmer 40.9 CS	8.8m	4.0t	4.0t	std	F 152	156hp Deutz	CVT	£105,600
TF38.10-120 (CS*)	9.6m	3.8t	1.4t	£1,530	F 91 or V 125	122hp Deutz	2 H	£80,000
TF38.10-120-CVT (CS)	9.6m	3.8t	1.4t	£1,530	V 125	122hp Deutz	CVT	£82,700
TF38.10-156 (CS)	9.6m	3.8t	1.4t	£1,530	V 130	156hp Deutz	2 H	£80,600
TF38.10-156-CVT CS	9.6m	3.8t	1.4t	£1,530	V 130	156hp Deutz	CVT	£90,300
TF38.10 TT-120	9.6m	3.8t	3.0t	£1,530	V 125	122hp Deutz	2 H	£79,800
TF38.10 TT-156-CVT CS	9.6m	3.8t	3.0t	£1,530	V 130	156hp Deutz	CVT	£93,500
Panoramic P60.10 TT	9.6m	6.0t	4.0t	£1,530	V 108	101hp Deutz	2 H	£79,770
Panoramic P72.10 TT	9.6m	7.2t	4.0t	£1,530	V 108	101hp Deutz	2 H	£81,950
Panoramic P40.9 Plus TT	9.7m	4.0t	3.0t	£1,530	V 108	101hp Deutz	2 H	£73,830
TF45.11 T-120 CS	10.6m	4.5t	4.5t	£1,530	V 122	122hp Deutz	2 H	£84,500
TF45.11 T-156-CVT CS	10.6m	4.5t	4.5t	£1,530	V 130	156hp Deutz	CVT	£94,200
Note: All have offset cab and selectable 2/4-wheel steering. L - low-mounted; CS - cab suspension standard; (CS) - cab suspension optional; (CS*) - cab suspension optional with 125-litre/min hydraulics; T - levelling front axle; TT - levelling and sideshift front axle; CVT - twin hydraulic motor stepless transmission. Multifarmer models are equipped with integral 7000kg rear linkage, two-speed mechanical rear pto and trailer braking system.								

MULTIONE								
520	2.75m	0.70t	0.56t	no	F 31	20hp Kubota	1 H	£17,550
525	2.75m	0.70t	0.56t	no	F 34	25hp Kubota	1 H	£18,675
5.3	2.75m	0.80t	0.64t	no	F 42	28hp Yanmar	1 H	£20,415
7.2	2.9m	1.55t	1.24t	no	F 68	28hp Yanmar	1H	£23,675
7.3	2.9m	1.55t	1.24t	no	F 68	35hp Yanmar	1 H	£25,215
6.3	2.92m	1.2t	0.96t	no	F 46	28hp Yanmar	1 H	£21,755
8.4	2.98m	1.6t	1.28t	no	F 72	40hp Yanmar	1 H	£27,525
9.5	3.21m	2.6t	2.08t	no	F 85	50hp Yanmar	2 H	£32,910
10.8	3.21m	2.7t	2.16t	no	F 95	72hp Yanmar	2 H	£37,170
Note: All have central cab and pivot chassis steering. Models 6.3, 7.3 and 8.4 have 13kph transmission standard with 11kph and two-speed 15kph transmissions optional.								

NC ENGINEERING								
FH225	4.7m	2.4t	2.4t	£625	V 91	100hp Deutz	6 PS	£64,500
Note: Central cab and pivot chassis steering.								

NEW HOLLAND								
 With a lot more power from the engine and flow from the hydraulics, the current in-house range of telehandlers offers greater performance than before and greater comfort in a spacious cab.								
LM5.25	5.78m	2.5t	2.5t	£1,053	F 80	75hp Kubota	1 H	£54,455
LM6.32	6.1m	3.2t	3.2t	std	F 120	121hp FPT	4 PS	£71,519
LM6.35 Elite	6.1m	3.5t	3.5t	std	V 140	143hp FPT	6 PS	£80,038
LM6.28	6.35m	2.8t	2.8t	£1,053	F 110	101hp Kubota	2 H	£60,350

TELESCOPIC HANDLERS GUIDE

Model	Max lift height	Max lift capacity	Lift to full height	Boom cushion	Hydraulics – litres/min F – gear pump; V – piston pump	Engine – output; make	Transmission – speeds and drive	List price – £ ex-VAT
LM735	7.0m	3.5t	3.5t	std	F 120	121hp FPT	4 PS	£74,493
LM742 Elite	7.0m	4.2t	4.2t	std	V 140	143hp FPT	6 PS	£83,112
LM9.35	9.1m	3.5t	2.5t	std	F 120	121hp FPT	4 PS	£77,517

Note: All have offset cab and selectable 2/4-wheel steering. Elite specification includes seat-mounted electronic joystick and reach-adjustable (in addition to tilt) steering wheel.

NORCAR

765	2.9m	1.2t	1.2t	no	F 50	36hp Kubota	1 H	poa
a6020	3.01m	0.96t	0.96t	no	F 28	20hp Kubota	1 H	poa
a6026	3.01m	0.96t	0.96t	no	F 24	26hp Kubota	1 H	poa
a6226	3.01m	1.15t	0.96t	no	F 18+24	26hp Kubota	2 H	poa
a7236	3.54m	1.5t	1.1t	no	F 24+33	36hp Kubota	2 H	poa
a7545	3.54m	1.5t	1.1t	no	F 33+33	45hp Kubota	2 H	poa
a7545 4 Track	3.64m	1.65t	1.2t	no	F 33+33	45hp Kubota	2 H	poa

Note: Model a7545 4 Track runs on individual track assemblies; all have central cab and pivot chassis steering.

PICHON

Series 45.60	4.5m	2.0t	1.6t	£400	F 96	60hp Deutz	2 H	£58,718
Series 45.75	4.5m	2.0t	1.6t	£400	F 96	75hp Deutz	2 H	£67,678

Note: Both have central cab and pivot chassis steering.

Q LOADER



The new Q Loader range of mini wheeled loaders from Dutch manufacturer Quappen includes the Q27 with telescopic boom option for increased load placement and lifting versatility.

Q27 Telescopic	3.43m	1.1t	1.1t	no	42	37hp Yanmar	2 H	£32,500
----------------	-------	------	------	----	----	-------------	-----	---------

Note: Central cab and pivot chassis steering.

SCHÄFFER

2345T	3.75m	1.9t	1.65t	poa	F 42	45hp Kubota	2 H	poa
2345T SLT	3.75m	1.9t	1.65t	poa	F 42	45hp Kubota	2 H	poa
3550T	3.85m	1.95t	1.7t	poa	F 52	50hp Kubota	2 H	poa
3550T SLT	3.85m	1.95t	1.7t	poa	F 52	50hp Kubota	2 H	poa
5680T	4.25m	1.95t	1.8t	std	F 72	75hp Deutz	2 H	poa
6680T	4.9m	2.8t	2.5t	std	F 72	75hp Deutz	2 H	poa
8610T	5.1m	2.8t	2.4t	std	F 100	102hp Deutz	2 H	poa
9630T	5.3m	4.2t	3.1t	std	F 150	123hp Deutz	2 H	poa
9660T	6.1m	4.7t	2.5t	std	F 172	157hp Deutz	2 H	poa

Note: All have central cab and pivot chassis steering. SLT versions of 2345T and 3550T are narrower and lower.

TOBROCO

Giant D204 Tele	2.8m	1.0t	0.75t	no	F 33	20hp Kubota	1 H	poa
Giant D254 Tele	2.8m	1.0t	0.75t	no	F 33	25hp Kubota	1 H	poa
Giant V5003T Tele	4.3m	2.0t	1.5t	poa	F 66	50hp Kubota	2 H	poa
Giant V6004T Tele	4.3m	2.0t	1.5t	poa	F 66	60hp Kubota	2 H	poa
Giant 4548 Tendo	4.8m	1.4t	0.8t	poa	F 51	45hp Kubota	2 H	poa
Giant V716T Tele	5.1m	2.8t	n/a	poa	F 80 or V 150	76hp Deutz	2 H	poa

Note: All have central cab and pivot chassis steering.

WEIDEMANN

T4108	4.1m	0.8t	0.8t	no	F 33	26hp Yanmar	2 H	£30,750
2070 CX50 LPT	4.3m	2.1t	0.94t	£970	F 49	49hp Perkins	2 H	£41,000
2070 CX80 LPT	4.3m	2.2t	0.94t	£970	F 52	75hp Deutz	2 H	£43,500
2080 T	4.3m	2.2t	1.2t	£1,075	F 56, 63 or 83	50hp Perkins	2 H	£49,250
2080 T	4.3m	2.2t	1.2t	£1,075	F 56, 63 or 84	60hp Perkins	2 H	£52,750
2080 T	4.3m	2.2t	1.3t	£1,075	F 56, 63 or 85	75hp Deutz	2 H	£54,000
T4512	4.5m	1.2t	1.1t	no	F 40 or F 70	40hp Yanmar	2 H	£35,250
3080 LPT	5.0m	2.2t	1.2t	std	F 64	75hp Deutz	2 H	£56,750
4080 LPT	5.0m	3.1t	1.7t	std	F 73 or F 83	75hp Deutz	2 H	£60,500
4080 T	5.0m	3.3t	1.7t	std	F 100 or V150	102hp Deutz	2 H	£61,750

TELESCOPIC HANDLERS GUIDE

Model	Max lift height	Max lift capacity	Lift to full height	Boom cushion	Hydraulics – litres/min F – gear pump; V – piston p ump	Engine – output; make	Transmission – speeds and drive	List price – £ ex-VAT
4080 T	5.0m	3.3t	1.7t	std	F 100 or V150	117hp Perkins	2 H	£69,000
5080 T	5.0m	4.1t	2.1t	std	F 100 or V150	117hp Perkins	2 H	£69,000
T5522	5.5m	2.2t	1.7t	std	F 70 or F 106	49hp Perkins	2 H	£43,500
T5522	5.5m	2.2t	1.7t	std	F 70 or F 106	60hp Perkins	2 H	£46,750
T6027	6.0m	2.7t	2.7t	std	F 90	75hp Kohler	3 H	£60,000

Note: 'T' models have an offset cab, rigid chassis and permanent four-wheel steering; all others have a central cab and pivot chassis steering.